

METRIC
ALL DIMENSIONS IN MILLIMETERS

SIGNAL INDICATION	M.T.O. CABLE				
	7 CONDUCTOR USED FOR PEDS	12 CONDUCTOR USED FOR SIGNALS	19 CONDUCTOR SIGNALS AND PEDS	19 CONDUCTOR USED FOR SIGNALS	12 CONDUCTOR USED FOR PEDS
MAIN STREET GREEN		BLUE ONE	BLUE ONE	BLUE ONE	
MAIN STREET AMBER		YELLOW ONE	YELLOW ONE	YELLOW ONE	
MAIN STREET RED		RED ONE	RED ONE	RED ONE	
CROSS STREET GREEN		BLUE TWO	BLUE TWO	BLUE TWO	
CROSS STREET AMBER		YELLOW TWO	YELLOW TWO	YELLOW TWO	
CROSS STREET RED		RED TWO	RED TWO	RED TWO	
MAIN STREET WALK	BLUE ONE		BLUE FOUR		BLUE ONE
MAIN STREET DON'T WALK	RED ONE		RED FOUR		RED ONE
CROSS STREET WALK	BLUE TWO		BLUE FIVE		BLUE TWO
CROSS STREET DON'T WALK	RED TWO		RED FIVE		RED TWO
MAIN STREET GREEN ARROW		BLUE THREE	BLUE THREE	BLUE THREE	
MAIN STREET AMBER ARROW		YELLOW THREE	ORANGE	YELLOW THREE	
MAIN STREET RED ARROW				RED THREE	
CROSS STREET GREEN ARROW		BLACK	BLACK	BLUE FOUR	
CROSS STREET AMBER ARROW		ORANGE	RED THREE	YELLOW FOUR	
CROSS STREET RED ARROW				RED FOUR	
SIGNALS NEUTRAL		WHITE	WHITE ONE	WHITE ONE	
PEDS NEUTRAL	WHITE		WHITE TWO		WHITE
SPARE				WHITE TWO	
SPARE		RED THREE		ORANGE	ORANGE
SPARE				RED FIVE	RED THREE
SPARE				YELLOW FIVE	
SPARE				BLUE FIVE	BLUE THREE
SPARE				BLACK	BLACK



**TYPICAL TRAFFIC SIGNAL
CONDUCTOR ASSIGNMENT**

EFF. DATE	SCALE	N.T.S.
REV.	STANDARD No.	2600.013