

PART I - GENERAL

- 1.1 Final Cleaning:
- .1 Refer to item 1.17, Section 01005 for progressive cleaning.
 - .2 Remove waste products and debris and leave the work clean and suitable for use by the City.
 - .3 Remove surplus products, tools, construction machinery and equipment.
 - .4 Remove stains, spots, marks and dirt from surfaces, site furniture, electrical and mechanical fixtures, and pavements.
 - .5 Broom clean paved surfaces; rake clean other surfaces.
 - .6 Dispose of all rubbish and surplus materials and leave the site in a neat and presentable condition prior to preliminary acceptance.
 - .7 Restore all surfaces used to access the site to their original condition. All sodded areas which have been damaged or disturbed are to be re-sodded.
- 1.2 Project Records:
- .1 Data to be organized and to include warranties and guarantees, names, addresses and telephone numbers of subcontractors and suppliers. This data is to be submitted to the City by the consultant in the form of an instructional manual in binders of commercial quality, 8 ½ x 11 inches. Also include shop drawings and all related drawings, diagrams and manufacturers' literature.
 - .2 Maintain and include manufacturer's certifications, inspections, and field test records.
 - .3 Arrange content under section numbers and sequence of Table of Contents.
 - .4 All lists and notes to have been word processed and/or typewritten.

- 1.3 Project Drawings:
 - .1 Contractor to maintain project record drawings and record accurately deviations from contract documents.
 - .2 The documents to contain the following information:
 - .1 Depths of various elements of foundations in relation to finished grade.
 - .2 Horizontal and vertical location of underground utilities, services and appurtenances referenced to permanent surface improvements.
 - .3 Field changes of dimension and detail.
 - .4 Changes made by Change Order or Field Order.
- 1.4 Acceptance by the City: .1 For both preliminary and final acceptance processes refer to PART I, SECTION 1.6 - ACCEPTANCE REQUIREMENTS of the Subdivision Requirements Manual.

PART II - PRODUCTS

Not Used

PART III - EXECUTION

Not Used

END OF SECTION 01800