



The TUBE

With its aesthetic appearance, the TUBE takes its place within the urban area and integrates perfectly with the landscape.

Technical specifications

Model	TUBE 5	TUBE 3	TUBE 1.5
Capacity	6.5y ³ / 5,000L	4y ³ / 3,000L	2y ³ / 1,500L
Measurements	8' 7 ³ / ₄ " - 2.64m x 6' 2 ³ / ₄ " - 1.9m	8' 3 ³ / ₄ " - 2.54m x 4' 11" - 1.5m	8' 3 ¹ / ₈ " - 2.52m x 3' 9 ¹ / ₄ " - 1.15m
Pit dimension	1.47m x 2.7m	1.47m x 2.3m	1.47m x 1.95m
Aperture	From 10 to 70 cm diameter	From 10 to 70 cm diameter	From 10 to 70 cm diameter
Material	Polyethylene / Galvanized steel / Flexible bag	Polyethylene / Galvanized steel / Flexible bag	Polyethylene / Galvanized steel / Flexible bag
Standard Equipment	Tub - Main lid - Users lid - lifting system and flexible bag / treated wood lining	Tub - Main lid - Users lid - lifting system and flexible bag / treated wood lining	Tub - Main lid - Users lid - lifting system and flexible bag / treated wood lining
Accessories	Lock system / bi-contents lid / identification / transparent plastic or aluminium lining	Lock system / bi-contents lid / identification / transparent plastic or aluminium lining	Lock system / bi-contents lid / identification / transparent plastic or aluminium lining

Fabrication

- Ribbed casing in its buried parts provide an optimal resistance to surges of water and land
- Simple hook lifting system in galvanized steel
- Standard or high strength flexible lifting bag meeting applicable safety standards

In brief...

- Visual control during collection
- The height above ground allows an optimal usage
- Aesthetic revolution by its lining and finish
- Round conception tub installed vertically promotes natural compaction
- Odourless by the freshness in ground allows reducing proliferation of bacteria
- Rotationally molded high density polyethylene allows manufacturing of a monoblocs tub extreme resistance