



# **FINAL Phase I Environmental Site Assessment**

128 Lakeshore Road East,  
Port Credit, Ontario

Prepared for:

**Black Tusk Group Inc**

365 Bay Street, Suite 800  
Toronto, Ontario, M5H 2V1

February 12, 2021

Pinchin File: 287305



**Phase I Environmental Site Assessment**  
128 Lakeshore Road East, Port Credit, Ontario  
Black Tusk Group Inc

February 12, 2021  
Pinchin File: 287305  
FINAL

<b>Issued To:</b>	<b>Black Tusk Group Inc</b>
<b>Issued On:</b>	<b>February 12, 2021</b>
<b>Pinchin File:</b>	<b>287305</b>
<b>Issuing Office:</b>	<b>Mississauga, ON</b>
<b>Primary Contact:</b>	<b>Gary Drummond, C.E.T.</b>

---

Author:	<hr/> Allison McCarthy, BSc & BES Project Technologist 365.822.1609 <a href="mailto:amccarthy@pinchin.com">amccarthy@pinchin.com</a>
---------	---

Reviewer:	<hr/> Gary Drummond, C.E.T. Operations Manager / Senior Consultant 289.971.0224 <a href="mailto:gdrummond@pinchin.com">gdrummond@pinchin.com</a>
-----------	---



## EXECUTIVE SUMMARY

Pinchin Ltd. (Pinchin) was retained on January 28, 2021 through an Authorization to Proceed, Limitation of Liability and Terms of Engagement contract form signed by Black Tusk Group Inc (Client) to conduct a Phase I Environmental Site Assessment (ESA) of the property located at 128 Lakeshore Road East, Port Credit, Ontario (hereafter referred to as the Site).

The Site is developed with one two-storey commercial building (Site Building) occupied by Skinner & Middlebrook Funeral Home.

Pinchin was advised by the Client that the purpose of the Phase I ESA was to assess potential issues of environmental concern in relation to the potential acquisition of the Site.

The Phase I ESA was completed in general accordance with the Canadian Standards Association (CSA) document entitled *"Phase I Environmental Site Assessment, CSA Standard Z768-01"* dated November 2001 (reaffirmed 2016), including a review of readily-available historical records, a review of readily-accessible regulatory records, a Site reconnaissance, interviews, an evaluation of information and reporting, subject to the limitations outlined in Section 8.0 of this report. Exceptions to following CSA Standard Z768-01 include access to historical complete City Directories, as these were not available for Pinchin's review due to current government information repository closures.

Based on the results of the Phase I ESA completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.

Given the years of construction of the Site Building (circa, 1923 to 1990), there is a potential for asbestos-containing materials to be present in the Site Building. Pinchin did not conduct an asbestos survey, nor was any sampling or inspection for asbestos conducted as part of this Phase I ESA. The Site Representative advised Pinchin that no asbestos surveys have been previously conducted at the Site, and that an Asbestos Management Program has not been developed for or implemented at the Site.

*This Executive Summary is subject to the same standard limitations as contained in the report and must be read in conjunction with the entire report.*

*This report has been issued without having received a response from the Ministry of the Environment, Conservation and Parks. Once a response from this regulatory body is received, the information will be reviewed by Pinchin and, if there is any information that represents a potential issue of environmental concern, a copy of the response will be forwarded to the Client under separate cover. Our conclusions and recommendations may be amended based on this information.*

*In Pinchin's completion of this work, historical select City Directories were not available for review due to temporary closures of government information sources. This represents a potential data gap in the historical documentation review process, however; Pinchin has endeavored to provide our very best opinion to meet the Client's current needs.*



## TABLE OF CONTENTS

1.0	INTRODUCTION .....	1
1.1	Background.....	1
1.2	Scope of Work .....	1
2.0	SITE DESCRIPTION.....	1
2.1	Site Location and Physical Description .....	1
2.2	Topographic, Geologic and Hydrogeological Setting.....	2
2.3	Site Operations .....	3
3.0	HISTORICAL RECORDS REVIEW .....	4
3.1	Site Interviews and Records.....	4
3.2	Aerial Photographs and Satellite Imagery .....	4
3.3	Opta Information .....	6
3.4	City Directories.....	7
3.5	Previous Environmental Reports .....	8
3.6	Historical Summary .....	8
4.0	REGULATORY INFORMATION AND CORRESPONDENCE .....	8
4.1	Site Regulatory Information .....	8
4.2	Ministry of the Environment, Conservation and Parks .....	8
4.3	Technical Standards & Safety Authority.....	10
4.4	ERIS .....	10
4.5	Regulatory Information Summary .....	12
5.0	SITE RECONNAISSANCE .....	12
5.1	Hazardous Materials .....	12
5.2	Storage Tanks .....	13
5.2.1	Aboveground Storage Tanks.....	13
5.2.2	Underground Storage Tanks .....	13
5.3	Water and Wastewater.....	13
5.4	Hydraulic Equipment .....	14
5.5	Polychlorinated Biphenyls .....	15
5.6	Asbestos-Containing Materials .....	15
5.7	Lead-Containing Paints .....	16
5.8	Ozone-Depleting Substances.....	17
5.9	Radon .....	17
5.10	Mould or Microbial Contamination .....	17
5.11	Air Emissions .....	18
5.12	Staining and Stressed Vegetation.....	18
5.13	Non-Hazardous Wastes .....	18
6.0	ACTIVITIES ON ADJACENT PROPERTIES .....	19
7.0	FINDINGS AND RECOMMENDATIONS .....	19
8.0	TERMS AND LIMITATIONS .....	20
9.0	REFERENCES .....	22



## **FIGURES**

FIGURE 1	Key Map
FIGURE 2	Site and Surrounding Land Use Plan

## **APPENDICES**

APPENDIX I	Opta Response
APPENDIX II	Correspondence with Regulatory Agencies
APPENDIX III	ERIS Report
APPENDIX IV	Qualifications of Assessor
APPENDIX V	Photographs



## **1.0 INTRODUCTION**

### **1.1 Background**

Pinchin Ltd. (Pinchin) was retained on January 28, 2021 through an Authorization to Proceed, Limitation of Liability and Terms of Engagement contract form signed by Black Tusk Group Inc (Client) to conduct a Phase I Environmental Site Assessment (ESA) of the property located at 128 Lakeshore Road East, Port Credit, Ontario (hereafter referred to as the Site).

The Site is developed with one two-storey commercial building (Site Building) occupied by Skinner & Middlebrook Funeral Home.

Pinchin was advised by the Client that the purpose of the Phase I ESA was to assess potential issues of environmental concern in relation to the potential acquisition of the Site.

### **1.2 Scope of Work**

The Phase I ESA was completed in general accordance with the Canadian Standards Association (CSA) document entitled "*Phase I Environmental Site Assessment, CSA Standard Z768-01*" dated November 2001 (reaffirmed 2016), including a review of readily available historical and regulatory records, a Site reconnaissance, interviews, an evaluation of information and reporting, all subject to the limitations outlined in Section 8.0 of this report.

Pinchin conducted a Site reconnaissance on February 2, 2021, and was accompanied by the co-owner of the Site since 1992, and hereafter referred to as the Site Representative.

## **2.0 SITE DESCRIPTION**

### **2.1 Site Location and Physical Description**

As indicated on Figure 1 (Key Map), the Site is located immediately southwest of the intersection of Lakeshore Road East and Ann Street in Port Credit, Ontario. The Site is situated in an area that predominantly consists of commercial and residential land uses. Figure 2 illustrates the Site and surrounding area.

A summary of the physical description of the Site, including the Site Building, is provided below:

<b>Topic</b>	<b>Details</b>
Approximate Site Area	0.09 hectares (0.23 acres).
Buildings on-Site	One.



Topic	Details
Approximate Year of Construction and Significant Additions or Renovations	1923 with an addition to the southwest of the Site Building sometime between 1931 and 1952, and a second floor addition constructed in approximately 1990.
Number of Floors (Including ground level)	Two.
Subsurface Levels	One basement level that extends beneath the entire building footprint.
Approximate Footprint Area of Building	622 square metres (m <sup>2</sup> ) (6,700 square feet (ft <sup>2</sup> )).
Approximate Total Area of Building	1,780 m <sup>2</sup> (19,160 ft <sup>2</sup> ).
Heating / Cooling	Natural gas-fired rooftop heating/ventilation/air-conditioning (HVAC) units. Natural gas-fired forced air furnace. Electric baseboard heaters.
Elevators	Two hydraulically-operated elevators; one passenger and one out-of-use freight.
Emergency Generators	None observed and none reported by the Site Representative.
Landscaped / Grassed/Bare Ground Areas	Landscaping is present along the northeast and southeast Site boundaries.
Paved or Other Sealed Surface Materials	The majority of the Site exterior consists of asphalt-paved parking areas and access routes.

## 2.2 Topographic, Geologic and Hydrogeological Setting

Topic	Findings
Topography of Site and Surrounding Area	The Site and surrounding area are generally flat with a gentle slope to the southeast.
Site Grade Relative to the Adjoining Properties	The Site is at a similar grade to the adjoining properties to the southeast, southwest and northeast. The adjoining property to the northwest is approximately 0.5 metres higher in elevation than the Site.



Topic	Findings
Subsurface Soils	Sand with some silt and trace gravel to approximately 2.44 m below ground surface (mbgs) overlying clayey silt with trace sand and gravel to a depth of 6.7 mbgs, based on a review of the 2017 Record of Site Condition (RSC) documentation filed for 10 Ann Street (see Section 4.2). Further, based on review of available soil mapping provided by ERIS, surficial soils in the area of the Site consist of a mixture of gravel, sand, silt and clay, gravelly sand and/or silty sand.
Fill Materials	None observed and none reported by the Site Representative.
Bedrock Type	Sedimentary rocks consisting of limestone, dolomite, shale, argillite, sandstone, quartzite, and/or grit.
Inferred Bedrock Depth	Greater than 6.7 mbgs, based on a review of the 2017 RSC documentation filed for 10 Ann Street (see Section 4.2).
Inferred Groundwater Depth	Approximately 4.5 to 5.8 mbgs, based on a review of the 2017 RSC documentation filed for 10 Ann Street (see Section 4.2).
Nearest Open Water Body	Lake Ontario is located approximately 220 metres (m) south of the Site.
Inferred Groundwater Flow Direction	Southeast based on regional topography and the location of Lake Ontario.

## 2.3 Site Operations

The Site Building is occupied by Skinner & Middlebrook Funeral Home. The basement level is utilized for utility rooms, a furnace room, maintenance rooms and storage rooms, as well as a client lounge area. The maintenance rooms are used by on-Site personnel for storage of tools, minor quantities of paints, and some maintenance supplies (i.e., fixtures). A set of cut-off vent and fill pipes, which likely serviced a former aboveground storage tank (AST), were observed adjacent to the furnace room on the northeast side of the basement.

One hydraulic passenger elevator service's the Site Building, and one out-of-use hydraulic freight elevator which used to service the basement and ground levels is present. The passenger elevator maintenance room is located in the basement adjacent to the elevator shaft. The freight elevator does not have a dedicated maintenance room.

The ground floor is occupied by a chapel, office spaces, two parking garages, and a preparation room. Embalming fluids are stored withing the preparation room in a wooden cabinet.

The second floor is occupied by visitation room, maintenance closets and a former residential apartment which has been converted to office space. A staircase provides access from the former residential unit to a rooftop patio area.





Site maintenance activities involve painting, replacement of light fixtures, minor plumbing and electrical work on an as-needed basis.

Stairs provide egress/ingress along the northeast and southwest ends of the Site Building.

Further details regarding on-Site operations are provided in Section 5.0.

### **3.0 HISTORICAL RECORDS REVIEW**

#### **3.1 Site Interviews and Records**

The Site Representative advised Pinchin of the following with respect to the historical occupancy and operations at the Site:

- The Site Building was constructed in approximately 1923;
- An addition was constructed on the second floor and northern portion of the Site Building in approximately 1990;
- Previous occupants have included a residential tenant on the second floor, and upon its initial development the Site was reportedly used as a residential home;
- Occupants of the Site Building have always conducted residential and funeral home operations;
- No dry cleaning operations have historically taken place at the Site; and
- No retail fuel outlets (RFOs) have operated at the Site.

#### **3.2 Aerial Photographs and Satellite Imagery**

Copies of aerial photographs dated 1931, 1946, 1956, 1967, 1974, 1986 and 2015 were obtained from Environmental Risk Information Service Ltd. (ERIS) and reviewed by Pinchin.

In addition, Pinchin reviewed Google Earth™ satellite imagery dated 2004 and 2018. It should be noted that accurate details could not be determined from the 1931 and 1946 aerial photographs due to the large reference scale and the low resolution of the photographs.

A summary of information inferred with respect to the Site is provided in the following table:

<b>Year of Photograph</b>	<b>Site</b>
1931 and 1946	A roughly rectangular building appears to be present on-Site.
1956, 1967, 1974, 1986	The Site Building appears to have been expanded to the southwest.
2004, 2015 and 2018	A second floor addition appears to have been added onto the Site Building and a building that was similar in size and configuration to the present-day Site Building is evident on the Site.



A summary of information inferred with respect to the surrounding area is provided in the following table:

<b>Year of Photograph</b>	<b>Northwest</b>	<b>Northeast</b>	<b>Southwest</b>	<b>Southeast</b>
1931 and 1946	Land disturbance is evident and an unknown number of buildings are present, beyond that is a roadway similar to present-day High Street East.	A roadway similar in orientation and size to present-day Ann Street, and beyond that a large commercial building is present, followed by a roadway of similar orientation to present-day Hurontario Street.	Vacant land flowed by three of four residential or commercial buildings and a roadway of similar orientation to present-day Helene Street North.	A roadway of similar orientation and size to present-day Lakeshore Road East, followed by vacant land.
1956	Several residential homes can be identified followed by a roadway similar to present-day High Street East.	Similar to 1946, however the commercial building appears to be in use for automotive sales or storage.	Similar to 1946, the land directly adjacent to the southwest of the Site is now occupied by an inferred residential home.	Similar to 1946.
1967	Similar to 1956.	Similar to 1956.	Similar to 1956, however, adjacent to the southwest of the Site a high-rise residential building is now present.	Similar to 1956.
1974 and 1986	Similar to 1967.	Similar to 1967, however beyond present-day Ann Street a high-rise residential building has taken the place of the commercial building.	Similar to 1967, however on the northeast corner of the intersection of present-day Lakeshore Road East and Helene Street North an inferred RFO appears to be present.	Similar to 1967.
2004, 2015 and 2018	Similar to 1986.	Similar to 1986.	Similar to 1986, however the inferred RFO has been redeveloped into a commercial plaza.	Beyond present-day Lakeshore Road East, a large commercial plaza has been developed.



An inferred RFO was evident on the 1974 and 1986 aerial photographs; approximately 30 m southwest of the Site and situated transgradient to the Site relative to the inferred groundwater flow direction. Based on the distance between this property and the Site, as well as the inferred groundwater flow direction, it is Pinchin's opinion that the historical RFO at this property is unlikely to result in potential subsurface impacts at the Site.

### **3.3 Opta Information**

Pinchin contacted Opta Information Intelligence (Opta) to obtain copies of Fire Insurance Plans (FIPs) related to the Site and surrounding area, as well as Property Underwriters' Reports (PURs) and Property Underwriters' Plans (PUPs) related to the Site. Opta provided Pinchin with copies of the following (see Appendix I):

- FIPs dated 1910, 1928 and 1952 for the area including the Site.

Based on Pinchin's review of the FIPs, the following was noted:

#### 1910

- The Site appears to consist of a vacant plot of land bound by Ann Street to the northeast and Toronto Street to the southeast (present-day Lakeshore Road East);
- The surrounding area appears to be sparsely developed with a mixture of residential homes and commercial buildings. Inferred residential homes can be seen located to the northwest of the Site and across Ann Street to the northeast of the Site; and
- Marshland is shown to the southwest of the Site along Helen Street (present-day Helene Street North).

#### 1928

- The Site is shown as developed with a rectangular building with the municipal address of 408 Toronto Street/Lake Shore Road (present-day Lakeshore Road East);
- The northern portion of the Site Building is shown to be in use as an automobile parking garage, with the municipal address of 408A Toronto Street/Lake Shore Road;
- The surrounding area remains sparsely developed with residential and commercial buildings. Additional development has taken place predominantly to the northwest and northeast of the Site where roughly a dozen new buildings have been erected; and
- An automotive garage with two associated roadside underground storage tanks (USTs) is present at the northeast corner of the intersection of Toronto Street/Lake Shore Road and Helen Street, with a municipal address of 384 Toronto Street/Lake Shore Road. The USTs are located approximately 75 m and 85 m southwest of the Site and are situated transgradient to the Site relative to the inferred groundwater flow direction.



Based on the distance between these USTs and the Site, as well as the inferred groundwater flow direction, it is Pinchin's opinion that the historical USTs at this property are unlikely to result in subsurface impacts to the Site.

#### 1952

- The Site Building appears to have had an addition added onto the southwest portion. The Site Building is shown as being occupied by a funeral home;
- The Site Building appears to have two municipal addresses; 128 Lakeshore Road East (the original building) and 128A Lakeshore Road East (the addition to the southeast).
- The surrounding areas to the northeast and northwest appear to have undergone further development for residential and commercial land uses;
- A pond is shown located adjacent Helene Street North, in the area where marshland was formerly shown;
- The former automotive garage at the northeast corner of Helene Street North (formerly Helen Street) and Lakeshore Road East (formerly Toronto Street/Lake Shore Road) appears to have been redeveloped as a retail fuel outlet (RFO) with three associated USTs. These USTs appear to be located approximately 80 m southwest of the Site and are situated transgradient to the Site relative to the inferred groundwater flow direction. Based on the distance from the Site, as well as the inferred groundwater flow direction, it is Pinchin's opinion that the historical RFO at this property is unlikely to result in potential subsurface impacts to the Site; and
- Two USTs appear to be present at the municipal address of 136 Lakeshore Road East, which is listed as a used car dealership with associated automotive repair facilities. These USTs are located approximately 25 m northeast of the Site and are situated hydraulically transgradient to the Site relative to the inferred groundwater flow direction. This property is known to have been redeveloped into a high-rise multi-tenant residential building. Based on the distance from the Site, the redevelopment of this property, as well as the inferred direction of groundwater flow, it is Pinchin's opinion that this historical off-Site USTs are unlikely to result in potential subsurface impacts at the Site.

### **3.4 City Directories**

City directories for the years 1958 to 2001 were reviewed by Pinchin at the Toronto Reference Library, in Toronto, Ontario. It should be noted that no city directories were available for the City of Toronto subsequent to 2001 and prior to the year 1958.



A summary of information obtained with respect to the Site is provided in the following table:

<b>Year(s)</b>	<b>Occupant Listings for Site Address</b>
1958	Skinner & Middlebrook Ambulance Service Skinner & Middlebrook Funeral Home Resident
1967, 1970/1971, 1976, 1981, 1986 and 1991	Skinner & Middlebrook Ltd Resident
1996	Not listed
2001	Skinner & Middlebrook Ltd

In general, the city directories indicated that the surrounding area has historically consisted of commercial and residential land uses since 1958. No historical dry cleaning operations, RFOs or other operations of potential environmental concern were identified.

At the time of writing this report, and due to temporary closures of Public Libraries and the Archives of Canada, a complete record of the City Directories were not available for Pinchin's review. This represents a potential data gap in the historical documentation review process.

### **3.5 Previous Environmental Reports**

No previous reports (i.e., Phase I ESAs, geological or geotechnical reports) were provided for Pinchin's review and, according to the Site Representative, none are available.

### **3.6 Historical Summary**

Based on the results of the historical review, nothing was identified that is likely to result in potential subsurface impacts at the Site.

## **4.0 REGULATORY INFORMATION AND CORRESPONDENCE**

### **4.1 Site Regulatory Information**

Pinchin requested copies of permits, approvals and registrations from the Site Representative and was advised that there is no regulatory information with respect to the Site.

### **4.2 Ministry of the Environment, Conservation and Parks**

A Freedom of Information request was submitted to the Ministry of the Environment, Conservation and Parks (MECP) for information on file with respect to the Site. Specifically, the MECP was asked what information it has regarding historical spills, orders, investigations/prosecutions, waste generator numbers/classes, Certificates-of-Approval and Environmental Compliance Approvals.



At the time of writing this report, no response had been received from the MECP. When a formal response is received, it will be reviewed by Pinchin. If there is any information that represents a potential issue of environmental concern, a copy of the response will be forwarded to the Client under separate cover. Our conclusions and recommendations may be amended based on this information. A copy of Pinchin's request submitted to the MECP is provided in Appendix II of this report.

The MECP *Brownfields Environmental Site Registry* was searched by ERIS as part of the database searches completed. According to the ERIS report, a Record of Site Condition (RSC) has not been filed for the Site; however, an RSC has been filed for the properties located at 6, 8 and 10 Ann Street, which are situated adjacent to the northwest of the Site. The RSC indicates the following information:

- The applicable Site Condition Standards for these properties was determined to be Table 2: Full Depth Generic Site Conditions Standard, with Potable Ground Water, Medium and Fine Textured Soil, for Residential property use;
- As a part of geotechnical investigation in January 2011, one borehole was advanced at the property and two soil samples were submitted for laboratory analysis of petroleum hydrocarbons (PHCs) fractions F1 through F4 (F1-F4), volatile organic compounds (VOCs) and metals and inorganics. Both soil samples were within the acceptable concentrations of the Table 2 standards for PHCs, VOCs and metals and inorganics;
- Phase 1 ESAs were completed for the above noted properties in June of 2011, and there were no requirements for a Phase 2 ESA;
- Reportedly the 10 Ann Street property continued to be used for commercial purposes until 2017, and the MECP required a new RSC be completed for the property to change to a residential land use;
- A Phase 1 and 2 ESA were completed to support the RSC for the address of 10 Ann Street in September 2017;
- The Phase 1 ESA completed in 2017 identified fill of unknown quality which had been brought onto the Site as a part of a driveway construction project as a potential environmental concern at the property;
- As part of the Phase 2 ESA, three monitoring wells were installed at the property;
- Eleven soil samples, including quality control duplicates, were submitted to an accredited laboratory for analysis of PHCs (F1-F4), benzene, toluene, ethylbenzene, xylenes (BTEX), polycyclic aromatic hydrocarbons (PAHs) and metals/inorganics.
- Groundwater samples, including quality control duplicates, were submitted to an accredited laboratory for analysis of PHCs (F1-F4) and BTEX.



- All soil samples were within the acceptable *Table 2 Standards* with the exception of fill material sampled from each borehole which exceeded the *Table 2 Standards* for electrical conductivity (EC) and sodium absorption ratio (SAR). All groundwater samples were within the acceptable *Table 2 Standards*;
- In March 2017, delineation which consisted of completing seven test pits at the property was completed. The vertical and lateral extent of the SAR and EC contamination was determined and in April of 2017 approximately 2,000 m<sup>3</sup> of soil was removed from the property.
- As a part of the April 2017 excavation, confirmatory samples were collected from the excavation boundaries. These soil samples were submitted to an accredited laboratory for analysis of SAR and EC and were found to meet the *Table 2 Standards*.

Based on the information provided in the RSC supporting documents, nothing was identified that is likely to result in potential subsurface impacts at the Site. Pinchin notes that EC and SAR impacts are likely associated with the application of road salt for de-icing purposes. Based on recent amendments to Regulation 153/04, these parameters are not considered contaminants of concern when associated with the application of road salt for de-icing purposes.

#### **4.3 Technical Standards & Safety Authority**

The Technical Standards & Safety Authority (TSSA) was contacted to establish the status of the Site with respect to its files, to identify outstanding instructions, tank registrations, incident reports, fuel/oil spills or contamination records associated with the Site. A response received from the TSSA dated February 12, 2021 indicated that there were no records on file for the Site. A copy of Pinchin's request submitted to the TSSA and their response are provided in Appendix II of this report.

#### **4.4 ERIS**

Pinchin submitted a request to ERIS for a review of their available databases, as they pertain to the Site and surrounding properties.

In addition, Pinchin reviewed the following publications prepared by Intera Technologies Inc. for the MECP:

- "*Inventory of Coal Gasification Plant Waste Sites in Ontario*", dated April 1987; and
- "*Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*", dated November 1988.



A copy of the ERIS report is provided in Appendix III. Based on a review of the information obtained from the above-noted sources, Pinchin notes the following:

- The Site has had been registered with the MECP as a generator (Generator #ONF025200) of pathological wastes from 1988 until 2020. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 402 kilograms (kg) of pathological wastes were generated at this property between 1989 and 2000 as a result of funeral home operations. Based on the limited quantities and type of the hazardous waste generated, it is Pinchin's opinion that the generation of hazardous wastes on-Site is unlikely to result in potential subsurface impacts at the Site;
- Enersource Hydro Mississauga, located at 5 Ann Street, had been registered with the MECP as generators (Generator #ON4489026) of waste oils and lubricant wastes in 2011. Based on a review of Pinchin's in-house MECP waste generator database, approximately 1,500 kg of waste oils and lubricants were generated at this property in 2011. This property is located approximately 15 m northeast of the Site and is situated hydraulically transgradient of the Site relative to the inferred groundwater flow direction. Based on the limited one time quantity of hazardous wastes generated, as well as the inferred groundwater flow direction, it is Pinchin's opinion that the historical generation of hazardous wastes at this property is unlikely to result in potential subsurface impacts at the Site;
- The property located at 114 Lakeshore Road East had been listed under the following databases:
  - Petro Canada Inc. had been registered with the MECP as generators (Generator #ON ON1019505) of petroleum distillates wastes from 1989 until 1998. Based on a review of Pinchin's in-house MECP waste generator database, approximately 32,975 kg of petroleum distillates were generated at this property between 1989 and 1992; and
  - VV Gas and Wash was listed three times in the Private and Retail Fuel Storage Tanks database in 1995. Conshore Motors Ltd was listed in the Fuel Storage Tank database in 1994 and 1996. Conshore Motors Ltd was also listed in the Delisted Fuel Tanks database and the List of Expired Fuels Safety Facilities database in 1994 and 1996.

This property is located approximately 30 m southwest of the Site and is situated hydraulically transgradient of the Site relative to the inferred groundwater flow direction. Based on the distance between this property and the Site, as well as the inferred groundwater flow, it is Pinchin's opinion that these historical operations are unlikely to result in potential subsurface impacts at the Site; and





- Additional surrounding properties were listed in the various databases reviewed; however, based on the information provided within the ERIS report, the locations/distances between these properties and the Site, as well as the inferred groundwater flow direction, it is Pinchin's opinion that the potential issues of concern associated with these listings are unlikely to result in potential subsurface impacts at the Site.

#### **4.5 Regulatory Information Summary**

Based on the regulatory information reviewed, nothing was identified that is likely to result in potential subsurface impacts at the Site.

#### **5.0 SITE RECONNAISSANCE**

Pinchin (see Appendix IV for assessor qualifications) conducted a Site reconnaissance on February 2, 2021, and was accompanied by the Site Representative. The Site reconnaissance included a walk-through of accessible areas of the interior of the Site Building and exterior areas. Due to the pandemic measures in place at the time of the Site reconnaissance as specified by the Provincial and Federal governments, Site reconnaissance was limited to common areas, mechanical rooms and public spaces. At the time of the Site reconnaissance, the ground surface was partially covered with snow limiting exterior observations, and the weather was clear. The Site reconnaissance was documented with notes and photographs. The results of the Site reconnaissance are discussed below. Photographs of some of the features noted during the Site reconnaissance are attached in Appendix V.

#### **5.1 Hazardous Materials**

Topic	Findings
Chemicals	<p>Chemicals typically used for general purpose cleaning and building maintenance (e.g., window cleaners, bleach, paints, deodorizers, etc.) were noted on-Site at the time of the Site reconnaissance. Chemicals observed on-Site were stored within manufacturer-supplied containers in various locations within the Site Building.</p> <p>Hydraulic oil stored in a steel reservoirs was observed in the passenger elevator maintenance room in the basement and adjacent to the out-of-use freight elevator in the basement.</p> <p>Metasyn Accelerated stored in 475-mL glass bottles (approximately 13) was observed on wooden shelves in the preparation room.</p> <p>Metaflow stored in 475-mL glass bottles (approximately 15) was observed on wooden shelves in the preparation room.</p> <p>Syncav stored in 475-mL glass bottles (approximately 26) was observed on wooden shelves in the preparation room.</p> <p>Two approximately 500-mL plastic bottles of Hexyethylphenoform were observed on wooden shelves in the preparation room.</p>



Topic	Findings
Compressed Gases	A 20-pound propane cylinder was observed attached to a barbeque observed on the rooftop patio.
Hazardous Waste	Limited quantities of waste embalming fluids (i.e., Metasyn Accelerated, Metaflow, Syncav and Hexyethylphenoform) are generated at the Site and are poured down the drain.

No spills or evidence of historical spills (i.e., staining) were observed in the chemical storage areas noted above. The interior concrete floor slabs were observed to be in good condition (i.e., no cracking or pitting) and the chemicals appeared to be stored in an orderly fashion. No floor drains or catch basins were present in the vicinity of the chemical storage areas.

Pinchin notes that the waste embalming fluid is considered a hazardous waste and should be properly disposed of as opposed to being poured down the drain.

## **5.2 Storage Tanks**

### **5.2.1 Aboveground Storage Tanks**

No aboveground storage tanks (ASTs) were observed on-Site, and none were reported by the Site Representative. However, cut-off vent and fill pipes were observed entering the basement along the northeast wall of the basement storage room adjacent to the furnace room. Additionally, a suspect vent pipe was observed on the exterior northeastern wall of the Site Building. The location of the exterior vent pipe correlates to the observed interior location of the vent and fill pipes. It is Pinchin's opinion that an AST was historically located in the basement of the Site Building. No staining was observed on the floor of the storage room or in the garden adjacent to the exterior pipe. It is Pinchin's opinion that this potential historical AST is unlikely to result in potential subsurface impacts at the Site.

### **5.2.2 Underground Storage Tanks**

No evidence of USTs (i.e., fill/vent pipes) was observed on-Site, and none were reported by the Site Representative. No evidence of former USTs was observed by Pinchin.

## **5.3 Water and Wastewater**

Topic	Findings
Water Supply Source	Region of Peel Water is obtained by the Region from Lake Ontario. Groundwater is not used as a source of potable water.
Water Use	Water is primarily used for domestic-related activities.



Topic	Findings
Sanitary/Process Wastewater Receptor	Municipal sanitary sewer system. No process wastewater is generated at the Site. Wastewater is limited to sanitary effluent. However, embalming fluids may be discharged as a result of the on-Site operations. In order to ensure best management practices, the users must be encouraged to appropriately dispose of all wastes as a result of current operations.
Pits, Sumps or Lagoons	A storm water sump is located in the central east portion of the basement, in the furnace room closet.  A stormwater sump is reportedly located in the elevator shaft.  No additional sumps, pits or lagoons were observed and none were reported by the Site Representative.
Grease Traps	None observed and none reported by the Site Representative.
Oil/Water Separators	None observed and none reported by the Site Representative.
Storm Water Flow and Receptor	On-Site catch basins and interior roof drains are connected to the municipal storm sewer system.
Wells	None observed and none reported by the Site Representative.
Watercourses, Ditches or Standing Water	None observed and none reported by the Site Representative.

#### **5.4 Hydraulic Equipment**

One hydraulic passenger elevator has been present within the central portion of the Site Building since the construction of the addition to the Site Building (i.e., approximately 1990) and one hydraulic freight elevator which has been reportedly out-of-use and decommissioned since 2014 is located in the north portion of the Site Building, the date of installation of this elevator is known to be prior to the 1990 addition.

Hydraulic oil is stored within a steel reservoir located within the passenger elevator/mechanical room located adjacent to the passenger elevator and within a steel reservoir located adjacent to the freight elevator. Review of available maintenance logs and hydraulic oil loss records back to 2014 for the passenger elevator did not identify any significant oil losses from the system. No maintenance logs or hydraulic oil loss records were available for the out-of-use freight elevator. No staining was observed surrounding the steel reservoirs.

Based on the age of the passenger elevator hydraulic system (i.e. 1990), the cylinder is likely double-bottomed and encased in PVC; therefore, based on the above information, it is Pinchin's opinion that this hydraulic elevator is unlikely to result in potential subsurface impacts at the Site.



Based on the lack of staining surrounding the reservoir of the freight elevator and the fact that the elevator was reportedly decommissioned in 2014, it is Pinchin's opinion that this hydraulic freight elevator is unlikely to result in potential subsurface impacts at the Site.

## **5.5 Polychlorinated Biphenyls**

The use of polychlorinated biphenyls (PCBs) in electrical equipment such as transformers, fluorescent lamp ballasts, and capacitors was common until Canada banned its use in 1980. The Federal PCB Regulations, SOR/2008-273, regulate the manufacture, import, export, sale, use and processing of PCBs. These regulations required the decommissioning of equipment containing high levels of PCBs (>500 ppm) in 2009. Additionally, the regulations require decommissioning of light ballasts, pole top transformers, capacitors and electrical equipment containing greater than 50 mg/kg PCBs by December 31, 2025. Cables, pipelines and equipment associated with natural gas, petroleum and petroleum products, and fusion sealed capacitors for use in communication equipment and electrical control equipment are exempt from the decommissioning requirement.

Given the years of construction of the addition to the Site Building (i.e., 1990) and the fact that many renovations have taken place over the years, it is unlikely that PCBs are present in on-Site electrical equipment.

Based on information provided to Pinchin from the Client, the Site Building does not contain any equipment with PCBs at a concentration greater than 50 mg/kg. A dry-type transformer was observed in the basement utility room.

Given the years of construction of the addition to the Site Building (i.e., 1990), it is unlikely that PCBs are present in on-Site hydraulic equipment (i.e. passenger elevator).

However, given the year of construction of the original portion of the Site Building (i.e., approximately 1923), there is a potential that the hydraulic freight elevator observed on-Site may contain PCBs.

Typical buildings of this age may contain PCBs in paint, caulking and window putties. Testing for the presence of PCBs in these materials is beyond the scope of this Phase I ESA. The potential presence of PCBs in these materials could result in future costs if extensive renovation requiring removal of these materials or demolition activities are undertaken at the Site. The extent of such potential issues could not be assessed as part of this Phase I ESA.

## **5.6 Asbestos-Containing Materials**

Asbestos-containing materials (ACMs) are commonly found in building construction materials (particularly in older buildings). Asbestos use in building products declined in use starting in the 1970s, with the majority of products being phased out by circa 1990. Asbestos use in Canada was formally banned in December 2018.



Friable asbestos (friable is defined as a material that can be crumbled, powdered or pulverized by hand pressure) was widely used in sprayed fireproofing until 1973, and in decorative or finishing plasters, and thermal systems insulation until the early 1980s. Non-friable or manufactured asbestos products were widely used in building construction including in vinyl floor tiles, sheet flooring, ceiling tiles, pipe gaskets, roofing materials, asbestos cement boards, and numerous other products until circa 1990. A limited number of non-friable asbestos products remained in use until the end of 2018; examples include friction materials, gaskets, cement pipes, sealants, adhesives and caulking.

Given the years of construction of the Site Building (circa, approximately 1923 to 1990), there is a potential for ACMs to be present in the Site Building.

Pinchin did not conduct an asbestos survey as part of this Phase I ESA, nor was any destructive or intrusive sampling or inspection conducted as part of this Phase I ESA. The Site Representative advised Pinchin that an Asbestos Management Program (AMP) has not been developed for or implemented at the Site. In accordance with Ontario Regulation 278/05, an asbestos survey should be performed in buildings that are known or suspected of containing ACMs. If an asbestos survey confirms the presence of ACMs, an AMP should be developed and implemented, as per the requirements of Ontario Regulation 278/05.

The potential presence of ACMs could result in management issues and future costs if renovation or demolition activities are undertaken at the Site. The extent of such potential issues could not be assessed as part of this Phase I ESA.

## **5.7 Lead-Containing Paints**

Lead was commonly used as an additive in paints with no restricted level up until the mid-1970s. This included architectural paints used on interior and exterior surfaces, primers and coatings for anti-corrosive purposes, consumer paints, and paint on furniture and other household items. Beginning in 1976, the federal government limited the amount of lead in consumer paints to 5,000 parts per million (ppm) and steadily reduced the lead content, primarily in the interest of public safety. In 2005, the limit was reduced to 600 ppm and in 2010, the limit was further reduced to 90 ppm, however, there is no restriction on lead in paints used for anti-corrosion purposes (e.g., steel primers and exterior coatings) and road and line markings. In June 2016, these exemptions were removed and as of this date, any paint sold should not contain more than 90 ppm, even if sold for anti-corrosion purposes.

Pinchin did not conduct an assessment of lead in painted surfaces as part of this Phase I ESA, and the Site Representative advised Pinchin that no surveys have been previously conducted at the Site. Prior to any demolition or renovation activities, a designated substance (including lead) survey would be required. Pinchin observed that painted surfaces on the walls and finished concrete floors in the basement utility rooms, furnace room, and storage rooms were in poor condition (i.e., peeling and/or flaking).



## **5.8 Ozone-Depleting Substances**

The bulk storage of ozone-depleting substances (ODSs) was not observed. The Site Representative reported that the bulk storage of ODSs has not been carried out at the Site.

Rooftop HVAC units, as well as residential refrigeration units, were observed on-Site. These units may include refrigerants, such as R22 or R12, that are noted within the phase-out schedules for elimination in both Provincial and Federal regulations. No other sources of ODSs were observed at the time of the Site reconnaissance.

## **5.9 Radon**

Radon is a naturally occurring radioactive gas formed by the breakdown of uranium in soil, rocks and even groundwater. Radon is invisible, odourless and colourless and as such, cannot be detected by humans. Radon escapes from the ground and mixes with outdoor air forming concentrations that are too low to be of concern; however, if radon enters a building the concentrations can increase to higher levels. Health Canada has developed guidelines for acceptable levels of radon in dwellings and public buildings and has indicated that radon levels should not exceed 200 Becquerels per cubic metre (Bq/m<sup>3</sup>). Testing for radon in the Site Building was beyond the scope of this Phase I ESA. The Site Representative reported that no radon surveys have been carried out at the Site.

## **5.10 Mould or Microbial Contamination**

The presence of mould or other microbiological contamination in buildings has become a concern to building tenants and owners due to potential health effects on occupants and users. Provincial Ministries of Labour have recently issued guidelines on enforced regulations to protect the health of construction workers who are exposed to mould in the course of building renovation. The presence of water leaks or high humidity can cause the growth or amplification of mould within building environments.

A comprehensive inspection for mould, which would require intrusive testing, was not performed as part of this Phase I ESA. Water-damaged wall finishing was observed in the roof stairway access of the Site Building. The Site Representative advised Pinchin that they were not aware of the source of the water staining. Water damage/staining observed on building materials (i.e., ceiling tiles) should be removed/replaced in accordance with industry standards and routinely monitored for changes. In addition, consideration should be given to investigating and repairing the source of the damage. Additionally, suspect mould growth was observed on the exterior stucco wall finishing adjacent to the rooftop patio access door.

The extent of the suspect mould growth and water damage within wall/ceiling cavities was not assessed as part of this Phase I ESA. In order to further assess the potential presence of mould, a mould survey would be required.



### 5.11 Air Emissions

Topic	Findings
Washroom Vents	Washroom vent exhausts are discharged through roof stacks.
Kitchen Vents	None observed and none reported by the Site Representative.
Heating/Cooling	Natural gas-fired rooftop HVAC units. Natural gas-fired forced air furnace.
Emergency Generators	None observed and none reported by the Site Representative.
Process Vents	Multiple ventilation fans were observed in the preparation room within the Site Building in order to exhaust fugitive embalming chemical releases to the Site exterior.
Odours	No strong, pungent or noxious odours were identified.
Permits / Approvals	The Site Representative advised Pinchin that they do not hold any permits/approvals for the Site, as related to air emissions or discharges.

### 5.12 Staining and Stressed Vegetation

Pinchin notes that the ground surface was partially snow-covered at the time of the Site reconnaissance and therefore, a thorough assessment for staining/stressed vegetation could not be completed at the time of the Site reconnaissance.

No evidence of historical chemical discharges or releases (i.e., staining or stressed vegetation) was observed during the Site reconnaissance. The Site Representative reported that no known historical chemical spills have occurred on-Site.

### 5.13 Non-Hazardous Wastes

Topic	Findings
Non-hazardous Wastes	Domestic refuse is deposited in plastic bins located in the north automotive garage of the Site Building and is removed for off-Site disposal twice weekly by the Region of Peels roadside pick-up program.
Recyclables	Recyclables (i.e., cans, bottles, newsprint, plastics, and cardboard) are stored in plastic bins located in the north automotive garage of the Site Building and is removed for off-Site disposal weekly by the Region of Peels roadside pick-up program.



## 6.0 ACTIVITIES ON ADJACENT PROPERTIES

The Site is located in an urban area that predominantly consists of residential and commercial land uses. A description of the adjacent properties is summarized in the following table, based on Pinchin's observations from the Site and publicly accessible locations:

	Northwest	Northeast	Southwest	Southeast
Operation or Activity	A multi-tenant residential building followed by High Street East.	Ann Street, followed by a multi-tenant residential building with ground floor commercial units (e.g. Western Union, Nails and Spa and The Brogue Pub) followed by Hurontario Street.	A multi-tenant residential building followed by a multi-tenant commercial plaza (e.g. Pizza Pizza and Philthy Phillys) and Helene Street North.	Lakeshore Road East, followed by a multi-tenant commercial plaza (e.g. Timothy's Coffee, The Burger's Priest, Expedia Cruises, The Social Bakeshop).
Direction with Respect to Inferred Groundwater Flow	Upgradient.	Transgradient.	Transgradient.	Downgradient.
Visible Emissions	None observed.	None observed.	None observed.	None observed.
Visible Outdoor Storage of Hazardous Materials	None observed.	None observed.	None observed.	None observed.

Based on Pinchin's observations of the adjacent properties, nothing was observed that is likely to result in potential subsurface impacts at the Site.

## 7.0 FINDINGS AND RECOMMENDATIONS

Based on the results of the Phase I ESA completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.

Given the years of construction of the Site Building (circa, 1923 to 1990), there is a potential for ACMs to be present in the Site Building. Pinchin did not conduct an asbestos survey, nor was any sampling or inspection for asbestos conducted as part of this Phase I ESA. The Site Representative advised Pinchin that no asbestos surveys have been previously conducted at the Site, and that an AMP has not been developed for or implemented at the Site.





In Pinchin's completion of this work, complete historical City Directories were not available for review due to temporary closures of government information sources. This represents a potential data gap in the historical documentation review process, however; Pinchin has endeavored to provide our very best opinion to meet the Client's current needs.

## **8.0 TERMS AND LIMITATIONS**

This Phase I ESA was performed in order to identify potential issues of environmental concern associated with the Site located at 128 Lakeshore Road East, Port Credit, Ontario, at the time of the Site reconnaissance. This Phase I ESA was performed in general compliance with currently acceptable practices for environmental site investigations, and specific Client requests, as applicable to this Site. Due to current government closures, some historical information typically utilized to ascertain historical activities at the Site and surrounding properties was not available for Pinchin's review (City Directories). The scope of work completed by Pinchin, as part of this Phase I ESA, is not sufficient (in and of itself) to meet the requirements for the submission of an RSC in accordance with Ontario Regulation 153/04 (as amended). If an RSC is an intended end product of work conducted at the Site, further consultation and/or work will be required.

This report was prepared for the exclusive use of Black Tusk Group Inc. (Client), subject to the terms, conditions and limitations contained within the duly authorized work plan for this project. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, is the sole responsibility of such third parties. Pinchin accepts no responsibility for damages suffered by any third party as a result of decisions made or actions conducted.

If additional parties require reliance on this report, written authorization from Pinchin will be required. Such reliance will only be provided by Pinchin following written authorization from Client. Pinchin disclaims responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs. No other warranties are implied or expressed. Furthermore, this report should not be construed as legal advice. Pinchin will not provide results or information to any party unless disclosure by Pinchin is required by law.

The information provided in this report is based upon analysis of available documents, records and drawings, and personal interviews. In evaluating the Site, Pinchin has relied in good faith on information provided by other individuals noted in this report. Pinchin has assumed that the information provided is factual and accurate. In addition, the findings in this report are based, to a large degree, upon information provided by the current owner/occupant. Pinchin accepts no responsibility for any deficiency, misstatement or inaccuracy contained in this report as a result of omissions, misinterpretations or fraudulent acts of persons interviewed or contacted, or contained in reports that were reviewed. The scope of work for this Phase I ESA did not include an intrusive investigation for designated substances (i.e., asbestos, mould, etc.) and, therefore, these materials may be present in concealed areas.



Pinchin makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters touched on in this report, including, but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and these interpretations may change over time.

The CSA document entitled "*Phase I Environmental Site Assessment, CSA Standard Z768-01*" dated November 2001 (reaffirmed 2016), does not apply to environmental auditing or environmental management systems. Therefore, with respect to Site operations and conditions, compliance with applicable Federal, Provincial or Municipal acts, regulations, laws and/or statutes was not evaluated as part of the Phase I ESA.



## 9.0 REFERENCES


The following documents, persons or organizations provided information used in this report:

1. Site Representative.
2. ERIS report entitled “128 Lakeshore Road East, Mississauga, ON”, dated February 2, 2021 (ERIS Project # 21012800063).
3. Opta Information Intelligence “128 Lakeshore Road East, Mississauga, ON”, and dated February 3, 2021 (Opta Order ID: 85358).
4. The Atlas of Canada – Surficial Materials:  
<http://atlas.nrcan.gc.ca/site/english/maps/environment/land/surficialmaterials/1>
5. The Atlas of Canada – Bedrock Geology:  
<http://atlas.gc.ca/site/english/maps/archives/3rdedition/environment/land/016?w=4&h=4&l=6&r=4&c=12>.
6. Toporama – Topographic Maps: <http://atlas.gc.ca/site/english/maps/topo/map>.
7. Canadian Centre for Occupational Health & Safety:  
[http://www.ccohs.ca/oshanswers/phys\\_agents/radon.html](http://www.ccohs.ca/oshanswers/phys_agents/radon.html).
8. Canadian Standards Association (CSA) Standard. *CSA Z768-01, Phase I Environmental Site Assessment*, Canadian Standards Association International, November 2001, reaffirmed in 2016.
9. National Air Photo Library, Ottawa, Ontario.
10. Library and Archives of Canada, Ottawa, Ontario.
11. Toronto Reference Library.
12. Technical Standards & Safety Authority.
13. Ministry of the Environment, Conservation and Parks.
14. MECP Brownfields Environmental Site Registry.
15. Google Earth™.
16. Health Canada. “*Cross-Canada Survey of Radon Concentrations in Homes – Final Report*”, dated March 2012.

287305 FINAL Phase I ESA 128 Lakeshore Road East Port Credit ON Feb 12 2021.docx


Template: Master Report for Phase I ESA - Ontario, EDR, January 12, 2021

## FIGURES



PROJECT NAME:		PHASE I ENVIRONMENTAL SITE ASSESSMENT			
CLIENT NAME:		BLACK TUSK GROUP INC.			
PROJECT LOCATION:		128 LAKESHORE ROAD EAST, PORT CREDIT, ONTARIO			
FIGURE NAME:		KEY MAP			FIGURE NUMBER  1
PROJECT NUMBER: 287305	SCALE: 1:20,000	DRAWN BY: JY	REVIEWED BY: AM	DATE: JAN. 2021	





- LEGEND**
- SITE BOUNDARY
  - SITE BUILDING
  - MTR MULTI-TENANT RESIDENTIAL
  - COM COMMERCIAL
  - MTC MULTI-TENANT COMMERCIAL

LEGEND IS COLOUR DEPENDENT.  
NON-COLOUR COPIES MAY ALTER  
INTERPRETATION.



PROJECT NAME:  
PHASE I ENVIRONMENTAL  
SITE ASSESSMENT

CLIENT NAME:  
BLACK TUSK GROUP INC.



PROJECT LOCATION:  
128 LAKESHORE ROAD EAST,  
PORT CREDIT, ONTARIO

FIGURE NAME:  
SITE AND SURROUNDING  
LAND USE PLAN

PROJECT NUMBER: 287305	SCALE: AS SHOWN
---------------------------	--------------------

DRAWN BY: JY	REVIEWED BY: AM
-----------------	--------------------

DATE: JAN. 2021	FIGURE NUMBER: 2
--------------------	---------------------



**APPENDIX I**  
**Opta Response**





# enviroscan



An SCM Company

175 Commerce Valley Drive W  
Markham, Ontario L3T 7Z3

T: 905-882-6300  
W: [www.optaintel.ca](http://www.optaintel.ca)

Report Completed By:

Stephanie

Site Address:

128 Lakeshore Road East Mississauga ON

Project No:

21012800063


Opta Order ID:

85358

Requested by:  
Eleanor Goolab  
Ecolog Eris

Date Completed:  
2/3/2021 9:19:02 AM





**Opta Historical Environmental Services Enviroscan  
Terms and Conditions****Requested by:**

Eleanor Goolab

Date Completed: 02/03/2021 09:19:02



OPTA INFORMATION INTELLIGENCE

## **Opta Historical Environmental Services Enviroscan<sup>TM</sup> Terms and Conditions**

### **Report**

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

### **Disclaimer**

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

### **Entire Agreement**

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

### **Governing Document**

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

### **Law**

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

**Report Index**

Project #: 21012800063  
P.O. #: 287305

**Requested by:**  
Eleanor Goolab  
Date Completed: 02/03/2021 09:19:02


OPTA INFORMATION INTELLIGENCE

Page	Report Title
6	(1910) Volume: Ontario Miscellaneous Firemap: 1
8	(1910) Volume: Port Credit Firemap: 2
10	(1910) Volume: Port Credit Firemap: 3
12	(1928) Volume: Ontario Miscellaneous Firemap: 1
14	(1928) Volume: Port Credit Firemap: 2
16	(1928) Volume: Port Credit Firemap: 3
18	(1928) Volume: Port Credit Firemap: 4
20	(1928) Volume: Port Credit Firemap: 4
22	(1928) Volume: Port Credit Firemap: 8
24	(1952) Volume: Toronto Volume 19 Firemap: 1906
26	(1952) Volume: Toronto Volume 19 Firemap: 1907
28	(1952) Volume: Toronto Volume 19 Firemap: 1908
30	(1952) Volume: Toronto Volume 19 Firemap: 1909
32	(1952) Volume: Toronto Volume 19 Firemap: 1909
34	(1952) Volume: Toronto Volume 19 Firemap: 1909
36	(1952) Volume: Toronto Volume 19 Firemap: 1921
38	(1952) Volume: Toronto Volume 19 Firemap: 1922
40	(1952) Volume: Toronto Volume 19 Firemap: 1922











This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



FIP Locator Map

The detailed FIP is on the following page

Port Credit GO 


Port Credit  
Memorial Park

St. Lawrence  
Park

Tall Oaks Park

Mary Fix


Map data © 2021





























This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.




FIP Locator Map


The detailed FIP is on the following page



















**FIP Locator Map**


The detailed FIP is on the following page






























This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.




FIP Locator Map

The detailed FIP is on the following page







































This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





























FIP Locator Map

The detailed FIP is on the following page









**FIP Locator Map**

The detailed FIP is on the following page








**APPENDIX II**  
**Correspondence with Regulatory Agencies**



## Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on the completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
Name, Title, Company Name and Mailing Address of Requester  Irene Hutchison Pinchin Ltd. 2470 Milltower Court Mississauga, ON L5N 7W5 Email Address: ihutchison@pinchin.com			FOI Request No.	Date Request Received
			Fee Paid \$  ~ ACCT ~ CHQ <input checked="" type="checkbox"/> VISA ~ CASH	
Telephone/Fax Nos.  Tel : 905-363-1340 Fax : 905-363-0681	Your Project/Reference No.  287305	Signature of Requester  	<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> SAC <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SWA	
<b>Request Parameters</b> Municipal Address / Lot, Concession, Geographic Township ( <b>Municipal address essential for cities, towns or regions</b> ) 128 Lakeshore Road East, Mississauga, ON Present Property Owner(s) and Date(s) of Ownership Skinner & Middlebrook Limited Previous Property Owner(s) and Date(s) of Ownership  Present/Previous Tenant(s), (if applicable)				
<b>Search Parameters</b> Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.			<b>Specify Year(s) Requested</b>	
Environmental concerns (General correspondence, occurrence reports, abatement)			ALL YEARS	
Orders			ALL YEARS	
Spills			ALL YEARS	
Investigations/prosecutions ▶ <b>Owner and tenant information must be provided</b>			ALL YEARS	
Waste Generator number/classes			ALL YEARS	
<b>Certificates of Approval</b> ▶ Proponent information must be provided  1987 and prior records are searched manually. <b>Search fees in excess of \$300.00</b> could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number (s) (if known). <b>If supporting documents are also required, mark SD box</b> and specify type e.g. maps, plans, reports, etc.				
			<b>SD</b>	<b>Specify Year(s) Requested</b>
air - emissions			YES	ALL YEARS
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)			YES	ALL YEARS
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations			YES	ALL YEARS
waste water - industrial discharge			YES	ALL YEARS
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites			YES	ALL YEARS
waste systems	- haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction		YES	ALL YEARS
pesticides - licenses			NO	

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

**Tel: (416) 734-3383**  
**Fax: (416) 231-6183**  
**Email: [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)**

**12 February 2021**

Irene Hutchison  
Pinchin Ltd.  
2470 Milltower Court  
Mississauga, ON L5N 7W5

**Subject: 128 Lakeshore Road East, Mississauga, Ontario**  
**Your File No.: 287305**  
**SR No.: 3008974**

Dear Madam/Sir:

We are in receipt of your correspondence wherein you requested information regarding the above noted subject.

A search of our records did not produce any Fuels Safety documents.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

Should you have any questions, please contact Public Information at [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org).

Yours truly,

*C. Hill*

Connie Hill  
Public Information Agent





Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Customer Service: 1.877.682.8772  
Fax: 416.734.3568  
Email: publicinformation@tssa.org  
[www.tssa.org](http://www.tssa.org)

## Application for Release of Public Information

Issued under the Access and Privacy Code

[Clear Form](#)[Print Form](#)

### A. REQUESTOR INFORMATION:

Your File/Project/Reference No: 287305 Date: January 28, 2021

Requestor Name: <b>Irene Hutchison</b>		Organization <b>Pinchin Ltd.</b>		<b>For Office Use Only</b> Authorization No.  Account No.  SR No.  P.I No:
Suite/Unit No:	Street No: <b>2470</b>	Street Name: <b>Milltower Court</b>		
City: <b>Mississauga</b>	Province: <b>ON</b>	Postal Code: <b>L5N 7W5</b>		
Primary Phone: <b>905.363.01340</b>		Secondary Phone: <b>905.971.0618</b>		
Email: <b>ihutchison@pinchin.com</b>		Fax: <b>905.363.0681</b>		

### B. PROGRAM (check ALL that apply)

☐ Boilers & Pressure Vessels ☐ Elevating & Amusement Devices ☒ Fuels ☐ Upholstered and Stuffed Articles

### C. DETAILS OF REQUEST (please list in detail the information you require)

Incidents/Occurrence Reports, Fuel Tanks & Environmental Reports

### D. PLEASE ANSWER ALL THAT APPLY:

Address of Subject Location (one address per form) <b>128 Lakeshore Road East, Mississauga, ON</b>	
Device/equipment Type: _____ Owner: _____	
Installation Number: _____	
CRN: _____	OIN: _____ Serial #: _____
Victim Name (if applicable): _____	
Certificate Holder Name (if applicable): _____	Certificate Holder Date of Birth: _____ (DD-MM-YYYY)
Date /period requested:	
<input type="checkbox"/> From (date): _____ to (date) _____	
<input type="checkbox"/> Most recent record	

**APPENDIX III**  
**ERIS Report**





# DATABASE REPORT

<b>Project Property:</b>	<i>Phase I ESA 128 Lakeshore Road East Mississauga ON L5G 1E4 287305</i>
<b>Project No:</b>	
<b>Report Type:</b>	<i>Standard Report</i>
<b>Order No:</b>	<i>21012800063</i>
<b>Requested by:</b>	<i>Pinchin Ltd.</i>
<b>Date Completed:</b>	<i>February 2, 2021</i>

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	33
Map.....	67
Aerial.....	68
Topographic Map.....	69
Detail Report.....	70
Unplottable Summary.....	327
Unplottable Report.....	328
Appendix: Database Descriptions.....	333
Definitions.....	342

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.



# Executive Summary

## **Property Information:**

**Project Property:** *Phase I ESA  
128 Lakeshore Road East Mississauga ON L5G 1E4*

**Project No:** *287305*

**Coordinates:**

<b>Latitude:</b>	<i>43.5548094</i>
<b>Longitude:</b>	<i>-79.5827751</i>
<b>UTM Northing:</b>	<i>4,823,404.05</i>
<b>UTM Easting:</b>	<i>614,471.51</i>
<b>UTM Zone:</b>	<i>UTM Zone 17T</i>

**Elevation:** *262 FT  
79.85 M*

## **Order Information:**

**Order No:** *21012800063*

**Date Requested:** *January 28, 2021*

**Requested by:** *Pinchin Ltd.*

**Report Type:** *Standard Report*

## **Historical/Products:**

<b>Aerial Photographs</b>	<i>Aerials - National Collection</i>
<b>ERIS Xplorer</b>	<a href="#"><i>ERIS Xplorer</i></a>
<b>Insurance Products</b>	<i>Fire Insurance Maps/Inspection Reports/Site Plans</i>
<b>Physical Setting Report (PSR)</b>	<i>PSR</i>
<b>Topographic Map</b>	<i>Ontario Base Map (OBM)</i>

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	6	6
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	43	43
CA	<i>Certificates of Approval</i>	Y	0	7	7
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	1	1
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	1	1
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	15	15
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	4	4
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	26	26
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	18	18
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	22	22
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	2	2
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	8	63	71
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0



<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Within 0.25 km</b>	<b>Total</b>
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	5	5
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	5	5
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	4	4
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	1	1
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	13	13
PINC	Pipeline Incidents	Y	0	4	4
PRT	Private and Retail Fuel Storage Tanks	Y	0	7	7
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	8	8
RST	Retail Fuel Storage Tanks	Y	0	1	1
SCT	Scott's Manufacturing Directory	Y	0	18	18
SPL	Ontario Spills	Y	0	17	17
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	39	39
		<b>Total:</b>	8	330	338

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	GEN	SKINNER & MIDDLEBROOK LTD.	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-/0.0	0.00	<a href="#">70</a>
<a href="#">1</a>	GEN	SKINNER & MIDDLEBROOK LTD. 44-252	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-/0.0	0.00	<a href="#">70</a>
<a href="#">1</a>	GEN	SKINNER & MIDDLEBROOK LTD	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-/0.0	0.00	<a href="#">70</a>
<a href="#">1</a>	GEN	Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-/0.0	0.00	<a href="#">71</a>
<a href="#">1</a>	GEN	Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-/0.0	0.00	<a href="#">71</a>
<a href="#">1</a>	GEN	Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-/0.0	0.00	<a href="#">71</a>
<a href="#">1</a>	GEN	Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-/0.0	0.00	<a href="#">71</a>
<a href="#">1</a>	GEN	Skinner & Middlebrook Ltd	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-/0.0	0.00	<a href="#">72</a>



## Executive Summary: Site Report Summary - Surrounding Properties

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>2</u></a>	BORE		ON	NE/36.9	0.00	<a href="#"><u>72</u></a>
<a href="#"><u>3</u></a>	RSC	Scott Insley	6 ANN ST, MISSISSAUGA, ON, L5G 3E6, ON L5G 3E6	WNW/37.6	0.00	<a href="#"><u>74</u></a>
<a href="#"><u>4</u></a>	BORE		ON	NNE/40.9	0.00	<a href="#"><u>74</u></a>
<a href="#"><u>5</u></a>	BORE		ON	NNW/42.3	0.00	<a href="#"><u>76</u></a>
<a href="#"><u>6</u></a>	BORE		ON	ENE/47.0	-0.54	<a href="#"><u>77</u></a>
<a href="#"><u>7</u></a>	EHS		8 Ann St, 6 Ann St, 10 Ann St. Mississauga ON	NW/48.4	0.00	<a href="#"><u>79</u></a>
<a href="#"><u>8</u></a>	RSC	Scott Insley	8 ANN ST, MISSISSAUGA, ON, L5G 3E6 ON L5G 3E6	WNW/52.4	0.00	<a href="#"><u>79</u></a>
<a href="#"><u>8</u></a>	SPL	Enbridge Gas Distribution Inc.	8 Ann St. Mississauga Mississauga ON	WNW/52.4	0.00	<a href="#"><u>79</u></a>
<a href="#"><u>8</u></a>	PINC	PIPELINE HIT - 2"	8 ANN ST,,MISSISSAUGA,ON,L5G 3E6, CA ON	WNW/52.4	0.00	<a href="#"><u>80</u></a>
<a href="#"><u>9</u></a>	GEN	Enersource Hydro Mississauga	5 Ann Street Mississauga ON L5G 3E8	NNE/54.9	0.00	<a href="#"><u>80</u></a>
<a href="#"><u>10</u></a>	WWIS		ON <b>Well ID:</b> 7267968	NW/61.2	0.00	<a href="#"><u>80</u></a>
<a href="#"><u>11</u></a>	RSC	Home Alone Property Management Services Limited	10 ANN ST, MISSISSAUGA, ON, L5G 3E6 ON L5G 3E6	WNW/68.1	0.00	<a href="#"><u>81</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>11</u></a>	RSC	F.S. 6810 DEVELOPMENT INC.	10 ANN STREET, MISSISSAUGA, ON L5G 2E6 Mississauga ON	WNW/68.1	0.00	<a href="#"><u>82</u></a>
<a href="#"><u>12</u></a>	SPL	UNKNOWN	114 LAKESHORE BLVD ST HELENE ST. MISSISSAUGA CITY ON	SW/68.2	0.00	<a href="#"><u>83</u></a>
<a href="#"><u>12</u></a>	PRT	V V GAS AND WASH	114 LAKESHORE RD PORT CREDIT MISSISSAUGA ON	SW/68.2	0.00	<a href="#"><u>83</u></a>
<a href="#"><u>12</u></a>	PRT	V V GAS AND WASH	114 LAKESHORE RD PORT CREDIT MISSISSAUGA ON	SW/68.2	0.00	<a href="#"><u>83</u></a>
<a href="#"><u>12</u></a>	GEN	PETRO CANADA INC.	114 LAKESHORE ROAD E PORT CREDIT ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>84</u></a>
<a href="#"><u>12</u></a>	GEN	PETRO CANADA INC.	114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>84</u></a>
<a href="#"><u>12</u></a>	GEN	PETRO CANADA INC. 30-570	114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>84</u></a>
<a href="#"><u>12</u></a>	SCT	Dens-Tek Dental Studio Inc.	114 Lakeshore Rd E Unit 4 Mississauga ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>84</u></a>
<a href="#"><u>12</u></a>	EHS		114 Lakeshore Road E Mississauga ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>85</u></a>
<a href="#"><u>12</u></a>	DTNK	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON L5G 1E4	SW/68.2	0.00	<a href="#"><u>85</u></a>
<a href="#"><u>12</u></a>	DTNK	V V GAS AND WASH	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	SW/68.2	0.00	<a href="#"><u>85</u></a>
<a href="#"><u>12</u></a>	DTNK	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	SW/68.2	0.00	<a href="#"><u>86</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>86</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>86</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>87</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>87</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>88</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>88</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>88</u></a>
<a href="#"><u>12</u></a>	EXP	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>89</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>89</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>90</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>90</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>91</u></a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>91</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>92</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>92</u></a>
<a href="#"><u>12</u></a>	FST	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW/68.2	0.00	<a href="#"><u>93</u></a>
<a href="#"><u>13</u></a>	WWIS		8 ANN ST ON <b>Well ID:</b> 7288429	WNW/71.1	0.00	<a href="#"><u>93</u></a>
<a href="#"><u>14</u></a>	SPL	FRAM GROUP (CANADA) INC	69 High St. E Mississauga ON	W/76.5	0.00	<a href="#"><u>95</u></a>
<a href="#"><u>15</u></a>	SCT	EXCALIBUR INT'L CONSULTANTS	10 Hurontario St Mississauga ON L5G 3G7	NNE/86.4	0.00	<a href="#"><u>95</u></a>
<a href="#"><u>15</u></a>	SCT	Excalibur International Consultants Ltd.	10 Hurontario St Mississauga ON L5G 3G7	NNE/86.4	0.00	<a href="#"><u>96</u></a>
<a href="#"><u>16</u></a>	SPL	FRAM GROUP (CANADA) INC	Ann and High St Mississauga ON	NW/89.9	0.00	<a href="#"><u>96</u></a>
<a href="#"><u>17</u></a>	CA	1227942 Ontario Limited	121 Lakeshore Road East Mississauga ON	S/95.7	0.00	<a href="#"><u>96</u></a>
<a href="#"><u>17</u></a>	CA	1227942 Ontario Limited	121 Lakeshore Road East Mississauga ON	S/95.7	0.00	<a href="#"><u>97</u></a>
<a href="#"><u>17</u></a>	ECA	1227942 Ontario Limited	121 Lakeshore Rd E Mississauga ON L5G 1E5	S/95.7	0.00	<a href="#"><u>97</u></a>
<a href="#"><u>17</u></a>	ECA	1227942 Ontario Limited	121 Lakeshore Rd E Mississauga ON L5G 1E5	S/95.7	0.00	<a href="#"><u>97</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>18</u></a>	SPL	Karbro Transport Inc. <UNOFFICIAL>	Hurontario St. and Lakeshore Rd. E. Mississauga ON	ENE/95.8	-1.81	<a href="#"><u>97</u></a>
<a href="#"><u>19</u></a>	BORE		ON	SW/99.2	0.00	<a href="#"><u>98</u></a>
<a href="#"><u>20</u></a>	BORE		ON	WNW/101.1	0.00	<a href="#"><u>99</u></a>
<a href="#"><u>21</u></a>	SCT	Doyle Botterell Sailmakers	117 Lakeshore Rd E Suite 336 Mississauga ON L5G 4T6	S/101.6	0.00	<a href="#"><u>101</u></a>
<a href="#"><u>21</u></a>	SCT	Westacott Organs	117 Lakeshore Rd E Suite 343 Mississauga ON L5G 4T6	S/101.6	0.00	<a href="#"><u>101</u></a>
<a href="#"><u>21</u></a>	SCT	Canadian Wiping Cloth Company	126-117 Lakeshore Road East Mississauga ON L5G 4T6	S/101.6	0.00	<a href="#"><u>101</u></a>
<a href="#"><u>21</u></a>	SCT	Axis Communications Inc.	117 Lakeshore Rd E Mississauga ON L5G 1E5	S/101.6	0.00	<a href="#"><u>102</u></a>
<a href="#"><u>21</u></a>	GEN	industrial piping & plumbing ltd	117 lakeshore rd east #359 misissauga ON	S/101.6	0.00	<a href="#"><u>102</u></a>
<a href="#"><u>22</u></a>	SCT	Sungalia G Dr	115 Lakeshore Rd E Mississauga ON L5G 1E5	S/104.4	0.00	<a href="#"><u>102</u></a>
<a href="#"><u>22</u></a>	SCT	Waterside Dental	115 Lakeshore Rd E Mississauga ON L5G 1E5	S/104.4	0.00	<a href="#"><u>102</u></a>
<a href="#"><u>23</u></a>	EHS		115 Lakeshore Road East Mississauga ON L5G 1E5	S/104.6	0.00	<a href="#"><u>103</u></a>
<a href="#"><u>24</u></a>	BORE		ON	NNW/105.4	0.00	<a href="#"><u>103</u></a>
<a href="#"><u>25</u></a>	WWIS		LAKESHORE 91/99 Mississauga ON	SSW/106.4	0.00	<a href="#"><u>104</u></a>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<b>Well ID: 7148420</b>			
<a href="#">26</a>	BORE		ON	SSW/107.7	0.00	<a href="#">107</a>
<a href="#">27</a>	EHS		From Front Street northeast to Elmwood Ave S Mississauga ON L5G	SSW/108.0	0.00	<a href="#">109</a>
<a href="#">28</a>	BORE		ON	NE/109.8	0.03	<a href="#">109</a>
<a href="#">29</a>	BORE		ON	ENE/112.1	-1.01	<a href="#">110</a>
<a href="#">30</a>	BORE		ON	NNE/112.3	0.00	<a href="#">111</a>
<a href="#">31</a>	BORE		ON	NW/113.7	0.00	<a href="#">112</a>
<a href="#">32</a>	BORE		ON	ENE/114.8	-0.90	<a href="#">114</a>
<a href="#">33</a>	BORE		ON	W/117.1	0.00	<a href="#">115</a>
<a href="#">34</a>	WWIS		103 LAKESHORE RD E Mississauga ON <b>Well ID: 7187902</b>	SSW/120.2	0.00	<a href="#">117</a>
<a href="#">35</a>	SPL	PUC	7 HELENE ST. PORT CREDIT MISSISSAUGA CITY ON	W/120.5	0.00	<a href="#">120</a>
<a href="#">36</a>	BORE		ON	S/121.4	0.00	<a href="#">120</a>
<a href="#">37</a>	BORE		ON	WSW/124.0	0.00	<a href="#">122</a>
<a href="#">38</a>	GEN	PHOTOLINE LABS LTD. 31-649	110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW/126.7	0.00	<a href="#">124</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>38</u></a>	GEN	PHOTOLINE LABS LTD.	110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW/126.7	0.00	<a href="#"><u>124</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>124</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>125</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>125</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>125</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>125</u></a>
<a href="#"><u>39</u></a>	GEN	St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>125</u></a>
<a href="#"><u>40</u></a>	GEN	Naylor Group	80 Port Street East Mississauga ON L5G 4V6	ESE/134.8	-2.28	<a href="#"><u>126</u></a>
<a href="#"><u>41</u></a>	CA	F.S. Port Credit Development Limited	1 Hurontario St Mississauga ON L5G 0A3	NNE/135.4	0.00	<a href="#"><u>126</u></a>
<a href="#"><u>41</u></a>	PINC		1 Hurontario Street, Mississauga ON	NNE/135.4	0.00	<a href="#"><u>126</u></a>
<a href="#"><u>41</u></a>	ECA	F.S. Port Credit Development Limited	1 Hurontario St Mississauga ON L5G 1E8	NNE/135.4	0.00	<a href="#"><u>127</u></a>
<a href="#"><u>41</u></a>	GEN	Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE/135.4	0.00	<a href="#"><u>127</u></a>
<a href="#"><u>41</u></a>	GEN	Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE/135.4	0.00	<a href="#"><u>127</u></a>
<a href="#"><u>41</u></a>	GEN	Thermo Cool Mechanical	1 Hurontario Street Mississauga ON L5G 0A3	NNE/135.4	0.00	<a href="#"><u>128</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>41</u></a>	GEN	Thermo Cool Mechanical	1 Hurontario Street Mississauga ON L5G 0A3	NNE/135.4	0.00	<a href="#"><u>128</u></a>
<a href="#"><u>41</u></a>	GEN	Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE/135.4	0.00	<a href="#"><u>128</u></a>
<a href="#"><u>42</u></a>	CFOT	BELL CANADA	80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	WNW/136.1	0.00	<a href="#"><u>128</u></a>
<a href="#"><u>42</u></a>	GEN	Bell	80 High St Mississauga ON L5G 1K2	WNW/136.1	0.00	<a href="#"><u>129</u></a>
<a href="#"><u>42</u></a>	GEN	Bell	80 High St Port Credit ON L5G 1K4	WNW/136.1	0.00	<a href="#"><u>129</u></a>
<a href="#"><u>42</u></a>	GEN	Bell	80 High St Mississauga ON L5G 1K2	WNW/136.1	0.00	<a href="#"><u>130</u></a>
<a href="#"><u>42</u></a>	GEN	Bell	80 High St Port Credit ON L5G 1K4	WNW/136.1	0.00	<a href="#"><u>130</u></a>
<a href="#"><u>42</u></a>	SPL		80 High Street East Mississauga ON	WNW/136.1	0.00	<a href="#"><u>130</u></a>
<a href="#"><u>42</u></a>	SPL	Bell Canada	80 High Street Mississauga ON	WNW/136.1	0.00	<a href="#"><u>131</u></a>
<a href="#"><u>42</u></a>	GEN	Bell	80 High St Port Credit ON L5G 1K4	WNW/136.1	0.00	<a href="#"><u>131</u></a>
<a href="#"><u>42</u></a>	FST	BELL CANADA	80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	WNW/136.1	0.00	<a href="#"><u>132</u></a>
<a href="#"><u>43</u></a>	INC		9 HELENE STREET SOUTH, MISSISSAUGA ON	SSE/136.8	-0.54	<a href="#"><u>132</u></a>
<a href="#"><u>44</u></a>	GEN	SEAWAY CLEANERS	111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	S/136.8	0.00	<a href="#"><u>133</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">44</a>	GEN	ROSALNAAZ INVESTMENTS INC.	111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	S/136.8	0.00	<a href="#">133</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S/136.8	0.00	<a href="#">133</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">134</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S/136.8	0.00	<a href="#">134</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S/136.8	0.00	<a href="#">135</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">135</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">135</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">136</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">136</a>
<a href="#">44</a>	CDRY	Seaway Cleaners	111 Lakeshore Rd E Mississauga ON L5G1E2	S/136.8	0.00	<a href="#">136</a>
<a href="#">44</a>	GEN	2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S/136.8	0.00	<a href="#">137</a>
<a href="#">45</a>	RSC	F.S. Port Credit Development Limited	15 HURONTARIO ST, MISSISSAUGA, ON, L5G 3G8 ON	NNE/138.0	0.00	<a href="#">137</a>
<a href="#">46</a>	CA	ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. E. MISSISSAUGA CITY ON L5G 1E8	ENE/138.2	-0.51	<a href="#">137</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">46</a>	CA	ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. EAST MISSISSAUGA CITY ON L5G 1E8	ENE/138.2	-0.51	<a href="#">138</a>
<a href="#">46</a>	NPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#">138</a>
<a href="#">46</a>	SPL	ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD EAST, HWY # 10/LAKESHORE BLVD. MISSISSAUGA PLANT 141 LAKESHORE ROAD EAST MISSISSAUGA CITY ON L5G 1E8	ENE/138.2	-0.51	<a href="#">138</a>
<a href="#">46</a>	SCT	ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD E MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#">139</a>
<a href="#">46</a>	NPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST LAKESHORE ROAD EAST PORT CREDIT ON L5G 1E8	ENE/138.2	-0.51	<a href="#">139</a>
<a href="#">46</a>	RSC		141 Lakeshore Rd. East Mississauga ON L5G 1E8	ENE/138.2	-0.51	<a href="#">140</a>
<a href="#">46</a>	RSC		141 Lakeshore Road East Mississauga ON L5G 1E8	ENE/138.2	-0.51	<a href="#">140</a>
<a href="#">46</a>	RSC		141 Lakeshore Rd. East Mississauga ON L5G 1E8	ENE/138.2	-0.51	<a href="#">140</a>
<a href="#">46</a>	EHS		141 Lakeshore Road East Mississauga ON L5G 1E8	ENE/138.2	-0.51	<a href="#">141</a>
<a href="#">46</a>	OPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#">141</a>
<a href="#">46</a>	OPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#">141</a>
<a href="#">46</a>	OPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#">141</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>46</u></a>	OPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>142</u></a>
<a href="#"><u>46</u></a>	GEN	ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>142</u></a>
<a href="#"><u>46</u></a>	GEN	ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>142</u></a>
<a href="#"><u>46</u></a>	GEN	ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>143</u></a>
<a href="#"><u>46</u></a>	NPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD E P. O. BOX 1050 Port Credit ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>143</u></a>
<a href="#"><u>46</u></a>	GEN	ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>144</u></a>
<a href="#"><u>46</u></a>	NPCB	ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>144</u></a>
<a href="#"><u>46</u></a>	NPCB	ST. LAWRENCE STARCH CO.	PO BOX 1050 141 LAKESHORE ROAD EAST PORT CREDIT ON L5G 1E8	ENE/138.2	-0.51	<a href="#"><u>144</u></a>
<a href="#"><u>47</u></a>	EHS		84 & 90 High Street East Mississauga ON L5G 1K4	NNW/138.3	0.00	<a href="#"><u>156</u></a>
<a href="#"><u>48</u></a>	WWIS		113 LAKESHORE RD. E. #107 Mississauga ON <b>Well ID:</b> 7133398	S/139.1	0.00	<a href="#"><u>156</u></a>
<a href="#"><u>49</u></a>	WWIS		113 LAKESHORE BLVD. 107 Mississauga ON <b>Well ID:</b> 7109074	S/139.2	0.00	<a href="#"><u>159</u></a>
<a href="#"><u>50</u></a>	EHS		107-113 Lakeshore Road East Mississauga/Port Credit ON L5G 1E2	SSW/139.5	0.00	<a href="#"><u>162</u></a>
<a href="#"><u>51</u></a>	SCT	CASPIAN CUSTOM CANVAS INC.	106 LAKESHORE RD E SUITE 104 MISSISSAUGA ON L5G 1E3	SW/140.1	0.00	<a href="#"><u>162</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">52</a>	PES	VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G 1K2	W/141.5	0.00	<a href="#">163</a>
<a href="#">52</a>	PES	VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G1K2	W/141.5	0.00	<a href="#">163</a>
<a href="#">52</a>	PES	VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G1K2	W/141.5	0.00	<a href="#">164</a>
<a href="#">53</a>	BORE		ON	SSE/143.2	-0.03	<a href="#">164</a>
<a href="#">54</a>	EHS		90 High St E Mississauga ON L5G1K4	NNW/145.4	0.00	<a href="#">166</a>
<a href="#">55</a>	PINC		90 High Street East, Mississauga ON	NNW/146.3	0.00	<a href="#">166</a>
<a href="#">56</a>	EHS		125/129/139 Lakeshore Road East & 65/80 Port Street Mississauga ON	NE/146.6	-1.08	<a href="#">166</a>
<a href="#">57</a>	BORE		ON	W/148.4	0.00	<a href="#">167</a>
<a href="#">58</a>	WWIS		1 HURONTARIO STREET Mississauga ON <b>Well ID: 7298078</b>	NE/151.7	-0.89	<a href="#">168</a>
<a href="#">59</a>	GEN	SEAWAY CLEANERS	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">170</a>
<a href="#">59</a>	GEN	SEAWAY CLEANERS	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">171</a>
<a href="#">59</a>	GEN	SEAWAY CLEANERS 34-063	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">171</a>
<a href="#">59</a>	GEN	SEAWAY CLE(OUT OF BUSINESS)	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">171</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">59</a>	EHS		103 Lakeshore Road East Port Credit ON L5G 1E2	SSW/152.2	0.00	<a href="#">172</a>
<a href="#">59</a>	GEN	2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON	SSW/152.2	0.00	<a href="#">172</a>
<a href="#">59</a>	GEN	2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">172</a>
<a href="#">59</a>	GEN	2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW/152.2	0.00	<a href="#">172</a>
<a href="#">60</a>	BORE		ON	W/152.6	0.00	<a href="#">173</a>
<a href="#">61</a>	WWIS		103 LAKESHORE ROAD EAST Mississauga ON <b>Well ID:</b> 7157715	SSW/155.4	0.00	<a href="#">174</a>
<a href="#">62</a>	BORE		ON	E/155.5	-0.79	<a href="#">177</a>
<a href="#">63</a>	WWIS		103 LAKESHORE RD E MISSISSAUGA ON <b>Well ID:</b> 7183814	SSW/159.3	0.00	<a href="#">178</a>
<a href="#">64</a>	EHS		12 Helene St N Mississauga ON L5G	W/160.2	0.00	<a href="#">181</a>
<a href="#">65</a>	PES	LOBLAWS SUPERMARKETS LTD. #164-0	99 LAKESHORE ROAD PORT CREDIT ON M4T 2S5	SSW/162.1	0.00	<a href="#">181</a>
<a href="#">65</a>	PES	815957 ONTARIO LIMITED BRIAN'S NO FRILLS	99 LAKESHORE ROAD PORT CREDIT ON M9R 1Y5	SSW/162.1	0.00	<a href="#">181</a>
<a href="#">65</a>	SPL	TRANSPORT TRUCK	99 LAKE SHORE DR. E. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SSW/162.1	0.00	<a href="#">182</a>
<a href="#">65</a>	PES	1382019 ONTARIO LTD/MURPHY'S NO FRILLS	99 LAKESHORE RD E PORT CREDIT ON L5G1E2	SSW/162.1	0.00	<a href="#">182</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>65</u></a>	GEN	Loblaw Properties Limited	99 Lakeshore Rd. West Mississauga ON L5G 1E2	SSW/162.1	0.00	<a href="#"><u>182</u></a>
<a href="#"><u>65</u></a>	PES	LOBLAWS INC. O/A NO FRILLS #1353	99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	SSW/162.1	0.00	<a href="#"><u>183</u></a>
<a href="#"><u>65</u></a>	PES	LOBLAWS INC. O/A NO FRILLS #1353	99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	SSW/162.1	0.00	<a href="#"><u>183</u></a>
<a href="#"><u>65</u></a>	PES	2307036 ONTARIO LTD	99 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E2	SSW/162.1	0.00	<a href="#"><u>183</u></a>
<a href="#"><u>65</u></a>	PES	2307036 ONTARIO LTD	99 LAKESHORE RD. E. MISSISSAUGA ON L5G1E2	SSW/162.1	0.00	<a href="#"><u>184</u></a>
<a href="#"><u>65</u></a>	PES	1382019 ONTARIO LTD/MURPHY'S NO FRILLS	99 LAKESHORE RD E PORT CREDIT ON L5G1E2	SSW/162.1	0.00	<a href="#"><u>184</u></a>
<a href="#"><u>65</u></a>	PES	1052900 ONTARIO INC./ROB'S NO FRILLS	99 LAKESHORE ROAD EAST PORT CREDIT ON L5G1E2	SSW/162.1	0.00	<a href="#"><u>185</u></a>
<a href="#"><u>65</u></a>	PES	LOBLAWS INC. O/A RUSTY'S NO FRILLS #102	99 LAKESHORE RD E MISSISSAUGA ON L5G1E2	SSW/162.1	0.00	<a href="#"><u>185</u></a>
<a href="#"><u>66</u></a>	WWIS		103 LAKESHORE ROAD EAST Mississauga ON <b>Well ID:</b> 7157717	S/164.1	0.00	<a href="#"><u>185</u></a>
<a href="#"><u>67</u></a>	EHS		High St. E., Ann St. Mississauga ON L5G	NW/164.2	0.00	<a href="#"><u>188</u></a>
<a href="#"><u>68</u></a>	WWIS		103 LAKESHORE ROAD EAST Mississauga ON <b>Well ID:</b> 7157716	S/164.5	0.00	<a href="#"><u>188</u></a>
<a href="#"><u>69</u></a>	WWIS		103 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7187901	S/165.1	0.00	<a href="#"><u>191</u></a>
<a href="#"><u>70</u></a>	WWIS		103 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7187903	S/167.6	0.00	<a href="#"><u>194</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>71</u></a>	BORE		ON	NW/170.2	0.00	<a href="#"><u>197</u></a>
<a href="#"><u>72</u></a>	BORE		ON	N/170.9	0.00	<a href="#"><u>199</u></a>
<a href="#"><u>73</u></a>	BORE		ON	WSW/172.3	0.00	<a href="#"><u>200</u></a>
<a href="#"><u>74</u></a>	WWIS		LAKE SHORE 91/99 ON <b>Well ID:</b> 7148419	SSW/173.9	0.00	<a href="#"><u>202</u></a>
<a href="#"><u>75</u></a>	GEN	HOOPER'S PHARMACY 19-650	100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW/174.5	0.00	<a href="#"><u>204</u></a>
<a href="#"><u>75</u></a>	GEN	HOOPER'S PHARMACY	100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW/174.5	0.00	<a href="#"><u>205</u></a>
<a href="#"><u>76</u></a>	WWIS		103 LAKESHORE RD E MISSISSAUGA ON <b>Well ID:</b> 7183549	SSW/174.8	0.00	<a href="#"><u>205</u></a>
<a href="#"><u>77</u></a>	WWIS		150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON <b>Well ID:</b> 7298175	ENE/175.0	-0.82	<a href="#"><u>208</u></a>
<a href="#"><u>78</u></a>	SPL	OSHAWA FOODS	25 HURONTARIO STREET RETAIL STORE MISSISSAUGA CITY ON	N/176.2	0.00	<a href="#"><u>210</u></a>
<a href="#"><u>79</u></a>	EHS		7 Elizabeth Street North Mississauga ON L5G 2Y8	WSW/177.0	0.00	<a href="#"><u>211</u></a>
<a href="#"><u>80</u></a>	WWIS		15 HURNOTARIP STREET MISSISSAUGA ON <b>Well ID:</b> 7104773	N/177.1	0.00	<a href="#"><u>211</u></a>
<a href="#"><u>81</u></a>	WWIS		103 LAKESHORE RD E MISSISSAUGA ON <b>Well ID:</b> 7183548	S/177.1	0.03	<a href="#"><u>213</u></a>
<a href="#"><u>82</u></a>	SPL	UNKNOWN	LAKE ONTARIO, BASE OF HELENE ST. MISSISSAUGA CITY ON	SSE/177.2	-2.34	<a href="#"><u>216</u></a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>83</u></a>	EHS		7 Elizabeth Street North Mississauga ON	WSW/177.4	0.00	<a href="#"><u>216</u></a>
<a href="#"><u>84</u></a>	BORE		ON	SSE/179.3	-1.99	<a href="#"><u>216</u></a>
<a href="#"><u>85</u></a>	CA		High Street, Park Street East & Hurontario Street Mississauga ON	NNW/180.2	0.00	<a href="#"><u>218</u></a>
<a href="#"><u>86</u></a>	EHS		94-100 Lakeshore Road East Mississauga ON L5G 1E3	SW/181.7	0.00	<a href="#"><u>218</u></a>
<a href="#"><u>87</u></a>	WWIS		ON <b>Well ID:</b> 7162774	NE/182.5	0.00	<a href="#"><u>218</u></a>
<a href="#"><u>88</u></a>	SCT	Nordex Explosives Ltd.	145 Lakeshore Rd E Mississauga ON L5G 4T9	ENE/183.2	-0.44	<a href="#"><u>219</u></a>
<a href="#"><u>89</u></a>	BORE		ON	NNW/184.4	0.00	<a href="#"><u>219</u></a>
<a href="#"><u>90</u></a>	SPL	PIONEER PETROLEUMS LTD.	150 LAKESHORE EAST SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>220</u></a>
<a href="#"><u>90</u></a>	PRT	PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>221</u></a>
<a href="#"><u>90</u></a>	PRT	PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>221</u></a>
<a href="#"><u>90</u></a>	PRT	PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G1E9	NNE/186.5	0.00	<a href="#"><u>221</u></a>
<a href="#"><u>90</u></a>	PRT		150 LAKESHORE RD. E. PORT CREDIT ON	NNE/186.5	0.00	<a href="#"><u>221</u></a>
<a href="#"><u>90</u></a>	RST	PIONEER PETROLEUMS	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>222</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>90</u></a>	SPL	PIONEER PETROLEUMS LTD.	150 LAKESHORE RD E SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>222</u></a>
<a href="#"><u>90</u></a>	FSTH	PIONEER PETROLEUMS MANAGEMENT INC**	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>222</u></a>
<a href="#"><u>90</u></a>	FSTH	PIONEER PETROLEUMS MANAGEMENT INC**	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>223</u></a>
<a href="#"><u>90</u></a>	EHS		150 Lakeshore Rd E Mississauga ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>224</u></a>
<a href="#"><u>90</u></a>	DTNK	PIONEER ENERGY MANAGEMENT INC.	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>224</u></a>
<a href="#"><u>90</u></a>	GEN	Pioneer Energy LP	150 Lakeshore Road East Mississauga ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>224</u></a>
<a href="#"><u>90</u></a>	GEN	Pioneer Energy LP	150 Lakeshore Road East Mississauga ON L5G 1E9	NNE/186.5	0.00	<a href="#"><u>224</u></a>
<a href="#"><u>91</u></a>	GEN	Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S/186.6	-0.78	<a href="#"><u>224</u></a>
<a href="#"><u>91</u></a>	GEN	Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S/186.6	-0.78	<a href="#"><u>225</u></a>
<a href="#"><u>92</u></a>	GEN	Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S/186.7	-0.78	<a href="#"><u>225</u></a>
<a href="#"><u>92</u></a>	GEN	Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S/186.7	-0.78	<a href="#"><u>225</u></a>
<a href="#"><u>93</u></a>	EHS		91 Park St E Mississauga ON L5G4W1	NW/187.1	0.00	<a href="#"><u>226</u></a>
<a href="#"><u>94</u></a>	AST		ON	ENE/188.4	-0.58	<a href="#"><u>226</u></a>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<a href="#">95</a>	WWIS		ON <b>Well ID:</b> 7315579	SSE/189.0	-3.52	<a href="#">226</a>
<a href="#">96</a>	WWIS		99 LAKESHORE RD PORT CREDIT ON <b>Well ID:</b> 7211009	S/190.2	-0.25	<a href="#">227</a>
<a href="#">97</a>	WWIS		150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON <b>Well ID:</b> 7298174	ENE/190.3	-0.44	<a href="#">229</a>
<a href="#">98</a>	EHS		99 Lakeshore Road East Mississauga ON L5G 1E2	SSW/190.3	0.00	<a href="#">232</a>
<a href="#">99</a>	AST		ON	ENE/192.5	-0.41	<a href="#">232</a>
<a href="#">100</a>	BORE		ON	E/195.2	-0.29	<a href="#">233</a>
<a href="#">101</a>	EHS		91 Park St E Mississauga ON L5G4W1	NW/195.4	0.00	<a href="#">233</a>
<a href="#">102</a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#">233</a>
<a href="#">102</a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#">234</a>
<a href="#">102</a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#">235</a>
<a href="#">102</a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#">235</a>
<a href="#">102</a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#">235</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>102</u></a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>236</u></a>
<a href="#"><u>102</u></a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>236</u></a>
<a href="#"><u>102</u></a>	EXP	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>237</u></a>
<a href="#"><u>102</u></a>	EXP	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>237</u></a>
<a href="#"><u>102</u></a>	EXP	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>237</u></a>
<a href="#"><u>102</u></a>	EXP	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>238</u></a>
<a href="#"><u>102</u></a>	EXP	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>238</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>239</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>239</u></a>
<a href="#"><u>102</u></a>	FST		150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/197.9	0.00	<a href="#"><u>240</u></a>
<a href="#"><u>102</u></a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>240</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>240</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>102</u></a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>241</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>241</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>242</u></a>
<a href="#"><u>102</u></a>	FST	PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>242</u></a>
<a href="#"><u>102</u></a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>243</u></a>
<a href="#"><u>102</u></a>	FST	PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE/197.9	0.00	<a href="#"><u>243</u></a>
<a href="#"><u>103</u></a>	EHS		50 High Street Mississauga ON	WSW/200.6	0.00	<a href="#"><u>244</u></a>
<a href="#"><u>104</u></a>	SCT	THE DUDSON GROUP (USA) INC.	92 LAKESHORE RD E MISSISSAUGA ON L5G 4S2	SW/201.2	0.00	<a href="#"><u>244</u></a>
<a href="#"><u>104</u></a>	SCT	The Dudson USA Inc.	92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SW/201.2	0.00	<a href="#"><u>244</u></a>
<a href="#"><u>104</u></a>	SCT	Dudson USA Inc.	92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SW/201.2	0.00	<a href="#"><u>244</u></a>
<a href="#"><u>104</u></a>	PAP	Zirco Ltd.	92 Lakeshore Rd E Mississauga ON L5G 4S2	SW/201.2	0.00	<a href="#"><u>245</u></a>
<a href="#"><u>104</u></a>	SCT	RCOM graphics and design	92 Lakeshore Rd E Suite 202 Mississauga ON L5G 4S2	SW/201.2	0.00	<a href="#"><u>245</u></a>
<a href="#"><u>105</u></a>	GEN	Peel Standard Condominium Corporation No. 690	65 Port Street East Mississauga ON L5G 4V3	ESE/201.7	-2.95	<a href="#"><u>245</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">106</a>	WWIS		ON <b>Well ID:</b> 7161795	NNE/201.9	0.00	<a href="#">246</a>
<a href="#">107</a>	EHS		55 Port St E Mississauga ON L5G4P3	SE/204.5	-4.43	<a href="#">246</a>
<a href="#">108</a>	AST		ON	ENE/205.2	-0.14	<a href="#">247</a>
<a href="#">109</a>	WWIS		LAKE SHORE 91/99 Mississauga ON <b>Well ID:</b> 7148418	SSW/206.0	-0.01	<a href="#">247</a>
<a href="#">110</a>	WWIS		99 LAKESHORE RD PORT CREDIT ON <b>Well ID:</b> 7211007	SSW/206.1	0.00	<a href="#">250</a>
<a href="#">111</a>	SPL	Enbridge Gas Distribution Inc.	155 Lakeshore Rd. East Mississauga ON	ENE/207.6	0.00	<a href="#">252</a>
<a href="#">111</a>	PINC	PIPELINE HIT - 2"	155 LAKESHORE RD E,,MISSISSAUGA, ON,L5G 4T9,CA ON	ENE/207.6	0.00	<a href="#">253</a>
<a href="#">112</a>	EHS		55 Port St E Mississauga ON L5G4P3	SE/207.9	-4.69	<a href="#">253</a>
<a href="#">113</a>	BORE		ON	WSW/208.0	0.00	<a href="#">253</a>
<a href="#">114</a>	BORE		ON	W/208.3	0.00	<a href="#">255</a>
<a href="#">115</a>	BORE		ON	NW/209.6	0.00	<a href="#">256</a>
<a href="#">116</a>	GEN	Parkland Fuel Corporation	152 Lakeshore Road East Mississauga ON L5G 1E9	NE/209.8	0.00	<a href="#">258</a>
<a href="#">117</a>	WWIS		152 LAKESHORE RD E ON	NE/212.1	0.00	<a href="#">258</a>



Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<b>Well ID:</b> 7301773			
<a href="#">118</a>	BORE		ON	NNW/212.9	0.00	<a href="#">261</a>
<a href="#">119</a>	AST		ON	ENE/214.6	0.00	<a href="#">262</a>
<a href="#">120</a>	WWIS		158 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7284532	NE/215.4	0.00	<a href="#">263</a>
<a href="#">121</a>	AST		ON	ENE/216.2	0.00	<a href="#">265</a>
<a href="#">122</a>	BORE		ON	WNW/219.9	-0.19	<a href="#">265</a>
<a href="#">123</a>	WWIS		158 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7282792	NE/220.0	0.00	<a href="#">267</a>
<a href="#">124</a>	WWIS		150 LAKESHORE BLVD. EAST Mississauga ON <b>Well ID:</b> 7155591	NNE/220.1	0.00	<a href="#">269</a>
<a href="#">125</a>	BORE		ON	NNW/220.2	0.00	<a href="#">275</a>
<a href="#">126</a>	SCT	Access Control Sales Ltd.	161 Lakeshore Rd E Mississauga ON L5G 4T9	ENE/222.8	0.00	<a href="#">276</a>
<a href="#">127</a>	SPL	ONTARIO HYDRO	ELIZABETH AND LAKESHORE MISSISSAUGA TRANSFORMER MISSISSAUGA CITY ON	SW/223.6	0.00	<a href="#">276</a>
<a href="#">128</a>	WWIS		158 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7284534	NE/226.1	0.00	<a href="#">277</a>
<a href="#">129</a>	PRT	BEAVER FUELS MANAGEMENT LIMITED ATTENTION: MIRIAM	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">279</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">279</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">279</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">280</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">280</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">280</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE/226.2	0.00	<a href="#">281</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">281</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">281</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">282</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">282</a>
<a href="#">129</a>	DTNK	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE/226.2	0.00	<a href="#">282</a>
<a href="#">130</a>	BORE		ON	SW/226.3	0.00	<a href="#">283</a>
<a href="#">131</a>	BORE		ON	WSW/226.4	0.00	<a href="#">284</a>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<a href="#">132</a>	AST		ON	E/226.7	-1.93	<a href="#">285</a>
<a href="#">133</a>	WWIS		99 LAKESHORE RD PORT CREDIT ON <i>Well ID: 7211008</i>	S/227.1	-1.03	<a href="#">285</a>
<a href="#">134</a>	EHS		158 Lakeshore Rd E Mississauga ON L5G1E9	NE/227.2	0.00	<a href="#">288</a>
<a href="#">135</a>	BORE		ON	NW/227.5	0.00	<a href="#">288</a>
<a href="#">136</a>	WWIS		158 LAKESHORE RD E Mississauga ON <i>Well ID: 7282790</i>	NE/228.4	0.00	<a href="#">290</a>
<a href="#">137</a>	CA	Kanco-55 Park Ltd.	55 Park St E Mississauga ON	W/229.1	0.00	<a href="#">292</a>
<a href="#">137</a>	EHS		55 Park Street East Mississauga ON	W/229.1	0.00	<a href="#">292</a>
<a href="#">137</a>	INC		55 PARK STREET EAST, MISSISSAUGA ON	W/229.1	0.00	<a href="#">293</a>
<a href="#">137</a>	INC		55 PARK STREET EAST, MISSISSAUGA ON	W/229.1	0.00	<a href="#">293</a>
<a href="#">137</a>	INC		55 PARK STREET EAST, MISSISSAUGA ON	W/229.1	0.00	<a href="#">294</a>
<a href="#">137</a>	ECA	Kanco-55 Park Ltd.	55 Park St E Mississauga ON L4V 1R9	W/229.1	0.00	<a href="#">294</a>
<a href="#">137</a>	EHS		55 Park Street East Mississauga ON L5G 1L9	W/229.1	0.00	<a href="#">295</a>
<a href="#">138</a>	WWIS		158 LAKESHORE RD EAST Mississauga ON	NE/230.5	0.00	<a href="#">295</a>



Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<b>Well ID:</b> 7284533			
<a href="#">139</a>	BORE		ON	NW/230.5	-0.93	<a href="#">297</a>
<a href="#">140</a>	BORE		ON	E/230.7	0.00	<a href="#">298</a>
<a href="#">141</a>	WWIS		lot 14 con 1 ON <b>Well ID:</b> 4907921	NE/232.8	0.00	<a href="#">300</a>
<a href="#">142</a>	WWIS		ON <b>Well ID:</b> 7282791	NE/233.2	0.00	<a href="#">302</a>
<a href="#">143</a>	WWIS		113 LAKESHORE BLVD. 107 Mississauga ON <b>Well ID:</b> 7109075	SE/233.3	-5.00	<a href="#">304</a>
<a href="#">144</a>	BORE		ON	SSW/234.2	0.00	<a href="#">307</a>
<a href="#">145</a>	WWIS		158 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7284535	NE/235.0	0.00	<a href="#">308</a>
<a href="#">146</a>	EHS		88 Lakeshore Rd. E Mississauga ON L5G 1E1	SW/236.9	0.00	<a href="#">310</a>
<a href="#">146</a>	GEN	Hooper's Pharmacy	88 Lakeshore Road East Mississauga ON L5G 1E1	SW/236.9	0.00	<a href="#">311</a>
<a href="#">147</a>	BORE		ON	NW/237.7	-1.00	<a href="#">311</a>
<a href="#">148</a>	GEN	Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW/238.9	-0.02	<a href="#">312</a>
<a href="#">148</a>	GEN	Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW/238.9	-0.02	<a href="#">313</a>
<a href="#">148</a>	GEN	Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW/238.9	-0.02	<a href="#">313</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">148</a>	GEN	Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW/238.9	-0.02	<a href="#">313</a>
<a href="#">148</a>	GEN	Metrolinx	30 Queen Street East Mississauga ON L5G 3B7	NW/238.9	-0.02	<a href="#">313</a>
<a href="#">148</a>	GEN	Metrolinx Capital Projects Group	30 Queen St E Mississauga ON L5G 3B7	NW/238.9	-0.02	<a href="#">314</a>
<a href="#">149</a>	BORE		ON	NW/239.2	0.00	<a href="#">314</a>
<a href="#">150</a>	BORE		ON	W/242.6	-0.18	<a href="#">316</a>
<a href="#">151</a>	BORE		ON	WSW/244.4	0.00	<a href="#">317</a>
<a href="#">152</a>	WWIS		158 LAKESHORE RD E Mississauga ON <b>Well ID:</b> 7284531	NE/246.2	0.00	<a href="#">318</a>
<a href="#">153</a>	SPL	Greenspoon Specialty Contracting Ltd.;	20 Rosewood Avenue construction site<UNOFFICIAL> Mississauga ON	N/246.7	0.00	<a href="#">320</a>
<a href="#">153</a>	INC		20 Rosewood Avenue, Mississauga ON	N/246.7	0.00	<a href="#">321</a>
<a href="#">154</a>	WWIS		LAKESHORE 91/99 Mississauga ON <b>Well ID:</b> 7148417	S/247.4	-0.87	<a href="#">321</a>
<a href="#">155</a>	BORE		ON	WSW/248.5	0.00	<a href="#">324</a>
<a href="#">156</a>	SCT	DISTANT HORIZON MARINE	6 ELIZABETH ST S MISSISSAUGA ON L5G 2Y5	SSW/248.7	0.00	<a href="#">326</a>

# Executive Summary: Summary By Data Source

## **AST - Aboveground Storage Tanks**

A search of the AST database, dated May 31, 2014 has found that there are 6 AST site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	ENE	214.61	<a href="#"><u>119</u></a>
	ON	ENE	216.23	<a href="#"><u>121</u></a>

<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	ENE	188.35	<a href="#"><u>94</u></a>
	ON	ENE	192.48	<a href="#"><u>99</u></a>
	ON	ENE	205.16	<a href="#"><u>108</u></a>
	ON	E	226.68	<a href="#"><u>132</u></a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 43 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	NE	36.92	<a href="#"><u>2</u></a>



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	NNE	40.88	<a href="#"><u>4</u></a>
	ON	NNW	42.29	<a href="#"><u>5</u></a>
	ON	SW	99.20	<a href="#"><u>19</u></a>
	ON	WNW	101.12	<a href="#"><u>20</u></a>
	ON	NNW	105.42	<a href="#"><u>24</u></a>
	ON	SSW	107.72	<a href="#"><u>26</u></a>
	ON	NE	109.85	<a href="#"><u>28</u></a>
	ON	NNE	112.34	<a href="#"><u>30</u></a>
	ON	NW	113.68	<a href="#"><u>31</u></a>
	ON	W	117.13	<a href="#"><u>33</u></a>
	ON	S	121.45	<a href="#"><u>36</u></a>
	ON	WSW	123.99	<a href="#"><u>37</u></a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	W	148.44	<a href="#">57</a>
	ON	W	152.57	<a href="#">60</a>
	ON	NW	170.19	<a href="#">71</a>
	ON	N	170.94	<a href="#">72</a>
	ON	WSW	172.32	<a href="#">73</a>
	ON	NNW	184.41	<a href="#">89</a>
	ON	WSW	208.00	<a href="#">113</a>
	ON	W	208.27	<a href="#">114</a>
	ON	NW	209.59	<a href="#">115</a>
	ON	NNW	212.95	<a href="#">118</a>
	ON	NNW	220.21	<a href="#">125</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SW	226.27	<a href="#">130</a>
	ON	WSW	226.42	<a href="#">131</a>
	ON	NW	227.46	<a href="#">135</a>
	ON	E	230.66	<a href="#">140</a>
	ON	SSW	234.21	<a href="#">144</a>
	ON	NW	239.22	<a href="#">149</a>
	ON	WSW	244.36	<a href="#">151</a>
	ON	WSW	248.48	<a href="#">155</a>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	ENE	47.00	<a href="#">6</a>
	ON	ENE	112.05	<a href="#">29</a>
	ON	ENE	114.85	<a href="#">32</a>



ON	SSE	143.17	<a href="#">53</a>
ON	E	155.54	<a href="#">62</a>
ON	SSE	179.27	<a href="#">84</a>
ON	E	195.18	<a href="#">100</a>
ON	WNW	219.95	<a href="#">122</a>
ON	NW	230.50	<a href="#">139</a>
ON	NW	237.72	<a href="#">147</a>
ON	W	242.61	<a href="#">150</a>

### **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 7 CA site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1227942 Ontario Limited	121 Lakeshore Road East Mississauga ON	S	95.71	<a href="#">17</a>
1227942 Ontario Limited	121 Lakeshore Road East Mississauga ON	S	95.71	<a href="#">17</a>
F.S. Port Credit Development Limited	1 Hurontario St Mississauga ON L5G 0A3	NNE	135.36	<a href="#">41</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	High Street, Park Street East & Hurontario Street Mississauga ON	NNW	180.17	<a href="#">85</a>
Kanco-55 Park Ltd.	55 Park St E Mississauga ON	W	229.12	<a href="#">137</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. E. MISSISSAUGA CITY ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. EAST MISSISSAUGA CITY ON L5G 1E8	ENE	138.20	<a href="#">46</a>

### **CDRY - Dry Cleaning Facilities**

A search of the CDRY database, dated Jan 2004-Dec 2018 has found that there are 1 CDRY site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Seaway Cleaners	111 Lakeshore Rd E Mississauga ON L5G1E2	S	136.84	<a href="#">44</a>

### **CFOT - Commercial Fuel Oil Tanks**

A search of the CFOT database, dated Jul 31, 2020 has found that there are 1 CFOT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BELL CANADA	80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	WNW	136.09	<a href="#">42</a>

### **DTNK - Delisted Fuel Tanks**

A search of the DTNK database, dated Jul 31, 2020 has found that there are 15 DTNK site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	SW	68.17	<a href="#"><u>12</u></a>
V V GAS AND WASH	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	SW	68.17	<a href="#"><u>12</u></a>
PIONEER ENERGY MANAGEMENT INC.	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#"><u>129</u></a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#"><u>129</u></a>



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#">129</a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#">129</a>
BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT	158 LAKESHORE RD E MISSISSAUGA ON	NE	226.21	<a href="#">129</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Dec 31, 2020 has found that there are 4 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1227942 Ontario Limited	121 Lakeshore Rd E Mississauga ON L5G 1E5	S	95.71	<a href="#">17</a>
1227942 Ontario Limited	121 Lakeshore Rd E Mississauga ON L5G 1E5	S	95.71	<a href="#">17</a>
F.S. Port Credit Development Limited	1 Hurontario St Mississauga ON L5G 1E8	NNE	135.36	<a href="#">41</a>
Kanco-55 Park Ltd.	55 Park St E Mississauga ON L4V 1R9	W	229.12	<a href="#">137</a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Oct 31, 2020 has found that there are 26 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	8 Ann St, 6 Ann St, 10 Ann St. Mississauga ON	NW	48.44	<a href="#">7</a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	114 Lakeshore Road E Mississauga ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
	115 Lakeshore Road East Mississauga ON L5G 1E5	S	104.58	<a href="#"><u>23</u></a>
	From Front Street northeast to Elmwood Ave S Mississauga ON L5G	SSW	107.96	<a href="#"><u>27</u></a>
	84 & 90 High Street East Mississauga ON L5G 1K4	NNW	138.26	<a href="#"><u>47</u></a>
	107-113 Lakeshore Road East Mississauga/Port Credit ON L5G 1E2	SSW	139.48	<a href="#"><u>50</u></a>
	90 High St E Mississauga ON L5G1K4	NNW	145.36	<a href="#"><u>54</u></a>
	103 Lakeshore Road East Port Credit ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
	12 Helene St N Mississauga ON L5G	W	160.17	<a href="#"><u>64</u></a>
	High St. E., Ann St. Mississauga ON L5G	NW	164.21	<a href="#"><u>67</u></a>
	7 Elizabeth Street North Mississauga ON L5G 2Y8	WSW	177.02	<a href="#"><u>79</u></a>
	7 Elizabeth Street North Mississauga ON	WSW	177.40	<a href="#"><u>83</u></a>
	94-100 Lakeshore Road East Mississauga ON L5G 1E3	SW	181.65	<a href="#"><u>86</u></a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	150 Lakeshore Rd E Mississauga ON L5G 1E9	NNE	186.52	<a href="#">90</a>
	91 Park St E Mississauga ON L5G4W1	NW	187.11	<a href="#">93</a>
	99 Lakeshore Road East Mississauga ON L5G 1E2	SSW	190.27	<a href="#">98</a>
	91 Park St E Mississauga ON L5G4W1	NW	195.44	<a href="#">101</a>
	50 High Street Mississauga ON	WSW	200.55	<a href="#">103</a>
	158 Lakeshore Rd E Mississauga ON L5G1E9	NE	227.22	<a href="#">134</a>
	55 Park Street East Mississauga ON L5G 1L9	W	229.12	<a href="#">137</a>
	55 Park Street East Mississauga ON	W	229.12	<a href="#">137</a>
	88 Lakeshore Rd. E Mississauga ON L5G 1E1	SW	236.94	<a href="#">146</a>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	141 Lakeshore Road East Mississauga ON L5G 1E8	ENE	138.20	<a href="#">46</a>
	125/129/139 Lakeshore Road East & 65/80 Port Street Mississauga ON	NE	146.56	<a href="#">56</a>



55 Port St E Mississauga ON L5G4P3	SE	204.47	<a href="#">107</a>
---------------------------------------	----	--------	---------------------

55 Port St E Mississauga ON L5G4P3	SE	207.86	<a href="#">112</a>
---------------------------------------	----	--------	---------------------

## **EXP - List of Expired Fuels Safety Facilities**

A search of the EXP database, dated Jul 31, 2020 has found that there are 18 EXP site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#">12</a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>

## **FST - Fuel Storage Tank**

A search of the FST database, dated Jul 31, 2020 has found that there are 22 FST site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS	114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	SW	68.17	<a href="#"><u>12</u></a>
BELL CANADA	80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	WNW	136.09	<a href="#"><u>42</u></a>



<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PIONEER ENERGY MANAGEMENT INC	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#"><u>102</u></a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PARKLAND FUEL CORPORATION	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	NE	197.89	<a href="#">102</a>

### **FSTH - Fuel Storage Tank - Historic**

A search of the FSTH database, dated Pre-Jan 2010\* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIONEER PETROLEUMS MANAGEMENT INC**	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#">90</a>
PIONEER PETROLEUMS MANAGEMENT INC**	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#">90</a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 71 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SKINNER & MIDDLEBROOK LTD.	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-	0.00	<a href="#">1</a>
SKINNER & MIDDLEBROOK LTD. 44-252	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-	0.00	<a href="#">1</a>
SKINNER & MIDDLEBROOK LTD	128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	-	0.00	<a href="#">1</a>
Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-	0.00	<a href="#">1</a>
Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-	0.00	<a href="#">1</a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-	0.00	<a href="#"><u>1</u></a>
Skinner & Middlebrook Ltd.	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-	0.00	<a href="#"><u>1</u></a>
Skinner & Middlebrook Ltd	128 Lakeshore Rd.E. Mississauga ON L5G 1E4	-	0.00	<a href="#"><u>1</u></a>
Enersource Hydro Mississauga	5 Ann Street Mississauga ON L5G 3E8	NNE	54.92	<a href="#"><u>9</u></a>
PETRO CANADA INC.	114 LAKESHORE ROAD E PORT CREDIT ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
PETRO CANADA INC.	114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
PETRO CANADA INC. 30-570	114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
industrial piping & plumbing ltd	117 lakeshore rd east #359 misissauga ON	S	101.60	<a href="#"><u>21</u></a>
PHOTOLINE LABS LTD. 31-649	110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW	126.73	<a href="#"><u>38</u></a>
PHOTOLINE LABS LTD.	110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW	126.73	<a href="#"><u>38</u></a>
Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE	135.36	<a href="#"><u>41</u></a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE	135.36	<a href="#"><u>41</u></a>
Thermo Cool Mechanical	1 Hurontario Street Mississauga ON L5G 0A3	NNE	135.36	<a href="#"><u>41</u></a>
Thermo Cool Mechanical	1 Hurontario Street Mississauga ON L5G 0A3	NNE	135.36	<a href="#"><u>41</u></a>
Dolce Vita Medical Spa & Salon	1 Hurontario Street Unit 1 Mississauga ON L5G0A3	NNE	135.36	<a href="#"><u>41</u></a>
Bell	80 High St Mississauga ON L5G 1K2	WNW	136.09	<a href="#"><u>42</u></a>
Bell	80 High St Port Credit ON L5G 1K4	WNW	136.09	<a href="#"><u>42</u></a>
Bell	80 High St Mississauga ON L5G 1K2	WNW	136.09	<a href="#"><u>42</u></a>
Bell	80 High St Port Credit ON L5G 1K4	WNW	136.09	<a href="#"><u>42</u></a>
Bell	80 High St Port Credit ON L5G 1K4	WNW	136.09	<a href="#"><u>42</u></a>
SEAWAY CLEANERS	111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
ROSALNAAZ INVESTMENTS INC.	111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S	136.84	<a href="#"><u>44</u></a>



<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
2088466 Ontario Limited	111 lakeshore rd E Mississauga ON L5G 1E2	S	136.84	<a href="#"><u>44</u></a>
SEAWAY CLEANERS	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
SEAWAY CLEANERS	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
SEAWAY CLEANERS 34-063	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SEAWAY CLE(OUT OF BUSINESS)	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON	SSW	152.20	<a href="#"><u>59</u></a>
2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
2539762 ONTARIO LTD. KEVIN LaROSE TEAM	103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	SSW	152.20	<a href="#"><u>59</u></a>
Loblaw Properties Limited	99 Lakeshore Rd. West Mississauga ON L5G 1E2	SSW	162.07	<a href="#"><u>65</u></a>
HOOPER'S PHARMACY 19-650	100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW	174.49	<a href="#"><u>75</u></a>
HOOPER'S PHARMACY	100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	SW	174.49	<a href="#"><u>75</u></a>
Pioneer Energy LP	150 Lakeshore Road East Mississauga ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>
Pioneer Energy LP	150 Lakeshore Road East Mississauga ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>
Parkland Fuel Corporation	152 Lakeshore Road East Mississauga ON L5G 1E9	NE	209.77	<a href="#"><u>116</u></a>
Hooper's Pharmacy	88 Lakeshore Road East Mississauga ON L5G 1E1	SW	236.94	<a href="#"><u>146</u></a>

<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE	134.81	<a href="#">39</a>
St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE	134.81	<a href="#">39</a>
St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE	134.81	<a href="#">39</a>
St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE	134.81	<a href="#">39</a>
St. Lawrence Dentistry	80 Port Street East, Suite H Mississauga ON L5G 4V6	ESE	134.81	<a href="#">39</a>
Naylor Group	80 Port Street East Mississauga ON L5G 4V6	ESE	134.84	<a href="#">40</a>
ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH COMPANY LIMITED	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S	186.62	<a href="#">91</a>
Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S	186.62	<a href="#">91</a>
Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S	186.73	<a href="#">92</a>

Edwards lakeside Veterinary Clinic	46 Port Street East Mississauga ON L5G 1C1	S	186.73	<a href="#">92</a>
Peel Standard Condominium Corporation No. 690	65 Port Street East Mississauga ON L5G 4V3	ESE	201.65	<a href="#">105</a>
Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW	238.87	<a href="#">148</a>
Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW	238.87	<a href="#">148</a>
Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW	238.87	<a href="#">148</a>
Metrolinx	30 Queen Street East Mississauga ON L5G 3B7	NW	238.87	<a href="#">148</a>
Metrolinx Capital Projects Group	30 Queen St E Mississauga ON L5G 3B7	NW	238.87	<a href="#">148</a>
Metrolinx	30 Queen Street East Mississauga ON L5H 1L4	NW	238.87	<a href="#">148</a>

### **INC - Fuel Oil Spills and Leaks**

A search of the INC database, dated Jul 31, 2020 has found that there are 5 INC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	55 PARK STREET EAST, MISSISSAUGA ON	W	229.12	<a href="#">137</a>
	55 PARK STREET EAST, MISSISSAUGA ON	W	229.12	<a href="#">137</a>



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	55 PARK STREET EAST, MISSISSAUGA ON	W	229.12	<a href="#">137</a>
	20 Rosewood Avenue, Mississauga ON	N	246.70	<a href="#">153</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	9 HELENE STREET SOUTH, MISSISSAUGA ON	SSE	136.81	<a href="#">43</a>

### **NPCB - National PCB Inventory**

A search of the NPCB database, dated 1988-2008\* has found that there are 5 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD E P. O. BOX 1050 Port Credit ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST LAKESHORE ROAD EAST PORT CREDIT ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWRENCE STARCH CO.	PO BOX 1050 141 LAKESHORE ROAD EAST PORT CREDIT ON L5G 1E8	ENE	138.20	<a href="#">46</a>

### **OPCB - Inventory of PCB Storage Sites**

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 4 OPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ST. LAWERENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWERENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWERENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>
ST. LAWERENCE STARCH CO.	141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#">46</a>

### **PAP - Canadian Pulp and Paper**

A search of the PAP database, dated 1999, 2002, 2004, 2005, 2009-2014 has found that there are 1 PAP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Zirco Ltd.	92 Lakeshore Rd E Mississauga ON L5G 4S2	SW	201.17	<a href="#">104</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011-Dec 31, 2020 has found that there are 13 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G1K2	W	141.49	<a href="#">52</a>
VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G1K2	W	141.49	<a href="#">52</a>
VERSACE LAWN CARE	66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G 1K2	W	141.49	<a href="#">52</a>
LOBLAWS SUPERMARKETS LTD. #164-0	99 LAKESHORE ROAD PORT CREDIT ON M4T 2S5	SSW	162.07	<a href="#">65</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
LOBLAWS INC. O/A RUSTY'S NO FRILLS #102	99 LAKESHORE RD E MISSISSAUGA ON L5G1E2	SSW	162.07	<a href="#">65</a>
1052900 ONTARIO INC./ROB'S NO FRILLS	99 LAKESHORE ROAD EAST PORT CREDIT ON L5G1E2	SSW	162.07	<a href="#">65</a>
1382019 ONTARIO LTD/MURPHY'S NO FRILLS	99 LAKESHORE RD E PORT CREDIT ON L5G1E2	SSW	162.07	<a href="#">65</a>
2307036 ONTARIO LTD	99 LAKESHORE RD. E. MISSISSAUGA ON L5G1E2	SSW	162.07	<a href="#">65</a>
2307036 ONTARIO LTD	99 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E2	SSW	162.07	<a href="#">65</a>
LOBLAWS INC. O/A NO FRILLS #1353	99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	SSW	162.07	<a href="#">65</a>
LOBLAWS INC. O/A NO FRILLS #1353	99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	SSW	162.07	<a href="#">65</a>
815957 ONTARIO LIMITED BRIAN'S NO FRILLS	99 LAKESHORE ROAD PORT CREDIT ON M9R 1Y5	SSW	162.07	<a href="#">65</a>
1382019 ONTARIO LTD/MURPHY'S NO FRILLS	99 LAKESHORE RD E PORT CREDIT ON L5G1E2	SSW	162.07	<a href="#">65</a>

### **PINC - Pipeline Incidents**

A search of the PINC database, dated Oct 31, 2020 has found that there are 4 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIPELINE HIT - 2"	8 ANN ST.,MISSISSAUGA,ON,L5G 3E6,CA ON	WNW	52.44	<a href="#">8</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1 Hurontario Street, Mississauga ON	NNE	135.36	<a href="#">41</a>
	90 High Street East, Mississauga ON	NNW	146.26	<a href="#">55</a>
PIPELINE HIT - 2"	155 LAKESHORE RD E., MISSISSAUGA, ON, L5G 4T9, CA ON	ENE	207.56	<a href="#">111</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 7 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
V V GAS AND WASH	114 LAKESHORE RD PORT CREDIT MISSISSAUGA ON	SW	68.17	<a href="#">12</a>
V V GAS AND WASH	114 LAKESHORE RD PORT CREDIT MISSISSAUGA ON	SW	68.17	<a href="#">12</a>
PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#">90</a>
PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#">90</a>
PIONEER PETROLEUMS ATTN LOLA LAURIE	150 LAKESHORE RD E MISSISSAUGA ON L5G1E9	NNE	186.52	<a href="#">90</a>
	150 LAKESHORE RD. E. PORT CREDIT ON	NNE	186.52	<a href="#">90</a>
BEAVER FUELS MANAGEMENT LIMITED ATTENTION: MIRIAM	158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NE	226.21	<a href="#">129</a>



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	---------------------	----------------

## **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2020 has found that there are 8 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Scott Insley	6 ANN ST, MISSISSAUGA, ON, L5G 3E6, ON L5G 3E6	WNW	37.56	<a href="#"><u>3</u></a>
Scott Insley	8 ANN ST, MISSISSAUGA, ON, L5G 3E6 ON L5G 3E6	WNW	52.44	<a href="#"><u>8</u></a>
Home Alone Property Management Services Limited	10 ANN ST, MISSISSAUGA, ON, L5G 3E6 ON L5G 3E6	WNW	68.12	<a href="#"><u>11</u></a>
F.S. 6810 DEVELOPMENT INC.	10 ANN STREET, MISSISSAUGA, ON L5G 2E6 Mississauga ON	WNW	68.12	<a href="#"><u>11</u></a>
F.S. Port Credit Development Limited	15 HURONTARIO ST, MISSISSAUGA, ON, L5G 3G8 ON	NNE	138.04	<a href="#"><u>45</u></a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	141 Lakeshore Rd. East Mississauga ON L5G 1E8	ENE	138.20	<a href="#"><u>46</u></a>
	141 Lakeshore Road East Mississauga ON L5G 1E8	ENE	138.20	<a href="#"><u>46</u></a>
	141 Lakeshore Rd. East Mississauga ON L5G 1E8	ENE	138.20	<a href="#"><u>46</u></a>

## **RST - Retail Fuel Storage Tanks**

A search of the RST database, dated 1999-Jun 30, 2020 has found that there are 1 RST site(s) within approximately 0.25 kilometers of

the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIONEER PETROLEUMS	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 18 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Dens-Tek Dental Studio Inc.	114 Lakeshore Rd E Unit 4 Mississauga ON L5G 1E4	SW	68.17	<a href="#"><u>12</u></a>
Excalibur International Consultants Ltd.	10 Hurontario St Mississauga ON L5G 3G7	NNE	86.44	<a href="#"><u>15</u></a>
EXCALIBUR INT'L CONSULTANTS	10 Hurontario St Mississauga ON L5G 3G7	NNE	86.44	<a href="#"><u>15</u></a>
Axis Communications Inc.	117 Lakeshore Rd E Mississauga ON L5G 1E5	S	101.60	<a href="#"><u>21</u></a>
Canadian Wiping Cloth Company	126-117 Lakeshore Road East Mississauga ON L5G 4T6	S	101.60	<a href="#"><u>21</u></a>
Westacott Organs	117 Lakeshore Rd E Suite 343 Mississauga ON L5G 4T6	S	101.60	<a href="#"><u>21</u></a>
Doyle Botterell Sailmakers	117 Lakeshore Rd E Suite 336 Mississauga ON L5G 4T6	S	101.60	<a href="#"><u>21</u></a>
Waterside Dental	115 Lakeshore Rd E Mississauga ON L5G 1E5	S	104.44	<a href="#"><u>22</u></a>
Sungalia G Dr	115 Lakeshore Rd E Mississauga ON L5G 1E5	S	104.44	<a href="#"><u>22</u></a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CASPIAN CUSTOM CANVAS INC.	106 LAKESHORE RD E SUITE 104 MISSISSAUGA ON L5G 1E3	SW	140.09	<a href="#"><u>51</u></a>
RCOM graphics and design	92 Lakeshore Rd E Suite 202 Mississauga ON L5G 4S2	SW	201.17	<a href="#"><u>104</u></a>
Dudson USA Inc.	92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SW	201.17	<a href="#"><u>104</u></a>
The Dudson USA Inc.	92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SW	201.17	<a href="#"><u>104</u></a>
THE DUDSON GROUP (USA) INC.	92 LAKESHORE RD E MISSISSAUGA ON L5G 4S2	SW	201.17	<a href="#"><u>104</u></a>
Access Control Sales Ltd.	161 Lakeshore Rd E Mississauga ON L5G 4T9	ENE	222.81	<a href="#"><u>126</u></a>
DISTANT HORIZON MARINE	6 ELIZABETH ST S MISSISSAUGA ON L5G 2Y5	SSW	248.72	<a href="#"><u>156</u></a>
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD E MISSISSAUGA ON L5G 1E8	ENE	138.20	<a href="#"><u>46</u></a>
Nordex Explosives Ltd.	145 Lakeshore Rd E Mississauga ON L5G 4T9	ENE	183.16	<a href="#"><u>88</u></a>

## **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Mar 2020; Jul 2020 - Aug 2020 has found that there are 17 SPL site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Enbridge Gas Distribution Inc.	8 Ann St. Mississauga Mississauga ON	WNW	52.44	<a href="#"><u>8</u></a>
UNKNOWN	114 LAKESHORE BLVD ST HELENE ST. MISSISSAUGA CITY ON	SW	68.17	<a href="#"><u>12</u></a>
FRAM GROUP (CANADA) INC	69 High St. E Mississauga ON	W	76.54	<a href="#"><u>14</u></a>
FRAM GROUP (CANADA) INC	Ann and High St Mississauga ON	NW	89.92	<a href="#"><u>16</u></a>
PUC	7 HELENE ST. PORT CREDIT MISSISSAUGA CITY ON	W	120.47	<a href="#"><u>35</u></a>
Bell Canada	80 High Street Mississauga ON	WNW	136.09	<a href="#"><u>42</u></a>
	80 High Street East Mississauga ON	WNW	136.09	<a href="#"><u>42</u></a>
TRANSPORT TRUCK	99 LAKE SHORE DR. E. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SSW	162.07	<a href="#"><u>65</u></a>
OSHAWA FOODS	25 HURONTARIO STREET RETAIL STORE MISSISSAUGA CITY ON	N	176.15	<a href="#"><u>78</u></a>
PIONEER PETROLEUMS LTD.	150 LAKESHORE EAST SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>
PIONEER PETROLEUMS LTD.	150 LAKESHORE RD E SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	NNE	186.52	<a href="#"><u>90</u></a>
Enbridge Gas Distribution Inc.	155 Lakeshore Rd. East Mississauga ON	ENE	207.56	<a href="#"><u>111</u></a>



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ONTARIO HYDRO	ELIZABETH AND LAKESHORE MISSISSAUGA TRANSFORMER MISSISSAUGA CITY ON	SW	223.61	<a href="#">127</a>
Greenspoon Specialty Contracting Ltd.;	20 Rosewood Avenue construction site<UNOFFICIAL> Mississauga ON	N	246.70	<a href="#">153</a>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Karbro Transport Inc. <UNOFFICIAL>	Hurontario St. and Lakeshore Rd. E. Mississauga ON	ENE	95.84	<a href="#">18</a>
ST. LAWRENCE STARCH CO. LTD.	141 LAKESHORE RD EAST, HWY # 10/LAKESHORE BLVD. MISSISSAUGA PLANT 141 LAKESHORE ROAD EAST MISSISSAUGA CITY ON L5G 1E8	ENE	138.20	<a href="#">46</a>
UNKNOWN	LAKE ONTARIO, BASE OF HELENE ST. MISSISSAUGA CITY ON	SSE	177.24	<a href="#">82</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Apr 30, 2020 has found that there are 39 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON  <i>Well ID: 7267968</i>	NW	61.22	<a href="#">10</a>
	8 ANN ST ON  <i>Well ID: 7288429</i>	WNW	71.12	<a href="#">13</a>
	LAKESHORE 91/99 Mississauga ON  <i>Well ID: 7148420</i>	SSW	106.41	<a href="#">25</a>
	103 LAKESHORE RD E Mississauga ON	SSW	120.19	<a href="#">34</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<b>Well ID:</b> 7187902			
	113 LAKESHORE RD. E. #107 Mississauga ON	S	139.05	<a href="#"><u>48</u></a>
	<b>Well ID:</b> 7133398			
	113 LAKESHORE BLVD. 107 Mississauga ON	S	139.16	<a href="#"><u>49</u></a>
	<b>Well ID:</b> 7109074			
	103 LAKESHORE ROAD EAST Mississauga ON	SSW	155.41	<a href="#"><u>61</u></a>
	<b>Well ID:</b> 7157715			
	103 LAKESHORE RD E MISSISSAUGA ON	SSW	159.30	<a href="#"><u>63</u></a>
	<b>Well ID:</b> 7183814			
	103 LAKESHORE ROAD EAST Mississauga ON	S	164.10	<a href="#"><u>66</u></a>
	<b>Well ID:</b> 7157717			
	103 LAKESHORE ROAD EAST Mississauga ON	S	164.53	<a href="#"><u>68</u></a>
	<b>Well ID:</b> 7157716			
	103 LAKESHORE RD E Mississauga ON	S	165.09	<a href="#"><u>69</u></a>
	<b>Well ID:</b> 7187901			
	103 LAKESHORE RD E Mississauga ON	S	167.60	<a href="#"><u>70</u></a>
	<b>Well ID:</b> 7187903			
	LAKE SHORE 91/99 ON	SSW	173.93	<a href="#"><u>74</u></a>
	<b>Well ID:</b> 7148419			
	103 LAKESHORE RD E MISSISSAUGA ON	SSW	174.78	<a href="#"><u>76</u></a>
	<b>Well ID:</b> 7183549			
	15 HURNOTARIP STREET MISSISSAUGA ON	N	177.10	<a href="#"><u>80</u></a>
	<b>Well ID:</b> 7104773			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	103 LAKESHORE RD E MISSISSAUGA ON  <i>Well ID: 7183548</i>	S	177.13	<a href="#"><u>81</u></a>
	ON  <i>Well ID: 7162774</i>	NE	182.51	<a href="#"><u>87</u></a>
	ON  <i>Well ID: 7161795</i>	NNE	201.91	<a href="#"><u>106</u></a>
	99 LAKESHORE RD PORT CREDIT ON  <i>Well ID: 7211007</i>	SSW	206.12	<a href="#"><u>110</u></a>
	152 LAKESHORE RD E ON  <i>Well ID: 7301773</i>	NE	212.06	<a href="#"><u>117</u></a>
	158 LAKESHORE RD E Mississauga ON  <i>Well ID: 7284532</i>	NE	215.38	<a href="#"><u>120</u></a>
	158 LAKESHORE RD E Mississauga ON  <i>Well ID: 7282792</i>	NE	220.01	<a href="#"><u>123</u></a>
	150 LAKESHORE BLVD. EAST Mississauga ON  <i>Well ID: 7155591</i>	NNE	220.13	<a href="#"><u>124</u></a>
	158 LAKESHORE RD E Mississauga ON  <i>Well ID: 7284534</i>	NE	226.13	<a href="#"><u>128</u></a>
	158 LAKESHORE RD E Mississauga ON  <i>Well ID: 7282790</i>	NE	228.45	<a href="#"><u>136</u></a>
	158 LAKESHORE RD EAST Mississauga ON  <i>Well ID: 7284533</i>	NE	230.46	<a href="#"><u>138</u></a>
	lot 14 con 1 ON	NE	232.78	<a href="#"><u>141</u></a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<b>Well ID:</b> 4907921			
	ON	NE	233.17	<a href="#">142</a>
	<b>Well ID:</b> 7282791			
	158 LAKESHORE RD E Mississauga ON	NE	235.00	<a href="#">145</a>
	<b>Well ID:</b> 7284535			
	158 LAKESHORE RD E Mississauga ON	NE	246.24	<a href="#">152</a>
	<b>Well ID:</b> 7284531			
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1 HURONTARIO STREET Mississauga ON	NE	151.66	<a href="#">58</a>
	<b>Well ID:</b> 7298078			
	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON	ENE	174.99	<a href="#">77</a>
	<b>Well ID:</b> 7298175			
	ON	SSE	189.04	<a href="#">95</a>
	<b>Well ID:</b> 7315579			
	99 LAKESHORE RD PORT CREDIT ON	S	190.20	<a href="#">96</a>
	<b>Well ID:</b> 7211009			
	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON	ENE	190.27	<a href="#">97</a>
	<b>Well ID:</b> 7298174			
	LAKE SHORE 91/99 Mississauga ON	SSW	206.03	<a href="#">109</a>
	<b>Well ID:</b> 7148418			
	99 LAKESHORE RD PORT CREDIT ON	S	227.06	<a href="#">133</a>
	<b>Well ID:</b> 7211008			
	113 LAKESHORE BLVD. 107 Mississauga ON	SE	233.29	<a href="#">143</a>



**Well ID:** 7109075


LAKESHORE 91/99  
Mississauga ON

S

247.37

[154](#)

**Well ID:** 7148417



★ Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
△ Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
□ Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
▽ Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
○ Eris Sites with Unknown Elevation	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		





1:10000

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS,  
USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Aerial** Year: 2015

**Address: 128 Lakeshore Road East, Mississauga, ON**

Source: ESRI World Imagery

Order Number: 21012800063

**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



© ERIS Information Limited Partnership



79°36'W


79°34'30"W

43°34'30"N

43°34'30"N

43°33'N

43°33'N



# Topographic Map

**Address: 128 Lakeshore Road East, ON**

**Source: ESRI World Topographic Map**

Order Number: 21012800063



© ERIS Information Limited Partnership



## Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">1</a>	1 of 8	-/0.0	79.8 / 0.00	SKINNER & MIDDLEBROOK LTD. 128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	GEN
<div> <div> Generator No: ONF025200  Status:  Approval Years: 88,89,90,00,01,03,04  Contam. Facility:  MHSW Facility:  SIC Code: 9731  SIC Description: FUNERAL HOMES </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">1</a>	2 of 8	-/0.0	79.8 / 0.00	SKINNER & MIDDLEBROOK LTD. 44-252 128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	GEN
<div> <div> Generator No: ONF025200  Status:  Approval Years: 92,93,94,95,96  Contam. Facility:  MHSW Facility:  SIC Code: 9731  SIC Description: FUNERAL HOMES </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">1</a>	3 of 8	-/0.0	79.8 / 0.00	SKINNER & MIDDLEBROOK LTD 128 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E4	GEN
<div> <div> Generator No: ONF025200  Status:  Approval Years: 97,98,99  Contam. Facility:  MHSW Facility:  SIC Code: 9731  SIC Description: FUNERAL HOMES </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">1</a>	4 of 8	-/0.0	79.8 / 0.00	Skinner & Middlebrook Ltd. 128 Lakeshore Rd.E. Mississauga ON L5G 1E4	GEN
<div> <div> Generator No: ON8373977  Status:  Approval Years: 02,03,04,07,08  Contam. Facility:  MHSW Facility:  SIC Code:  SIC Description: </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">1</a>	5 of 8	-/0.0	79.8 / 0.00	Skinner & Middlebrook Ltd. 128 Lakeshore Rd.E. Mississauga ON L5G 1E4	GEN
<div> <div> Generator No: ON8373977  Status:  Approval Years: 2009  Contam. Facility:  MHSW Facility:  SIC Code: 812210  SIC Description: Funeral Homes </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">1</a>	6 of 8	-/0.0	79.8 / 0.00	Skinner & Middlebrook Ltd. 128 Lakeshore Rd.E. Mississauga ON L5G 1E4	GEN
<div> <div> Generator No: ON8373977  Status:  Approval Years: 2010  Contam. Facility:  MHSW Facility:  SIC Code: 812210  SIC Description: Funeral Homes </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">1</a>	7 of 8	-/0.0	79.8 / 0.00	Skinner & Middlebrook Ltd. 128 Lakeshore Rd.E. Mississauga ON L5G 1E4	GEN
<div> <div> Generator No: ON8373977  Status:  Approval Years: 2011  Contam. Facility:  MHSW Facility:  SIC Code: 812210 </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Funeral Homes			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<u>1</u>	8 of 8	-/0.0	79.8 / 0.00	Skinner & Middlebrook Ltd 128 Lakeshore Rd.E. Mississauga ON L5G 1E4	GEN
Generator No:		ON6384687		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Jul 2020		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<u>2</u>	1 of 1	NE/36.9	79.8 / 0.00	ON	BORE
Borehole ID:		646203		Inclin FLG: No	
OGF ID:		215546586		SP Status: Initial Entry	
Status:				Surv Elev: No	
Type:		Borehole		Piezometer: No	
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		JUL-1969		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:		Not Used		Township:	
Sec. Water Use:				Latitude DD: 43.555065	
Total Depth m:		7.5		Longitude DD: -79.582483	
Depth Ref:		Ground Surface		UTM Zone: 17	
Depth Elev:				Easting: 614495	
Drill Method:		Power auger		Northing: 4823433	
Orig Ground Elev m:		79.2		Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m:		78.8			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218514012		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		.1		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Asphalt		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ASPHALT.			
Geology Stratum ID:		218514015		Mat Consistency: Dense	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	2.6			Material Moisture:	
Bottom Depth:	7.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		TILL,SILT,GRAVEL, CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.			
Geology Stratum ID:	218514016			Mat Consistency:	
Top Depth:	7.5			Material Moisture:	
Bottom Depth:	7.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	Ordovician
Material 4:				Depositional Gen:	marine
Gsc Material Description:					
Stratum Description:		BEDROCK,SHALE. MARINE,AGE ORDOVICIAN. 022 010 0005004500085100 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218514013			Mat Consistency:	
Top Depth:	.1			Material Moisture:	Dry
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Clay			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL,SILT,SAND,CLAY.DRY.			
Geology Stratum ID:	218514014			Mat Consistency:	Hard
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.6			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		TILL,SILT,CLAY. BROWN,GLACIAL,HARD, AGE GLACIAL.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: TOR2.txt RecordID: 142250 NTS_Sheet: 30M12A			
Confiden 1:		Reliable information but incomplete.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">3</a>	1 of 1	WNW/37.6	79.8 / 0.00	Scott Insley 6 ANN ST, MISSISSAUGA, ON, L5G 3E6, ON L5G 3E6	RSC
<div> <div> <b>RSC ID:</b> 112310  <b>RA No:</b>  <b>RSC Type:</b>  <b>Curr Property Use:</b> Residential  <b>Ministry District:</b> MISSISSAUGA  <b>Filing Date:</b> 21-Jun-11  <b>Date Ack:</b>  <b>Date Returned:</b>  <b>Restoration Type:</b>  <b>Soil Type:</b>  <b>Criteria:</b>  <b>CPU Issued Sect 1686:</b> No  <b>Asmt Roll No:</b>  <b>Prop ID No (PIN):</b> 13463-0072(LT)  <b>Property Municipal Address:</b> 6 ANN ST, MISSISSAUGA, ON, L5G 3E6,  <b>Mailing Address:</b> 6 ANN ST, MISSISSAUGA, ON, L5G 3E6  <b>Latitude &amp; Longitude:</b> 43.55496660N 79.58314910W (converted from UTM)  <b>UTM Coordinates:</b> NAD83 17-614441-4823421  <b>Consultant:</b>  <b>Legal Desc:</b> Part Lot 2, Plan PC2 ECR, N/S Toronto Street; Part Lots 2 &amp; 3, Plan PC2 ECR, S/S High Street as in VS113631  <b>Measurement Method:</b> Digitized from a map  <b>Applicable Standards:</b> ESA Phase 1  <b>RSC PDF:</b> </div> <div> <b>Cert Date:</b> 7-Jun-11  <b>Cert Prop Use No:</b> No CPU  <b>Intended Prop Use:</b> Residential  <b>Qual Person Name:</b>  <b>Stratified (Y/N):</b>  <b>Audit (Y/N):</b>  <b>Entire Leg Prop. (Y/N):</b> Yes  <b>Accuracy Estimate:</b> 0 to 1 meters  <b>Telephone:</b> 905-2711318  <b>Fax:</b>  <b>Email:</b> </div> </div>					
<a href="#">4</a>	1 of 1	NNE/40.9	79.8 / 0.00	ON	BORE
<div> <div> <b>Borehole ID:</b> 646204  <b>OGF ID:</b> 215546587  <b>Status:</b>  <b>Type:</b> Borehole  <b>Use:</b> Geotechnical/Geological Investigation  <b>Completion Date:</b> JUL-1969  <b>Static Water Level:</b>  <b>Primary Water Use:</b> Not Used  <b>Sec. Water Use:</b>  <b>Total Depth m:</b> 9.9  <b>Depth Ref:</b> Ground Surface  <b>Depth Elev:</b>  <b>Drill Method:</b> Power auger  <b>Orig Ground Elev m:</b> 79.7  <b>Elev Reliabil Note:</b>  <b>DEM Ground Elev m:</b> 79.4  <b>Concession:</b>  <b>Location D:</b>  <b>Survey D:</b>  <b>Comments:</b> </div> <div> <b>Inclin FLG:</b> No  <b>SP Status:</b> Initial Entry  <b>Surv Elev:</b> No  <b>Piezometer:</b> No  <b>Primary Name:</b>  <b>Municipality:</b>  <b>Lot:</b>  <b>Township:</b>  <b>Latitude DD:</b> 43.555156  <b>Longitude DD:</b> -79.582605  <b>UTM Zone:</b> 17  <b>Easting:</b> 614485  <b>Northing:</b> 4823443  <b>Location Accuracy:</b>  <b>Accuracy:</b> Not Applicable </div> </div>					
<b><u>Borehole Geology Stratum</u></b>					
<div> <div> <b>Geology Stratum ID:</b> 218514020  <b>Top Depth:</b> 2.4  <b>Bottom Depth:</b> 2.5  <b>Material Color:</b> Grey  <b>Material 1:</b> Till  <b>Material 2:</b> Silt  <b>Material 3:</b> Sand  <b>Material 4:</b> Gravel </div> <div> <b>Mat Consistency:</b> Dense  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> glacial </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		TILL,SILT,SAND, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.			
<b>Geology Stratum ID:</b>	218514017			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		ASPHALT.			
<b>Geology Stratum ID:</b>	218514021			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	9.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>	Limestone			<b>Geologic Period:</b>	Ordovician
<b>Material 4:</b>				<b>Depositional Gen:</b>	marine
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK,SHALE, LIMESTONE. GREY,MARINE,LAYERED, AGE ORDOVICIAN. 018 010 000500 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	218514018			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravel			<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		FILL,SILT,SAND, GRAVEL. DENSE.			
<b>Geology Stratum ID:</b>	218514019			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	1.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.4			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND-MEDIUM,SILT. BROWN,GLACIAL,DENSE, AGE GLACIAL.			
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: TOR2.txt RecordID: 142260 NTS_Sheet: 30M12A				
<b>Confiden 1:</b>	Reliable information but incomplete.				
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
<a href="#">5</a>	1 of 1	NNW/42.3	79.8 / 0.00	ON	BORE
Borehole ID:	640927			Inclin FLG:	No
OGF ID:	215541322			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.555161
Total Depth m:	1.5			Longitude DD:	-79.582976
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614455
Drill Method:	Power auger			Northing:	4823443
Orig Ground Elev m:	80.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<hr/>					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494113			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL, GRAVEL.				
Geology Stratum ID:	218494115			Mat Consistency:	
Top Depth:	.4			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM, CLAY. BROWN, ALLUVIAL, AGE POST-GLACIAL. LAY. AGE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218494112			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ASPHALT.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	218494114			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.4			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND-MEDIUM,SILT, CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				

#### Source

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M	<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: TOR1B.txt RecordID: 088930 NTS_Sheet: 30M12A		
<b>Confiden 1:</b>	Logs are approximately correct. Lack of information. Doubtful terminology.		

#### Source List

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

<b>6</b>	<b>1 of 1</b>	<b>ENE/47.0</b>	<b>79.3 / -0.54</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	646202			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215546585			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JUL-1967			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.554972
<b>Total Depth m:</b>	7.8			<b>Longitude DD:</b>	-79.582238
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614515
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823423
<b>Orig Ground Elev m:</b>	79.3			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	78.1				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	218514008	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.5	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill	<b>Geologic Formation:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Sand Gravel			Geologic Group: Geologic Period: Depositional Gen:	fill
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218514009 .5 2.6 Brown Till Silt Clay	FILL,SAND,GRAVEL.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Hard     glacial
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218514007 0 .1 Asphalt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218514010 2.6 7.8 Grey Till Silt Sand	ASPHALT.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense     glacial
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218514011 7.8 7.8 Bedrock Shale	BEDROCK,SHALE. MARINE,AGE ORDOVICIAN. 023 009 0001503700085068 **Note: Many records provided by the department have a truncated [Stratum Description] field.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Ordovician marine

#### Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	M	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: TOR2.txt RecordID: 142240 NTS_Sheet: 30M12A		
Confiden 1:	Reliable information but incomplete.		

#### Source List

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Identifier:</b> 1 <b>Source Type:</b> Data Survey <b>Source Date:</b> 1956-1972 <b>Scale or Resolution:</b> Varies <b>Source Name:</b> Urban Geology Automated Information System (UGAIS) <b>Source Originators:</b> Geological Survey of Canada					
<b>Horizontal Datum:</b> NAD27 <b>Vertical Datum:</b> Mean Average Sea Level <b>Projection Name:</b> Universal Transverse Mercator					
<a href="#">7</a>	1 of 1	NW/48.4	79.8 / 0.00	8 Ann St, 6 Ann St, 10 Ann St. Mississauga ON	EHS
<b>Order No:</b> 20110516026 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 5/18/2011 <b>Date Received:</b> 5/16/2011 3:36:21 PM <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.583198 <b>Y:</b> 43.555214					
<a href="#">8</a>	1 of 3	WNW/52.4	79.8 / 0.00	Scott Insley 8 ANN ST, MISSISSAUGA, ON, L5G 3E6 ON L5G 3E6	RSC
<b>RSC ID:</b> 112315 <b>RA No:</b> <b>RSC Type:</b> <b>Curr Property Use:</b> Residential <b>Ministry District:</b> MISSISSAUGA <b>Filing Date:</b> 21-Jun-11 <b>Date Ack:</b> <b>Date Returned:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>CPU Issued Sect 1686:</b> No <b>Asmt Roll No:</b> <b>Prop ID No (PIN):</b> 13463-0073(LT) <b>Property Municipal Address:</b> 8 ANN ST, MISSISSAUGA, ON, L5G 3E6 <b>Mailing Address:</b> 6 ANN ST, MISSISSAUGA, ON, L5G 3E6 <b>Latitude &amp; Longitude:</b> 43.55500570N 79.58339580W (converted from UTM) <b>UTM Coordinates:</b> NAD83 17-614421-4823425 <b>Consultant:</b> <b>Legal Desc:</b> Part Lots 2 and 3, Plan PC2 ECR, S/S High Street, as in No. PC12760 <b>Measurement Method:</b> Digitized from a map <b>Applicable Standards:</b> ESA Phase 1 <b>RSC PDF:</b>					
<b>Cert Date:</b> 7-Jun-11 <b>Cert Prop Use No:</b> No CPU <b>Intended Prop Use:</b> Residential <b>Qual Person Name:</b> <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> Yes <b>Accuracy Estimate:</b> 0 to 1 meters <b>Telephone:</b> 905-2711318 <b>Fax:</b> <b>Email:</b>					
<a href="#">8</a>	2 of 3	WNW/52.4	79.8 / 0.00	Enbridge Gas Distribution Inc. 8 Ann St. Mississauga Mississauga ON	SPL
<b>Ref No:</b> 8866-AXKLZJ <b>Site No:</b> NA <b>Incident Dt:</b> 2018/04/06 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Leak/Break <b>Contaminant Code:</b> 35 <b>Contaminant Name:</b> NATURAL GAS (METHANE) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment <b>Client Type:</b> Corporation <b>Sector Type:</b> Miscellaneous Communal <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 8 Ann St. Mississauga <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b>  <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	1075    Air No  2018/04/06 2018/04/21			<b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b>  <b>Source Type:</b>	Central Mississauga   4823433.07 614459.39  TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Pipeline/Components
	Operator/Human Error			Commercial - building is under construction<UNOFFICIAL> Regional Municipality of Peel	
	TSSA FSB: 2 inch pl IP gas line dmgd; made safe 0 other - see incident description				
<a href="#">8</a>	3 of 3	WNW/52.4	79.8 / 0.00	<b>PIPELINE HIT - 2"</b> <b>8 ANN ST,,MISSISSAUGA,ON,L5G 3E6,CA</b> <b>ON</b>	PINC
<b>Incident ID:</b> <b>Incident No:</b> <b>Incident Reported Dt:</b> <b>Type:</b> <b>Status Code:</b> <b>Customer Acct Name:</b> <b>Incident Address:</b> <b>Tank Status:</b> <b>Task No:</b> <b>Spills Action Centre:</b> <b>Fuel Type:</b> <b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> <b>Reported By:</b> <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> <b>Notes:</b>	2278716 4/6/2018 FS-Pipeline Incident  PIPELINE HIT - 2" 8 ANN ST,,MISSISSAUGA,ON,L5G 3E6,CA Pipeline Damage Reason Est			<b>Fuel Category:</b> <b>Health Impact:</b> <b>Environment Impact:</b> <b>Property Damage:</b> <b>Service Interupt:</b> <b>Enforce Policy:</b> <b>Public Relation:</b> <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> <b>PSIG:</b> <b>Attribute Category:</b> <b>Regulator Location:</b> <b>Method Details:</b>	
<a href="#">9</a>	1 of 1	NNE/54.9	79.8 / 0.00	<b>Enersource Hydro Mississauga</b> <b>5 Ann Street</b> <b>Mississauga ON L5G 3E8</b>	GEN
<b>Generator No:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON4489026  2011  221122			<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<a href="#">10</a>	1 of 1	NW/61.2	79.8 / 0.00	ON	WWIS
Well ID:	7267968			Data Entry Status:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Construction Date:</b>  <b>Primary Water Use:</b>  <b>Sec. Water Use:</b>  <b>Final Well Status:</b>  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> C33944  <b>Tag:</b> A203341  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </div> <div> <b>Data Src:</b>  <b>Date Received:</b> 7/28/2016  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 7230  <b>Form Version:</b> 8  <b>Owner:</b>  <b>Street Name:</b>  <b>County:</b> PEEL  <b>Municipality:</b> MISSISSAUGA CITY  <b>Site Info:</b>  <b>Lot:</b>  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </div> </div> <p><b>PDF URL (Map):</b></p> <p><b>Bore Hole Information</b></p> <div> <div> <b>Bore Hole ID:</b> 1006177173  <b>DP2BR:</b>  <b>Spatial Status:</b>  <b>Code OB:</b>  <b>Code OB Desc:</b>  <b>Open Hole:</b>  <b>Cluster Kind:</b>  <b>Date Completed:</b> 6/22/2016  <b>Remarks:</b>  <b>Elevrc Desc:</b>  <b>Location Source Date:</b>  <b>Improvement Location Source:</b>  <b>Improvement Location Method:</b>  <b>Source Revision Comment:</b>  <b>Supplier Comment:</b> </div> <div> <b>Elevation:</b> 80.004341  <b>Elevrc:</b>  <b>Zone:</b> 17  <b>East83:</b> 614426  <b>North83:</b> 4823445  <b>Org CS:</b> UTM83  <b>UTMRC:</b> 4  <b>UTMRC Desc:</b> margin of error : 30 m - 100 m  <b>Location Method:</b> wwr </div> </div>					
<a href="#">11</a>	1 of 2	WNW/68.1	79.8 / 0.00	<b>Home Alone Property Management Services Limited</b> <b>10 ANN ST, MISSISSAUGA, ON, L5G 3E6</b> <b>ON L5G 3E6</b>	<b>RSC</b>
<div> <div> <b>RSC ID:</b> 112316  <b>RA No:</b>  <b>RSC Type:</b>  <b>Curr Property Use:</b> Commercial  <b>Ministry District:</b> MISSISSAUGA  <b>Filing Date:</b> 21-Jun-11  <b>Date Ack:</b>  <b>Date Returned:</b>  <b>Restoration Type:</b>  <b>Soil Type:</b>  <b>Criteria:</b>  <b>CPU Issued Sect 1686:</b> No  <b>Asmt Roll No:</b>  <b>Prop ID No (PIN):</b> 13463-0038 (LT)  <b>Property Municipal Address:</b> 10 ANN ST, MISSISSAUGA, ON, L5G 3E6  <b>Mailing Address:</b> 10 ANN ST, MISSISSAUGA, ON, L5G 3E6  <b>Latitude &amp; Longitude:</b> 43.55517830N 79.58351560W (converted from UTM)  <b>UTM Coordinates:</b> NAD83 17-614411-4823444 </div> <div> <b>Cert Date:</b> 7-Jun-11  <b>Cert Prop Use No:</b> No CPU  <b>Intended Prop Use:</b> Residential  <b>Qual Person Name:</b> Rob Jones  <b>Stratified (Y/N):</b>  <b>Audit (Y/N):</b>  <b>Entire Leg Prop. (Y/N):</b> Yes  <b>Accuracy Estimate:</b> 0 to 1 meters  <b>Telephone:</b> 905-2719922  <b>Fax:</b>  <b>Email:</b> </div> </div>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Consultant:</b> <b>Legal Desc:</b> Parts of Lots No. 2 and 3 South side of High Street East of the River Credit City of Mississauga Regional Municipality of Peel Land Registry Office of Peel (No. 3) More particularly described in Schedule "A" attached. <b>Measurement Method:</b> Digitized from a map <b>Applicable Standards:</b> ESA Phase 1 <b>RSC PDF:</b>					
<a href="#">11</a>	2 of 2	WNW/68.1	79.8 / 0.00	F.S. 6810 DEVELOPMENT INC. 10 ANN STREET, MISSISSAUGA, ON L5G 2E6 Mississauga ON	RSC
<b>RSC ID:</b> 223748 <b>RA No:</b> <b>RSC Type:</b> Phase 1 and 2 RSC <b>Curr Property Use:</b> Commercial <b>Ministry District:</b> Halton-Peel District Office <b>Filing Date:</b> 2017/09/05 <b>Date Ack:</b> <b>Date Returned:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>CPU Issued Sect 1686:</b> <b>Asmt Roll No:</b> 210509000413100 <b>Prop ID No (PIN):</b> 13463-0188 (LT) <b>Property Municipal Address:</b> 10 ANN STREET, MISSISSAUGA, ON L5G 2E6 <b>Mailing Address:</b> <b>Latitude &amp; Longitude:</b> <b>UTM Coordinates:</b> <b>Consultant:</b> <b>Legal Desc:</b> <b>Measurement Method:</b> <b>Applicable Standards:</b> <b>RSC PDF:</b> <a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85711&amp;fileName=BROWNFIELDSE.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85711&amp;fileName=BROWNFIELDSE.pdf</a> <b>Cert Date:</b> <b>Cert Prop Use No:</b> <b>Intended Prop Use:</b> Residential <b>Qual Person Name:</b> SAMUEL OYEDOKUN <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>Accuracy Estimate:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b>					
<b><u>Document(s) Detail</u></b>					
<b>Document Heading:</b> Supporting Documents <b>Document Name:</b> Tableof CandPUUses.pdf <b>Document Type:</b> Table of Current and Past Property Use <b>Document Link:</b> <a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85714&amp;fileName=Tableof+CandPUUses.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85714&amp;fileName=Tableof+CandPUUses.pdf</a>					
<b>Document Heading:</b> Supporting Documents <b>Document Name:</b> LawyersLetter.pdf <b>Document Type:</b> Lawyer's letter consisting of a legal description of the property <b>Document Link:</b> <a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85713&amp;fileName=LawyersLetter.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85713&amp;fileName=LawyersLetter.pdf</a>					
<b>Document Heading:</b> Supporting Documents <b>Document Name:</b> ApecTable.pdf <b>Document Type:</b> Area(s) of Potential Environmental Concern <b>Document Link:</b> <a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85704&amp;fileName=ApecTable.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85704&amp;fileName=ApecTable.pdf</a>					
<b>Document Heading:</b> Supporting Documents <b>Document Name:</b> Planof Survey.pdf <b>Document Type:</b> A Current plan of Survey <b>Document Link:</b> <a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85712&amp;fileName=Planof+Survey.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85712&amp;fileName=Planof+Survey.pdf</a>					
<b>Document Heading:</b> Supporting Documents					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Document Name:</b> Transferdeed.pdf <b>Document Type:</b> Copy of any deed(s), transfer(s) or other document(s) <b>Document Link:</b> https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85709&fileName=Transferdeed.pdf  <b>Document Heading:</b> Supporting Documents <b>Document Name:</b> Certof Status.pdf <b>Document Type:</b> Certificate of Status <b>Document Link:</b> https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85707&fileName=Certof+Status.pdf  <b>Document Heading:</b> Supporting Documents <b>Document Name:</b> PhaseTwoCSM.pdf <b>Document Type:</b> Phase 2 Conceptual Site Model <b>Document Link:</b> https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=85706&fileName=PhaseTwoCSM.pdf					
<a href="#">12</a>	1 of 27	SW/68.2	79.8 / 0.00	<b>UNKNOWN</b> <b>114 LAKESHORE BLVD ST HELENE ST.</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> 14059 <b>Site No:</b> <b>Incident Dt:</b> 1/24/1989 <b>Year:</b> <b>Incident Cause:</b> WASTEWATER DISCHARGE TO WATERCOURSE  <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> WATER <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/24/1989 <b>Dt Document Closed:</b> <b>Incident Reason:</b> UNKNOWN <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b>  <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>					
<a href="#">12</a>	2 of 27	SW/68.2	79.8 / 0.00	<b>V V GAS AND WASH</b> <b>114 LAKESHORE RD PORT CREDIT</b> <b>MISSISSAUGA ON</b>	<b>PRT</b>
<b>Location ID:</b> 27634 <b>Type:</b> retail <b>Expiry Date:</b> 1995-02-28 <b>Capacity (L):</b> 127800 <b>Licence #:</b> 0076413129					
<a href="#">12</a>	3 of 27	SW/68.2	79.8 / 0.00	<b>V V GAS AND WASH</b> <b>114 LAKESHORE RD PORT CREDIT</b> <b>MISSISSAUGA ON</b>	<b>PRT</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location ID:		27634			
Type:		retail			
Expiry Date:		1995-08-31			
Capacity (L):		0			
Licence #:		0076427921			
<a href="#">12</a>	4 of 27	SW/68.2	79.8 / 0.00	PETRO CANADA INC. 114 LAKESHORE ROAD E PORT CREDIT ON L5G 1E4	GEN
Generator No:		ON0031018		PO Box No:	
Status:				Country:	
Approval Years:		86,87,88,89,90,92,93,94		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		0000			
SIC Description:		*** NOT DEFINED ***			
<a href="#">12</a>	5 of 27	SW/68.2	79.8 / 0.00	PETRO CANADA INC. 114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	GEN
Generator No:		ON1019505		PO Box No:	
Status:				Country:	
Approval Years:		89,90		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6331			
SIC Description:		GASOLINE SERV. ST.			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
<a href="#">12</a>	6 of 27	SW/68.2	79.8 / 0.00	PETRO CANADA INC. 30-570 114 LAKESHORE RD., EAST MISSISSAUGA C/O 5140 YONGE ST. SUITE 200 NORTH YORK ON L5G 1E4	GEN
Generator No:		ON1019505		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6331			
SIC Description:		GASOLINE SERV. ST.			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
<a href="#">12</a>	7 of 27	SW/68.2	79.8 / 0.00	Dens-Tek Dental Studio Inc. 114 Lakeshore Rd E Unit 4 Mississauga ON L5G 1E4	SCT
Established:		01-JUN-02			
Plant Size (ft²):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Medical Equipment and Supplies Manufacturing			
<b>SIC/NAICS Code:</b>		339110			
<b>Description:</b>		Medical Equipment and Supplies Manufacturing			
<b>SIC/NAICS Code:</b>		339110			
<a href="#"><u>12</u></a>	8 of 27	SW/68.2	79.8 / 0.00	114 Lakeshore Road E Mississauga ON L5G 1E4	EHS
<b>Order No:</b>	20070226008			<b>Nearest Intersection:</b>	Hurontario Street & Lakeshore Rd. E
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	CAN - Complete Report			<b>Client Prov/State:</b>	
<b>Report Date:</b>	3/6/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	2/26/2007			<b>X:</b>	-79.583293
<b>Previous Site Name:</b>				<b>Y:</b>	43.554343
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#"><u>12</u></a>	9 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON L5G 1E4	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>	10071073				
<b>Status:</b>	EXPIRED				
<b>Instance ID:</b>					
<b>Instance Type:</b>	FS Facility				
<b>Description:</b>					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>	8/23/1997				
<b>Original Source:</b>	EXP				
<b>Record Date:</b>	Up to May 2013				
<a href="#"><u>12</u></a>	10 of 27	SW/68.2	79.8 / 0.00	V V GAS AND WASH 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>	10102295				
<b>Status:</b>	EXPIRED				
<b>Instance ID:</b>	12017				
<b>Instance Type:</b>	FS Facility				
<b>Description:</b>	FS Propane Cylr Handling Facility				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Original Source: Record Date:		EXP Up to Mar 2012			
<a href="#">12</a>	11 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		11471063			
Status:		EXPIRED			
Instance ID:		86498			
Instance Type:		FS Piping			
Description:		FS Piping			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Original Source:		EXP			
Record Date:		Up to Mar 2012			
<a href="#">12</a>	12 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
Instance No:		11245025	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		2/11/1994	Fuel Type3:		NULL
Instance Install Dt:		2/11/1994	Piping Steel:		
Item:			Piping Galvanized:		
Item Description:		FS Liquid Fuel Tank	Tank Single Wall St:		
Facility Type:		FS LIQUID FUEL TANK	Piping Underground:		
Overfill Prot Type:		NULL	Tank Underground:		
Creation Date:		7/5/2009 1:24:23 AM	Panam Related:		NULL
Expired Date:			Panam Venue Nm:		NULL
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		NULL			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
<a href="#">12</a>	13 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
Instance No:		11245088	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		2/11/1994	Fuel Type3:		NULL
Instance Install Dt:		2/11/1994	Piping Steel:		
Item:			Piping Galvanized:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Facility Location:</b> </div> <div> FS Liquid Fuel Tank  FS LIQUID FUEL TANK  NULL  7/5/2009 1:24:23 AM    NULL  FS Liquid Fuel Tank  NULL  NULL  NULL  114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div>       NULL  NULL </div> </div>					
<a href="#">12</a>	14 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
<div> <div> <b>Instance No:</b>  <b>Status:</b>  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Item:</b>  <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Facility Location:</b> </div> <div> 11245048  EXPIRED      2/11/1994  2/11/1994    FS Liquid Fuel Tank  FS LIQUID FUEL TANK  NULL  7/5/2009 1:24:27 AM    NULL  FS Liquid Fuel Tank  NULL  NULL  NULL  114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Model:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type2:</b>  <b>Fuel Type3:</b>  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div> NULL  1  EA  NULL  NULL            NULL  NULL </div> </div>					
<a href="#">12</a>	15 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
<div> <div> <b>Instance No:</b>  <b>Status:</b>  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Item:</b>  <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Facility Location:</b> </div> <div> 11245067  EXPIRED      2/11/1994  2/11/1994    FS Liquid Fuel Tank  FS LIQUID FUEL TANK  NULL  7/5/2009 1:24:28 AM    NULL  FS Liquid Fuel Tank  NULL  NULL  NULL  114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Model:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type2:</b>  <b>Fuel Type3:</b>  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div> NULL  1  EA  NULL  NULL            NULL  NULL </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">12</a>	16 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
<div> <div> <b>Instance No:</b> 11469392  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 10/8/1996  <b>Instance Install Dt:</b> 10/8/1996  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:31 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> NULL  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">12</a>	17 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
<div> <div> <b>Instance No:</b> 11469374  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 10/8/1996  <b>Instance Install Dt:</b> 10/8/1996  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:34 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> NULL  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">12</a>	18 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	EXP
<div> <div> <b>Instance No:</b> 11469403  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b> </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Instance Creation Dt:</b> 10/8/1996  <b>Instance Install Dt:</b> 10/8/1996  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:34 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> NULL  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">12</a>	19 of 27	SW/68.2	79.8 / 0.00	<b>CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS</b> <b>114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON</b>	EXP
<div> <div> <b>Instance No:</b> 11469383  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 10/8/1996  <b>Instance Install Dt:</b> 10/8/1996  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:35 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> NULL  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">12</a>	20 of 27	SW/68.2	79.8 / 0.00	<b>CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS</b> <b>114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON</b>	FST
<div> <div> <b>Instance No:</b> 11469403  <b>Status:</b>  <b>Cont Name:</b>  <b>Instance Type:</b>  <b>Item:</b> FS LIQUID FUEL TANK  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Tank Type:</b> Liquid Fuel Single Wall UST  <b>Install Date:</b> 10/8/1996  <b>Install Year:</b> 1989  <b>Years in Service:</b>  <b>Model:</b> NULL  <b>Description:</b>  <b>Capacity:</b> 27200  <b>Tank Material:</b> Fiberglass (FRP)  <b>Corrosion Protect:</b>  <b>Overfill Protect:</b> </div> <div> <b>Manufacturer:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type:</b> Gasoline  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tanks Single Wall St:</b>  <b>Piping Underground:</b>  <b>Num Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue:</b> </div> </div>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
12	21 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
Instance No:		11469383		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		10/8/1996		Fuel Type3: NULL	
Install Year:		1989		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		36300		Num Underground:	
Tank Material:		Fiberglass (FRP)		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
12	22 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
Instance No:		11245088		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		2/11/1994		Fuel Type3: NULL	
Install Year:		NULL		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		27250		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Parent Facility Type:</b> <b>Facility Location:</b> <b>Device Installed Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA					
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b> CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS					
<a href="#">12</a>	23 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
<b>Instance No:</b> 11469392 <b>Status:</b> <b>Cont Name:</b> <b>Instance Type:</b> <b>Item:</b> FS LIQUID FUEL TANK <b>Item Description:</b> FS Liquid Fuel Tank <b>Tank Type:</b> Liquid Fuel Single Wall UST <b>Install Date:</b> 10/8/1996 <b>Install Year:</b> 1989 <b>Years in Service:</b> <b>Model:</b> NULL <b>Description:</b> <b>Capacity:</b> 27200 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protect:</b> <b>Overfill Protect:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Parent Facility Type:</b> <b>Facility Location:</b> <b>Device Installed Location:</b> 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA					
<b>Manufacturer:</b> <b>Serial No:</b> <b>Ulc Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Fuel Type:</b> Gasoline <b>Fuel Type2:</b> NULL <b>Fuel Type3:</b> NULL <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tanks Single Wall St:</b> <b>Piping Underground:</b> <b>Num Underground:</b> <b>Panam Related:</b> <b>Panam Venue:</b>					
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b> CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS					
<a href="#">12</a>	24 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
<b>Instance No:</b> 11245025 <b>Status:</b> <b>Cont Name:</b> <b>Instance Type:</b> <b>Item:</b> FS LIQUID FUEL TANK <b>Item Description:</b> FS Liquid Fuel Tank <b>Tank Type:</b> Liquid Fuel Single Wall UST <b>Install Date:</b> 2/11/1994 <b>Install Year:</b> NULL <b>Years in Service:</b> <b>Model:</b> NULL <b>Description:</b> <b>Capacity:</b> 36700 <b>Tank Material:</b> Steel <b>Corrosion Protect:</b> <b>Overfill Protect:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Parent Facility Type:</b>					
<b>Manufacturer:</b> <b>Serial No:</b> <b>Ulc Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Fuel Type:</b> Gasoline <b>Fuel Type2:</b> NULL <b>Fuel Type3:</b> NULL <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tanks Single Wall St:</b> <b>Piping Underground:</b> <b>Num Underground:</b> <b>Panam Related:</b> <b>Panam Venue:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b>		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
<a href="#">12</a>	25 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
<b>Instance No:</b>		11469374		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>		Liquid Fuel Single Wall UST		<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>		10/8/1996		<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>		1989		<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>		NULL		<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>		36300		<b>Num Underground:</b>	
<b>Tank Material:</b>		Fiberglass (FRP)		<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b>		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
<a href="#">12</a>	26 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
<b>Instance No:</b>		11245067		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>		Liquid Fuel Single Wall UST		<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>		2/11/1994		<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>		NULL		<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>		NULL		<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>		27250		<b>Num Underground:</b>	
<b>Tank Material:</b>		Steel		<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Device Installed Location:		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
12	27 of 27	SW/68.2	79.8 / 0.00	CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS 114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA ON	FST
Instance No:		11245048		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		2/11/1994		Fuel Type3: NULL	
Install Year:		NULL		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		36700		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		114 LAKESHORE RD E PORT CREDIT MISSISSAUGA L5G 1E4 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		CONSHORE MOTORS LTD ATTN SHANAZ KHAMIS			
13	1 of 1	WNW/71.1	79.8 / 0.00	8 ANN ST ON	WWIS
Well ID:		7288429		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Test Hole		Date Received: 6/19/2017	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:		Abandoned-Other		Abandonment Rec: Yes	
Water Type:				Contractor: 7230	
Casing Material:				Form Version: 7	
Audit No:		Z230821		Owner:	
Tag:		A203341		Street Name: 8 ANN ST	
Construction Method:				County: PEEL	
Elevation (m):				Municipality: MISSISSAUGA CITY (PORT CREDIT)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1006547861			Elevation:	79.781707
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614407
Code OB Desc:				North83:	4823434
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:	1006778050				
Layer:	1				
Plug From:	0				
Plug To:	6.1				
Plug Depth UOM:	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:	1006778049				
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<b><u>Pipe Information</u></b>					
Pipe ID:	1006778042				
Casing No:	0				
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:	1006778046				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	3.1				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<b><u>Construction Record - Screen</u></b>					
Screen ID:	1006778047				
Layer:	1				
Slot:	10				
Screen Top Depth:	3.1				
Screen End Depth:	6.1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Material:</b> 5 <b>Screen Depth UOM:</b> ft <b>Screen Diameter UOM:</b> inch <b>Screen Diameter:</b> 5.2					
<b>Water Details</b>					
<b>Water ID:</b> 1006778045 <b>Layer:</b> 1 <b>Kind Code:</b> 8 <b>Kind:</b> Untested <b>Water Found Depth:</b> 4.7 <b>Water Found Depth UOM:</b> ft					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1006778044 <b>Diameter:</b> 15 <b>Depth From:</b> 0 <b>Depth To:</b> 61 <b>Hole Depth UOM:</b> ft <b>Hole Diameter UOM:</b> inch					
<a href="#">14</a>	1 of 1	W/76.5	79.8 / 0.00	<b>FRAM GROUP (CANADA) INC</b> <b>69 High St. E</b> <b>Mississauga ON</b>	SPL
<b>Ref No:</b> 3448-AMNA27 <b>Site No:</b> <b>Incident Dt:</b> 5/24/2017 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Operator/Human error <b>Contaminant Code:</b> 27 <b>Contaminant Name:</b> CONCRETE <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> n/a <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/24/2017 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Deliberate Act <b>Site Name:</b> Concrete waste to CB's<UNOFFICIAL> <b>Site County/District:</b> Regional Municipality of Peel <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Mississauga: concrete, drill bits and wash water to CB's <b>Contaminant Qty:</b> 1 n/a					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment <b>Client Type:</b> Corporation <b>Sector Type:</b> Other <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 69 High St. E <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b> <b>Site Region:</b> Central <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b> Other					
<a href="#">15</a>	1 of 2	NNE/86.4	79.8 / 0.00	<b>EXCALIBUR INT'L CONSULTANTS</b> <b>10 Hurontario St</b> <b>Mississauga ON L5G 3G7</b>	SCT
<b>Established:</b> 1972 <b>Plant Size (ft²):</b> 1800 <b>Employment:</b> 3					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Other Publishers			
SIC/NAICS Code:		511190			
15	2 of 2	NNE/86.4	79.8 / 0.00	Excalibur International Consultants Ltd. 10 Hurontario St Mississauga ON L5G 3G7	SCT
Established:		1972			
Plant Size (ft²):		1800			
Employment:		4			
16	1 of 1	NW/89.9	79.8 / 0.00	FRAM GROUP (CANADA) INC Ann and High St Mississauga ON	SPL
Ref No:		0641-ARZQ9U		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		2017/10/10		Health/Env Conseq:	
Year:				2 - Minor Environment Corporation	
Incident Cause:				Client Type:	
Incident Event:		Leak/Break		Sector Type:	
Contaminant Code:		28		Agency Involved:	
Contaminant Name:		WASHWATER (N.O.S.)		Nearest Watercourse:	
Contaminant Limit 1:				Lake Ontario	
Contam Limit Freq 1:				Site Address:	
Contaminant UN No 1:		n/a		Site District Office:	
Environment Impact:				Halton-Peel	
Nature of Impact:				Site Postal Code:	
Receiving Medium:				Site Region:	
Receiving Env:		Surface Water		Site Municipality:	
MOE Response:		No		Mississauga	
Dt MOE Arvl on Scn:				Site Lot:	
MOE Reported Dt:		2017/10/10		Site Conc:	
Dt Document Closed:				Northing:	
Incident Reason:		Operator/Human Error		Easting:	
Site Name:		spill<UNOFFICIAL>		Site Geo Ref Accu:	
Site County/District:		Regional Municipality of Peel		Site Map Datum:	
Site Geo Ref Meth:				SAC Action Class:	
Incident Summary:		Fran Group discharge of cement washout of trucks		Land Spills	
Contaminant Qty:		20 L		Source Type:	
				Truck - Transport/Hauling	
17	1 of 4	S/95.7	79.8 / 0.00	1227942 Ontario Limited 121 Lakeshore Road East Mississauga ON	CA
Certificate #:		2713-64DQ9V			
Application Year:		2004			
Issue Date:		9/22/2004			
Approval Type:		Waste Management Systems			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

97 [erisinfo.com](http://erisinfo.com) | Environmental Risk Information Services Order No: 21012800063



19 1 of 1 SW/99.2 79.8 / 0.00 ON BORE

### Borehole Geology Stratum

98 [erisinfo.com](http://erisinfo.com) | Environmental Risk Information Services Order No: 21012800063

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3: Material 4: Gsc Material Description: Stratum Description:				Geologic Period: Depositional Gen:	alluvial
SAND-MEDIUM,CLAY. ALLUVIAL,AGE GLACIAL.					
Geology Stratum ID:	218494907			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description: Stratum Description:					
SAND,SILT,CLAY. BROWN,ALLUVIAL,AGE GLACIAL.					
Geology Stratum ID:	218494908			Mat Consistency:	
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description: Stratum Description:					
CLAY. BROWN,ALLUVIAL,AGE GLACIAL.					
Geology Stratum ID:	218494909			Mat Consistency:	
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description: Stratum Description:					
CLAY. GREY,ALLUVIAL,AGE GLACIAL.					
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 091020 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">20</a>	1 of 1	WNW/101.1	79.8 / 0.00	ON	BORE
Borehole ID:	640925			Inclin FLG:	No
OGF ID:	215541320			SP Status:	Initial Entry

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>				<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.555083
<b>Total Depth m:</b>				<b>Longitude DD:</b>	-79.583969
<b>Depth Ref:</b>				<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614375
<b>Drill Method:</b>				<b>Northing:</b>	4823433
<b>Orig Ground Elev m:</b>				<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>					
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
 <b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>				<b>Mat Consistency:</b>	
<b>Top Depth:</b>				<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>				SILT(45),SAND(37), CLAY(18). ALLUVIAL,AGE POST-GLACIAL. L.	
<b>Geology Stratum ID:</b>				<b>Mat Consistency:</b>	
<b>Top Depth:</b>				<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>				CLAY,SILT,SAND. BROWN,ALLUVIAL, AGE POST-GLACIAL.	
<b>Geology Stratum ID:</b>				<b>Mat Consistency:</b>	
<b>Top Depth:</b>				<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>				ASPHALT.	
<b>Geology Stratum ID:</b>				<b>Mat Consistency:</b>	
<b>Top Depth:</b>				<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>				FILL,GRAVEL.	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088910 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">21</a>	1 of 5	S/101.6	79.8 / 0.00	Doyle Botterell Sailmakers 117 Lakeshore Rd E Suite 336 Mississauga ON L5G 4T6	SCT
Established:	1991				
Plant Size (ft²):					
Employment:	5				
<u>--Details--</u>					
Description:	Textile Bag and Canvas Mills				
SIC/NAICS Code:	314910				
<a href="#">21</a>	2 of 5	S/101.6	79.8 / 0.00	Westacott Organs 117 Lakeshore Rd E Suite 343 Mississauga ON L5G 4T6	SCT
Established:	1989				
Plant Size (ft²):					
Employment:					
<u>--Details--</u>					
Description:	All Other Miscellaneous Manufacturing				
SIC/NAICS Code:	339990				
<a href="#">21</a>	3 of 5	S/101.6	79.8 / 0.00	Canadian Wiping Cloth Company 126-117 Lakeshore Road East Mississauga ON L5G 4T6	SCT
Established:	8/1/1994				
Plant Size (ft²):	5000				
Employment:					
<u>--Details--</u>					
Description:	All Other Textile Product Mills				
SIC/NAICS Code:	314990				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">21</a>	4 of 5	S/101.6	79.8 / 0.00	Axis Communications Inc. 117 Lakeshore Rd E Mississauga ON L5G 1E5	SCT
Established:		01-DEC-84			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Electrical Contractors and Other Wiring Installation Contractors			
SIC/NAICS Code:		238210			
Description:		Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417320			
Description:		Software Publishers			
SIC/NAICS Code:		511210			
<a href="#">21</a>	5 of 5	S/101.6	79.8 / 0.00	industrial piping & plumbing ltd 117 lakeshore rd east #359 misissauga ON	GEN
Generator No:		ON5400386	PO Box No:		
Status:			Country:		
Approval Years:		2009	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		238220			
SIC Description:		Plumbing Heating and Air-Conditioning Contractors			
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<a href="#">22</a>	1 of 2	S/104.4	79.8 / 0.00	Sungalia G Dr 115 Lakeshore Rd E Mississauga ON L5G 1E5	SCT
Established:					
Plant Size (ft²):					
Employment:					
<a href="#">22</a>	2 of 2	S/104.4	79.8 / 0.00	Waterside Dental 115 Lakeshore Rd E Mississauga ON L5G 1E5	SCT
Established:		01-MAY-91			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Offices of Dentists			
SIC/NAICS Code:		621210			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">23</a>	1 of 1	S/104.6	79.8 / 0.00	115 Lakeshore Road East Mississauga ON L5G 1E5	EHS
Order No:	20190927220			Nearest Intersection:	
Status:	C			Municipality:	Mississauga
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	02-OCT-19			Search Radius (km):	.05
Date Received:	27-SEP-19			X:	-79.582754
Previous Site Name:				Y:	43.553868
Lot/Building Size:	766 sq m				
Additional Info Ordered:	City Directory				

<a href="#">24</a>	1 of 1	NNW/105.4	79.8 / 0.00	ON	BORE
Borehole ID:	640924			Inclin FLG:	No
OGF ID:	215541319			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.555704
Total Depth m:	1.2			Longitude DD:	-79.583211
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614435
Drill Method:	Power auger			Northing:	4823503
Orig Ground Elev m:	190			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	80.5				
Concession:					
Location D:					
Survey D:					
Comments:					

<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218494099			Mat Consistency:	
Top Depth:	.4			Material Moisture:	
Bottom Depth:	.6			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,SILT, CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				

Geology Stratum ID:	218494096			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ASPHALT.				

Geology Stratum ID:	218494097			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.2			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL, GRAVEL. BROWN.				
Geology Stratum ID:	218494100			Mat Consistency:	
Top Depth:	.6			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	Medium
Material Color:	Yellow			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM. YELLOW, ALLUVIAL, AGE POST-GLACIAL. SAND- **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218494098			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.4			Material Texture:	Medium
Material Color:	Yellow			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM. YELLOW, ALLUVIAL, AGE POST-GLACIAL.				
<b>Source</b>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088900 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<b>Source List</b>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<b>25</b>	<b>1 of 1</b>	<b>SSW/106.4</b>	<b>79.8 / 0.00</b>	<b>LAKESHORE 91/99</b> <b>Mississauga ON</b>	<b>WWIS</b>
Well ID:	7148420			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/16/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z116136			Owner:	
Tag:	A099961			Street Name:	LAKESHORE 91/99

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7148420.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7148420.pdf)

#### Bore Hole Information

Bore Hole ID:	1003169223	Elevation:	79.001327
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	614445
Code OB Desc:		North83:	4823301
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	6/10/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock Materials Interval

Formation ID:	1003209372
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Mat2 Desc:	SAND
Mat3:	
Mat3 Desc:	
Formation Top Depth:	8
Formation End Depth:	11
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	1003209371
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>	8				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003209376				
<b>Layer:</b>	3				
<b>Plug From:</b>	1				
<b>Plug To:</b>	4				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003209377				
<b>Layer:</b>	4				
<b>Plug From:</b>	4				
<b>Plug To:</b>	11				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003209374				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003209383				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1003209370				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1003209379				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	6				
<b>Casing Diameter:</b>	1.25				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1003209380				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		10			
Screen Top Depth:		6			
Screen End Depth:		11			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<b><u>Water Details</u></b>					
Water ID:		1003209378			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003209373			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<b><u>26</u></b>	<b>1 of 1</b>	<b>SSW/107.7</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	641135			Inclin FLG:	No
OGF ID:	215541530			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.553904
Total Depth m:	4.3			Longitude DD:	-79.583253
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614435
Drill Method:	Power auger			Northing:	4823303
Orig Ground Elev m:	78.6			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494899			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum Description:</b>		SAND,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494901			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.2			<b>Material Texture:</b>	Coarse
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND-MEDIUM TO COARSE,CLAY. ALLUVIAL,AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494902			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	3.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND,SILT,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494903			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	3.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravel			<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND,SILT,CLAY, GRAVEL. BROWN,ALLUVIAL, AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494898			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Muck			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Soil			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		MUCK,SOIL. GREY,AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494900			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.8			<b>Material Texture:</b>	Coarse
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND-MEDIUM TO COARSE,SILT. ALLUVIAL,AGE POST-GLACIAL.			
<b>Geology Stratum ID:</b>	218494904			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Stones			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		CLAY,STONES. GREY,ALLUVIAL,HARD, AGE POST-GLACIAL.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 091010 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
27	1 of 1	SSW/108.0	79.8 / 0.00	From Front Street northeast to Elmwood Ave S Mississauga ON L5G	EHS
Order No:	20310900227			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	12-NOV-20			Search Radius (km):	.25
Date Received:	09-NOV-20			X:	-79.58323684
Previous Site Name:				Y:	43.55389734
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				
28	1 of 1	NE/109.8	79.9 / 0.03	ON	BORE
Borehole ID:	649444			Inclin FLG:	No
OGF ID:	215549819			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1959			Municipality:	
Static Water Level:	0.3			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.555691
Total Depth m:	6.2			Longitude DD:	-79.582159
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614520
Drill Method:	Diamond Drill			Northing:	4823503
Orig Ground Elev m:	79.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.8				
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:	218526997			Mat Consistency:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div>Top Depth:0</div><div>Bottom Depth:1.1</div><div>Material Color:</div><div>Material 1:Sand</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:SAND.</div></div><div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div></div></div>					
<div><div><div>Geology Stratum ID:218526998</div><div>Top Depth:1.1</div><div>Bottom Depth:6.2</div><div>Material Color:</div><div>Material 1:Till</div><div>Material 2:Clay</div><div>Material 3:Silt</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:TILL,CLAY,SILT. VERY DENSE, WATER STABLE AT 261.3 FEET. 012 00035065S</div></div><div><div>Mat Consistency:Dense</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div></div><div><div>**Note: Many records provided by the department have a truncated [Stratum Description] field.</div></div></div>					
<div>Source</div>					
<div><div><div>Source Type:Data Survey</div><div>Source Orig:Geological Survey of Canada</div><div>Source Date:1956-1972</div><div>Confidence:H</div><div>Observatio:</div><div>Source Name:Urban Geology Automated Information System (UGAIS)</div><div>Source Details:File: TOR3.txt RecordID: 201030 NTS_Sheet: 30M12A</div><div>Confiden 1:Logged by professional. Exact and complete description of material and properties.</div></div><div><div>Source Appl:Spatial/Tabular</div><div>Source Iden:1</div><div>Scale or Res:Varies</div><div>Horizontal:NAD27</div><div>Verticalda:Mean Average Sea Level</div></div></div>					
<div>Source List</div>					
<div><div><div>Source Identifier:1</div><div>Source Type:Data Survey</div><div>Source Date:1956-1972</div><div>Scale or Resolution:Varies</div><div>Source Name:Urban Geology Automated Information System (UGAIS)</div><div>Source Originators:Geological Survey of Canada</div></div><div><div>Horizontal Datum:NAD27</div><div>Vertical Datum:Mean Average Sea Level</div><div>Projection Name:Universal Transverse Mercator</div></div></div>					
29	1 of 1	ENE/112.1	78.8 / -1.01	ON	BORE
<div><div><div>Borehole ID:833857</div><div>OGF ID:215585988</div><div>Status:Decommissioned</div><div>Type:Borehole</div><div>Use:Geotechnical/Geological Investigation</div><div>Completion Date:02-JUN-1959</div><div>Static Water Level:3.7</div><div>Primary Water Use:</div><div>Sec. Water Use:</div><div>Total Depth m:4.7</div><div>Depth Ref:Ground Surface</div><div>Depth Elev:</div><div>Drill Method:Hollow stem auger</div><div>Orig Ground Elev m:78.5</div><div>Elev Reliabil Note:</div><div>DEM Ground Elev m:77.9</div><div>Concession:</div><div>Location D:PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER</div></div><div><div>Inclin FLG:No</div><div>SP Status:Initial Entry</div><div>Surv Elev:No</div><div>Piezometer:No</div><div>Primary Name:</div><div>Municipality:</div><div>Lot:</div><div>Township:</div><div>Latitude DD:43.55518</div><div>Longitude DD:-79.581485</div><div>UTM Zone:17</div><div>Easting:614575</div><div>Northing:4823447</div><div>Location Accuracy:</div><div>Accuracy:Within 20 metres</div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Survey D: Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6014657			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	Fine
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Coal fragments			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Coal dust mixed with fine sand and gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6014658			Mat Consistency:	Hard
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	4.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Sand			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	Grey, hard, silty clay or clayey silt with sand and stones (glacial till) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
30	1 of 1	NNE/112.3	79.8 / 0.00	ON	BORE
Borehole ID:	833853			Inclin FLG:	No
OGF ID:	215585984			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-JUN-1959			Municipality:	
Static Water Level:	3.0			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	43.555757
Total Depth m:	6.2			Longitude DD:	-79.582289
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614509
Drill Method:	Hollow stem auger			Northing:	4823510
Orig Ground Elev m:	79.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	80				
Concession:					
Location D:	PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER				
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6014646			Mat Consistency:	Stiff
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	6.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Grey, silty clay, stiff, with some sand; stiff to hard, grey, silty clay with sand and some small stones (glacial till) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	6014645			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.1			<b>Material Texture:</b>	Fine
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Very fine sand **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>31</b>	<b>1 of 1</b>	<b>NW/113.7</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	640928			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215541323			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.555575
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-79.583709
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614395
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823488
<b>Orig Ground Elev m:</b>	80.6			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	80.3				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218494116			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		ASPHALT.			
<b>Geology Stratum ID:</b>	218494118			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.8			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Soil			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>	Clay			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SOIL,SAND-MEDIUM, SILT,CLAY. BROWN.			
<b>Geology Stratum ID:</b>	218494120			<b>Mat Consistency:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		CLAY,SAND,SILT. ALLUVIAL,AGE POST-GLACIAL.			
Geology Stratum ID:	218494121			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:				Material Texture:	Medium
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND-MEDIUM. ALLUVIAL,AGE POST-GLACIAL.			
Geology Stratum ID:	218494117			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.3			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL-MEDIUM,SAND, SILT,CLAY. BROWN.			
Geology Stratum ID:	218494119			Mat Consistency:	
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND-MEDIUM,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.			
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088940 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">32</a>	1 of 1	ENE/114.8	78.9 / -0.90	ON	BORE
<div> <div> <b>Borehole ID:</b> 649442  <b>OGF ID:</b> 215549817  <b>Status:</b>  <b>Type:</b> Borehole  <b>Use:</b> Geotechnical/Geological Investigation  <b>Completion Date:</b> JUN-1959  <b>Static Water Level:</b>  <b>Primary Water Use:</b> Not Used  <b>Sec. Water Use:</b>  <b>Total Depth m:</b> 4.7  <b>Depth Ref:</b> Ground Surface  <b>Depth Elev:</b>  <b>Drill Method:</b> Diamond Drill  <b>Orig Ground Elev m:</b> 78.5  <b>Elev Reliabil Note:</b>  <b>DEM Ground Elev m:</b> 77.9  <b>Concession:</b>  <b>Location D:</b>  <b>Survey D:</b>  <b>Comments:</b> </div> <div> <b>Inclin FLG:</b> No  <b>SP Status:</b> Initial Entry  <b>Surv Elev:</b> No  <b>Piezometer:</b> No  <b>Primary Name:</b>  <b>Municipality:</b>  <b>Lot:</b>  <b>Township:</b>  <b>Latitude DD:</b> 43.555142  <b>Longitude DD:</b> -79.581429  <b>UTM Zone:</b> 17  <b>Easting:</b> 614580  <b>Northing:</b> 4823443  <b>Location Accuracy:</b>  <b>Accuracy:</b> Not Applicable </div> </div>					
<b><u>Borehole Geology Stratum</u></b>					
<div> <div> <b>Geology Stratum ID:</b> 218526990  <b>Top Depth:</b> 0  <b>Bottom Depth:</b> 1.2  <b>Material Color:</b>  <b>Material 1:</b> Sand  <b>Material 2:</b> Gravel  <b>Material 3:</b>  <b>Material 4:</b>  <b>Gsc Material Description:</b>  <b>Stratum Description:</b> SAND,GRAVEL. </div> <div> <b>Mat Consistency:</b>  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> </div> </div>					
<div> <div> <b>Geology Stratum ID:</b> 218526991  <b>Top Depth:</b> 1.2  <b>Bottom Depth:</b> 4.7  <b>Material Color:</b> Grey  <b>Material 1:</b> Till  <b>Material 2:</b> Clay  <b>Material 3:</b> Silt  <b>Material 4:</b>  <b>Gsc Material Description:</b>  <b>Stratum Description:</b> TILL,CLAY,SILT. GREY,HARD. 012 00040045),G **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> <b>Mat Consistency:</b> Hard  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> </div> </div>					
<b><u>Source</u></b>					
<div> <div> <b>Source Type:</b> Data Survey  <b>Source Orig:</b> Geological Survey of Canada  <b>Source Date:</b> 1956-1972  <b>Confidence:</b> H  <b>Observatio:</b>  <b>Source Name:</b> Urban Geology Automated Information System (UGAIS)  <b>Source Details:</b> File: TOR3.txt RecordID: 201010 NTS_Sheet: 30M12A  <b>Confiden 1:</b> Logged by professional. Exact and complete description of material and properties. </div> <div> <b>Source Appl:</b> Spatial/Tabular  <b>Source Iden:</b> 1  <b>Scale or Res:</b> Varies  <b>Horizontal:</b> NAD27  <b>Verticalda:</b> Mean Average Sea Level </div> </div>					
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

<a href="#"><u>33</u></a>	1 of 1	W/117.1	79.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	640926			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215541321			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.554771
<b>Total Depth m:</b>	2.7			<b>Longitude DD:</b>	-79.584224
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614355
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823398
<b>Orig Ground Elev m:</b>	77.1			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	77.6				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218494106			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Granuls			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL, GRAVEL, CINDERS.				
<b>Geology Stratum ID:</b>	218494108			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Yellow			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>	Clay			<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL, SAND, SILT, CLAY. YELLOW.				
<b>Geology Stratum ID:</b>	218494111			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Silt			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SILT, SAND, CLAY. BLACK, LAYERED, AGE POST-GLACIAL.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494105 0 .2  Fill Gravel    FILL, GRAVEL.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	        fill
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494109 .9 1.8  Fill Granuls Sand Silt FILL, CINDERS, SAND, SILT.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	        fill
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494110 1.8 2.4  Organic Sand Silt Clay ORGANIC, SAND, SILT, CLAY. AGE POST-GLACIAL.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494107 .3 .5 Brown Fill Sand Silt Clay FILL, SAND, SILT, CLAY. BROWN.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	        fill
<b>Source</b>					
<b>Source Type:</b> <b>Source Orig:</b> <b>Source Date:</b> <b>Confidence:</b> <b>Observatio:</b> <b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Data Survey Geological Survey of Canada 1956-1972 M  Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 088920 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.			<b>Source Appl:</b> <b>Source Iden:</b> <b>Scale or Res:</b> <b>Horizontal:</b> <b>Verticalda:</b>	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<b>Source List</b>					
<b>Source Identifier:</b> <b>Source Type:</b> <b>Source Date:</b> <b>Scale or Resolution:</b> <b>Source Name:</b> <b>Source Originators:</b>	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			<b>Horizontal Datum:</b> <b>Vertical Datum:</b> <b>Projection Name:</b>	NAD27 Mean Average Sea Level Universal Transverse Mercator

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">34</a>	1 of 1	SSW/120.2	79.8 / 0.00	103 LAKESHORE RD E Mississauga ON	WWIS
<div> <div> <b>Well ID:</b> 7187902  <b>Construction Date:</b>  <b>Primary Water Use:</b> Monitoring and Test Hole  <b>Sec. Water Use:</b> 0  <b>Final Well Status:</b> Test Hole  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> Z156841  <b>Tag:</b> A137099  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </div> <div> <b>Data Entry Status:</b>  <b>Data Src:</b>  <b>Date Received:</b> 9/24/2012  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 7241  <b>Form Version:</b> 7  <b>Owner:</b>  <b>Street Name:</b> 103 LAKESHORE RD E  <b>County:</b> PEEL  <b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT)  <b>Site Info:</b> WKQ-005210  <b>Lot:</b>  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </div> </div>					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187902.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187902.pdf</a>					
<b><u>Bore Hole Information</u></b>					
<div> <div> <b>Bore Hole ID:</b> 1004163420  <b>DP2BR:</b>  <b>Spatial Status:</b>  <b>Code OB:</b>  <b>Code OB Desc:</b>  <b>Open Hole:</b>  <b>Cluster Kind:</b>  <b>Date Completed:</b> 8/17/2012  <b>Remarks:</b>  <b>Elevrc Desc:</b>  <b>Location Source Date:</b>  <b>Improvement Location Source:</b>  <b>Improvement Location Method:</b>  <b>Source Revision Comment:</b>  <b>Supplier Comment:</b> </div> <div> <b>Elevation:</b> 78.799674  <b>Elevrc:</b>  <b>Zone:</b> 17  <b>East83:</b> 614455  <b>North83:</b> 4823285  <b>Org CS:</b> UTM83  <b>UTMRC:</b> 4  <b>UTMRC Desc:</b> margin of error : 30 m - 100 m  <b>Location Method:</b> wwr </div> </div>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<div> <div> <b>Formation ID:</b> 1004442190  <b>Layer:</b> 1  <b>Color:</b> 6  <b>General Color:</b> BROWN  <b>Mat1:</b> 01  <b>Most Common Material:</b> FILL  <b>Mat2:</b>  <b>Mat2 Desc:</b>  <b>Mat3:</b>  <b>Mat3 Desc:</b>  <b>Formation Top Depth:</b> 0  <b>Formation End Depth:</b> 4  <b>Formation End Depth UOM:</b> ft </div> </div>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1004442192			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1004442193			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		8			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1004442191			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		34			
Most Common Material:		TILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1004442202			
Layer:		2			
Plug From:		4			
Plug To:		1			
Plug Depth UOM:		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004442201			
<b>Layer:</b>		1			
<b>Plug From:</b>		15			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004442203			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004442200			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004442189			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004442196			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004442197			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004442195			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> ft					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1004442194 <b>Diameter:</b> 4.25 <b>Depth From:</b> 0 <b>Depth To:</b> 15 <b>Hole Depth UOM:</b> ft <b>Hole Diameter UOM:</b> inch					
<a href="#">35</a>	1 of 1	W/120.5	79.8 / 0.00	<b>PUC</b> <b>7 HELENE ST. PORT CREDIT</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> 12986 <b>Site No:</b> <b>Incident Dt:</b> 12/21/1988 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/21/1988 <b>Dt Document Closed:</b> <b>Incident Reason:</b> OTHER <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>					
<a href="#">36</a>	1 of 1	S/121.4	79.8 / 0.00	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b> 640934 <b>OGF ID:</b> 215541329 <b>Status:</b> <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> JAN-1965 <b>Static Water Level:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Total Depth m:</b> 2.7 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Power auger <b>Orig Ground Elev m:</b> 78.3 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 78.5 <b>Concession:</b>					
<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> <b>Township:</b> <b>Latitude DD:</b> 43.553719 <b>Longitude DD:</b> -79.582886 <b>UTM Zone:</b> 17 <b>Easting:</b> 614465 <b>Northing:</b> 4823283 <b>Location Accuracy:</b> <b>Accuracy:</b> Not Applicable					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location D: Survey D: Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494147			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	0			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ASPHALT.				
Geology Stratum ID:	218494151			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	.6			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND,SILT,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494153			Mat Consistency:	
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SILT,SAND,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494148			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,GRAVEL.				
Geology Stratum ID:	218494152			Mat Consistency:	
Top Depth:	.6			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SILT,SAND,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494150			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Sand Silt Clay  SAND,SILT,CLAY. BLACK,ALLUVIAL, AGE POST-GLACIAL.			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:  alluvial	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218494149 .1 .2  Sand Silt Clay  SAND-MEDIUM,SILT, CLAY. ALLUVIAL,AGE POST-GLACIAL.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:  Medium  alluvial	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218494154 2.4 2.7 Grey Till Silt Sand Clay  TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:  glacial	
<b>Source</b>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 M  Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 089000 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:  Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level	
<b>Source List</b>					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:  NAD27 Mean Average Sea Level Universal Transverse Mercator	
<b>37</b>	<b>1 of 1</b>	<b>WSW/124.0</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>BORE</b>
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref:	641137 215541532  Borehole Geotechnical/Geological Investigation JAN-1965  Not Used  2.4 Ground Surface			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone:  No Initial Entry No No   43.554456 -79.584231 17	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div>Depth Elev:</div><div>Drill Method:</div><div>Orig Ground Elev m:</div><div>Elev Reliabil Note:</div><div>DEM Ground Elev m:</div><div>Concession:</div><div>Location D:</div><div>Survey D:</div><div>Comments:</div></div><div><div>Power auger</div><div>77.1</div><div>77.5</div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Easting:</div><div>Northing:</div><div>Location Accuracy:</div><div>Accuracy:</div><div></div><div></div><div></div><div></div></div><div><div>614355</div><div>4823363</div><div></div><div>Not Applicable</div><div></div><div></div><div></div><div></div></div></div>					
<b><u>Borehole Geology Stratum</u></b>					
<div><div><div>Geology Stratum ID:</div><div>Top Depth:</div><div>Bottom Depth:</div><div>Material Color:</div><div>Material 1:</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:</div></div><div><div>218494910</div><div>0</div><div>.3</div><div></div><div>Gravel</div><div></div><div></div><div></div><div></div><div>GRAVEL. ALLUVIAL,AGE POST-GLACIAL.</div></div><div><div>Mat Consistency:</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>					
<div><div><div>Geology Stratum ID:</div><div>Top Depth:</div><div>Bottom Depth:</div><div>Material Color:</div><div>Material 1:</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:</div></div><div><div>218494911</div><div>.3</div><div>.8</div><div>Brown</div><div>Sand</div><div>Silt</div><div>Clay</div><div></div><div>SAND,SILT,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.</div></div><div><div>Mat Consistency:</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>					
<div><div><div>Geology Stratum ID:</div><div>Top Depth:</div><div>Bottom Depth:</div><div>Material Color:</div><div>Material 1:</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:</div></div><div><div>218494912</div><div>.8</div><div>1.8</div><div></div><div>Sand</div><div>Clay</div><div></div><div></div><div>SAND-MEDIUM,CLAY. ALLUVIAL,AGE POST-GLACIAL.</div></div><div><div>Mat Consistency:</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>					
<div><div><div>Geology Stratum ID:</div><div>Top Depth:</div><div>Bottom Depth:</div><div>Material Color:</div><div>Material 1:</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:</div></div><div><div>218494913</div><div>1.8</div><div>2.4</div><div></div><div>Sand</div><div>Silt</div><div></div><div></div><div>SAND-MEDIUM,SILT. ALLUVIAL,AGE POST-GLACIAL.</div></div><div><div>Mat Consistency:</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>					
<b><u>Source</u></b>					
<div><div><div>Source Type:</div><div>Source Orig:</div><div>Source Date:</div><div>Confidence:</div><div>Observatio:</div><div>Source Name:</div></div><div><div>Data Survey</div><div>Geological Survey of Canada</div><div>1956-1972</div><div>M</div><div></div><div>Urban Geology Automated Information System (UGAIS)</div></div><div><div>Source Appl:</div><div>Source Iden:</div><div>Scale or Res:</div><div>Horizontal:</div><div>Verticalda:</div><div></div></div><div><div>Spatial/Tabular</div><div>1</div><div>Varies</div><div>NAD27</div><div>Mean Average Sea Level</div><div></div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Details:		File: TOR1B.txt RecordID: 091030 NTS_Sheet: 30M12A			
Confiden 1:		Logs are approximately correct. Lack of information. Doubtful terminology.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
38	1 of 2	SW/126.7	79.8 / 0.00	PHOTOLINE LABS LTD. 31-649 110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	GEN
Generator No:	ON1532001			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6571				
SIC Description:	CAMERA/PHOTO. SUPPLY				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
38	2 of 2	SW/126.7	79.8 / 0.00	PHOTOLINE LABS LTD. 110 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	GEN
Generator No:	ON1532001			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6571				
SIC Description:	CAMERA/PHOTO. SUPPLY				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
39	1 of 5	ESE/134.8	77.6 / -2.28	St. Lawrence Dentistry 80 Port Street East, Suite H Mississauga ON L5G 4V6	GEN
Generator No:	ON7994095			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
<a href="#">39</a>	2 of 5	ESE/134.8	77.6 / -2.28	St. Lawrence Dentistry 80 Port Street East, Suite H Mississauga ON L5G 4V6	GEN
Generator No: ON7994095				PO Box No:	
Status:				Country:	Canada
Approval Years: 2015				Choice of Contact:	CO_OFFICIAL
Contam. Facility: No				Co Admin:	
MHSW Facility: No				Phone No Admin:	
SIC Code: 621210					
SIC Description: OFFICES OF DENTISTS					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">39</a>	3 of 5	ESE/134.8	77.6 / -2.28	St. Lawrence Dentistry 80 Port Street East, Suite H Mississauga ON L5G 4V6	GEN
Generator No: ON7994095				PO Box No:	
Status:				Country:	Canada
Approval Years: 2014				Choice of Contact:	CO_OFFICIAL
Contam. Facility: No				Co Admin:	
MHSW Facility: No				Phone No Admin:	
SIC Code: 621210					
SIC Description: OFFICES OF DENTISTS					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">39</a>	4 of 5	ESE/134.8	77.6 / -2.28	St. Lawrence Dentistry 80 Port Street East, Suite H Mississauga ON L5G 4V6	GEN
Generator No: ON7994095				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Dec 2018				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<a href="#">39</a>	5 of 5	ESE/134.8	77.6 / -2.28	St. Lawrence Dentistry 80 Port Street East, Suite H Mississauga ON L5G 4V6	GEN
Generator No: ON7994095				PO Box No:	
Status: Registered				Country:	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		312 P Pathological wastes			
<a href="#">40</a>	1 of 1	ESE/134.8	77.6 / -2.28	Naylor Group 80 Port Street East Mississauga ON L5G 4V6	GEN
<b>Generator No:</b> ON3799266 <b>Status:</b> <b>Approval Years:</b> 2009 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 541330 <b>SIC Description:</b> Engineering Services				<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		212 ALIPHATIC SOLVENTS			
<a href="#">41</a>	1 of 8	NNE/135.4	79.8 / 0.00	F.S. Port Credit Development Limited 1 Hurontario St Mississauga ON L5G 0A3	CA
<b>Certificate #:</b> 2655-795KGE <b>Application Year:</b> 2007 <b>Issue Date:</b> 11/20/2007 <b>Approval Type:</b> Municipal and Private Sewage Works <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">41</a>	2 of 8	NNE/135.4	79.8 / 0.00	1 Hurontario Street, Mississauga ON	PINC
<b>Incident ID:</b> 2795608 <b>Incident No:</b> 638900 <b>Incident Reported Dt:</b> <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> Pipeline Damage Reason Est <b>Customer Acct Name:</b> <b>Incident Address:</b> <b>Tank Status:</b> RC Established <b>Task No:</b> 3433870 <b>Spills Action Centre:</b> 5245-8KDL95 <b>Fuel Type:</b> Natural Gas <b>Fuel Occurrence Tp:</b> Vapour Release				<b>Fuel Category:</b> Natural Gas <b>Health Impact:</b> No <b>Environment Impact:</b> No <b>Property Damage:</b> No <b>Service Interrupt:</b> No <b>Enforce Policy:</b> Yes <b>Public Relation:</b> No <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> Steel <b>PSIG:</b> 2 <b>Attribute Category:</b> FS-Perform P-line Inc Invest	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date of Occurrence:</b> 8/3/2011 0:00 <b>Occurrence Start Dt:</b> 2011/08/03 <b>Operation Type:</b> Commercial (e.g. restaurant, business unit, etc) <b>Pipeline Type:</b> Service / Riser Distribution Pipeline <b>Regulator Type:</b> Service Regulator (up to 60 psi intake) <b>Summary:</b> 1 Hurontario Street, Mississauga - Vapour Release <b>Reported By:</b> Dave Dunstan - Enbridge <b>Affiliation:</b> Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) <b>Occurrence Desc:</b> gas leak on 2" pipe <b>Damage Reason:</b> Excavation practices not sufficient <b>Notes:</b> this is a release from service line					
<a href="#">41</a>	3 of 8	NNE/135.4	79.8 / 0.00	F.S. Port Credit Development Limited 1 Hurontario St Mississauga ON L5G 1E8	ECA
<b>Approval No:</b> 2655-795KGE <b>Approval Date:</b> 2007-11-20 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Address:</b> 1 Hurontario St <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7990-78ZMY5-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7990-78ZMY5-14.pdf</a>					
<a href="#">41</a>	4 of 8	NNE/135.4	79.8 / 0.00	Dolce Vita Medical Spa & Salon 1 Hurontario Street Unit 1 Mississauga ON L5G0A3	GEN
<b>Generator No:</b> ON6629503 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446199 <b>SIC Description:</b> ALL OTHER HEALTH AND PERSONAL CARE STORES  <b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> Alaa Shamas <b>Phone No Admin:</b> 9052785550 Ext.					
<u>Detail(s)</u>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">41</a>	5 of 8	NNE/135.4	79.8 / 0.00	Dolce Vita Medical Spa & Salon 1 Hurontario Street Unit 1 Mississauga ON L5G0A3	GEN
<b>Generator No:</b> ON6629503 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>  <b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 312 P					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Pathological wastes			
<a href="#">41</a>	6 of 8	NNE/135.4	79.8 / 0.00	Thermo Cool Mechanical 1 Hurontario Street Mississauga ON L5G 0A3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON8515736 Registered As of Dec 2018		PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
<a href="#">41</a>	7 of 8	NNE/135.4	79.8 / 0.00	Thermo Cool Mechanical 1 Hurontario Street Mississauga ON L5G 0A3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON8515736 Registered As of Oct 2019		PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
<a href="#">41</a>	8 of 8	NNE/135.4	79.8 / 0.00	Dolce Vita Medical Spa & Salon 1 Hurontario Street Unit 1 Mississauga ON L5G0A3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON6629503 Registered As of Oct 2019		PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<a href="#">42</a>	1 of 9	WNW/136.1	79.8 / 0.00	BELL CANADA 80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	CFOT
Licence No: Registration No: Posse File No:		Item Description: Fuel Oil Tank Instance Type: FS Fuel Oil Tank Facility Type: FS Fuel Oil Tank			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Posse Reg No:</b>  <b>Status Name:</b>  <b>Tank Type:</b> Double Wall UST  <b>Tank Size:</b> 5000  <b>Tank Material:</b> Fiberglass (FRP)  <b>Instance No:</b> 64643253  <b>Inst Creation Date:</b> 3/6/2014 12:20:42 PM  <b>Inst Install Date:</b> 3/6/2014 12:20:42 PM  <b>Item:</b> FS FUEL OIL TANK  <b>Tank Age (as of 05/1992):</b>  <b>Device Installed Location:</b> 80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA  <b>Description:</b> Veeder-Root Leak Detection System. Brine interstitial monitoring  <b>Contact Name:</b>  <b>Contact Address:</b>  <b>Contact Address2:</b>  <b>Contact Suite:</b>  <b>Contact City:</b>  <b>Contact Prov:</b>  <b>Contact Postal:</b> </div> <div> <b>Fuel Type:</b> Fuel Oil  <b>Distributor:</b>  <b>Letter Sent:</b>  <b>Comments:</b>  <b>Corrosion Protect:</b> Fiberglass  <b>Province:</b>  <b>Nbr:</b>  <b>Context:</b> FS Fuel Oil Tank </div> </div>					
<a href="#">42</a>	2 of 9	WNW/136.1	79.8 / 0.00	<b>Bell</b> <b>80 High St</b> <b>Mississauga ON L5G 1K2</b>	GEN
<div> <div> <b>Generator No:</b> ON8534293  <b>Status:</b>  <b>Approval Years:</b> 2015  <b>Contam. Facility:</b> No  <b>MHSW Facility:</b> No  <b>SIC Code:</b> 517210, 517510, 517910  <b>SIC Description:</b> WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510, OTHER TELECOMMUNICATIONS </div> <div> <b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b> CO_ADMIN  <b>Co Admin:</b> Julie Labelle  <b>Phone No Admin:</b> 5148700688 Ext. </div> </div>					
<b><u>Detail(s)</u></b>					
<div> <div> <b>Waste Class:</b> 251  <b>Waste Class Desc:</b> OIL SKIMMINGS &amp; SLUDGES </div> <div> <b>Waste Class:</b> 221  <b>Waste Class Desc:</b> LIGHT FUELS </div> </div>					
<a href="#">42</a>	3 of 9	WNW/136.1	79.8 / 0.00	<b>Bell</b> <b>80 High St</b> <b>Port Credit ON L5G 1K4</b>	GEN
<div> <div> <b>Generator No:</b> ON9607199  <b>Status:</b>  <b>Approval Years:</b> 2016  <b>Contam. Facility:</b> No  <b>MHSW Facility:</b> No  <b>SIC Code:</b> 517210, 517510, 517910  <b>SIC Description:</b> WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510, OTHER TELECOMMUNICATIONS </div> <div> <b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b> CO_ADMIN  <b>Co Admin:</b> Chlo�� Lamothe-Luneau  <b>Phone No Admin:</b> 514-391-1021 Ext. </div> </div>					
<b><u>Detail(s)</u></b>					
<div> <div> <b>Waste Class:</b> 243  <b>Waste Class Desc:</b> PCBS </div> <div> <b>Waste Class:</b> 121  <b>Waste Class Desc:</b> ALKALINE WASTES - HEAVY METALS </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">42</a>	4 of 9	WNW/136.1	79.8 / 0.00	Bell 80 High St Mississauga ON L5G 1K2	GEN
<div> <div> Generator No: ON8534293  Status:  Approval Years: 2014  Contam. Facility: No  MHSW Facility: No  SIC Code: 517210, 517510, 517910  SIC Description: WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510, OTHER TELECOMMUNICATIONS </div> <div> PO Box No:  Country: Canada  Choice of Contact: CO_ADMIN  Co Admin: Julie Labelle  Phone No Admin: 5148700688 Ext. </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 221  Waste Class Desc: LIGHT FUELS </div>					
<div> Waste Class: 251  Waste Class Desc: OIL SKIMMINGS &amp; SLUDGES </div>					
<a href="#">42</a>	5 of 9	WNW/136.1	79.8 / 0.00	Bell 80 High St Port Credit ON L5G 1K4	GEN
<div> <div> Generator No: ON9607199  Status: Registered  Approval Years: As of Dec 2018  Contam. Facility:  MHSW Facility:  SIC Code:  SIC Description: </div> <div> PO Box No:  Country: Canada  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 121 C  Waste Class Desc: Alkaline slutions - containing heavy metals </div>					
<div> Waste Class: 221 L  Waste Class Desc: Light fuels </div>					
<div> Waste Class: 243 D  Waste Class Desc: PCB </div>					
<div> Waste Class: 251 L  Waste Class Desc: Waste oils/sludges (petroleum based) </div>					
<a href="#">42</a>	6 of 9	WNW/136.1	79.8 / 0.00	80 High Street East Mississauga ON	SPL
<div> <div> Ref No: 6026-AP7STY  Site No: NA  Incident Dt: 7/12/2017  Year:  Incident Cause:  Incident Event: Overflow/Surcharge  Contaminant Code: 44  Contaminant Name: SEWAGE,RAW UNCHLORINATED  Contaminant Limit 1:  Contam Limit Freq 1:  Contaminant UN No 1: n/a  Environment Impact: </div> <div> Discharger Report:  Material Group:  Health/Env Conseq: 2 - Minor Environment  Client Type:  Sector Type: Municipal Sewage  Agency Involved:  Nearest Watercourse:  Site Address: 80 High Street East  Site District Office: Halton-Peel  Site Postal Code:  Site Region: Central  Site Municipality: Mississauga </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/12/2017 <b>Dt Document Closed:</b> 7/19/2017 <b>Incident Reason:</b> Blockage <b>Site Name:</b> Sanitary sewer blockage<UNOFFICIAL> <b>Site County/District:</b> Regional Municipality of Peel <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> DWMD: Rgn of Peel sanitary sewer blockage surcharge to prvt property. <b>Contaminant Qty:</b> 1 n/a					
<b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4823475.24 <b>Easting:</b> 614406.87 <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b> Sewer (Private or Municipal)					

<a href="#">42</a>	7 of 9	WNW/136.1	79.8 / 0.00	<b>Bell Canada</b> <b>80 High Street</b> <b>Mississauga ON</b>	<b>SPL</b>
<b>Ref No:</b> 7617-B5LNZS <b>Site No:</b> NA <b>Incident Dt:</b> 2018/10/16 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Overflow/Surcharge <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> 1202 <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2018/10/16 <b>Dt Document Closed:</b> 2018/11/27 <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> Commerical Area<UNOFFICIAL> <b>Site County/District:</b> Regional Municipality of Peel <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Bell: 5L diesel spill to ground, cntd. <b>Contaminant Qty:</b> 5 L					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment Corporation <b>Client Type:</b> Miscellaneous Communal <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 80 High Street <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b> <b>Site Region:</b> Central <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4823475.22 <b>Easting:</b> 614406.87 <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b> Tank - Above Ground					

<a href="#">42</a>	8 of 9	WNW/136.1	79.8 / 0.00	<b>Bell</b> <b>80 High St</b> <b>Port Credit ON L5G 1K4</b>	<b>GEN</b>
<b>Generator No:</b> ON9607199 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					

#### Detail(s)

**Waste Class:** 121 C  
**Waste Class Desc:** Alkaline slutions - containing heavy metals



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		243 D			
Waste Class Desc:		PCB			
<a href="#">42</a>	9 of 9	WNW/136.1	79.8 / 0.00	BELL CANADA 80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA ON	FST
Instance No:	64643253			Manufacturer:	NULL
Status:	Active			Serial No:	NULL
Cont Name:				Ulc Standard:	NULL
Instance Type:				Quantity:	1
Item:				Unit of Measure:	EA
Item Description:	Fuel Oil Tank			Fuel Type:	
Tank Type:	Double Wall UST			Fuel Type2:	
Install Date:	3/6/2014 12:20:42 PM			Fuel Type3:	
Install Year:	2014			Piping Steel:	
Years in Service:	NULL			Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:	Veeder-Root Leak Detection System. Brine interstitial monitoring			Piping Underground:	
Capacity:	5000			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	NULL
Corrosion Protect:	Fiberglass			Panam Venue:	NULL
Overfill Protect:					
Facility Type:	FS FUEL OIL TANK				
Parent Facility Type:					
Facility Location:	80 HIGH ST E MISSISSAUGA L5G 1K2 ON CA				
Device Installed Location:					
<a href="#">43</a>	1 of 1	SSE/136.8	79.3 / -0.54	9 HELENE STREET SOUTH, MISSISSAUGA ON	INC
Incident No:	1781856			Any Health Impact:	No
Incident ID:				Any Enviro Impact:	No
Instance No:				Service Interrupted:	Yes
Status Code:				Was Prop Damaged:	No
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	2015/01/06 00:00:00			Indus App. Type:	
Time of Occurrence:	13:28:00			Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:	2016/01/08 00:00:00			Pipeline Type:	
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:	Vapour Release			Depth Ground Cover:	
Fuel Type Involved:	Natural Gas			Regulator Location:	
Enforcement Policy:	NULL			Regulator Type:	
Prc Escalation Req:	NULL			Operation Pressure:	
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:	5997940			Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div>Aff Prop Use Water:</div><div>Contam. Migrated:</div><div>Contact Natural Env:</div><div>Incident Location:</div><div>Occurence Narrative:</div><div>Operation Type Involved:</div><div>Item:</div><div>Item Description:</div><div>Device Installed Location:</div></div><div><div>Cylinder Cap Units:</div><div>Cylinder Mat Type:</div><div>Near Body of Water:</div></div><div>9 HELENE STREET SOUTH, MISSISSAUGA - VAPOUR RELEASE</div><div>smell from gas fireplace</div><div>Multi-unit Residential</div></div>					
44	1 of 12	S/136.8	79.8 / 0.00	SEAWAY CLEANERS 111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
<div><div><div>Generator No:</div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>ON0379301</div><div>99,00,01</div><div>9721</div><div>POWER LAUND./CLEANERS</div></div> <div><div>PO Box No:</div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
<div><div>Detail(s)</div><div><div>Waste Class:</div><div>Waste Class Desc:</div></div><div>241</div><div>HALOGENATED SOLVENTS</div></div>					
44	2 of 12	S/136.8	79.8 / 0.00	ROSALNAAZ INVESTMENTS INC. 111 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
<div><div><div>Generator No:</div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>ON0379301</div><div>02,03,04,05</div><div>812320</div><div>Dry Cleaning &amp; Laundry Serv. (exc. Coin-Op.)</div></div> <div><div>PO Box No:</div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
<div><div>Detail(s)</div><div><div>Waste Class:</div><div>Waste Class Desc:</div></div><div>241</div><div>HALOGENATED SOLVENTS</div></div>					
44	3 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON	GEN
<div><div><div>Generator No:</div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>ON4799677</div><div>2013</div><div>812320</div><div>DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)</div></div> <div><div>PO Box No:</div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
<div><div>Detail(s)</div><div><div>Waste Class:</div><div>Waste Class Desc:</div></div><div>251</div><div>OIL SKIMMINGS &amp; SLUDGES</div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b> 262 <b>Waste Class Desc:</b> DETERGENTS/SOAPS  <b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<a href="#">44</a>	4 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
<b>Generator No:</b> ON4799677 <b>Status:</b> <b>Approval Years:</b> 06,07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 812320 <b>SIC Description:</b> Dry Cleaning and Laundry Services (except Coin-Ope <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES  <b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES  <b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES  <b>Waste Class:</b> 241 <b>Waste Class Desc:</b> HALOGENATED SOLVENTS  <b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES  <b>Waste Class:</b> 262 <b>Waste Class Desc:</b> DETERGENTS/SOAPS					
<a href="#">44</a>	5 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON	GEN
<b>Generator No:</b> ON4799677 <b>Status:</b> <b>Approval Years:</b> 2009 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 812320 <b>SIC Description:</b> Dry Cleaning and Laundry Services (except Coin-Operated)					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES  <b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES  <b>Waste Class:</b> 262 <b>Waste Class Desc:</b> DETERGENTS/SOAPS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">44</a>	6 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON	GEN
<div> <div> Generator No: ON4799677  Status:  Approval Years: 2012  Contam. Facility:  MHSW Facility:  SIC Code: 812320  SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated) </div> <div> PO Box No:  Country:  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 251  Waste Class Desc: OIL SKIMMINGS &amp; SLUDGES </div>					
<div> Waste Class: 213  Waste Class Desc: PETROLEUM DISTILLATES </div>					
<div> Waste Class: 262  Waste Class Desc: DETERGENTS/SOAPS </div>					
<a href="#">44</a>	7 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
<div> <div> Generator No: ON4799677  Status:  Approval Years: 2015  Contam. Facility: No  MHSW Facility: No  SIC Code: 812320  SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) </div> <div> PO Box No:  Country: Canada  Choice of Contact: CO_OFFICIAL  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 262  Waste Class Desc: DETERGENTS/SOAPS </div>					
<div> Waste Class: 213  Waste Class Desc: PETROLEUM DISTILLATES </div>					
<div> Waste Class: 251  Waste Class Desc: OIL SKIMMINGS &amp; SLUDGES </div>					
<a href="#">44</a>	8 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
<div> <div> Generator No: ON4799677  Status:  Approval Years: 2016  Contam. Facility: No  MHSW Facility: No  SIC Code: 812320  SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) </div> <div> PO Box No:  Country: Canada  Choice of Contact: CO_OFFICIAL  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 251  Waste Class Desc: OIL SKIMMINGS &amp; SLUDGES </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b> 262 <b>Waste Class Desc:</b> DETERGENTS/SOAPS  <b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<a href="#">44</a>	9 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
<b>Generator No:</b> ON4799677 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 812320 <b>SIC Description:</b> DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)  <b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 262 <b>Waste Class Desc:</b> DETERGENTS/SOAPS  <b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES  <b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">44</a>	10 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
<b>Generator No:</b> ON4799677 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>  <b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 213 I <b>Waste Class Desc:</b> Petroleum distillates  <b>Waste Class:</b> 213 L <b>Waste Class Desc:</b> Petroleum distillates					
<a href="#">44</a>	11 of 12	S/136.8	79.8 / 0.00	Seaway Cleaners 111 Lakeshore Rd E Mississauga ON L5G1E2	CDRY
<b>Legal Name of Company:</b>					
<u>Waste Quantity by Year</u>					
<b>Reporting Year:</b> 2004 <b>Quantity of PERC (kg):</b> 234 <b>Total Waste Water (kg):</b> 0					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Waste Water (L):		-			
Total Residue (kg):		0			
Total Residue (L):		162			
Total Mix (kg):		0			
Total Mix (L):		-			
Request for Confidentiality:		No			
Reason for Confidentiality:		N/A			
<a href="#">44</a>	12 of 12	S/136.8	79.8 / 0.00	2088466 Ontario Limited 111 lakeshore rd E Mississauga ON L5G 1E2	GEN
Generator No:		ON4799677		PO Box No:	
Status:		Registered		Country:	Canada
Approval Years:		As of Jul 2020		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		213 L			
Waste Class Desc:		Petroleum distillates			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
<a href="#">45</a>	1 of 1	NNE/138.0	79.8 / 0.00	F.S. Port Credit Development Limited 15 HURONTARIO ST, MISSISSAUGA, ON, L5G 3G8 ON	RSC
RSC ID:		36704		Cert Date:	28-Sep-07
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:		Commercial		Qual Person Name:	Fred Serrafiero
Ministry District:		MISSISSAUGA		Stratified (Y/N):	
Filing Date:		16-Nov-07		Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	2 to 5 meters
Restoration Type:				Telephone:	416-7479661x227
Soil Type:				Fax:	416-7479899
Criteria:				Email:	fserrafiero@framgroup.com
CPU Issued Sect 1686:		No			
Asmt Roll No:					
Prop ID No (PIN):		13464-0302			
Property Municipal Address:		15 HURONTARIO ST, MISSISSAUGA, ON, L5G 3G8			
Mailing Address:		Suite TOP FLOOR, 141 LAKESHORE RD E, MISSISSAUGA, ON, L5G 1E8			
Latitude & Longitude:		43.55643840N 79.58275560W (converted from UTM)			
UTM Coordinates:		NAD83 17-614470-4823585			
Consultant:					
Legal Desc:		Part of Lot A, Credit Indian Reserve, City of Mississauga, Regional Municipality of Peel, designated as Parts 2 and 3 on Plan 43R-23793, being the whole of PIN 13464-0302			
Measurement Method:		Interpolation from a map			
Applicable Standards:		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
RSC PDF:					
<a href="#">46</a>	1 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. LTD. 141 LAKESHORE RD. E. MISSISSAUGA CITY ON L5G 1E8	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b> 8-3131-89- <b>Application Year:</b> 89 <b>Issue Date:</b> 8/29/1989 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> STARCH DRIER VENT (REPLACE SCRUBBER) <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">46</a>	2 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. LTD. 141 LAKESHORE RD. EAST MISSISSAUGA CITY ON L5G 1E8	CA
<b>Certificate #:</b> 4-0029-86- <b>Application Year:</b> 86 <b>Issue Date:</b> 11/4/1986 <b>Approval Type:</b> Industrial wastewater <b>Status:</b> Cancelled <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> FILTRATION SYSTEM <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">46</a>	3 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	NPCB
<b>Company Code:</b> F1043 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 1/29/1996 <b>Inspection Date:</b>  <b>--Details--</b> <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 1310.00 KG					
<a href="#">46</a>	4 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. LTD. 141 LAKESHORE RD EAST, HWY # 10/LAKESHORE BLVD. MISSISSAUGA PLANT 141 LAKESHORE ROAD EAST MISSISSAUGA CITY ON L5G 1E8	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	170756  7/27/1999  OTHER CONTAINER LEAK          CONFIRMED Soil contamination LAND       7/27/1999  ERROR			<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	
		ST. LAWRENCE STARCH-100 LOIL LEAK FROM HOIST DU- RING CONCRETE REMOVAL.			
<a href="#">46</a>	5 of 21	ENE/138.2	79.3 / -0.51	<b>ST. LAWRENCE STARCH CO. LTD.</b> <b>141 LAKESHORE RD E</b> <b>MISSISSAUGA ON L5G 1E8</b>	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>	1889 0 50				
<b>--Details--</b>					
<b>Description:</b> <b>SIC/NAICS Code:</b>	GROCERIES & RELATED PRODUCTS, N.E.C. 5149				
<a href="#">46</a>	6 of 21	ENE/138.2	79.3 / -0.51	<b>ST. LAWRENCE STARCH CO.</b> <b>141 LAKESHORE ROAD EAST LAKESHORE</b> <b>ROAD EAST</b> <b>PORT CREDIT ON L5G 1E8</b>	NPCB
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>	O0530				
<b>--Details--</b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>	       In-Storage				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">46</a>	7 of 21	ENE/138.2	79.3 / -0.51	141 Lakeshore Rd. East Mississauga ON L5G 1E8	RSC
<div> <div> RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Halton Peel Filing Date: 02/07/01 Date Ack: 02/15/01 Date Returned: Restoration Type: Generic Soil Type: Coarse Criteria: Res/parkland + Nonpotable CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude &amp; Latitude: UTM Coordinates: Consultant: Frontline Env'l Management Legal Desc: Measurement Method: Applicable Standards: RSC PDF: </div> <div> Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): N Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email: </div> </div>					
<a href="#">46</a>	8 of 21	ENE/138.2	79.3 / -0.51	141 Lakeshore Road East Mississauga ON L5G 1E8	RSC
<div> <div> RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Halton Peel Filing Date: 02/26/01 Date Ack: 03/13/01 Date Returned: Restoration Type: Generic Soil Type: Coarse Criteria: Res/parkland + Nonpotable CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude &amp; Latitude: UTM Coordinates: Consultant: Frontline Env'l Management Legal Desc: Measurement Method: Applicable Standards: RSC PDF: </div> <div> Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): N Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email: </div> </div>					
<a href="#">46</a>	9 of 21	ENE/138.2	79.3 / -0.51	141 Lakeshore Rd. East Mississauga ON L5G 1E8	RSC
<div> <div> RSC ID: RA No: RSC Type: Curr Property Use: </div> <div> Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ministry District:</b> Halton Peel <b>Filing Date:</b> 06/25/01 <b>Date Ack:</b> 07/27/01 <b>Date Returned:</b> <b>Restoration Type:</b> Generic <b>Soil Type:</b> Coarse <b>Criteria:</b> Res/parkland + Nonpotable <b>CPU Issued Sect 1686:</b> <b>Asmt Roll No:</b> <b>Prop ID No (PIN):</b> <b>Property Municipal Address:</b> <b>Mailing Address:</b> <b>Latitude &amp; Latitude:</b> <b>UTM Coordinates:</b> <b>Consultant:</b> Frontline Environmental Management Inc. <b>Legal Desc:</b> <b>Measurement Method:</b> <b>Applicable Standards:</b> <b>RSC PDF:</b>					
<b>Stratified (Y/N):</b> N <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>Accuracy Estimate:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b>					
<a href="#">46</a>	10 of 21	ENE/138.2	79.3 / -0.51	141 Lakeshore Road East Mississauga ON L5G 1E8	EHS
<b>Order No:</b> 19991012001 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 10/14/99 <b>Date Received:</b> 10/12/99 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> Peel <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 5.00 <b>X:</b> -79.580817 <b>Y:</b> 43.555286					
<a href="#">46</a>	11 of 21	ENE/138.2	79.3 / -0.51	ST. LAWERENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	OPCB
<b>Year:</b> 1998 <b>Site Number:</b> 30283A010 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<a href="#">46</a>	12 of 21	ENE/138.2	79.3 / -0.51	ST. LAWERENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	OPCB
<b>Year:</b> 1999 <b>Site Number:</b> 30283A010 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<a href="#">46</a>	13 of 21	ENE/138.2	79.3 / -0.51	ST. LAWERENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	OPCB
<b>Year:</b> 2000 <b>Site Number:</b> 30283A010 <b>Name Owner:</b> <b>Additional Site Information:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">46</a>	14 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	OPCB
Year:		1995			
Site Number:		30283A010			
Name Owner:					
Additional Site Information:					
--Details--					
Quantity:		798.00			
Address Site:					
Description:		Weight of Bulk Liquid with High Level PCBs (>1000 ppm) kg			
Quantity:		2954.00			
Address Site:					
Description:		Weight of Liquid in Transformer with High Level PCBs (>1000 ppm) kg			
Quantity:		1.00			
Address Site:					
Description:		Number of Transformers with High Level PCBs (>1000 ppm)			
Quantity:		9.00			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		1800.00			
Address Site:					
Description:		Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg			
<a href="#">46</a>	15 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. LTD. 141 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E8	GEN
Generator No:		ON0163600		PO Box No:	
Status:				Country:	
Approval Years:		86,87,88,89,90		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		1099			
SIC Description:		OTHER FOOD PROD.			
<u>Detail(s)</u>					
Waste Class:		270			
Waste Class Desc:		OTHER SPECIFIED ORGANICS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
<a href="#">46</a>	16 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH COMPANY LIMITED 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> ON0163600 <b>Status:</b> <b>Approval Years:</b> 92,93,94,95,96,97,98,99,00,01,03 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 1099 <b>SIC Description:</b> OTHER FOOD PROD.					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 121 <b>Waste Class Desc:</b> ALKALINE WASTES - HEAVY METALS					
<b>Waste Class:</b> 148 <b>Waste Class Desc:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<b>Waste Class:</b> 243 <b>Waste Class Desc:</b> PCB'S					
<b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES					
<b>Waste Class:</b> 263 <b>Waste Class Desc:</b> ORGANIC LABORATORY CHEMICALS					
<b>Waste Class:</b> 270 <b>Waste Class Desc:</b> OTHER SPECIFIED ORGANICS					
<a href="#">46</a>	17 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH COMPANY LIMITED 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	GEN
<b>Generator No:</b> ON0163600 <b>Status:</b> <b>Approval Years:</b> 02 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<a href="#">46</a>	18 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH CO. 141 LAKESHORE ROAD E P. O. BOX 1050 Port Credit ON L5G 1E8	NPCB
<b>Company Code:</b> O0530 <b>Industry:</b> Food/Beverage/Water <b>Site Status:</b> Stored for Disposal <b>Transaction Date:</b> 12/2/1991 <b>Inspection Date:</b> 12/2/1991					
<b><u>--Details--</u></b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b> Askarel/Askarel					
<b>Location:</b> PCB FROM DRAINED TRANS. OR22739					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b> Stored for disposal					
<b>Contents:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>Label: Serial No.: PCB Type/Code: Askarel/Askarel Location: STORED AT BASE OF SMOKE STACK Item/State: No. of Items: Manufacturer: Status: Stored for disposal Contents:</div> <div>Label: Serial No.: PCB Type/Code: Askarel/Askarel Location: DRAINED AND STORED Item/State: No. of Items: Manufacturer: Status: Stored for disposal Contents:</div>					
<a href="#">46</a>	19 of 21	ENE/138.2	79.3 / -0.51	ST. LAWRENCE STARCH COMPANY LIMITED 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	GEN
Generator No: ON0163600 Status: Approval Years: 04 Contam. Facility: MHSW Facility: SIC Code: SIC Description:		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:			
<a href="#">46</a>	20 of 21	ENE/138.2	79.3 / -0.51	ST. LAWERENCE STARCH CO. 141 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E8	NPCB
Company Code: F0974 Industry: UNDEFINED Site Status: Transaction Date: Inspection Date:					
<a href="#">46</a>	21 of 21	ENE/138.2	79.3 / -0.51	ST. LAWERENCE STARCH CO. PO BOX 1050 141 LAKESHORE ROAD EAST PORT CREDIT ON L5G 1E8	NPCB
Company Code: O0530 Industry: FOOD/BEVERAGE/WATER Site Status: STORAGE ONLY (NON FEDERAL) Transaction Date: 8/9/1994 Inspection Date: 2/12/1991					
<div>--Details-- Label: OR10625 Serial No.: 45348 PCB Type/Code: ASKAREL/ASKAREL Location: Item/State: CAPACITOR/FULL No. of Items: 1 Manufacturer:</div>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10626			
<b>Serial No.:</b>		12914			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10627			
<b>Serial No.:</b>		12918			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10635			
<b>Serial No.:</b>		43810			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10634			
<b>Serial No.:</b>		43839			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		DO03387			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		PCB FROM DRAINED TRANS.OR22739			
<b>Item/State:</b>		BARREL PCB ASKAREL/FULL			
<b>No. of Items:</b>		10			
<b>Manufacturer:</b>		FERRANTI PACKARD			
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		2000 L			
<b>Label:</b>		OR10629			
<b>Serial No.:</b>		12025			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06688			
<b>Serial No.:</b>		13434			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06689			
<b>Serial No.:</b>		11950			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06690			
<b>Serial No.:</b>		11934			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10621			
<b>Serial No.:</b>		13409			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10633			
<b>Serial No.:</b>		13396			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10632			
<b>Serial No.:</b>		13408			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10630			
<b>Serial No.:</b>		13391			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Label:</b>		OR10617			
<b>Serial No.:</b>		7346621			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10618			
<b>Serial No.:</b>		7340523			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10619			
<b>Serial No.:</b>		7319334			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		PCB FROM DRAINED TRANS.OR22739			
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		FERRANTI PACKARD			
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10620			
<b>Serial No.:</b>		7350429			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10631			
<b>Serial No.:</b>		13449			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10640			
<b>Serial No.:</b>		12269			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10639			
<b>Serial No.:</b>		12268			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10643			
<b>Serial No.:</b>		11939			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10641			
<b>Serial No.:</b>		7440302			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR22739			
<b>Serial No.:</b>		2-303182			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/DRAINED			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		0 L			
<b>Label:</b>		OR10642			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06706			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06700			
<b>Serial No.:</b>		7744282			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06699			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Serial No.:</b>		16089			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06698			
<b>Serial No.:</b>		14844			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06697			
<b>Serial No.:</b>		12997			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06696			
<b>Serial No.:</b>		11889			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06713			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06695			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06693			
<b>Serial No.:</b>		12939			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10616			
<b>Serial No.:</b>		7319330			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06718			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR07982			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR07981			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06726			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06724			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06725			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR07983			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06694			
<b>Serial No.:</b>		11883			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06692			
<b>Serial No.:</b>		27935			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06723			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06717			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06716			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Label:</b>		OR06721			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06705			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR07984			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR07985			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06712			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06711			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06710			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06709			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06708			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06707			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06703			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06691			
<b>Serial No.:</b>	27930				
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06701			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06704			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<hr/>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06702			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06715			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06720			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10614			
<b>Serial No.:</b>		7319514			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10615			
<b>Serial No.:</b>		7319333			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06719			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06714			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10628			
<b>Serial No.:</b>		52623			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06722			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10622			
<b>Serial No.:</b>		13445			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR06687			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10638			
<b>Serial No.:</b>		12260			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR10637			
<b>Serial No.:</b>		7441592			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>		STORED FOR DISPOSAL			
<b>Status:</b>		4.5 L			
<b>Contents:</b>					
<b>Label:</b>		OR10636			
<b>Serial No.:</b>		43817			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>		STORED FOR DISPOSAL			
<b>Status:</b>		4.5 L			
<b>Contents:</b>					
<b>Label:</b>		OR10623			
<b>Serial No.:</b>		13397			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>		STORED FOR DISPOSAL			
<b>Status:</b>		4.5 L			
<b>Contents:</b>					
<b>Label:</b>		OR10624			
<b>Serial No.:</b>		49965			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>		STORED FOR DISPOSAL			
<b>Status:</b>		4.5 L			
<b>Contents:</b>					
<hr/>					
<a href="#">47</a>	1 of 1	NNW/138.3	79.8 / 0.00	84 & 90 High Street East Mississauga ON L5G 1K4	EHS
<b>Order No:</b>	20190924039			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	26-SEP-19			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	24-SEP-19			<b>X:</b>	-79.583497
<b>Previous Site Name:</b>				<b>Y:</b>	43.555938
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory				
<hr/>					
<a href="#">48</a>	1 of 1	S/139.1	79.8 / 0.00	113 LAKESHORE RD. E. #107 Mississauga ON	WWIS
<b>Well ID:</b>	7133398			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	11/5/2009
<b>Sec. Water Use:</b>	Observation Wells			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z095900			<b>Owner:</b>	
<b>Tag:</b>	A083930			<b>Street Name:</b>	113 LAKESHORE RD. E. #107
<b>Construction Method:</b>				<b>County:</b>	PEEL



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Municipality: MISSISSAUGA CITY (PORT CREDIT) Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7133398.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002796577			Elevation:	78.533241
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614472
Code OB Desc:				North83:	4823265
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	9/25/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1002996478				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:	66				
Mat3 Desc:	DENSE				
Formation Top Depth:	8				
Formation End Depth:	15				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1002996477				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	.3				
Formation End Depth:	8				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1002996476			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		73			
<b>Mat3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.3			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002996481			
<b>Layer:</b>		2			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002996480			
<b>Layer:</b>		1			
<b>Plug From:</b>		1			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002996486			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002996475			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002996483			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1002996484			
Layer:		1			
Slot:		10			
Screen Top Depth:		4			
Screen End Depth:		14			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<b><u>Water Details</u></b>					
Water ID:		1002996482			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1002996479			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">49</a>	1 of 1	S/139.2	79.8 / 0.00	113 LAKESHORE BLVD. 107 Mississauga ON	WWIS
Well ID:		7109074		<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:		Monitoring		<b>Date Received:</b>	7/31/2008
Sec. Water Use:				<b>Selected Flag:</b>	Yes
Final Well Status:		0		<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:		Z81860		<b>Owner:</b>	
Tag:		A075601		<b>Street Name:</b>	113 LAKESHORE BLVD. 107
Construction Method:				<b>County:</b>	PEEL
Elevation (m):				<b>Municipality:</b>	MISSISSAUGA CITY
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
PDF URL (Map):		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107109074.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107109074.pdf</a>			

<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1001703970	Elevation:	78.674888		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614466
<b>Code OB Desc:</b>				<b>North83:</b>	4823265
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	7/10/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>		1001760966			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.1			
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>		1001760965			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>		1001760964			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		1.22			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760967			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.88			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760970			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760969			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760971			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001760976			
<b>Method Construction Code:</b>		H			
<b>Method Construction:</b>		Geoprobe			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001760963			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1001760973			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.83			
Casing Diameter:		3.81			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1001760974			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.83			
Screen End Depth:		4.88			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		3.81			
<b><u>Water Details</u></b>					
Water ID:		1001760972			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1001760968			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<a href="#"><u>50</u></a>	1 of 1	SSW/139.5	79.8 / 0.00	107-113 Lakeshore Road East Mississauga/Port Credit ON L5G 1E2	EHS
Order No:	20080619003			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	6/27/2008			Search Radius (km):	0.25
Date Received:	6/19/2008			X:	-79.583079
Previous Site Name:				Y:	43.553524
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
<hr/>					
<a href="#"><u>51</u></a>	1 of 1	SW/140.1	79.8 / 0.00	CASPIAN CUSTOM CANVAS INC. 106 LAKESHORE RD E SUITE 104 MISSISSAUGA ON L5G 1E3	SCT
Established:	1988				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		CANVAS AND RELATED PRODUCTS			
<b>SIC/NAICS Code:</b>		2394			
<b>Description:</b>		MANUFACTURING INDUSTRIES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3999			
<b>Description:</b>		Textile Bag and Canvas Mills			
<b>SIC/NAICS Code:</b>		314910			
<b>Description:</b>		Commercial Screen Printing			
<b>SIC/NAICS Code:</b>		323113			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		All Other Miscellaneous Manufacturing			
<b>SIC/NAICS Code:</b>		339990			
<b>52</b>	1 of 3	W/141.5	79.8 / 0.00	VERSACE LAWN CARE 66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G 1K2	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					
<b>52</b>	2 of 3	W/141.5	79.8 / 0.00	VERSACE LAWN CARE 66 HIGH STREET EAST, #202 MISSISSAUGA ON L5G1K2	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>	04313			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>	Legacy Licenses (Excluding TS)			<b>Oper Area Code:</b>	416
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	2690458
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: </div> <div> Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </div> </div>					
<a href="#">52</a>	3 of 3	W/141.5	79.8 / 0.00	<b>VERSACE LAWN CARE</b> <b>66 HIGH STREET EAST, #202</b> <b>MISSISSAUGA ON L5G1K2</b>	<b>PES</b>
<div> <div> Detail Licence No: Licence No: 04313 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Operator Licence Type Code: 01 Licence Class: 06 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: </div> <div> Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 2690458 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </div> </div>					
<a href="#">53</a>	1 of 1	SSE/143.2	79.8 / -0.03	ON	<b>BORE</b>
<div> <div> Borehole ID: 640933 OGF ID: 215541328 Status: Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: JAN-1965 Static Water Level: Primary Water Use: Not Used Sec. Water Use: Total Depth m: 2.4 Depth Ref: Ground Surface Depth Elev: Drill Method: Power auger Orig Ground Elev m: 78 Elev Reliabil Note: DEM Ground Elev m: 78.2 Concession: Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 43.553534 Longitude DD: -79.582519 UTM Zone: 17 Easting: 614495 Northing: 4823263 Location Accuracy: Accuracy: Not Applicable </div> </div>					
<b><u>Borehole Geology Stratum</u></b>					
<div> <div> Geology Stratum ID: 218494145 Top Depth: 1.2 </div> <div> Mat Consistency: Material Moisture: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth:	1.5			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND-MEDIUM,SILT, CLAY.		BROWN,ALLUVIAL, AGE POST-GLACIAL.	
Geology Stratum ID:	218494146			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SILT,SAND,CLAY.		BROWN,ALLUVIAL, AGE POST-GLACIAL.	
Geology Stratum ID:	218494144			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND-MEDIUM,SILT, CLAY.		BROWN,ALLUVIAL, AGE POST-GLACIAL.	
Geology Stratum ID:	218494142			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL,GRAVEL.			
Geology Stratum ID:	218494143			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND,SILT,CLAY.		BROWN,ALLUVIAL, AGE POST-GLACIAL.	
<b>Source</b>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: TOR1B.txt RecordID: 088990 NTS_Sheet: 30M12A			
Confiden 1:		Logs are approximately correct. Lack of information. Doubtful terminology.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>54</b>	1 of 1	NNW/145.4	79.8 / 0.00	90 High St E Mississauga ON L5G1K4	EHS
<b>Order No:</b>	20180301170			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Mississauga
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	08-MAR-18			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	01-MAR-18			<b>X:</b>	-79.583282
<b>Previous Site Name:</b>				<b>Y:</b>	43.556065
<b>Lot/Building Size:</b>	0.22 hectares				
<b>Additional Info Ordered:</b>					
<b>55</b>	1 of 1	NNW/146.3	79.8 / 0.00	90 High Street East, Mississauga ON	PINC
<b>Incident ID:</b>				<b>Fuel Category:</b>	Natural Gas
<b>Incident No:</b>	789716			<b>Health Impact:</b>	
<b>Incident Reported Dt:</b>				<b>Environment Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident			<b>Property Damage:</b>	Yes
<b>Status Code:</b>	Pipeline Damage Reason Est			<b>Service Interrupt:</b>	
<b>Customer Acct Name:</b>				<b>Enforce Policy:</b>	Yes
<b>Incident Address:</b>				<b>Public Relation:</b>	
<b>Tank Status:</b>	RC Established			<b>Pipeline System:</b>	
<b>Task No:</b>	3788069			<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Fuel Type:</b>				<b>PSIG:</b>	
<b>Fuel Occurrence Tp:</b>				<b>Attribute Category:</b>	FS-Perform P-line Inc Invest
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Dt:</b>	2012/04/13			<b>Method Details:</b>	E-mail
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>	90 High Street East, Mississauga - 1/2" Pipeline Hit				
<b>Reported By:</b>	Jeffrey.Bruce@enbridge.com				
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>	Excavation practices not sufficient				
<b>Notes:</b>					
<b>56</b>	1 of 1	NE/146.6	78.8 / -1.08	125/129/139 Lakeshore Road East & 65/80 Port Street Mississauga ON	EHS
<b>Order No:</b>	20070914020			<b>Nearest Intersection:</b>	Between Helene St S & St. Lawrence Dr (Huronario)
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	CAN - Custom Report			<b>Client Prov/State:</b>	
<b>Report Date:</b>	9/20/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	9/14/2007			<b>X:</b>	-79.58175
<b>Previous Site Name:</b>				<b>Y:</b>	43.555898
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">57</a>	1 of 1	W/148.4	79.8 / 0.00	ON	BORE
<div> <div> <b>Borehole ID:</b> 641138  <b>OGF ID:</b> 215541533  <b>Status:</b>  <b>Type:</b> Borehole  <b>Use:</b> Geotechnical/Geological Investigation  <b>Completion Date:</b> JAN-1965  <b>Static Water Level:</b>  <b>Primary Water Use:</b> Not Used  <b>Sec. Water Use:</b>  <b>Total Depth m:</b> 2.4  <b>Depth Ref:</b> Ground Surface  <b>Depth Elev:</b>  <b>Drill Method:</b> Power auger  <b>Orig Ground Elev m:</b> 77.3  <b>Elev Reliabil Note:</b>  <b>DEM Ground Elev m:</b> 77.6  <b>Concession:</b>  <b>Location D:</b>  <b>Survey D:</b>  <b>Comments:</b> </div> <div> <b>Inclin FLG:</b> No  <b>SP Status:</b> Initial Entry  <b>Surv Elev:</b> No  <b>Piezometer:</b> No  <b>Primary Name:</b>  <b>Municipality:</b>  <b>Lot:</b>  <b>Township:</b>  <b>Latitude DD:</b> 43.554641  <b>Longitude DD:</b> -79.584598  <b>UTM Zone:</b> 17  <b>Easting:</b> 614325  <b>Northing:</b> 4823383  <b>Location Accuracy:</b>  <b>Accuracy:</b> Not Applicable </div> </div>					
<b><u>Borehole Geology Stratum</u></b>					
<div> <div> <b>Geology Stratum ID:</b> 218494915  <b>Top Depth:</b> .1  <b>Bottom Depth:</b> .2  <b>Material Color:</b>  <b>Material 1:</b> Fill  <b>Material 2:</b> Gravel  <b>Material 3:</b>  <b>Material 4:</b>  <b>Gsc Material Description:</b>  <b>Stratum Description:</b> FILL, GRAVEL. </div> <div> <b>Mat Consistency:</b>  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> fill </div> </div>					
<div> <div> <b>Geology Stratum ID:</b> 218494914  <b>Top Depth:</b> 0  <b>Bottom Depth:</b> .1  <b>Material Color:</b>  <b>Material 1:</b> Asphalt  <b>Material 2:</b>  <b>Material 3:</b>  <b>Material 4:</b>  <b>Gsc Material Description:</b>  <b>Stratum Description:</b> ASPHALT. </div> <div> <b>Mat Consistency:</b>  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> </div> </div>					
<div> <div> <b>Geology Stratum ID:</b> 218494916  <b>Top Depth:</b> .2  <b>Bottom Depth:</b> 1.5  <b>Material Color:</b> Brown  <b>Material 1:</b> Sand  <b>Material 2:</b> Silt  <b>Material 3:</b> Clay  <b>Material 4:</b>  <b>Gsc Material Description:</b>  <b>Stratum Description:</b> SAND, SILT, CLAY. BROWN, ALLUVIAL, AGE POST-GLACIAL. </div> <div> <b>Mat Consistency:</b>  <b>Material Moisture:</b>  <b>Material Texture:</b>  <b>Non Geo Mat Type:</b>  <b>Geologic Formation:</b>  <b>Geologic Group:</b>  <b>Geologic Period:</b>  <b>Depositional Gen:</b> alluvial </div> </div>					
<div> <div> <b>Geology Stratum ID:</b> 218494917  <b>Top Depth:</b> 1.5  <b>Bottom Depth:</b> 2.4 </div> <div> <b>Mat Consistency:</b>  <b>Material Moisture:</b>  <b>Material Texture:</b> </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND,SILT,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL. . SAND-M **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<hr/>					
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 091040 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<hr/>					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
<a href="#">58</a>	1 of 1	NE/151.7	79.0 / -0.89	1 HURONTARIO STREET Mississauga ON	<a href="#">WWIS</a>
<hr/>					
Well ID:	7298078			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	10/31/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z255419			Owner:	
Tag:	A232874			Street Name:	1 HURONTARIO STREET
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<hr/>					
PDF URL (Map):					
<hr/>					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006784926			Elevation:	79.387084
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614556
Code OB Desc:				North83:	4823530

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	8/11/2017			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006955354			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		26			
<b>Mat2 Desc:</b>		ROCK			
<b>Mat3:</b>		92			
<b>Mat3 Desc:</b>		WEATHERED			
<b>Formation Top Depth:</b>		4.5			
<b>Formation End Depth:</b>		5.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006955353			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		28			
<b>Mat3 Desc:</b>		SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		4.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006955361			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006955362			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		1.9			
<b>Plug Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		1006955360			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<b><u>Pipe Information</u></b>					
Pipe ID:		1006955352			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006955357			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.2			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006955358			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.2			
Screen End Depth:		5.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<b><u>Water Details</u></b>					
Water ID:		1006955356			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		2.4			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006955355			
Diameter:		21			
Depth From:		0			
Depth To:		5.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b>59</b>	1 of 8	SSW/152.2	79.8 / 0.00	SEAWAY CLEANERS 103 LAKESHORE ROAD EAST	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
				MISSISSAUGA ON L5G 1E2	
Generator No:	ON0379300			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANERS				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
<hr/>					
<a href="#">59</a>	2 of 8	SSW/152.2	79.8 / 0.00	SEAWAY CLEANERS 103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
Generator No:	ON0379300			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANER				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
<hr/>					
<a href="#">59</a>	3 of 8	SSW/152.2	79.8 / 0.00	SEAWAY CLEANERS 34-063 103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
Generator No:	ON0379300			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANER				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
<hr/>					
<a href="#">59</a>	4 of 8	SSW/152.2	79.8 / 0.00	SEAWAY CLE(OUT OF BUSINESS) 103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
Generator No:	ON0379300			PO Box No:	
Status:				Country:	
Approval Years:	99,00			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANERS				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>Detail(s)</div>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
59	5 of 8	SSW/152.2	79.8 / 0.00	103 Lakeshore Road East Port Credit ON L5G 1E2	EHS
Order No:	20080915008		Nearest Intersection:	Lakeshore Road East & Elizabeth Street South	
Status:	C		Municipality:	Peel Region, Mississauga	
Report Type:	Standard Report		Client Prov/State:	NS	
Report Date:	9/23/2008		Search Radius (km):	0.25	
Date Received:	9/15/2008		X:	-79.583203	
Previous Site Name:			Y:	43.553391	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
59	6 of 8	SSW/152.2	79.8 / 0.00	2539762 ONTARIO LTD. KEVIN LaROSE TEAM 103 LAKESHORE ROAD EAST MISSISSAUGA ON	GEN
Generator No:	ON3013277		PO Box No:		
Status:			Country:		
Approval Years:	2013		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:	541990				
SIC Description:	ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES				
<div>Detail(s)</div>					
Waste Class:	150				
Waste Class Desc:	INERT INORGANIC WASTES				
59	7 of 8	SSW/152.2	79.8 / 0.00	2539762 ONTARIO LTD. KEVIN LaROSE TEAM 103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
Generator No:	ON3013277		PO Box No:		
Status:			Country:	Canada	
Approval Years:	2015		Choice of Contact:	CO_OFFICIAL	
Contam. Facility:	No		Co Admin:		
MHSW Facility:	No		Phone No Admin:		
SIC Code:	541990				
SIC Description:	ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES				
<div>Detail(s)</div>					
Waste Class:	150				
Waste Class Desc:	INERT INORGANIC WASTES				
59	8 of 8	SSW/152.2	79.8 / 0.00	2539762 ONTARIO LTD. KEVIN LaROSE TEAM 103 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E2	GEN
Generator No:	ON3013277		PO Box No:		
Status:			Country:	Canada	
Approval Years:	2014		Choice of Contact:	CO_OFFICIAL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	No No 541990			Co Admin: Phone No Admin:  ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		150 INERT INORGANIC WASTES			
<u>60</u>	1 of 1	W/152.6	79.8 / 0.00	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	639274 215539671  Borehole Geotechnical/Geological Investigation JAN-1965  Not Used  .9 Ground Surface  Power auger 76.5 77.4		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No    43.554461 -79.584602 17 614325 4823363 Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218487723 0 .2  Water-bearing    WATER.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218487725 .8 .9 Grey Silt Sand Clay  SILT,SAND,CLAY. GREY,ALLUVIAL,FIRM, AGE POST-GLACIAL. CLAY. BR **Note: Many records provided by the department have a truncated [Stratum Description] field.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm      alluvial	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color:	218487724 .2 .8 Black		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB												
<div><div><div>Material 1:</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:</div></div><div>Organic</div><div>ORGANIC. BLACK,AGE POST-GLACIAL.</div></div> <div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div></div>																	
<div>Source</div> <div><div><div>Source Type:</div><div>Source Orig:</div><div>Source Date:</div><div>Confidence:</div><div>Observatio:</div><div>Source Name:</div><div>Source Details:</div><div>Confiden 1:</div></div><div><div>Data Survey</div><div>Geological Survey of Canada</div><div>1956-1972</div><div>M</div><div>Urban Geology Automated Information System (UGAIS)</div><div>File: TOR1B.txt RecordID: 072370 NTS_Sheet: 30M12A</div><div>Logs are approximately correct. Lack of information. Doubtful terminology.</div></div><div><div>Source Appl:</div><div>Source Iden:</div><div>Scale or Res:</div><div>Horizontal:</div><div>Verticalda:</div></div><div><div>Spatial/Tabular</div><div>1</div><div>Varies</div><div>NAD27</div><div>Mean Average Sea Level</div></div></div>																	
<div>Source List</div> <div><div><div>Source Identifier:</div><div>Source Type:</div><div>Source Date:</div><div>Scale or Resolution:</div><div>Source Name:</div><div>Source Originators:</div></div><div><div>1</div><div>Data Survey</div><div>1956-1972</div><div>Varies</div><div>Urban Geology Automated Information System (UGAIS)</div><div>Geological Survey of Canada</div></div><div><div>Horizontal Datum:</div><div>Vertical Datum:</div><div>Projection Name:</div></div><div><div>NAD27</div><div>Mean Average Sea Level</div><div>Universal Transverse Mercator</div></div></div>																	
<a href="#">61</a>	1 of 1	SSW/155.4	79.8 / 0.00	103 LAKESHORE ROAD EAST Mississauga ON	WWIS												
<div><div><div>Well ID:</div><div>Construction Date:</div><div>Primary Water Use:</div><div>Sec. Water Use:</div><div>Final Well Status:</div><div>Water Type:</div><div>Casing Material:</div><div>Audit No:</div><div>Tag:</div><div>Construction Method:</div><div>Elevation (m):</div><div>Elevation Reliability:</div><div>Depth to Bedrock:</div><div>Well Depth:</div><div>Overburden/Bedrock:</div><div>Pump Rate:</div><div>Static Water Level:</div><div>Flowing (Y/N):</div><div>Flow Rate:</div><div>Clear/Cloudy:</div></div><div><div>7157715</div><div>Monitoring and Test Hole</div><div>0</div><div>Monitoring and Test Hole</div><div></div><div>Z126422</div><div>A094139</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Data Entry Status:</div><div>Data Src:</div><div>Date Received:</div><div>Selected Flag:</div><div>Abandonment Rec:</div><div>Contractor:</div><div>Form Version:</div><div>Owner:</div><div>Street Name:</div><div>County:</div><div>Municipality:</div><div>Site Info:</div><div>Lot:</div><div>Concession:</div><div>Concession Name:</div><div>Easting NAD83:</div><div>Northing NAD83:</div><div>Zone:</div><div>UTM Reliability:</div></div><div><div></div><div></div><div>1/14/2011</div><div>Yes</div><div></div><div>7241</div><div>7</div><div></div><div>103 LAKESHORE ROAD EAST</div><div>PEEL</div><div>MISSISSAUGA CITY (PORT CREDIT)</div><div>WKQ-003329 A0-A02</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div> <tr><td colspan="6"><div>PDF URL (Map):https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7157157715.pdf</div></td></tr> <tr><td colspan="6"><div>Bore Hole Information</div><div><div><div>Bore Hole ID:</div><div>DP2BR:</div><div>Spatial Status:</div><div>Code OB:</div><div>Code OB Desc:</div><div>Open Hole:</div><div>Cluster Kind:</div></div><div><div>1003456013</div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Elevation:</div><div>Elevrc:</div><div>Zone:</div><div>East83:</div><div>North83:</div><div>Org CS:</div><div>UTMRC:</div></div><div><div>79.143928</div><div></div><div>17</div><div>614451</div><div>4823250</div><div>UTM83</div><div>3</div></div></div></td></tr>						<div>PDF URL (Map):https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7157157715.pdf</div>						<div>Bore Hole Information</div> <div><div><div>Bore Hole ID:</div><div>DP2BR:</div><div>Spatial Status:</div><div>Code OB:</div><div>Code OB Desc:</div><div>Open Hole:</div><div>Cluster Kind:</div></div><div><div>1003456013</div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Elevation:</div><div>Elevrc:</div><div>Zone:</div><div>East83:</div><div>North83:</div><div>Org CS:</div><div>UTMRC:</div></div><div><div>79.143928</div><div></div><div>17</div><div>614451</div><div>4823250</div><div>UTM83</div><div>3</div></div></div>					
<div>PDF URL (Map):https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7157157715.pdf</div>																	
<div>Bore Hole Information</div> <div><div><div>Bore Hole ID:</div><div>DP2BR:</div><div>Spatial Status:</div><div>Code OB:</div><div>Code OB Desc:</div><div>Open Hole:</div><div>Cluster Kind:</div></div><div><div>1003456013</div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>Elevation:</div><div>Elevrc:</div><div>Zone:</div><div>East83:</div><div>North83:</div><div>Org CS:</div><div>UTMRC:</div></div><div><div>79.143928</div><div></div><div>17</div><div>614451</div><div>4823250</div><div>UTM83</div><div>3</div></div></div>																	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		12/3/2010		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003774015			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003774014			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003774024			
Layer:		1			
Plug From:		6			
Plug To:		2			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003774026			
Layer:		3			
Plug From:		1			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003774025			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003774022			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003774013			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003774018			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		2			
<b>Depth To:</b>		0			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003774019			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6			
<b>Screen End Depth:</b>		2			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003774017			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003774016			
<b>Diameter:</b>		3.25			
<b>Depth From:</b>		0			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To: Hole Depth UOM: Hole Diameter UOM:		6 ft inch			
<a href="#">62</a>	1 of 1	E/155.5	79.1 / -0.79	ON	BORE
<b>Borehole ID:</b>	833858			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215585989			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	03-JUN-1959			<b>Municipality:</b>	
<b>Static Water Level:</b>	1.6			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.554758
<b>Total Depth m:</b>	4.1			<b>Longitude DD:</b>	-79.580851
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614627
<b>Drill Method:</b>	Hollow stem auger			<b>Northing:</b>	4823401
<b>Orig Ground Elev m:</b>	77.8			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 20 metres
<b>DEM Ground Elev m:</b>	77				
<b>Concession:</b>					
<b>Location D:</b>	PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER				
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	6014659			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Coal dust **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6014660			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1			<b>Material Texture:</b>	Fine to Coarse
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Fine to coarse sand **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6014661			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	2.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.1			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Stones			<b>Geologic Period:</b>	
<b>Material 4:</b>	Silt			<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Grey, hard, sandy silty clay with stones up to 0.1m, (glacial till) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">63</a>	1 of 1	SSW/159.3	79.8 / 0.00	103 LAKESHORE RD E MISSISSAUGA ON	WWIS
<div> <div> <b>Well ID:</b> 7183814  <b>Construction Date:</b>  <b>Primary Water Use:</b> Monitoring and Test Hole  <b>Sec. Water Use:</b> 0  <b>Final Well Status:</b> Test Hole  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> Z151073  <b>Tag:</b> A113461  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </div> <div> <b>Data Entry Status:</b>  <b>Data Src:</b>  <b>Date Received:</b> 7/6/2012  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 7241  <b>Form Version:</b> 7  <b>Owner:</b>  <b>Street Name:</b> 103 LAKESHORE RD E  <b>County:</b> PEEL  <b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT)  <b>Site Info:</b>  <b>Lot:</b>  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </div> </div>					
PDF URL (Map):					
<b><u>Bore Hole Information</u></b>					
<div> <div> <b>Bore Hole ID:</b> 1004195958  <b>DP2BR:</b>  <b>Spatial Status:</b>  <b>Code OB:</b>  <b>Code OB Desc:</b>  <b>Open Hole:</b>  <b>Cluster Kind:</b>  <b>Date Completed:</b> 5/30/2012  <b>Remarks:</b>  <b>Elevrc Desc:</b>  <b>Location Source Date:</b>  <b>Improvement Location Source:</b>  <b>Improvement Location Method:</b>  <b>Source Revision Comment:</b>  <b>Supplier Comment:</b> </div> <div> <b>Elevation:</b> 79.398468  <b>Elevrc:</b>  <b>Zone:</b> 17  <b>East83:</b> 614424  <b>North83:</b> 4823252  <b>Org CS:</b> UTM83  <b>UTMRC:</b> 4  <b>UTMRC Desc:</b> margin of error : 30 m - 100 m  <b>Location Method:</b> wwr </div> </div>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<div> <div> <b>Formation ID:</b> 1004349947  <b>Layer:</b> 2  <b>Color:</b> 6  <b>General Color:</b> BROWN  <b>Mat1:</b> 28  <b>Most Common Material:</b> SAND  <b>Mat2:</b> 11  <b>Mat2 Desc:</b> GRAVEL  <b>Mat3:</b> 85  <b>Mat3 Desc:</b> SOFT  <b>Formation Top Depth:</b> .2  <b>Formation End Depth:</b> 1  <b>Formation End Depth UOM:</b> m </div> </div>					
<b><u>Overburden and Bedrock</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004349946			
<b>Layer:</b>		1			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		73			
<b>Mat3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004349948			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		08			
<b>Mat2 Desc:</b>		FINE SAND			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1			
<b>Formation End Depth:</b>		1.4			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004349956			
<b>Layer:</b>		1			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004349957			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004349959			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.8			
<b>Plug To:</b>		1.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004349958			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.8			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004349955			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004349945			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004349951			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.7			
<b>Casing Diameter:</b>		3.45			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004349952			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		0.7			
<b>Screen End Depth:</b>		1.4			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.05			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004349950			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004349949			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">64</a>	1 of 1	W/160.2	79.8 / 0.00	12 Helene St N Mississauga ON L5G	EHS
Order No:		20120124021	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State:		
Report Date:		2/2/2012 2:39:53 PM	Search Radius (km):		
Date Received:		1/24/2012 2:38:53 PM	X:		
Previous Site Name:			Y:		
Lot/Building Size:					
Additional Info Ordered:					
<a href="#">65</a>	1 of 12	SSW/162.1	79.8 / 0.00	LOBLAWS SUPERMARKETS LTD. #164-0 99 LAKESHORE ROAD PORT CREDIT ON M4T 2S5	PES
Detail Licence No:			Operator Box:		
Licence No:			Operator Class:		
Status:			Operator No:		
Approval Date:			Operator Type:		
Report Source:			Oper Area Code:		
Licence Type:		Vendor	Oper Phone No:		
Licence Type Code:			Operator Ext:		
Licence Class:			Operator Lot:		
Licence Control:			Oper Concession:		
Latitude:			Operator Region:		
Longitude:			Operator District:		
Lot:			Operator County:		
Concession:			Op Municipality:		
Region:			Post Office Box:		
District:			MOE District:		
County:			SWP Area Name:		
Trade Name:					
PDF Link:					
<a href="#">65</a>	2 of 12	SSW/162.1	79.8 / 0.00	815957 ONTARIO LIMITED BRIAN'S NO FRILLS 99 LAKESHORE ROAD PORT CREDIT ON M9R 1Y5	PES
Detail Licence No:			Operator Box:		
Licence No:			Operator Class:		
Status:			Operator No:		
Approval Date:			Operator Type:		
Report Source:			Oper Area Code:		
Licence Type:		Vendor	Oper Phone No:		
Licence Type Code:			Operator Ext:		
Licence Class:			Operator Lot:		
Licence Control:			Oper Concession:		
Latitude:			Operator Region:		
Longitude:			Operator District:		
Lot:			Operator County:		
Concession:			Op Municipality:		
Region:			Post Office Box:		
District:			MOE District:		
County:			SWP Area Name:		
Trade Name:					
PDF Link:					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">65</a>	3 of 12	SSW/162.1	79.8 / 0.00	TRANSPORT TRUCK 99 LAKE SHORE DR. E. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SPL
Ref No:	221591			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/18/2002			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	UNKNOWN			Sector Type:	
Incident Event:				Agency Involved:	MURPHY'S NO FRILLS
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	CONFIRMED			Site Municipality:	21102
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2/18/2002			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	BRINKS: FUEL LEAK AT MURPHY'S NO FRILLS CONTAINED, ABSORBANT				
Contaminant Qty:					
<a href="#">65</a>	4 of 12	SSW/162.1	79.8 / 0.00	1382019 ONTARIO LTD/MURPHY'S NO FRILLS 99 LAKESHORE RD E PORT CREDIT ON L5G1E2	PES
Detail Licence No:	23-01-09148-0			Operator Box:	
Licence No:	09148			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	905
Licence Type:	Limited Vendor			Oper Phone No:	9672585
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	3
Longitude:				Operator District:	
Lot:				Operator County:	49
Concession:				Op Municipality:	
Region:	3			Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
<a href="#">65</a>	5 of 12	SSW/162.1	79.8 / 0.00	Loblaw Properties Limited 99 Lakeshore Rd. West Mississauga ON L5G 1E2	GEN
Generator No:	ON3809725			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Contam. Facility:  MHSW Facility:  SIC Code:  SIC Description: </div> <div> 445110  Supermarkets and Other Grocery (except Convenience) Stores </div> </div> <div> Co Admin:  Phone No Admin: </div>					
<a href="#">65</a>	6 of 12	SSW/162.1	79.8 / 0.00	LOBLAWS INC. O/A NO FRILLS #1353 99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	PES
<div> <div> Detail Licence No:  Licence No:  Status:  Approval Date:  Report Source:  Licence Type:  Licence Type Code:  Licence Class:  Licence Control:  Latitude:  Longitude:  Lot:  Concession:  Region:  District:  County:  Trade Name:  PDF Link: </div> <div> Limited Vendor  23 </div> </div> <div> Operator Box:  Operator Class:  Operator No:  Operator Type:  Oper Area Code:  Oper Phone No:  Operator Ext:  Operator Lot:  Oper Concession:  Operator Region:  Operator District:  Operator County:  Op Municipality:  Post Office Box:  MOE District:  SWP Area Name: </div>					
<a href="#">65</a>	7 of 12	SSW/162.1	79.8 / 0.00	LOBLAWS INC. O/A NO FRILLS #1353 99 LAKESHORE RD E MISSISSAUGA ON L5G 1E2	PES
<div> <div> Detail Licence No:  Licence No:  Status:  Approval Date:  Report Source:  Licence Type:  Licence Type Code:  Licence Class:  Licence Control:  Latitude:  Longitude:  Lot:  Concession:  Region:  District:  County:  Trade Name:  PDF Link: </div> <div> Vendor </div> </div> <div> Operator Box:  Operator Class:  Operator No:  Operator Type:  Oper Area Code:  Oper Phone No:  Operator Ext:  Operator Lot:  Oper Concession:  Operator Region:  Operator District:  Operator County:  Op Municipality:  Post Office Box:  MOE District:  SWP Area Name: </div>					
<a href="#">65</a>	8 of 12	SSW/162.1	79.8 / 0.00	2307036 ONTARIO LTD 99 LAKESHORE RD. E. MISSISSAUGA ON L5G 1E2	PES
<div> <div> Detail Licence No:  Licence No:  Status:  Approval Date:  Report Source:  Licence Type: </div> <div> Vendor </div> </div> <div> Operator Box:  Operator Class:  Operator No:  Operator Type:  Oper Area Code:  Oper Phone No: </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">65</a>	9 of 12	SSW/162.1	79.8 / 0.00	2307036 ONTARIO LTD 99 LAKESHORE RD. E. MISSISSAUGA ON L5G1E2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 15971 <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS) <b>Licence Type:</b> Limited Vendor <b>Licence Type Code:</b> 23 <b>Licence Class:</b> 01 <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 905 <b>Oper Phone No:</b> 2788283 <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">65</a>	10 of 12	SSW/162.1	79.8 / 0.00	1382019 ONTARIO LTD/MURPHY'S NO FRILLS 99 LAKESHORE RD E PORT CREDIT ON L5G1E2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 09148 <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS) <b>Licence Type:</b> Retail Vendor Class 03 <b>Licence Type Code:</b> 21 <b>Licence Class:</b> 03 <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 905 <b>Oper Phone No:</b> 9672585 <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">65</a>	11 of 12	SSW/162.1	79.8 / 0.00	1052900 ONTARIO INC./ROB'S NO FRILLS 99 LAKESHORE ROAD EAST PORT CREDIT ON L5G1E2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 09283 <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS) <b>Licence Type:</b> Retail Vendor Class 03 <b>Licence Type Code:</b> 21 <b>Licence Class:</b> 03 <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 416 <b>Oper Phone No:</b> 2788283 <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			
<a href="#">65</a>	12 of 12	SSW/162.1	79.8 / 0.00	LOBLAWS INC. O/A RUSTY'S NO FRILLS #102 99 LAKESHORE RD E MISSISSAUGA ON L5G1E2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 13783 <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS) <b>Licence Type:</b> Limited Vendor <b>Licence Type Code:</b> 23 <b>Licence Class:</b> 01 <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 905 <b>Oper Phone No:</b> 2788283 <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			
<a href="#">66</a>	1 of 1	S/164.1	79.8 / 0.00	103 LAKESHORE ROAD EAST Mississauga ON	WWIS
<b>Well ID:</b> 7157717 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z126421 <b>Tag:</b> A093952 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 1/14/2011 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 103 LAKESHORE ROAD EAST <b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT) <b>Site Info:</b> WKQ-003329 A0-A02 <b>Lot:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/715\7157717.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7157717.pdf)

#### Bore Hole Information

Bore Hole ID:	1003456090	Elevation:	79.235717
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	614453
Code OB Desc:		North83:	4823241
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	12/3/2010	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock Materials Interval

Formation ID:	1003774142
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Mat2 Desc:	SILT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6
Formation End Depth:	12
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	1003774141
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	0
Formation End Depth:	6
Formation End Depth UOM:	ft



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774153			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774152			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774151			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003774149			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003774140			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003774145			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		.75			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003774146			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		12			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>					
		5	ft		
		inch			
		1			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003774144			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003774143			
<b>Diameter:</b>		3.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		12			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<hr/>					
<a href="#"><u>67</u></a>	1 of 1	NW/164.2	79.8 / 0.00	High St. E., Ann St. Mississauga ON L5G	EHS
<b>Order No:</b>	20312600085			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	01-DEC-20			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	26-NOV-20			<b>X:</b>	-79.5837371
<b>Previous Site Name:</b>				<b>Y:</b>	43.5561117
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<hr/>					
<a href="#"><u>68</u></a>	1 of 1	S/164.5	79.8 / 0.00	103 LAKESHORE ROAD EAST Mississauga ON	WWIS
<b>Well ID:</b>	7157716			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	1/14/2011
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z126423			<b>Owner:</b>	
<b>Tag:</b>	A094140			<b>Street Name:</b>	103 LAKESHORE ROAD EAST
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY (PORT CREDIT)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-003329 A0-A02
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7157716.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1003456088			Elevation:	79.125442
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614459
Code OB Desc:				North83:	4823240
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/3/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003774050				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	2				
Formation End Depth:	16				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003774051				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:	66				
Mat3 Desc:	DENSE				
Formation Top Depth:	16				
Formation End Depth:	18				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003774049				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774060			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		7			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774061			
<b>Layer:</b>		2			
<b>Plug From:</b>		7			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003774062			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003774058			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003774048			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003774054			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		8			
<b>Casing Diameter:</b>		.75			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003774055			
Layer:		1			
Slot:		10			
Screen Top Depth:		8			
Screen End Depth:		18			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1			
<b><u>Water Details</u></b>					
Water ID:		1003774053			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003774052			
Diameter:		3.25			
Depth From:		0			
Depth To:		18			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<b>69</b>	<b>1 of 1</b>	<b>S/165.1</b>	<b>79.8 / 0.00</b>	<b>103 LAKESHORE RD E Mississauga ON</b>	<b>WWIS</b>
Well ID:	7187901			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	9/24/2012
Sec. Water Use:	0			<b>Selected Flag:</b>	Yes
Final Well Status:	Test Hole			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z156840			<b>Owner:</b>	
Tag:	A137100			<b>Street Name:</b>	103 LAKESHORE RD E
Construction Method:				<b>County:</b>	PEEL
Elevation (m):				<b>Municipality:</b>	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				<b>Site Info:</b>	WKQ-005210
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187901.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187901.pdf</a>				

<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1004163417			<b>Elevation:</b>	79.235717
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b>	17
Code OB:				<b>East83:</b>	614453



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4823240
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		8/17/2012		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1004442178			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		8			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1004442176			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		34			
Most Common Material:		TILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1004442177			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6			
Formation End Depth:		8			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1004442175			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1004442187			
Layer:		2			
Plug From:		4			
Plug To:		1			
Plug Depth UOM:		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1004442186			
Layer:		1			
Plug From:		15			
Plug To:		4			
Plug Depth UOM:		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1004442188			
Layer:		3			
Plug From:		1			
Plug To:		0			
Plug Depth UOM:		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		1004442185			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<b><u>Pipe Information</u></b>					
Pipe ID:		1004442174			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1004442181			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004442182			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Water Details</u>					
Water ID:		1004442180			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1004442179			
Diameter:		4.25			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<a href="#">70</a>	1 of 1	S/167.6	79.8 / 0.00	103 LAKESHORE RD E Mississauga ON	WWIS
Well ID:	7187903			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/24/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z156839			Owner:	
Tag:	A137098			Street Name:	103 LAKESHORE RD E
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	WKQ-005210
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187903.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187903.pdf</a>			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1004163423			Elevation:	79.184349
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614458
Code OB Desc:				North83:	4823237
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	8/17/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:	1004442205				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:	1004442208				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	91				
Mat3 Desc:	WATER-BEARING				
Formation Top Depth:	8				
Formation End Depth:	15				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:	1004442206				
Laver:	2				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	4				
<b>Formation End Depth:</b>	6				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004442207			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	6				
<b>Formation End Depth:</b>	8				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004442216			
<b>Layer:</b>		1			
<b>Plug From:</b>		15			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004442217			
<b>Layer:</b>		2			
<b>Plug From:</b>		4			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004442218			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004442215			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	----------------------	----------------------------	------------------	------	----

**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 1004442204  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1004442211  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 5  
**Casing Diameter:** 2  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 1004442212  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 5  
**Screen End Depth:** 15  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.25

**Water Details**

**Water ID:** 1004442210  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1004442209  
**Diameter:** 4.25  
**Depth From:** 0  
**Depth To:** 15  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

<a href="#">71</a>	1 of 1	NW/170.2	79.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	640929			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215541324			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.555897
Total Depth m:	2.1			Longitude DD:	-79.584259
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614350
Drill Method:	Power auger			Northing:	4823523
Orig Ground Elev m:	81.7			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	81.4				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494122			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:	Stones			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ASPHALT,STONES.				
Geology Stratum ID:	218494126			Mat Consistency:	
Top Depth:	.7			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SILT,CLAY,SAND. ALLUVIAL,AGE POST-GLACIAL. SAND-M				**Note: Many records provided by the department have a truncated [Stratum Description] field.
Geology Stratum ID:	218494123			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,GRAVEL.				
Geology Stratum ID:	218494124			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.4			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,SILT, CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494125			Mat Consistency:	
Top Depth:	.4			Material Moisture:	
Bottom Depth:	.7			Material Texture:	
Material Color:				Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	CLAY,SAND,SILT. ALLUVIAL,AGE POST-GLACIAL.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088950 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
72	1 of 1	N/170.9	79.8 / 0.00	ON	BORE
Borehole ID:	649447			Inclin FLG:	No
OGF ID:	215549822			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1959			Municipality:	
Static Water Level:	0.1			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.556333
Total Depth m:	6.8			Longitude DD:	-79.583073
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614445
Drill Method:	Diamond Drill			Northing:	4823573
Orig Ground Elev m:	81.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	82.2				
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:	218527006			Mat Consistency:	
Top Depth:	5.3			Material Moisture:	
Bottom Depth:	6.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		TILL. 010 00000040CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218527005			Mat Consistency:	
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT. WATER STABLE AT 268.2 FEET.				
Geology Stratum ID:	218527004			Mat Consistency:	Dense
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND. DENSE.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR3.txt RecordID: 201060 NTS_Sheet: 30M12A				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
73	1 of 1	WSW/172.3	79.8 / 0.00	ON	BORE
Borehole ID:	639275			Inclin FLG:	No
OGF ID:	215539672			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.554192
Total Depth m:	1.5			Longitude DD:	-79.584732
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614315
Drill Method:	Power auger			Northing:	4823333
Orig Ground Elev m:	76.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DEM Ground Elev m: 77.5					
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218487729					
Top Depth: 1.1					
Bottom Depth: 1.5					
Material Color:					
Material 1: Silt					
Material 2: Clay					
Material 3: Sand					
Material 4:					
Gsc Material Description:					
Stratum Description: SILT,CLAY,SAND MEDIUM. ALLUVIAL,AGE POST-GLACIAL.					
Geology Stratum ID: 218487727					
Top Depth: 0					
Bottom Depth: .1					
Material Color: Brown					
Material 1: Fill					
Material 2: Gravel					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description: FILL,GRAVEL. BROWN.					
Geology Stratum ID: 218487728					
Top Depth: .1					
Bottom Depth: 1.1					
Material Color: Black					
Material 1: Organic					
Material 2: Sand					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description: ORGANIC-MEDIUM TO COARSE,SAND. BLACK,AGE POST-GLACIAL.					
Geology Stratum ID: 218487726					
Top Depth: 0					
Bottom Depth: 0					
Material Color:					
Material 1: Asphalt					
Material 2:					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description: ASPHALT.					
<u>Source</u>					
Source Type: Data Survey					
Source Orig: Geological Survey of Canada					
Source Date: 1956-1972					
Confidence: M					
Observatio:					
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Details: File: TOR1B.txt RecordID: 072380 NTS_Sheet: 30M12A					
Confiden 1: Logs are approximately correct. Lack of information. Doubtful terminology.					
Mat Consistency:					
Material Moisture:					
Material Texture: Medium					
Non Geo Mat Type:					
Geologic Formation:					
Geologic Group:					
Geologic Period:					
Depositional Gen: alluvial					
Mat Consistency:					
Material Moisture:					
Material Texture:					
Non Geo Mat Type:					
Geologic Formation:					
Geologic Group:					
Geologic Period:					
Depositional Gen: fill					
Mat Consistency:					
Material Moisture:					
Material Texture: Coarse					
Non Geo Mat Type:					
Geologic Formation:					
Geologic Group:					
Geologic Period:					
Depositional Gen:					
Source Appl: Spatial/Tabular					
Source Iden: 1					
Scale or Res: Varies					
Horizontal: NAD27					
Verticalda: Mean Average Sea Level					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">74</a>	1 of 1	SSW/173.9	79.8 / 0.00	LAKE SHORE 91/99 ON	WWIS
Well ID:	7148419			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/16/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z114391			Owner:	
Tag:	A099909			Street Name:	LAKE SHORE 91/99
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7148419.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7148419.pdf</a>				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003169221			Elevation:	79.460556
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614446
Code OB Desc:				North83:	4823232
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/10/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003209358				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003209357			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209361			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209362			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209360			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003209368			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1003209356			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1003209364			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		1.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003209365			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.75			
<b><u>Water Details</u></b>					
Water ID:		1003209363			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003209359			
Diameter:		10.92			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<b><u>75</u></b>	<b>1 of 2</b>	<b>SW/174.5</b>	<b>79.8 / 0.00</b>	<b>HOOPER'S PHARMACY 19-650 100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3</b>	<b>GEN</b>
Generator No:	ON1537800			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6031				
SIC Description:	PHARMACIES				

**Detail(s)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">75</a>	2 of 2	SW/174.5	79.8 / 0.00	HOOPER'S PHARMACY 100 LAKESHORE ROAD EAST MISSISSAUGA ON L5G 1E3	GEN
Generator No:		ON1537800		PO Box No:	
Status:				Country:	
Approval Years:		99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6031			
SIC Description:		PHARMACIES			
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<a href="#">76</a>	1 of 1	SSW/174.8	79.8 / 0.00	103 LAKESHORE RD E MISSISSAUGA ON	WWIS
Well ID:		7183549		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	7/6/2012
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:		Z151075		Owner:	
Tag:		A125621		Street Name:	103 LAKESHORE RD E
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183549.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003962314		Elevation:	79.442024
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614447
Code OB Desc:				North83:	4823231
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		5/30/2012		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<u><b>Overburden and Bedrock Materials Interval</b></u>					
Formation ID:		1004340838			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		3			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u><b>Overburden and Bedrock Materials Interval</b></u>					
Formation ID:		1004340837			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1			
Formation End Depth:		3			
Formation End Depth UOM:		m			
<u><b>Overburden and Bedrock Materials Interval</b></u>					
Formation ID:		1004340836			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		m			
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
Plug ID:		1004340848			
Layer:		3			
Plug From:		1.2			
Plug To:		4.5			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004340847			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.2			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004340846			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004340845			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004340835			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004340841			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		4.02			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004340842			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Water ID:		1004340840			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
 <u>Hole Diameter</u>					
Hole ID:		1004340839			
Diameter:		10.9			
Depth From:		0			
Depth To:		4.5			
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<hr/>					
<a href="#">77</a>	1 of 1	ENE/175.0	79.0 / -0.82	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON	WWIS
Well ID:	7298175			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	10/31/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z255554			Owner:	
Tag:	A232865			Street Name:	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1006785452			Elevation:	79.426445
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614606
Code OB Desc:				North83:	4823516
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	9/20/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1006961717			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		0			
Formation End Depth:		3.6			
Formation End Depth UOM:		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID:		1006961718			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		35			
Mat2 Desc:		WOOD FRAGMENTS			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		3.6			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1006961726			
Layer:		2			
Plug From:		0.3			
Plug To:		1.2			
Plug Depth UOM:		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1006961725			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		1006961724			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pipe ID:		1006961716			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006961721			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		.1			
Depth To:		1.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1006961722			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.5			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
 <u>Water Details</u>					
Water ID:		1006961720			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		3.6			
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1006961719			
Diameter:		21			
Depth From:		0			
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<u>78</u>	1 of 1	N/176.2	79.8 / 0.00	OSHAWA FOODS 25 HURONTARIO STREET RETAIL STORE MISSISSAUGA CITY ON	SPL
Ref No:	123765			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/19/1996			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Air Pollution <b>Receiving Medium:</b> AIR <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2/20/1996 <b>Dt Document Closed:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> HURONTARIO PRICE CHOPPER-34 KG FREON R-22 TO ATM, LINE LEAK,REPAIRED. <b>Contaminant Qty:</b>					
<b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>					
<a href="#">79</a>	1 of 1	WSW/177.0	79.8 / 0.00	7 Elizabeth Street North Mississauga ON L5G 2Y8	EHS
<b>Order No:</b> 20190822036 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 27-AUG-19 <b>Date Received:</b> 22-AUG-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.584531 <b>Y:</b> 43.553856					
<a href="#">80</a>	1 of 1	N/177.1	79.8 / 0.00	15 HURNOTARIP STREET MISSISSAUGA ON	WWIS
<b>Well ID:</b> 7104773 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Abandoned-Other <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z70743 <b>Tag:</b> A057183 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/1/2008 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> Yes <b>Contractor:</b> 7082 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> 15 HURNOTARIP STREET <b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7104773.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7104773.pdf</a>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1001585176 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b>					
<b>Elevation:</b> 82.661506 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 614444 <b>North83:</b> 4823579					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	4/22/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1001628743			
Layer:		1			
Plug From:		0			
Plug To:		7.16			
Plug Depth UOM:		m			
 <u>Method of Construction &amp; Well</u>					
<u>Use</u>					
Method Construction ID:		1001628747			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		AUGERING			
 <u>Pipe Information</u>					
Pipe ID:		1001628740			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1001628745			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1001628746			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
 <u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Water ID:		1001628744			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:		1001628742			
Diameter:		15.24			
Depth From:		0			
Depth To:		7.16			
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<hr/>					
<a href="#">81</a>	1 of 1	S/177.1	79.9 / 0.03	103 LAKESHORE RD E MISSISSAUGA ON	WWIS
Well ID:	7183548			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/6/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z151074			Owner:	
Tag:	A125614			Street Name:	103 LAKESHORE RD E
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183548.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003962303			Elevation:	79.39289
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614452
Code OB Desc:				North83:	4823228
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/30/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Formation ID:</b>		1004340781			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		m			
 <u><b>Overburden and Bedrock Materials Interval</b></u>					
<b>Formation ID:</b>		1004340780			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1			
<b>Formation End Depth UOM:</b>		m			
 <u><b>Overburden and Bedrock Materials Interval</b></u>					
<b>Formation ID:</b>		1004340782			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		08			
<b>Mat2 Desc:</b>		FINE SAND			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		4.5			
<b>Formation End Depth UOM:</b>		m			
 <u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b>		1004340788			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
 <u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b>		1006113218			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2			
<b>Plug To:</b>		4.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006113217			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.21			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004340787			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004340779			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004340785			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		4.02			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004340786			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004340784			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:	1004340783				
Diameter:	10.9				
Depth From:	0				
Depth To:	4.5				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<b><u>82</u></b>	1 of 1	<b>SSE/177.2</b>	<b>77.5 / -2.34</b>	<b>UNKNOWN LAKE ONTARIO, BASE OF HELENE ST. MISSISSAUGA CITY ON</b>	<b>SPL</b>
Ref No:	143887			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	7/20/1997			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	WASTEWATER DISCHARGE TO WATERCOURSE			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	21102
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	REGION,
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	7/20/1997			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	UNKNOWN SOURCE- SEWAGE SMELL, BLACK BEACH.REG OF PEEL, ERP.				
Contaminant Qty:					
<b><u>83</u></b>	1 of 1	<b>WSW/177.4</b>	<b>79.8 / 0.00</b>	<b>7 Elizabeth Street North Mississauga ON</b>	<b>EHS</b>
Order No:	20110531031			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	6/7/2011			Search Radius (km):	0.25
Date Received:	5/31/2011 1:34:57 PM			X:	-79.58455
Previous Site Name:				Y:	43.553869
Lot/Building Size:					
Additional Info Ordered:					
<b><u>84</u></b>	1 of 1	<b>SSE/179.3</b>	<b>77.9 / -1.99</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	640932			Inclin FLG:	No
OGF ID:	215541327			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.55326
Total Depth m:	4.6			Longitude DD:	-79.582154
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614525
Drill Method:	Power auger			Northing:	4823233
Orig Ground Elev m:	78.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.3				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494138			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	.9			Material Texture:	Coarse
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM TO COARSE,SILT. ALLUVIAL,AGE POST-GLACIAL.				
Geology Stratum ID:	218494137			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	GRAVEL. ALLUVIAL,AGE POST-GLACIAL.				
Geology Stratum ID:	218494139			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	Coarse
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM TO COARSE,CLAY. BLACK,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494140			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	CLAY. GREY,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494141			Mat Consistency:	
Top Depth:	4			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b> Grey <b>Material 1:</b> Clay <b>Material 2:</b> Gravel <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> CLAY, GRAVEL. GREY, ALLUVIAL, AGE GLACIAL.					
<b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b> alluvial					
<b>Source</b>					
<b>Source Type:</b> Data Survey <b>Source Orig:</b> Geological Survey of Canada <b>Source Date:</b> 1956-1972 <b>Confidence:</b> M <b>Observatio:</b> <b>Source Name:</b> Urban Geology Automated Information System (UGAIS) <b>Source Details:</b> File: TOR1B.txt RecordID: 088980 NTS_Sheet: 30M12A <b>Confiden 1:</b> Logs are approximately correct. Lack of information. Doubtful terminology.					
<b>Source Appl:</b> Spatial/Tabular <b>Source Iden:</b> 1 <b>Scale or Res:</b> Varies <b>Horizontal:</b> NAD27 <b>Verticalda:</b> Mean Average Sea Level					
<b>Source List</b>					
<b>Source Identifier:</b> 1 <b>Source Type:</b> Data Survey <b>Source Date:</b> 1956-1972 <b>Scale or Resolution:</b> Varies <b>Source Name:</b> Urban Geology Automated Information System (UGAIS) <b>Source Originators:</b> Geological Survey of Canada					
<b>Horizontal Datum:</b> NAD27 <b>Vertical Datum:</b> Mean Average Sea Level <b>Projection Name:</b> Universal Transverse Mercator					
<a href="#">85</a>	1 of 1	NNW/180.2	79.8 / 0.00	High Street, Park Street East & Hurontario Street Mississauga ON	CA
<b>Certificate #:</b> 0657-4SGM38 <b>Application Year:</b> 00 <b>Issue Date:</b> 12/29/00 <b>Approval Type:</b> Municipal & Private water <b>Status:</b> Approved <b>Application Type:</b> New Certificate of Approval <b>Client Name:</b> Corporation of the Regional Municipality of Peel <b>Client Address:</b> 10 Peel Centre Drive <b>Client City:</b> Brampton <b>Client Postal Code:</b> L6T 4B9 <b>Project Description:</b> Watermain and appurtenances to be constructed in conjunction with Project no. 00-1310 in the City of Mississauga, on High Street, Park Street East and Hurontario Street. <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">86</a>	1 of 1	SW/181.7	79.8 / 0.00	94-100 Lakeshore Road East Mississauga ON L5G 1E3	EHS
<b>Order No:</b> 20190710124 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 12-JUL-19 <b>Date Received:</b> 10-JUL-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches; City Directory; Aerial Photos					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.584021 <b>Y:</b> 43.553448					
<a href="#">87</a>	1 of 1	NE/182.5	79.8 / 0.00	ON	WWIS



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Completion Date:</b>	01-JUN-1959			<b>Municipality:</b>	
<b>Static Water Level:</b>	1.4			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.556435
<b>Total Depth m:</b>	6.7			<b>Longitude DD:</b>	-79.583239
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614431
<b>Drill Method:</b>	Hollow stem auger			<b>Northing:</b>	4823584
<b>Orig Ground Elev m:</b>	81.8			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 20 metres
<b>DEM Ground Elev m:</b>	82.3				
<b>Concession:</b>					
<b>Location D:</b>		PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER			
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	6014647			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	Wet
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	Fine
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Fine to very fine sand (saturated below 1.52m) **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<b>Geology Stratum ID:</b>	6014648			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	2.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>	Stones			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Grey, hard, silty clay or clayey silt, with sand and stones up to 0.05m in diameter **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<b>Geology Stratum ID:</b>	6014649			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.7			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Glacial till **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<a href="#"><u>90</u></a>	1 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS LTD. 150 LAKESHORE EAST SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	SPL
<b>Ref No:</b>	111251			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	3/19/1995			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		POSSIBLE Air Pollution LAND  3/23/1995 EQUIPMENT FAILURE		<b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	21102  MCCR
		PIONEER PETROLEUM-UKN QTYGASOLINE TO GRND,LEAK DETECTOR LINE LEAK.			
<a href="#">90</a>	2 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS ATTN LOLA LAURIE 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		9134 retail 1994-03-31 0 0048041004			
<a href="#">90</a>	3 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS ATTN LOLA LAURIE 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		9134 retail 1995-07-31 2000 0033408001			
<a href="#">90</a>	4 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS ATTN LOLA LAURIE 150 LAKESHORE RD E MISSISSAUGA ON L5G1E9	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		9134 retail 1996-03-31 118000 0056875001			
<a href="#">90</a>	5 of 13	NNE/186.5	79.8 / 0.00	150 LAKESHORE RD. E. PORT CREDIT ON	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		11953 retail			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">90</a>	6 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
Phone:					
List Name:					
Description:					
<a href="#">90</a>	7 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS LTD. 150 LAKESHORE RD E SERVICE STATION MISSISSAUGA CITY ON L5G 1E9	SPL
Ref No:		195837		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		3/2/2001		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		OTHER TRANSPORTATION ACCIDENT		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		Possible		Site Municipality:	
Nature of Impact:		Air Pollution		Site Lot:	
Receiving Medium:		Air		Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		3/2/2001		Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:		UNKNOWN		Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		PIONEER STATION: UKN AMT PROPANE TO AIR. DUE TO MVA. F/D, P/D.			
Contaminant Qty:					
<a href="#">90</a>	8 of 13	NNE/186.5	79.8 / 0.00	PIONEER PETROLEUMS MANAGEMENT INC** 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	FSTH
License Issue Date:		3/1/2002			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Split Serve			
<u>--Details--</u>					
Status:		Removed			
Year of Installation:		1978			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Removed			
Year of Installation:		1978			
Corrosion Protection:					



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Capacity:</b>		22700			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		22700			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		22700			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13600			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13600			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>90</b>	<b>9 of 13</b>	<b>NNE/186.5</b>	<b>79.8 / 0.00</b>	<b>PIONEER PETROLEUMS MANAGEMENT INC** 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9</b>	<b>FSTH</b>
<b>License Issue Date:</b>		3/1/2002			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Retail Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Split Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1995			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		20000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1995			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1995			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		29000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1995			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		29000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">90</a>	10 of 13	NNE/186.5	79.8 / 0.00	150 Lakeshore Rd E Mississauga ON L5G 1E9	EHS
Order No:		20100709004	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State:		ON
Report Date:		7/19/2010	Search Radius (km):		0.25
Date Received:		7/9/2010	X:		-79.581351
Previous Site Name:			Y:		43.556086
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; Title Searches			
<a href="#">90</a>	11 of 13	NNE/186.5	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC. 150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		9673965			
Status:		EXPIRED			
Instance ID:					
Instance Type:		FS Facility			
Description:					
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		3/17/1993			
Original Source:		EXP			
Record Date:		Up to May 2013			
<a href="#">90</a>	12 of 13	NNE/186.5	79.8 / 0.00	Pioneer Energy LP 150 Lakeshore Road East Mississauga ON L5G 1E9	GEN
Generator No:		ON9285568	PO Box No:		
Status:			Country:		
Approval Years:		2011	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		447110			
SIC Description:					
<a href="#">90</a>	13 of 13	NNE/186.5	79.8 / 0.00	Pioneer Energy LP 150 Lakeshore Road East Mississauga ON L5G 1E9	GEN
Generator No:		ON9285568	PO Box No:		
Status:			Country:		
Approval Years:		2012	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		447110			
SIC Description:		Gasoline Stations with Convenience Stores			
<a href="#">91</a>	1 of 2	S/186.6	79.1 / -0.78	Edwards lakeside Veterinary Clinic 46 Port Street East Mississauga ON L5G 1C1	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> ON5788282 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 146 U <b>Waste Class Desc:</b> Other specified inorganic sludges, slurries or solids					
<b>Waste Class:</b> 312 P <b>Waste Class Desc:</b> Pathological wastes					
<a href="#">91</a>	2 of 2	S/186.6	79.1 / -0.78	Edwards lakeside Veterinary Clinic 46 Port Street East Mississauga ON L5G 1C1	GEN
<b>Generator No:</b> ON5788282 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 312 P <b>Waste Class Desc:</b> Pathological wastes					
<b>Waste Class:</b> 146 U <b>Waste Class Desc:</b> Other specified inorganic sludges, slurries or solids					
<a href="#">92</a>	1 of 2	S/186.7	79.1 / -0.78	Edwards lakeside Veterinary Clinic 46 Port Street East Mississauga ON L5G 1C1	GEN
<b>Generator No:</b> ON5788282 <b>Status:</b> <b>Approval Years:</b> 03,04,05 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">92</a>	2 of 2	S/186.7	79.1 / -0.78	Edwards lakeside Veterinary Clinic 46 Port Street East Mississauga ON L5G 1C1	GEN
<b>Generator No:</b> ON5788282 <b>Status:</b> <b>Approval Years:</b> 2011 <b>Contam. Facility:</b>					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:					
 <u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<hr/>					
<a href="#">93</a>	1 of 1	NW/187.1	79.8 / 0.00	91 Park St E Mississauga ON L5G4W1	EHS
Order No:	20180404020			Nearest Intersection:	
Status:	C			Municipality:	Mississauga
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	10-APR-18			Search Radius (km):	.3
Date Received:	04-APR-18			X:	-79.583872
Previous Site Name:				Y:	43.556293
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
<a href="#">94</a>	1 of 1	ENE/188.4	79.3 / -0.58	ON	AST
OGF ID:	1200714522				
Sub Type:	Petroleum Tank				
Sub Type No:	1332				
Location Accuracy:	Within 10 metres				
Sensitivity Class:	Non-Sensitive				
Sensitivity Date:	20070106				
Sensitivity Rationale:	No Restriction Needed				
Verification Flag:	Verified				
Verification Date:	19980522				
Business Effective Dt Flag:	Estimated				
Business Effective Dt:	19980522				
Sys Calcu Area:	17.5				
Sys Calcu Length:	0.0				
User Calc Metric:	0.0				
Effective Date/Time:	19980522				
<hr/>					
<a href="#">95</a>	1 of 1	SSE/189.0	76.3 / -3.52	ON	WWIS
Well ID:	7315579			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/30/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6988
Casing Material:				Form Version:	8
Audit No:	C37776			Owner:	
Tag:	A241874			Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007230214	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:			
Code OB:		East83:			
Code OB Desc:		North83:			
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:			
Date Completed:	3/23/2018	UTMRC Desc:			
Remarks:		Location Method:			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

<a href="#">96</a>	1 of 1	S/190.2	79.6 / -0.25	99 LAKESHORE RD PORT CREDIT ON	WWIS
<b>Well ID:</b>			7211009	<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>			Monitoring	<b>Date Received:</b> 11/8/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>			Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7472	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>			Z179110	<b>Owner:</b>	
<b>Tag:</b>			A155430	<b>Street Name:</b> 99 LAKESHORE RD	
<b>Construction Method:</b>				<b>County:</b> PEEL	
<b>Elevation (m):</b>				<b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT)	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1004629597	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:			
Code OB:		East83:			
Code OB Desc:		North83:			
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:			
Date Completed:	5/6/2013	UTMRC Desc:			
Remarks:		Location Method:			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<u><b>Overburden and Bedrock Materials Interval</b></u>					
<b>Formation ID:</b>		1004889457			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		08			
<b>Most Common Material:</b>		FINE SAND			
<b>Mat2:</b>		66			
<b>Mat2 Desc:</b>		DENSE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		m			
<u><b>Overburden and Bedrock Materials Interval</b></u>					
<b>Formation ID:</b>		1004889458			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		73			
<b>Mat3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		12.1			
<b>Formation End Depth UOM:</b>		m			
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b>		1004889465			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		8.5			
<b>Plug Depth UOM:</b>		m			
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b>		1004889466			
<b>Layer:</b>		2			
<b>Plug From:</b>		8.5			
<b>Plug To:</b>		12.1			
<b>Plug Depth UOM:</b>		m			
<u><b>Method of Construction &amp; Well Use</b></u>					
<b>Method Construction ID:</b>		1004889464			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	----------------------	----------------------------	------------------	------	----

**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 1004889456  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1004889461  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 9.1  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1004889462  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 9.1  
**Screen End Depth:** 12.1  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.4

**Water Details**

**Water ID:** 1004889460  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004889459  
**Diameter:** 21  
**Depth From:** 0  
**Depth To:** 12.1  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">97</a>	1 of 1	ENE/190.3	79.4 / -0.44	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD Mississauga ON	WWIS
<b>Well ID:</b>	7298174			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	10/31/2017
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6607

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z255553			<b>Owner:</b>	
<b>Tag:</b>	A232595			<b>Street Name:</b>	150 LAKESHORE ROAD EAST WELL LOCATED ON ROAD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY (PORT CREDIT)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
 <b>PDF URL (Map):</b>					
 <b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1006785449			<b>Elevation:</b>	79.566017
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614615
<b>Code OB Desc:</b>				<b>North83:</b>	4823529
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	9/20/2017			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
 <b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006961706				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	05				
<b>Mat2 Desc:</b>	CLAY				
<b>Mat3:</b>	66				
<b>Mat3 Desc:</b>	DENSE				
<b>Formation Top Depth:</b>	1.2				
<b>Formation End Depth:</b>	3				
<b>Formation End Depth UOM:</b>	m				
 <b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006961707				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	17				
<b>Most Common Material:</b>	SHALE				
<b>Mat2:</b>	15				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		LIMESTONE			
<b>Mat3:</b>		74			
<b>Mat3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		4.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006961705			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006961714			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006961715			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006961713			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006961704			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006961710			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		.1			
Depth To:		1.3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006961711			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.3			
Screen End Depth:		4.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1006961709			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006961708			
Diameter:		21			
Depth From:		0			
Depth To:		4.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<a href="#">98</a>	1 of 1	SSW/190.3	79.8 / 0.00	99 Lakeshore Road East Mississauga ON L5G 1E2	EHS
Order No:		20100126023		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	
Report Date:		2/2/2010		Search Radius (km):	
Date Received:		1/26/2010		X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
<a href="#">99</a>	1 of 1	ENE/192.5	79.4 / -0.41	ON	AST
OGF ID:		1200714524			
Sub Type:		Petroleum Tank			
Sub Type No:		1332			
Location Accuracy:		Within 10 metres			
Sensitivity Class:		Non-Sensitive			
Sensitivity Date:		20070106			
Sensitivity Rationale:		No Restriction Needed			
Verification Flag:		Verified			

<u>100</u>	1 of 1	E/195.2	79.6 / -0.29	ON	BORE
<b>Borehole ID:</b>	833859			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215585990			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	03-JUN-1959			<b>Municipality:</b>	
<b>Static Water Level:</b>	1.5			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.554491
<b>Total Depth m:</b>	1.5			<b>Longitude DD:</b>	-79.580399
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614664
<b>Drill Method:</b>	Hollow stem auger			<b>Northing:</b>	4823372
<b>Orig Ground Elev m:</b>	77.3			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 20 metres
<b>DEM Ground Elev m:</b>	76.8				
<b>Concession:</b>					
<b>Location D:</b>		PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER			
<b>Survey D:</b>					
<b>Comments:</b>					

<b>Geology Stratum ID:</b>	6014662	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5	<b>Material Texture:</b>	Coarse
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Boulders	<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Coarse sand with boulders	**Note: Many records provided by the department have a truncated [Stratum Description] field.	

---

<a href="#">102</a>	1 of 23	NE/197.9	79.8 / 0.00	<b>PARKLAND FUEL CORPORATION</b> <b>150 LAKESHORE RD E MISSISSAUGA L5G 1E9</b>	<b>FST</b>
---------------------	---------	----------	-------------	---	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
				ON CA 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	
<b>Instance No:</b>	64523553			<b>Manufacturer:</b>	NULL
<b>Status:</b>	Active			<b>Serial No:</b>	NULL
<b>Cont Name:</b>				<b>Ulc Standard:</b>	NULL
<b>Instance Type:</b>	FS Liquid Fuel Tank			<b>Quantity:</b>	1
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	EA
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	Gasoline
<b>Install Date:</b>	3/20/2012 2:36:51 PM			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	2011			<b>Piping Steel:</b>	
<b>Years in Service:</b>	NULL			<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	60000			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	NULL
<b>Corrosion Protect:</b>	Fiberglass			<b>Panam Venue:</b>	NULL
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>	FS Gasoline Station - Self Serve				
<b>Facility Location:</b>	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA				
<b>Device Installed Location:</b>	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA				
 <b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>	PARKLAND FUEL CORPORATION				
 <b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>	NULL				
<b>Owner Account Name:</b>	PARKLAND FUEL CORPORATION				
<hr/>					
<a href="#">102</a>	2 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<b>Instance No:</b>	64523552			<b>Manufacturer:</b>	NULL
<b>Status:</b>	Active			<b>Serial No:</b>	NULL
<b>Cont Name:</b>				<b>Ulc Standard:</b>	NULL
<b>Instance Type:</b>	FS Liquid Fuel Tank			<b>Quantity:</b>	1
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	EA
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	Diesel
<b>Install Date:</b>	3/20/2012 2:36:51 PM			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	2011			<b>Piping Steel:</b>	
<b>Years in Service:</b>	NULL			<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	60000			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	NULL
<b>Corrosion Protect:</b>	NULL			<b>Panam Venue:</b>	NULL
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>	FS Gasoline Station - Self Serve				
<b>Facility Location:</b>	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA				
<b>Device Installed Location:</b>	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA				
 <b><u>Fuel Storage Tank Details</u></b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Owner Account Name:		PARKLAND FUEL CORPORATION			
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:		NULL			
Owner Account Name:		PARKLAND FUEL CORPORATION			
<a href="#">102</a>	3 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11207128	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		10/2/1989	Fuel Type3:		NULL
Instance Install Dt:		10/2/1989	Piping Steel:		
Item:			Piping Galvanized:		
Item Description:		FS Liquid Fuel Tank	Tank Single Wall St:		
Facility Type:		FS LIQUID FUEL TANK	Piping Underground:		
Overfill Prot Type:		NULL	Tank Underground:		
Creation Date:		7/5/2009 1:24:13 AM	Panam Related:		NULL
Expired Date:			Panam Venue Nm:		NULL
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		NULL			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	4 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11207142	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		5/18/1993	Fuel Type3:		NULL
Instance Install Dt:		5/18/1993	Piping Steel:		
Item:			Piping Galvanized:		
Item Description:		FS Liquid Fuel Tank	Tank Single Wall St:		
Facility Type:		FS LIQUID FUEL TANK	Piping Underground:		
Overfill Prot Type:		NULL	Tank Underground:		
Creation Date:		7/5/2009 1:24:14 AM	Panam Related:		NULL
Expired Date:			Panam Venue Nm:		NULL
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		NULL			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	5 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11207073	Model:		NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Status:</b>  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Item:</b>  <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Facility Location:</b> </div> <div>           EXPIRED             10/2/1989            10/2/1989             FS Liquid Fuel Tank            FS LIQUID FUEL TANK            NULL            7/5/2009 1:24:14 AM            NULL            NULL            FS Liquid Fuel Tank            NULL            NULL            NULL            150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA         </div> <div> <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type2:</b>  <b>Fuel Type3:</b>  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div>           1            EA            NULL            NULL             NULL            NULL            NULL            NULL            NULL            NULL         </div> </div>					
<a href="#">102</a>	6 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
<div> <div> <b>Instance No:</b>  <b>Status:</b>  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Item:</b>  <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Facility Location:</b> </div> <div>           11207096            EXPIRED             10/2/1989            10/2/1989             FS Liquid Fuel Tank            FS LIQUID FUEL TANK            NULL            7/5/2009 1:24:16 AM            NULL            NULL            FS Liquid Fuel Tank            NULL            NULL            NULL            150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA         </div> <div> <b>Model:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type2:</b>  <b>Fuel Type3:</b>  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div>           NULL            1            EA            NULL            NULL             NULL            NULL            NULL            NULL            NULL         </div> </div>					
<a href="#">102</a>	7 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
<div> <div> <b>Instance No:</b>  <b>Status:</b>  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Item:</b>  <b>Item Description:</b>  <b>Facility Type:</b>  <b>Overfill Prot Type:</b>  <b>Creation Date:</b>  <b>Expired Date:</b>  <b>Manufacturer:</b>  <b>Source:</b>  <b>Description:</b> </div> <div>           11207160            EXPIRED             5/18/1993            5/18/1993             FS Liquid Fuel Tank            FS LIQUID FUEL TANK            NULL            7/5/2009 1:24:17 AM            NULL            NULL            FS Liquid Fuel Tank            NULL         </div> <div> <b>Model:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type2:</b>  <b>Fuel Type3:</b>  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue Nm:</b> </div> <div>           NULL            1            EA            NULL            NULL             NULL            NULL            NULL            NULL            NULL         </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	8 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11207111	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		10/2/1989	Fuel Type3:		NULL
Instance Install Dt:		10/2/1989	Piping Steel:		
Item:			Piping Galvanized:		
Item Description:		FS Liquid Fuel Tank	Tank Single Wall St:		
Facility Type:		FS LIQUID FUEL TANK	Piping Underground:		
Overfill Prot Type:		NULL	Tank Underground:		
Creation Date:		7/5/2009 1:24:20 AM	Panam Related:		NULL
Expired Date:			Panam Venue Nm:		NULL
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		NULL			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	9 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11421534	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA
Instance Type:			Fuel Type2:		NULL
Instance Creation Dt:		7/19/2000 8:15:15 PM	Fuel Type3:		NULL
Instance Install Dt:		5/8/2009	Piping Steel:		
Item:			Piping Galvanized:		
Item Description:		FS Liquid Fuel Tank	Tank Single Wall St:		
Facility Type:		FS LIQUID FUEL TANK	Piping Underground:		
Overfill Prot Type:		NULL	Tank Underground:		
Creation Date:		7/5/2009 1:25:15 AM	Panam Related:		NULL
Expired Date:			Panam Venue Nm:		NULL
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		2009VBSREGULAR			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	10 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
Instance No:		11421513	Model:		NULL
Status:		EXPIRED	Quantity:		1
Instance ID:			Unit of Measure:		EA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 7/19/2000 8:15:15 PM  <b>Instance Install Dt:</b> 5/8/2009  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:17 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> 2009VBSREGULAR  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA </div> <div> <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">102</a>	11 of 23	NE/197.9	79.8 / 0.00	<b>PARKLAND FUEL CORPORATION</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
<div> <div> <b>Instance No:</b> 11421563  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 7/19/2000 8:15:15 PM  <b>Instance Install Dt:</b> 5/8/2009  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:15 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> 2009VBSSUCTION SYSTEM - MOTOR UNDER PUMP  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL  <b>Facility Location:</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					
<a href="#">102</a>	12 of 23	NE/197.9	79.8 / 0.00	<b>PARKLAND FUEL CORPORATION</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	EXP
<div> <div> <b>Instance No:</b> 11421544  <b>Status:</b> EXPIRED  <b>Instance ID:</b>  <b>Instance Type:</b>  <b>Instance Creation Dt:</b> 7/19/2000 8:15:15 PM  <b>Instance Install Dt:</b> 5/8/2009  <b>Item:</b>  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Facility Type:</b> FS LIQUID FUEL TANK  <b>Overfill Prot Type:</b> NULL  <b>Creation Date:</b> 7/5/2009 1:25:20 AM  <b>Expired Date:</b>  <b>Manufacturer:</b> NULL  <b>Source:</b> FS Liquid Fuel Tank  <b>Description:</b> 2009VBSSUPER  <b>Serial No:</b> NULL  <b>Ulc Standard:</b> NULL </div> <div> <b>Model:</b> NULL  <b>Quantity:</b> 1  <b>Unit of Measure:</b> EA  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tank Single Wall St:</b>  <b>Piping Underground:</b>  <b>Tank Underground:</b>  <b>Panam Related:</b> NULL  <b>Panam Venue Nm:</b> NULL </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
<a href="#">102</a>	13 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
Instance No:		11207073		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		10/2/1989		Fuel Type3: NULL	
Install Year:		1978		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		22700		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		PIONEER ENERGY MANAGEMENT INC			
<a href="#">102</a>	14 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
Instance No:		11207142		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		5/18/1993		Fuel Type3: NULL	
Install Year:		1978		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		13600		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		PIONEER ENERGY MANAGEMENT INC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">102</a>	15 of 23	NE/197.9	79.8 / 0.00	150 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	FST
Instance No:		64523550		Manufacturer:	
Status:		Active		Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS GASOLINE STATION - SELF SERVE		Unit of Measure:	
Item Description:				Fuel Type:	
Tank Type:				Fuel Type2:	
Install Date:				Fuel Type3:	
Install Year:				Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:				Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:				Num Underground:	
Tank Material:				Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:					
Parent Facility Type:					
Facility Location:					
Device Installed Location:					

<u>102</u>	16 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<b>Instance No:</b>	11421513			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	5/8/2009			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1995			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	50000			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>	150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA				
<u><b>Fuel Storage Tank Details</b></u>					
<b>Owner Account Name:</b>	PARKLAND FUEL CORPORATION				

<a href="#">102</a>	17 of 23	NE/197.9	79.8 / 0.00	<b>PIONEER ENERGY MANAGEMENT INC</b> <b>150 LAKESHORE RD E MISSISSAUGA L5G 1E9</b> <b>ON CA</b> <b>ON</b>	<b>FST</b>
<b>Instance No:</b> 11207128		<b>Manufacturer:</b>			
<b>Status:</b>		<b>Serial No:</b>			
<b>Cont Name:</b>		<b>Ulc Standard:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Instance Type:</b>  <b>Item:</b> FS LIQUID FUEL TANK  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Tank Type:</b> Liquid Fuel Single Wall UST  <b>Install Date:</b> 10/2/1989  <b>Install Year:</b> 1978  <b>Years in Service:</b>  <b>Model:</b> NULL  <b>Description:</b>  <b>Capacity:</b> 22700  <b>Tank Material:</b> Steel  <b>Corrosion Protect:</b>  <b>Overfill Protect:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Parent Facility Type:</b>  <b>Facility Location:</b>  <b>Device Installed Location:</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA </div> <div> <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type:</b> Gasoline  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tanks Single Wall St:</b>  <b>Piping Underground:</b>  <b>Num Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue:</b> </div> </div>					
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b> PIONEER ENERGY MANAGEMENT INC					
<a href="#">102</a>	18 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<div> <div> <b>Instance No:</b> 11421544  <b>Status:</b>  <b>Cont Name:</b>  <b>Instance Type:</b>  <b>Item:</b> FS LIQUID FUEL TANK  <b>Item Description:</b> FS Liquid Fuel Tank  <b>Tank Type:</b> Double Wall UST  <b>Install Date:</b> 5/8/2009  <b>Install Year:</b> 1995  <b>Years in Service:</b>  <b>Model:</b> NULL  <b>Description:</b>  <b>Capacity:</b> 29000  <b>Tank Material:</b> Fiberglass (FRP)  <b>Corrosion Protect:</b>  <b>Overfill Protect:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Parent Facility Type:</b>  <b>Facility Location:</b>  <b>Device Installed Location:</b> 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA </div> <div> <b>Manufacturer:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type:</b> Gasoline  <b>Fuel Type2:</b> NULL  <b>Fuel Type3:</b> NULL  <b>Piping Steel:</b>  <b>Piping Galvanized:</b>  <b>Tanks Single Wall St:</b>  <b>Piping Underground:</b>  <b>Num Underground:</b>  <b>Panam Related:</b>  <b>Panam Venue:</b> </div> </div>					
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b> PARKLAND FUEL CORPORATION					
<a href="#">102</a>	19 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<div> <div> <b>Instance No:</b> 11207160  <b>Status:</b>  <b>Cont Name:</b>  <b>Instance Type:</b>  <b>Item:</b> FS LIQUID FUEL TANK  <b>Item Description:</b> FS Liquid Fuel Tank </div> <div> <b>Manufacturer:</b>  <b>Serial No:</b>  <b>Ulc Standard:</b>  <b>Quantity:</b>  <b>Unit of Measure:</b>  <b>Fuel Type:</b> Gasoline </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Tank Type:</b> <b>Install Date:</b> <b>Install Year:</b> <b>Years in Service:</b> <b>Model:</b> <b>Description:</b> <b>Capacity:</b> <b>Tank Material:</b> <b>Corrosion Protect:</b> <b>Overfill Protect:</b> <b>Facility Type:</b> <b>Parent Facility Type:</b> <b>Facility Location:</b> <b>Device Installed Location:</b>	Liquid Fuel Single Wall UST 5/18/1993 1978 NULL 13600 Steel	FS Liquid Fuel Tank		<b>Fuel Type2:</b> <b>Fuel Type3:</b> <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tanks Single Wall St:</b> <b>Piping Underground:</b> <b>Num Underground:</b> <b>Panam Related:</b> <b>Panam Venue:</b>	NULL NULL
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b>	PIONEER ENERGY MANAGEMENT INC				

<a href="#">102</a>	20 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<b>Instance No:</b> <b>Status:</b> <b>Cont Name:</b> <b>Instance Type:</b> <b>Item:</b> <b>Item Description:</b> <b>Tank Type:</b> <b>Install Date:</b> <b>Install Year:</b> <b>Years in Service:</b> <b>Model:</b> <b>Description:</b> <b>Capacity:</b> <b>Tank Material:</b> <b>Corrosion Protect:</b> <b>Overfill Protect:</b> <b>Facility Type:</b> <b>Parent Facility Type:</b> <b>Facility Location:</b> <b>Device Installed Location:</b>	11207111 FS LIQUID FUEL TANK FS Liquid Fuel Tank Liquid Fuel Single Wall UST 10/2/1989 1978 NULL 22700 Steel	FS Liquid Fuel Tank		<b>Manufacturer:</b> <b>Serial No:</b> <b>Ulc Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Fuel Type:</b> <b>Fuel Type2:</b> <b>Fuel Type3:</b> <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tanks Single Wall St:</b> <b>Piping Underground:</b> <b>Num Underground:</b> <b>Panam Related:</b> <b>Panam Venue:</b>	Gasoline NULL NULL
<b>Fuel Storage Tank Details</b>					
<b>Owner Account Name:</b>	PIONEER ENERGY MANAGEMENT INC				

<a href="#">102</a>	21 of 23	NE/197.9	79.8 / 0.00	PIONEER ENERGY MANAGEMENT INC 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<b>Instance No:</b> <b>Status:</b> <b>Cont Name:</b> <b>Instance Type:</b> <b>Item:</b> <b>Item Description:</b> <b>Tank Type:</b> <b>Install Date:</b> <b>Install Year:</b>	11207096 FS LIQUID FUEL TANK FS Liquid Fuel Tank Liquid Fuel Single Wall UST 10/2/1989 1978			<b>Manufacturer:</b> <b>Serial No:</b> <b>Ulc Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Fuel Type:</b> <b>Fuel Type2:</b> <b>Fuel Type3:</b> <b>Piping Steel:</b>	Gasoline NULL NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	22700			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			

#### Fuel Storage Tank Details

**Owner Account Name:** PIONEER ENERGY MANAGEMENT INC

<a href="#">102</a>	22 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<hr/>					
<b>Instance No:</b>	11421563			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Diesel
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	5/8/2009			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1995			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	20000			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			

#### Fuel Storage Tank Details

**Owner Account Name:** PARKLAND FUEL CORPORATION

<a href="#">102</a>	23 of 23	NE/197.9	79.8 / 0.00	PARKLAND FUEL CORPORATION 150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA ON	FST
<hr/>					
<b>Instance No:</b>	11421534			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	5/8/2009			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1995			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity: Tank Material: Corrosion Protect: Overfill Protect: Facility Type: Parent Facility Type: Facility Location: Device Installed Location:	29000 Fiberglass (FRP)   FS Liquid Fuel Tank   150 LAKESHORE RD E MISSISSAUGA L5G 1E9 ON CA			Num Underground: Panam Related: Panam Venue:	
<b><u>Fuel Storage Tank Details</u></b>					
Owner Account Name:	PARKLAND FUEL CORPORATION				
<a href="#">103</a>	1 of 1	WSW/200.6	79.8 / 0.00	50 High Street Mississauga ON	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20130726007 C Custom Report 01-AUG-13 26-JUL-13    			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.585158 43.554303
<a href="#">104</a>	1 of 5	SW/201.2	79.8 / 0.00	THE DUDSON GROUP (USA) INC. 92 LAKESHORE RD E MISSISSAUGA ON L5G 4S2	SCT
Established: Plant Size (ft²): Employment:	0000 0 1				
<b><u>--Details--</u></b>					
Description: SIC/NAICS Code:	Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors 417920				
<a href="#">104</a>	2 of 5	SW/201.2	79.8 / 0.00	The Dudson USA Inc. 92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SCT
Established: Plant Size (ft²): Employment:	1800 1800 1				
<b><u>--Details--</u></b>					
Description: SIC/NAICS Code:	Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors 417920				
<a href="#">104</a>	3 of 5	SW/201.2	79.8 / 0.00	Dudson USA Inc. 92 Lakeshore Rd E Floor 2 Mississauga ON L5G 4S2	SCT
Established: Plant Size (ft²): Employment:	1800 1800 4				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>--Details--</b>					
<b>Description:</b>		Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417920			
<hr/>					
<a href="#">104</a>	4 of 5	SW/201.2	79.8 / 0.00	<b>Zirco Ltd.</b> <b>92 Lakeshore Rd E</b> <b>Mississauga ON L5G 4S2</b>	<b>PAP</b>
<b>Company ID:</b>		283084077		<b>Year:</b>	2009
<b>Status:</b>		Inactive		<b>Description:</b>	
<b>Type:</b>				<b>Website:</b>	
<b>Operation:</b>					
<b>Status Desc:</b>					
<b>Effluent Pollution Control:</b>					
<b>Company Name:</b>					
<b>Division:</b>					
<b>Company Mailing Address:</b>					
<b>Mailing Address:</b>		92 Lakeshore Rd E, Mississauga ON L5G 4S2			
<b>Mill Mailing Address:</b>					
<b>Mill Notes:</b>					
<b>History:</b>					
<b>Company History:</b>					
<hr/>					
<a href="#">104</a>	5 of 5	SW/201.2	79.8 / 0.00	<b>RCOM graphics and design</b> <b>92 Lakeshore Rd E Suite 202</b> <b>Mississauga ON L5G 4S2</b>	<b>SCT</b>
<b>Established:</b>		01-JAN-89			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Publishers			
<b>SIC/NAICS Code:</b>		511190			
<b>Description:</b>		Graphic Design Services			
<b>SIC/NAICS Code:</b>		541430			
<b>Description:</b>		Graphic Design Services			
<b>SIC/NAICS Code:</b>		541430			
<b>Description:</b>		Document Preparation Services			
<b>SIC/NAICS Code:</b>		561410			
<b>Description:</b>		Computer Systems Design and Related Services			
<b>SIC/NAICS Code:</b>		541510			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<hr/>					
<a href="#">105</a>	1 of 1	ESE/201.7	76.9 / -2.95	<b>Peel Standard Condominium Corporation No.</b> <b>690</b> <b>65 Port Street East</b> <b>Mississauga ON L5G 4V3</b>	<b>GEN</b>
<b>Generator No:</b>		ON8858244		<b>PO Box No:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531111				
SIC Description:		Lessors of Residential Buildings and Dwellings (except Social Housing Projects)			
 <u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

<a href="#">106</a>	1 of 1	NNE/201.9	79.8 / 0.00	ON	WWIS
<hr/>					
Well ID:	7161795			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/14/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M08435			Owner:	
Tag:	A100950			Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7161795.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7161795.pdf</a>				

#### Bore Hole Information

Bore Hole ID:	1003495961	Elevation:	80.737197
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	614516
Code OB Desc:		North83:	4823601
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	2/14/2011	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<a href="#">107</a>	1 of 1	SE/204.5	75.4 / -4.43	55 Port St E Mississauga ON L5G4P3	EHS
<hr/>					
Order No:	20180111048	Nearest Intersection:			
Status:	C	Municipality:			
Report Type:	RSC Report (Urban)	Client Prov/State:	ON		
Report Date:	18-JAN-18	Search Radius (km):	.3		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Received:	11-JAN-18			X:	-79.581439
Previous Site Name:				Y:	43.553246
Lot/Building Size:					
Additional Info Ordered:					

<a href="#">108</a>	1 of 1	ENE/205.2	79.7 / -0.14	ON	AST
OGF ID:	1200714518				
Sub Type:	Petroleum Tank				
Sub Type No:	1332				
Location Accuracy:	Within 10 metres				
Sensitivity Class:	Non-Sensitive				
Sensitivity Date:	20070106				
Sensitivity Rationale:	No Restriction Needed				
Verification Flag:	Verified				
Verification Date:	19980522				
Business Effective Dt Flag:	Estimated				
Business Effective Dt:	19980522				
Sys Calcu Area:	82.5				
Sys Calcu Length:	0.0				
User Calc Metric:	0.0				
Effective Date/Time:	19980522				

<a href="#">109</a>	1 of 1	SSW/206.0	79.8 / -0.01	LAKE SHORE 91/99 Mississauga ON	WWIS
Well ID:	7148418			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/16/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z114392			Owner:	
Tag:	A099972			Street Name:	LAKE SHORE 91/99
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7148418.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7148418.pdf)

#### Bore Hole Information

Bore Hole ID:	1003169219	Elevation:	79.806793
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	614443
Code OB Desc:		North83:	4823200
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	6/10/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<u><b>Overburden and Bedrock</b></u> <u><b>Materials Interval</b></u>					
<b>Formation ID:</b>		1003209303			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<u><b>Overburden and Bedrock</b></u> <u><b>Materials Interval</b></u>					
<b>Formation ID:</b>		1003209302			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<u><b>Annular Space/Abandonment</b></u> <u><b>Sealing Record</b></u>					
<b>Plug ID:</b>		1003209306			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<u><b>Annular Space/Abandonment</b></u> <u><b>Sealing Record</b></u>					
<b>Plug ID:</b>		1003209305			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<u><b>Annular Space/Abandonment</b></u> <u><b>Sealing Record</b></u>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1003209307			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003209313			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003209301			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003209309			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		1.5			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003209310			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.75			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003209308			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003209304			
<b>Diameter:</b>		10.92			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		inch			
<a href="#">110</a>	1 of 1	SSW/206.1	79.8 / 0.00	99 LAKESHORE RD PORT CREDIT ON	WWIS
Well ID: 7211007		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use: Monitoring		Date Received:		11/8/2013	
Sec. Water Use:		Selected Flag:		Yes	
Final Well Status: Observation Wells		Abandonment Rec:			
Water Type:		Contractor:		7472	
Casing Material:		Form Version:		7	
Audit No: Z179108		Owner:			
Tag: A155432		Street Name:		99 LAKESHORE RD	
Construction Method:		County:		PEEL	
Elevation (m):		Municipality:		MISSISSAUGA CITY (PORT CREDIT)	
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004629409		Elevation:		80.096557	
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		614402	
Code OB Desc:		North83:		4823210	
Open Hole:		Org CS:		UTM83	
Cluster Kind:		UTMRC:		4	
Date Completed: 5/6/2013		UTMRC Desc:		margin of error : 30 m - 100 m	
Remarks:		Location Method:		wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1004889436					
Layer: 2					
Color: 2					
General Color: GREY					
Mat1: 17					
Most Common Material: SHALE					
Mat2: 05					
Mat2 Desc: CLAY					
Mat3: 73					
Mat3 Desc: HARD					
Formation Top Depth: 6					
Formation End Depth: 12.1					
Formation End Depth UOM: m					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004889435			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		08			
<b>Most Common Material:</b>		FINE SAND			
<b>Mat2:</b>		66			
<b>Mat2 Desc:</b>		DENSE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004889443			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		8.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004889444			
<b>Layer:</b>		2			
<b>Plug From:</b>		8.5			
<b>Plug To:</b>		12.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004889442			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004889434			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004889439			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		9.1			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004889440			
Layer:		1			
Slot:		10			
Screen Top Depth:		9.1			
Screen End Depth:		12.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<b><u>Water Details</u></b>					
Water ID:		1004889438			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004889437			
Diameter:		21			
Depth From:		0			
Depth To:		12.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<a href="#">111</a>	1 of 2	ENE/207.6	79.8 / 0.00	Enbridge Gas Distribution Inc. 155 Lakeshore Rd. East Mississauga ON	SPL
Ref No:	6787-AQZ382			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	9/7/2017			Health/Env Conseq:	2 - Minor Environment Corporation
Year:				Client Type:	Miscellaneous Communal
Incident Cause:				Sector Type:	
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	155 Lakeshore Rd. East
Contaminant Limit 1:				Site District Office:	Halton-Peel
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1075			Site Region:	Central
Environment Impact:				Site Municipality:	Mississauga
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	
MOE Response:	No			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/7/2017			Site Map Datum:	
Dt Document Closed:	10/21/2017			SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Operator/Human Error			Source Type:	Pipeline/Components
Site Name:	Line Strike<UNOFFICIAL>				
Site County/District:	Regional Municipality of Peel				
Site Geo Ref Meth:					
Incident Summary:	TSSA FSB: Two-Inch Plastic IP Line Strike, Made Safe				
Contaminant Qty:	0 other - see incident description				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">111</a>	2 of 2	ENE/207.6	79.8 / 0.00	PIPELINE HIT - 2" 155 LAKESHORE RD E,,MISSISSAUGA,ON,L5G 4T9,CA ON	PINC
<b>Incident ID:</b> <b>Incident No:</b> 2150730 <b>Incident Reported Dt:</b> 9/8/2017 <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> <b>Customer Acct Name:</b> PIPELINE HIT - 2" <b>Incident Address:</b> 155 LAKESHORE RD E,,MISSISSAUGA,ON, L5G 4T9,CA <b>Tank Status:</b> Pipeline Damage Reason Est <b>Task No:</b> <b>Spills Action Centre:</b> <b>Fuel Type:</b> <b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> <b>Reported By:</b> <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> <b>Notes:</b>		<b>Fuel Category:</b> <b>Health Impact:</b> <b>Environment Impact:</b> <b>Property Damage:</b> <b>Service Interrupt:</b> <b>Enforce Policy:</b> <b>Public Relation:</b>  <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> <b>PSIG:</b> <b>Attribute Category:</b> <b>Regulator Location:</b> <b>Method Details:</b>			
<a href="#">112</a>	1 of 1	SE/207.9	75.2 / -4.69	55 Port St E Mississauga ON L5G4P3	EHS
<b>Order No:</b> 20151120001 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 25-NOV-15 <b>Date Received:</b> 20-NOV-15 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.581437 <b>Y:</b> 43.553211			
<a href="#">113</a>	1 of 1	WSW/208.0	79.8 / 0.00	ON	BORE
<b>Borehole ID:</b> 639276 <b>OGF ID:</b> 215539673 <b>Status:</b> <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> JAN-1965 <b>Static Water Level:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Total Depth m:</b> 1.5 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Power auger <b>Orig Ground Elev m:</b> 76.6 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 77.5		<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> <b>Township:</b> <b>Latitude DD:</b> 43.554017 <b>Longitude DD:</b> -79.585108 <b>UTM Zone:</b> 17 <b>Easting:</b> 614285 <b>Northing:</b> 4823313 <b>Location Accuracy:</b> <b>Accuracy:</b> Not Applicable			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218487733			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>	Clay			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	TILL,SAND,SILT,CLAY.BROWN,GLACIAL,AGE GLACIAL. POST-GLACIAL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	218487732			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Organic			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>	Clay			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	ORGANIC,SAND,SILT, CLAY. BLACK,AGE POST-GLACIAL.				
<b>Geology Stratum ID:</b>	218487730			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	0			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	ASPHALT.				
<b>Geology Stratum ID:</b>	218487731			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL,GRAVEL.				
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: TOR1B.txt RecordID: 072390 NTS_Sheet: 30M12A				
<b>Confiden 1:</b>	Logs are approximately correct. Lack of information. Doubtful terminology.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>114</b>	<b>1 of 1</b>	<b>W/208.3</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	641139			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215541534			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.555055
<b>Total Depth m:</b>	2.7			<b>Longitude DD:</b>	-79.585331
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614265
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823428
<b>Orig Ground Elev m:</b>	80.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	80.2				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b>Borehole Geology Stratum</b>					
<b>Geology Stratum ID:</b>	218494918			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	0			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	ASPHALT.				
<b>Geology Stratum ID:</b>	218494920			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND-MEDIUM,SILT, CLAY. GREY,ALLUVIAL, AGE POST-GLACIAL.				
<b>Geology Stratum ID:</b>	218494921			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Silt			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>				<b>Depositional Gen:</b>	alluvial
SILT,SAND,CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.					
<b>Geology Stratum ID:</b>	218494919			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b> <b>Stratum Description:</b>					
FILL,GRAVEL.					
<b>Geology Stratum ID:</b>	218494922			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b> <b>Stratum Description:</b>					
SAND-MEDIUM,SILT, CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.					
<b>Geology Stratum ID:</b>	218494923			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b> <b>Stratum Description:</b>					
SAND-MEDIUM,SILT. BROWN,ALLUVIAL, AGE POST-GLACIAL.					
<hr/>					
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: TOR1B.txt RecordID: 091050 NTS_Sheet: 30M12A				
<b>Confiden 1:</b>	Logs are approximately correct. Lack of information. Doubtful terminology.				
<hr/>					
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<hr/>					
<a href="#">115</a>	1 of 1	NW/209.6	79.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	639273			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215539670			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.556259
<b>Total Depth m:</b>	1.2			<b>Longitude DD:</b>	-79.584436
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614335
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823563
<b>Orig Ground Elev m:</b>	82.8			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	82.5				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218487720			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.5			<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>	Clay			<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL,SAND-MEDIUM, SILT,CLAY. BROWN.				
<b>Geology Stratum ID:</b>	218487722			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.6			<b>Material Moisture:</b>	Wet
<b>Bottom Depth:</b>	1.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND,SILT,CLAY. BROWN,ALLUVIAL,WET. GLACIAL.				
<b>Geology Stratum ID:</b>	218487718			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	0			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	ASPHALT.				
<b>Geology Stratum ID:</b>	218487719			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL,GRAVEL.				
<b>Geology Stratum ID:</b>	218487721			<b>Mat Consistency:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	.5 .6 Brown Soil Sand Silt Clay			<b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
SOIL,SAND,SILT,CLAY.BROWN.					
<b>Source</b>					
<b>Source Type:</b> <b>Source Orig:</b> <b>Source Date:</b> <b>Confidence:</b> <b>Observatio:</b> <b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Data Survey Geological Survey of Canada 1956-1972 M  Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 072360 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.			<b>Source Appl:</b> <b>Source Iden:</b> <b>Scale or Res:</b> <b>Horizontal:</b> <b>Verticalda:</b>	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<b>Source List</b>					
<b>Source Identifier:</b> <b>Source Type:</b> <b>Source Date:</b> <b>Scale or Resolution:</b> <b>Source Name:</b> <b>Source Originators:</b>	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			<b>Horizontal Datum:</b> <b>Vertical Datum:</b> <b>Projection Name:</b>	NAD27 Mean Average Sea Level Universal Transverse Mercator
<b>116</b>	1 of 1	NE/209.8	79.8 / 0.00	<b>Parkland Fuel Corporation</b> <b>152 Lakeshore Road East</b> <b>Mississauga ON L5G 1E9</b>	<b>GEN</b>
<b>Generator No:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON3030774 Registered As of Dec 2017			<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	Canada
<b>Detail(s)</b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>	251 L Waste oils/sludges (petroleum based)				
<b>Waste Class:</b> <b>Waste Class Desc:</b>	221 L Light fuels				
<b>117</b>	1 of 1	NE/212.1	79.8 / 0.00	<b>152 LAKESHORE RD E</b> <b>ON</b>	<b>WWIS</b>
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b>	7301773  Monitoring  Test Hole   Z234270 A227118			<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b>	  12/19/2017 Yes  7464 7  152 LAKESHORE RD E



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	PEEL MISSISSAUGA CITY (PORT CREDIT)
PDF URL (Map):					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1006911304			<b>Elevation:</b>	79.661666
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614613
<b>Code OB Desc:</b>				<b>North83:</b>	4823562
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	10/12/2017			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1007087954				
<b>Layer:</b>	3				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	17				
<b>Most Common Material:</b>	SHALE				
<b>Mat2:</b>	34				
<b>Mat2 Desc:</b>	TILL				
<b>Mat3:</b>	68				
<b>Mat3 Desc:</b>	DRY				
<b>Formation Top Depth:</b>	12				
<b>Formation End Depth:</b>	16				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1007087953				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	34				
<b>Mat2 Desc:</b>	TILL				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	6				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>	12				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1007087952				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>	68				
<b>Mat3 Desc:</b>	DRY				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	6				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1007087961				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	12				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1007087960				
<b>Method Construction Code:</b>	2				
<b>Method Construction:</b>	Rotary (Convent.)				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1007087951				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1007087957				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	10				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1007087958				
<b>Layer:</b>	1				
<b>Slot:</b>	10				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		10			
Screen End Depth:		18			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<b><u>Water Details</u></b>					
Water ID:		1007087956			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1007087955			
Diameter:		8			
Depth From:		0			
Depth To:		12			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b>118</b>	<b>1 of 1</b>	<b>NNW/212.9</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	649448			Inclin FLG:	No
OGF ID:	215549823			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JUN-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.556653
Total Depth m:	6.9			Longitude DD:	-79.583498
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614410
Drill Method:	Diamond Drill			Northing:	4823608
Orig Ground Elev m:	82.6			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	82.4				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218527010			Mat Consistency:	Hard
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	6.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL,CLAY,SILT,SAND.HARD. 016 010 0003004000080080 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Geology Stratum ID:</b>	218527008			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND.				
<b>Geology Stratum ID:</b>	218527009			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY,SILT. BROWN,HARD.				
<b>Geology Stratum ID:</b>	218527007			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Soil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOIL.				
 <b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: TOR3.txt RecordID: 201070 NTS_Sheet: 30M12A				
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.				
 <b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

119

1 of 1

ENE/214.6

79.8 / 0.00

ON

AST

**OGF ID:** 1200714517  
**Sub Type:** Petroleum Tank  
**Sub Type No:** 1332  
**Location Accuracy:** Within 10 metres  
**Sensitivity Class:** Non-Sensitive  
**Sensitivity Date:** 20070106

263 [erisinfo.com](http://erisinfo.com) | Environmental Risk Information Services Order No: 21012800063

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006633119			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.2			
<b>Plug To:</b>		1.95			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006633118			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.2			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006633117			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006633111			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006633115			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.6			
<b>Casing Diameter:</b>		3.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006633116			
<b>Layer:</b>		1			
<b>Slot:</b>		.01			
<b>Screen Top Depth:</b>		0.6			
<b>Screen End Depth:</b>		1.95			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.3			
<b><u>Water Details</u></b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b> 1006633114 <b>Layer:</b> 1 <b>Kind Code:</b> 8 <b>Kind:</b> Untested <b>Water Found Depth:</b> 0.15 <b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006633113 <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">121</a>	1 of 1	<b>ENE/216.2</b>	<b>79.8 / 0.00</b>	<b>ON</b>	<b>AST</b>
<b>OGF ID:</b> 1200714519 <b>Sub Type:</b> Petroleum Tank <b>Sub Type No:</b> 1332 <b>Location Accuracy:</b> Within 10 metres <b>Sensitivity Class:</b> Non-Sensitive <b>Sensitivity Date:</b> 20070106 <b>Sensitivity Rationale:</b> No Restriction Needed <b>Verification Flag:</b> Verified <b>Verification Date:</b> 19980522 <b>Business Effective Dt Flag:</b> Estimated <b>Business Effective Dt:</b> 19980522 <b>Sys Calcu Area:</b> 10.0 <b>Sys Calcu Length:</b> 0.0 <b>User Calc Metric:</b> 0.0 <b>Effective Date/Time:</b> 19980522					
<a href="#">122</a>	1 of 1	<b>WNW/219.9</b>	<b>79.7 / -0.19</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b> 639272 <b>OGF ID:</b> 215539669 <b>Status:</b> <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> JAN-1965 <b>Static Water Level:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Total Depth m:</b> 2.7 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Power auger <b>Orig Ground Elev m:</b> 81.4 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 80.7 <b>Concession:</b> <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>					
<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> <b>Township:</b> <b>Latitude DD:</b> 43.555371 <b>Longitude DD:</b> -79.585386 <b>UTM Zone:</b> 17 <b>Easting:</b> 614260 <b>Northing:</b> 4823463 <b>Location Accuracy:</b> <b>Accuracy:</b> Not Applicable					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b> 218487715 <b>Mat Consistency:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL, GRAVEL. GREY.			
Geology Stratum ID:	218487717			Mat Consistency:	
Top Depth:	1.2			Material Moisture:	Moist
Bottom Depth:	2.7			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND-MEDIUM, CLAY, SILT. BROWN, ALLUVIAL, MOIST, AGE POST-GLACIAL. LUVIAL			**Note: Many records provided by the department have a truncated [Stratum Description] field.
Geology Stratum ID:	218487716			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND, CLAY, SILT. ALLUVIAL, AGE POST-GLACIAL.			
Geology Stratum ID:	218487714			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	0			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ASPHALT.			
<b>Source</b>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Idem:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: TOR1B.txt RecordID: 072350 NTS_Sheet: 30M12A			
Confiden 1:		Logs are approximately correct. Lack of information. Doubtful terminology.			
<b>Source List</b>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">123</a>	1 of 1	NE/220.0	79.8 / 0.00	158 LAKESHORE RD E Mississauga ON	WWIS
<div> <div> Well ID: 7282792  Construction Date:  Primary Water Use:  Sec. Water Use:  Final Well Status: 0  Water Type:  Casing Material:  Audit No: Z253456  Tag: A185651  Construction Method:  Elevation (m):  Elevation Reliability:  Depth to Bedrock:  Well Depth:  Overburden/Bedrock:  Pump Rate:  Static Water Level:  Flowing (Y/N):  Flow Rate:  Clear/Cloudy: </div> <div> Data Entry Status:  Data Src:  Date Received: 3/13/2017  Selected Flag: Yes  Abandonment Rec:  Contractor: 7241  Form Version: 7  Owner:  Street Name: 158 LAKESHORE RD E  County: PEEL  Municipality: MISSISSAUGA CITY  Site Info:  Lot:  Concession:  Concession Name:  Easting NAD83:  Northing NAD83:  Zone:  UTM Reliability: </div> </div>					
PDF URL (Map):					
<b><u>Bore Hole Information</u></b>					
<div> <div> Bore Hole ID: 1006367890  DP2BR:  Spatial Status:  Code OB:  Code OB Desc:  Open Hole:  Cluster Kind:  Date Completed: 2/9/2017  Remarks:  Elevrc Desc:  Location Source Date:  Improvement Location Source:  Improvement Location Method:  Source Revision Comment:  Supplier Comment: </div> <div> Elevation: 79.696105  Elevrc:  Zone: 17  East83: 614610  North83: 4823575  Org CS: UTM83  UTMRC: 4  UTMRC Desc: margin of error : 30 m - 100 m  Location Method: wwr </div> </div>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<div> <div> Formation ID: 1006583078  Layer: 2  Color:  General Color:  Mat1:  Most Common Material:  Mat2:  Mat2 Desc:  Mat3:  Mat3 Desc:  Formation Top Depth: 5  Formation End Depth: 7  Formation End Depth UOM: ft </div> </div>					
<b><u>Overburden and Bedrock</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006583077			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		17			
<b>Mat2 Desc:</b>		SHALE			
<b>Mat3:</b>		92			
<b>Mat3 Desc:</b>		WEATHERED			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583084			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583085			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		7			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006583083			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006583076			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006583081			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1006583082			
Layer:		1			
Slot:		10			
Screen Top Depth:		2			
Screen End Depth:		7			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Water Details</u>					
Water ID:		1006583080			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006583079			
Diameter:		2.25			
Depth From:		0			
Depth To:		7			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">124</a>	1 of 1	NNE/220.1	79.8 / 0.00	150 LAKESHORE BLVD. EAST Mississauga ON	WWIS
Well ID:	7155591			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	12/8/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M07281			Owner:	
Tag:	A100950			Street Name:	150 LAKESHORE BLVD. EAST
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715/7155591.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003431946			Elevation:	81.307434
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614504

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Code OB Desc:				North83:	4823603
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	7/23/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006147374			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0			
Formation End Depth:		3.3			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006147375			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		3.3			
Formation End Depth:		5.7			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006147378			
Layer:		2			
Plug From:		0.3			
Plug To:		2.1			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006147377			
Layer:		1			
Plug From:		0			
Plug To:		0.3			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006147383			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006147373			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006147380			
<b>Layer:</b>		2			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		2.5			
<b>Depth To:</b>		5.5			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006147379			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006147381			
<b>Layer:</b>		1			
<b>Slot:</b>		20			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.1			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006147376			
<b>Diameter:</b>					
<b>Depth From:</b>		0			
<b>Depth To:</b>		5.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1006147364			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614519
Code OB Desc:				North83:	4823619
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/10/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:	1006147368				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:	1006147367				
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<b><u>Pipe Information</u></b>					
Pipe ID:	1006147369				
Casing No:	0				
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:	1006147371				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	2.5				
Casing Diameter:					
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<b><u>Construction Record - Screen</u></b>					
Screen ID:	1006147370				
Layer:	1				
Slot:					
Screen Top Depth:	2.5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		5.5			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID:		1006147372			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1006147366			
Diameter:					
Depth From:					
Depth To:		5.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1006147355			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614510
Code OB Desc:				North83:	482361
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	9
Date Completed:	7/23/2010			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
Plug ID:		1006147359			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<b><u>Method of Construction &amp; Well</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006147358			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006147360			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006147362			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.9			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006147361			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.9			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1006147363			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006147357			
<b>Diameter:</b>					
<b>Depth From:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		4.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[125](#) 1 of 1 **NNW/220.2** **79.8 / 0.00** **ON** **BORE**

<b>Borehole ID:</b>	833856	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215585987	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	02-JUN-1959	<b>Municipality:</b>	
<b>Static Water Level:</b>	3.5	<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.556701
<b>Total Depth m:</b>	6.9	<b>Longitude DD:</b>	-79.583591
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	614402
<b>Drill Method:</b>	Hollow stem auger	<b>Northing:</b>	4823613
<b>Orig Ground Elev m:</b>	82.6	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 20 metres
<b>DEM Ground Elev m:</b>	82.5		
<b>Concession:</b>			
<b>Location D:</b>	PORT CREDIT CREEK TO LAKE ONTARIO * STORM SEWER		
<b>Survey D:</b>			
<b>Comments:</b>			

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	6014653	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.6	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	6014655	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.9	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.4	<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Brown	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt	<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Medium brown silty clay **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	6014656	<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	2.4	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.9	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay	<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt	<b>Geologic Period:</b>	
<b>Material 4:</b>	Sand	<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Stiff silty clay or clayey silt with sand and small stones, (glacial till) **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b> 6014654 <b>Top Depth:</b> .6 <b>Bottom Depth:</b> .9 <b>Material Color:</b> <b>Material 1:</b> Sand <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> Fine sand **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<a href="#">126</a>	1 of 1	ENE/222.8	79.8 / 0.00	Access Control Sales Ltd. 161 Lakeshore Rd E Mississauga ON L5G 4T9	SCT
<b>Established:</b> 01-AUG-86 <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Electrical Wiring and Construction Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 416110					
<b>Description:</b> Wholesale Trade Agents and Brokers <b>SIC/NAICS Code:</b> 419120					
<b>Description:</b> Electronic and Precision Equipment Repair and Maintenance <b>SIC/NAICS Code:</b> 811210					
<b>Description:</b> Professional Machinery, Equipment and Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 417930					
<b>Description:</b> Electrical Wiring and Construction Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 416110					
<b>Description:</b> Industrial Machinery, Equipment and Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 417230					
<b>Description:</b> Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 417320					
<a href="#">127</a>	1 of 1	SW/223.6	79.8 / 0.00	ONTARIO HYDRO ELIZABETH AND LAKESHORE MISSISSAUGA TRANSFORMER MISSISSAUGA CITY ON	SPL
<b>Ref No:</b> 9390 <b>Site No:</b> <b>Incident Dt:</b> 9/15/1988 <b>Year:</b> <b>Incident Cause:</b> VALVE/FITTING LEAK OR FAILURE <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/15/1988 <b>Dt Document Closed:</b> <b>Incident Reason:</b> UNKNOWN <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> MISSISSAUGA HYDRO OVERHEAD TRANSFORMER LEAKING OIL. <b>Contaminant Qty:</b>					
<b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>					
<a href="#">128</a>	1 of 1	NE/226.1	79.8 / 0.00	158 LAKESHJORE RD E Mississauga ON	WWIS
<b>Well ID:</b> 7284534 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Abandoned Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z246109 <b>Tag:</b> A217251 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/7/2017 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> Yes <b>Contractor:</b> 7147 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 158 LAKESHJORE RD E <b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1006376930 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 3/28/2017 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> 79.758316 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 614616 <b>North83:</b> 4823578 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1006633157 <b>Layer:</b> 1 <b>Plug From:</b> 0 <b>Plug To:</b> 0.2					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006633158			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.2			
<b>Plug To:</b>		2.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006633159			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006633156			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006633150			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006633154			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.6			
<b>Casing Diameter:</b>		3.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006633155			
<b>Layer:</b>		1			
<b>Slot:</b>		.01			
<b>Screen Top Depth:</b>		0.6			
<b>Screen End Depth:</b>		2.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.3			
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b> 1006633153 <b>Layer:</b> 1 <b>Kind Code:</b> 8 <b>Kind:</b> Untested <b>Water Found Depth:</b> 0.15 <b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006633152 <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">129</a>	1 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATTENTION: MIRIAM 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	PRT
<b>Location ID:</b> 9135 <b>Type:</b> retail <b>Expiry Date:</b> 1993-05-31 <b>Capacity (L):</b> 113650 <b>Licence #:</b> 0010074028					
<a href="#">129</a>	2 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b> 9454590 <b>Status:</b> EXPIRED <b>Instance ID:</b> 381112 <b>Instance Type:</b> FS Facility <b>Description:</b> FS Gasoline Station - Full Serve <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	3 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b> 10857528 <b>Status:</b> EXPIRED					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance ID:</b> 46250 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	4 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
<b>Instance No:</b> 10857510 <b>Status:</b> EXPIRED <b>Instance ID:</b> 46242 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	5 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
<b>Instance No:</b> 10857584 <b>Status:</b> EXPIRED <b>Instance ID:</b> 46558 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	6 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance No:</b> 10857543 <b>Status:</b> EXPIRED <b>Instance ID:</b> 46658 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	7 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
<b>Instance No:</b> 10857570 <b>Status:</b> EXPIRED <b>Instance ID:</b> 46738 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">129</a>	8 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
<b>Instance No:</b> 10857504 <b>Status:</b> EXPIRED <b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Description:</b> FS Gasoline Station - Full Serve <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Expired Date:</b> 4/4/1992 <b>Original Source:</b> EXP <b>Record Date:</b> 28-FEB-2017					
<a href="#">129</a>	9 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Facilities</u></b>					
Instance No:		10857576			
Status:		EXPIRED			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		4/4/1992			
Original Source:		EXP			
Record Date:		28-FEB-2017			
<a href="#">129</a>	10 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
Instance No:		10857556			
Status:		EXPIRED			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		4/4/1992			
Original Source:		EXP			
Record Date:		28-FEB-2017			
<a href="#">129</a>	11 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
Instance No:		10857519			
Status:		EXPIRED			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		4/4/1992			
Original Source:		EXP			
Record Date:		28-FEB-2017			
<a href="#">129</a>	12 of 12	NE/226.2	79.8 / 0.00	BEAVER FUELS MANAGEMENT LIMITED ATT: LEON CHABOT 158 LAKESHORE RD E MISSISSAUGA ON L5G 1E9	DTNK



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>	10857534				
<b>Status:</b>	EXPIRED				
<b>Instance ID:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Description:</b>	FS Gasoline Station - Full Serve				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Expired Date:</b>	4/4/1992				
<b>Original Source:</b>	EXP				
<b>Record Date:</b>	28-FEB-2017				

<a href="#"><u>130</u></a>	1 of 1	SW/226.3	79.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	640908			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215541303			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	JAN-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.553245
<b>Total Depth m:</b>	2.1			<b>Longitude DD:</b>	-79.584569
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614330
<b>Drill Method:</b>	Power auger			<b>Northing:</b>	4823228
<b>Orig Ground Elev m:</b>	80.7			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	80.6				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

#### **Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218494025	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1	<b>Material Texture:</b>	Medium
<b>Material Color:</b>	Grey	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt	<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay	<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	alluvial
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	SAND-MEDIUM,SILT, CLAY. GREY,ALLUVIAL, AGE POST-GLACIAL. ,STONES.		
<b>Geology Stratum ID:</b>	218494024	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	ASPHALT.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088740 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">131</a>	1 of 1	WSW/226.4	79.8 / 0.00	ON	BORE
Borehole ID:	640909			Inclin FLG:	No
OGF ID:	215541304			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.553565
Total Depth m:	2.1			Longitude DD:	-79.584995
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614295
Drill Method:	Power auger			Northing:	4823263
Orig Ground Elev m:	79.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.7				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218494028			Mat Consistency:	
Top Depth:	.2			Material Moisture:	Wet
Bottom Depth:	2.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND,CLAY,SILT. GREY,BROWN,ALLUVIAL,WET, AGE POST-GLACIAL.				
Geology Stratum ID:	218494027			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	Gravel			<b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b> fill	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494026 0 0  Asphalt    ASPHALT.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Source</b>					
<b>Source Type:</b> <b>Source Orig:</b> <b>Source Date:</b> <b>Confidence:</b> <b>Observatio:</b> <b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Data Survey Geological Survey of Canada 1956-1972 M  Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 088750 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.			<b>Source Appl:</b> <b>Source Iden:</b> <b>Scale or Res:</b> <b>Horizontal:</b> <b>Verticalda:</b>	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<b>Source List</b>					
<b>Source Identifier:</b> <b>Source Type:</b> <b>Source Date:</b> <b>Scale or Resolution:</b> <b>Source Name:</b> <b>Source Originators:</b>	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			<b>Horizontal Datum:</b> <b>Vertical Datum:</b> <b>Projection Name:</b>	NAD27 Mean Average Sea Level Universal Transverse Mercator
<a href="#">132</a>	1 of 1	E/226.7	77.9 / -1.93	ON	AST
<b>OGF ID:</b> <b>Sub Type:</b> <b>Sub Type No:</b> <b>Location Accuracy:</b> <b>Sensitivity Class:</b> <b>Sensitivity Date:</b> <b>Sensitivity Rationale:</b> <b>Verification Flag:</b> <b>Verification Date:</b> <b>Business Effective Dt Flag:</b> <b>Business Effective Dt:</b> <b>Sys Calcu Area:</b> <b>Sys Calcu Length:</b> <b>User Calc Metric:</b> <b>Effective Date/Time:</b>	1200714529 Petroleum Tank 1332 Within 10 metres Non-Sensitive 20070106 No Restriction Needed Verified 19980522 Estimated 19980522 154.5 0.0 0.0 19980522				
<a href="#">133</a>	1 of 1	S/227.1	78.8 / -1.03	99 LAKESHROE RD PORT CREDIT ON	WWIS
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b>	7211008  Monitoring			<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b>	  11/8/2013

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7472
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z179109			<b>Owner:</b>	
<b>Tag:</b>	A155431			<b>Street Name:</b>	99 LAKESHROE RD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY (PORT CREDIT)
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004629426			<b>Elevation:</b>	78.818466
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614470
<b>Code OB Desc:</b>				<b>North83:</b>	4823177
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	5/6/2013			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004889446				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	08				
<b>Most Common Material:</b>	FINE SAND				
<b>Mat2:</b>	66				
<b>Mat2 Desc:</b>	DENSE				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	6				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004889447				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	17				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		SHALE			
<b>Mat2 Desc:</b>		05			
<b>Mat3:</b>		CLAY			
<b>Mat3 Desc:</b>		73			
<b>Formation Top Depth:</b>		HARD			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		12.1			
		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004889454			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		8.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004889455			
<b>Layer:</b>		2			
<b>Plug From:</b>		8.5			
<b>Plug To:</b>		12.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004889453			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004889445			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004889450			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		9.1			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004889451			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		9.1			
<b>Screen End Depth:</b>		12.1			





Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	218514026			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	1.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.8			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Silt			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL.				
<b>Geology Stratum ID:</b>	218514027			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	1.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	TILL,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.				
<b>Geology Stratum ID:</b>	218514025			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Stones			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL,SAND,STONES.				
<b>Geology Stratum ID:</b>	218514028			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	9.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Shale			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	Ordovician
<b>Material 4:</b>				<b>Depositional Gen:</b>	marine
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SHALE. GREY,MARINE,LAYERED, AGE ORDOVICIAN. 014 010 0003502300060060 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

#### Source

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M	<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: TOR2.txt RecordID: 142280 NTS_Sheet: 30M12A		
<b>Confiden 1:</b>	Reliable information but incomplete.		

#### Source List

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">136</a>	1 of 1	NE/228.4	79.8 / 0.00	158 LAKESHORE RD E Mississauga ON	WWIS
<div> <div> Well ID: 7282790  Construction Date:  Primary Water Use:  Sec. Water Use:  Final Well Status: 0  Water Type:  Casing Material:  Audit No: Z253455  Tag: A217279  Construction Method:  Elevation (m):  Elevation Reliability:  Depth to Bedrock:  Well Depth:  Overburden/Bedrock:  Pump Rate:  Static Water Level:  Flowing (Y/N):  Flow Rate:  Clear/Cloudy: </div> <div> Data Entry Status:  Data Src:  Date Received: 3/13/2017  Selected Flag: Yes  Abandonment Rec:  Contractor: 7241  Form Version: 7  Owner:  Street Name: 158 LAKESHORE RD E  County: PEEL  Municipality: MISSISSAUGA CITY (PORT CREDIT)  Site Info:  Lot:  Concession:  Concession Name:  Easting NAD83:  Northing NAD83:  Zone:  UTM Reliability: </div> </div>					
PDF URL (Map):					
<b><u>Bore Hole Information</u></b>					
<div> <div> Bore Hole ID: 1006367884  DP2BR:  Spatial Status:  Code OB:  Code OB Desc:  Open Hole:  Cluster Kind:  Date Completed: 2/9/2017  Remarks:  Elevrc Desc:  Location Source Date:  Improvement Location Source:  Improvement Location Method:  Source Revision Comment:  Supplier Comment: </div> <div> Elevation: 79.769676  Elevrc:  Zone: 17  East83: 614616  North83: 4823581  Org CS: UTM83  UTMRC: 4  UTMRC Desc: margin of error : 30 m - 100 m  Location Method: wwr </div> </div>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<div> <div> Formation ID: 1006583038  Layer: 2  Color:  General Color:  Mat1:  Most Common Material:  Mat2:  Mat2 Desc:  Mat3:  Mat3 Desc:  Formation Top Depth: 5  Formation End Depth: 7  Formation End Depth UOM: ft </div> </div>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006583037			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		17			
<b>Mat2 Desc:</b>		SHALE			
<b>Mat3:</b>		92			
<b>Mat3 Desc:</b>		WEATHERED			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583044			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583045			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		7			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006583043			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006583036			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006583041			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:	1006583042				
Layer:	1				
Slot:	10				
Screen Top Depth:	2				
Screen End Depth:	7				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.5				
<b><u>Water Details</u></b>					
Water ID:	1006583040				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<b><u>Hole Diameter</u></b>					
Hole ID:	1006583039				
Diameter:	2.25				
Depth From:	0				
Depth To:	7				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<a href="#">137</a>	1 of 7	W/229.1	79.8 / 0.00	Kanco-55 Park Ltd. 55 Park St E Mississauga ON	CA
Certificate #:	8999-7PKSRW				
Application Year:	2009				
Issue Date:	2/27/2009				
Approval Type:	Air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<a href="#">137</a>	2 of 7	W/229.1	79.8 / 0.00	55 Park Street East Mississauga ON	EHS
Order No:	20110531030			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	6/7/2011			Search Radius (km):	0.25
Date Received:	5/31/2011 1:34:06 PM			X:	-79.585866
Previous Site Name:				Y:	43.554916
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">137</a>	3 of 7	W/229.1	79.8 / 0.00	55 PARK STREET EAST, MISSISSAUGA ON	INC
<div><div><div>Incident No: 1351280</div><div>Incident ID:</div><div>Instance No:</div><div>Status Code:</div><div>Attribute Category: FS-Perform L1 Incident Insp</div><div>Context:</div><div>Date of Occurrence: 2014/03/10 00:00:00</div><div>Time of Occurrence: 03:35:00</div><div>Incident Created On:</div><div>Instance Creation Dt:</div><div>Instance Install Dt:</div><div>Occur Insp Start Date: 2014/03/10 00:00:00</div><div>Approx Quant Rel:</div><div>Tank Capacity:</div><div>Fuels Occur Type: Fire</div><div>Fuel Type Involved: Natural Gas</div><div>Enforcement Policy: NULL</div><div>Prc Escalation Req: NULL</div><div>Tank Material Type:</div><div>Tank Storage Type:</div><div>Tank Location Type:</div><div>Pump Flow Rate Cap:</div><div>Task No: 4837033</div><div>Notes:</div><div>Drainage System:</div><div>Sub Surface Contam.:</div><div>Aff Prop Use Water:</div><div>Contam. Migrated:</div><div>Contact Natural Env:</div><div>Incident Location: 55 PARK STREET EAST, MISSISSAUGA - FIRE</div><div>Occurence Narrative: CO produced by boiler with poor maintenance</div><div>Operation Type Involved: Multi-unit Residential</div><div>Item:</div><div>Item Description:</div><div>Device Installed Location:</div></div><div><div>Any Health Impact: No</div><div>Any Enviro Impact: No</div><div>Service Interrupted: Yes</div><div>Was Prop Damaged: Yes</div><div>Reside App. Type:</div><div>Commer App. Type:</div><div>Indus App. Type:</div><div>Institut App. Type:</div><div>Venting Type:</div><div>Vent Conn Mater:</div><div>Vent Chimney Mater:</div><div>Pipeline Type:</div><div>Pipeline Involved:</div><div>Pipe Material:</div><div>Depth Ground Cover:</div><div>Regulator Location:</div><div>Regulator Type:</div><div>Operation Pressure:</div><div>Liquid Prop Make:</div><div>Liquid Prop Model:</div><div>Liquid Prop Serial No:</div><div>Liquid Prop Notes:</div><div>Equipment Type:</div><div>Equipment Model:</div><div>Serial No:</div><div>Cylinder Capacity:</div><div>Cylinder Cap Units:</div><div>Cylinder Mat Type:</div><div>Near Body of Water:</div></div></div>					
<a href="#">137</a>	4 of 7	W/229.1	79.8 / 0.00	55 PARK STREET EAST, MISSISSAUGA ON	INC
<div><div><div>Incident No: 1351280</div><div>Incident ID:</div><div>Instance No:</div><div>Status Code:</div><div>Attribute Category: FS-Perform L1 Incident Insp</div><div>Context:</div><div>Date of Occurrence: 2014/03/10 00:00:00</div><div>Time of Occurrence: 03:35:00</div><div>Incident Created On:</div><div>Instance Creation Dt:</div><div>Instance Install Dt:</div><div>Occur Insp Start Date: 2014/03/10 00:00:00</div><div>Approx Quant Rel:</div><div>Tank Capacity:</div><div>Fuels Occur Type: Fire</div><div>Fuel Type Involved: Natural Gas</div><div>Enforcement Policy: NULL</div><div>Prc Escalation Req: NULL</div><div>Tank Material Type:</div><div>Tank Storage Type:</div><div>Tank Location Type:</div></div><div><div>Any Health Impact: No</div><div>Any Enviro Impact: No</div><div>Service Interrupted: Yes</div><div>Was Prop Damaged: Yes</div><div>Reside App. Type:</div><div>Commer App. Type:</div><div>Indus App. Type:</div><div>Institut App. Type:</div><div>Venting Type:</div><div>Vent Conn Mater:</div><div>Vent Chimney Mater:</div><div>Pipeline Type:</div><div>Pipeline Involved:</div><div>Pipe Material:</div><div>Depth Ground Cover:</div><div>Regulator Location:</div><div>Regulator Type:</div><div>Operation Pressure:</div><div>Liquid Prop Make:</div><div>Liquid Prop Model:</div><div>Liquid Prop Serial No:</div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> <b>Pump Flow Rate Cap:</b>  <b>Task No:</b> 4900638  <b>Notes:</b>  <b>Drainage System:</b>  <b>Sub Surface Contam.:</b>  <b>Aff Prop Use Water:</b>  <b>Contam. Migrated:</b>  <b>Contact Natural Env:</b>  <b>Incident Location:</b> 55 PARK STREET EAST, MISSISSAUGA - FIRE  <b>Occurrence Narrative:</b> CO produced by boiler with poor maintenance  <b>Operation Type Involved:</b> Multi-unit Residential  <b>Item:</b>  <b>Item Description:</b>  <b>Device Installed Location:</b> </div> <div> <b>Liquid Prop Notes:</b>  <b>Equipment Type:</b>  <b>Equipment Model:</b>  <b>Serial No:</b>  <b>Cylinder Capacity:</b>  <b>Cylinder Cap Units:</b>  <b>Cylinder Mat Type:</b>  <b>Near Body of Water:</b> </div> </div>					
<a href="#">137</a>	5 of 7	W/229.1	79.8 / 0.00	55 PARK STREET EAST, MISSISSAUGA ON	INC
<div> <div> <b>Incident No:</b> 2019776  <b>Incident ID:</b>  <b>Instance No:</b>  <b>Status Code:</b>  <b>Attribute Category:</b> FS-Perform L1 Incident Insp  <b>Context:</b>  <b>Date of Occurrence:</b> 2017/02/04 00:00:00  <b>Time of Occurrence:</b> 21:37:00  <b>Incident Created On:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Occur Insp Start Date:</b> 2017/02/06 00:00:00  <b>Approx Quant Rel:</b>  <b>Tank Capacity:</b>  <b>Fuels Occur Type:</b> CO Release  <b>Fuel Type Involved:</b> Natural Gas  <b>Enforcement Policy:</b> NULL  <b>Prc Escalation Req:</b> NULL  <b>Tank Material Type:</b>  <b>Tank Storage Type:</b>  <b>Tank Location Type:</b>  <b>Pump Flow Rate Cap:</b>  <b>Task No:</b> 6621149  <b>Notes:</b>  <b>Drainage System:</b>  <b>Sub Surface Contam.:</b>  <b>Aff Prop Use Water:</b>  <b>Contam. Migrated:</b>  <b>Contact Natural Env:</b>  <b>Incident Location:</b> 55 PARK STREET EAST, MISSISSAUGA - CO RELEASE  <b>Occurrence Narrative:</b> 98 ppm at boiler  <b>Operation Type Involved:</b> Multi-unit Residential  <b>Item:</b>  <b>Item Description:</b>  <b>Device Installed Location:</b> </div> <div> <b>Any Health Impact:</b> No  <b>Any Enviro Impact:</b> No  <b>Service Interrupted:</b> Yes  <b>Was Prop Damaged:</b> No  <b>Reside App. Type:</b>  <b>Commer App. Type:</b>  <b>Indus App. Type:</b>  <b>Institut App. Type:</b>  <b>Venting Type:</b>  <b>Vent Conn Mater:</b>  <b>Vent Chimney Mater:</b>  <b>Pipeline Type:</b>  <b>Pipeline Involved:</b>  <b>Pipe Material:</b>  <b>Depth Ground Cover:</b>  <b>Regulator Location:</b>  <b>Regulator Type:</b>  <b>Operation Pressure:</b>  <b>Liquid Prop Make:</b>  <b>Liquid Prop Model:</b>  <b>Liquid Prop Serial No:</b>  <b>Liquid Prop Notes:</b>  <b>Equipment Type:</b>  <b>Equipment Model:</b>  <b>Serial No:</b>  <b>Cylinder Capacity:</b>  <b>Cylinder Cap Units:</b>  <b>Cylinder Mat Type:</b>  <b>Near Body of Water:</b> </div> </div>					
<a href="#">137</a>	6 of 7	W/229.1	79.8 / 0.00	Kanco-55 Park Ltd. 55 Park St E Mississauga ON L4V 1R9	ECA
<div> <div> <b>Approval No:</b> 8999-7PKSRW  <b>Approval Date:</b> 2009-02-27  <b>Status:</b> Approved  <b>Record Type:</b> ECA </div> <div> <b>MOE District:</b> Halton-Peel  <b>City:</b>  <b>Longitude:</b> -79.58555  <b>Latitude:</b> 43.554775 </div> </div>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Link Source:</b> IDS <b>SWP Area Name:</b> Credit Valley <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 55 Park St E <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3718-7NWSDQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3718-7NWSDQ-14.pdf</a>					
<a href="#">137</a>	7 of 7	W/229.1	79.8 / 0.00	55 Park Street East Mississauga ON L5G 1L9	EHS
<b>Order No:</b> 20190822037 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 27-AUG-19 <b>Date Received:</b> 22-AUG-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.585619 <b>Y:</b> 43.55483					
<a href="#">138</a>	1 of 1	NE/230.5	79.8 / 0.00	158 LAKESHORE RD EAST Mississauga ON	WWIS
<b>Well ID:</b> 7284533 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Abandoned Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z246113 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/7/2017 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> Yes <b>Contractor:</b> 7147 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 158 LAKESHORE RD EAST <b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY (PORT CREDIT) <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1006376924 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 3/28/2017 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b>					
<b>Elevation:</b> 79.75904 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 614609 <b>North83:</b> 4823589 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1006633136			
Layer:		1			
Plug From:		0			
Plug To:		4.2			
Plug Depth UOM:		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1006633137			
Layer:		2			
Plug From:					
Plug To:		4.2			
Plug Depth UOM:		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		1006633135			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<b><u>Pipe Information</u></b>					
Pipe ID:		1006633129			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006633133			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006633134			
Layer:		1			
Slot:		.01			
Screen Top Depth:		3			
Screen End Depth:		4.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1006633132			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		1.5			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006633131			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b>139</b>	<b>1 of 1</b>	<b>NW/230.5</b>	<b>78.9 / -0.93</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	646205			Inclin FLG:	No
OGF ID:	215546588			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	MAY-1968			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.556353
Total Depth m:	8.2			Longitude DD:	-79.584682
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614315
Drill Method:	Diamond Drill			Northing:	4823573
Orig Ground Elev m:	81.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	82.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218514022			Mat Consistency:	Dense
Top Depth:	0			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SILT,CLAY,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL.				
Geology Stratum ID:	218514023			Mat Consistency:	Hard
Top Depth:	3			Material Moisture:	
Bottom Depth:	7.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		TILL,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.			
<b>Geology Stratum ID:</b>	218514024			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	7.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Shale			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	Ordovician
<b>Material 4:</b>				<b>Depositional Gen:</b>	marine
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SHALE. GREY,MARINE,AGE ORDOVICIAN. 00000025AGE GLACIAL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: TOR2.txt RecordID: 142270 NTS_Sheet: 30M12A				
<b>Confiden 1:</b>	Reliable information but incomplete.				
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<a href="#">140</a>	1 of 1	E/230.7	79.8 / 0.00	ON	BORE
<b>Borehole</b>					
<b>Borehole ID:</b>	654125			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215554471			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	MAY-1961			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.555304
<b>Total Depth m:</b>	2.7			<b>Longitude DD:</b>	-79.580002
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	614695
<b>Drill Method:</b>	Boring			<b>Northing:</b>	4823463
<b>Orig Ground Elev m:</b>	77.7			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	79.8				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b>Borehole Geology Stratum</b>					
<b>Geology Stratum ID:</b>	218542039			<b>Mat Consistency:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	1.3			Material Moisture:	
Bottom Depth:	2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL, SHALE. GREY.			
Geology Stratum ID:	218542038			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL(40), CLAY(20), SILT(10), GRAVEL. BROWN.			
Geology Stratum ID:	218542040			Mat Consistency:	
Top Depth:	2			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL, SHALE(10), GRAVEL. 0001007400042100000100 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218542037			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Stones			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY(20), SILT(20), STONES. BROWN.			
<b>Source</b>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: TOR3.txt RecordID: 247900 NTS_Sheet: 30M12A			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
<b>Source List</b>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			





<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932060894			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		66			
<b>Mat2 Desc:</b>		DENSE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932060893			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		7			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933170608			
<b>Layer:</b>		3			
<b>Plug From:</b>		10			
<b>Plug To:</b>		11			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933170607			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933170606			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Method Construction ID:</b>		964907921			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
 <b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10871050			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
 <b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933360382			
<b>Layer:</b>		1			
<b>Slot:</b>		040			
<b>Screen Top Depth:</b>		13			
<b>Screen End Depth:</b>		23			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
 <b><u>Water Details</u></b>					
<b>Water ID:</b>		933796035			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		18			
<b>Water Found Depth UOM:</b>		ft			

<a href="#">142</a>	1 of 1	NE/233.2	79.8 / 0.00	ON	WWIS
<hr/>					
<b>Well ID:</b>	7282791			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	3/13/2017
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z253454			<b>Owner:</b>	
<b>Tag:</b>	A185650			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
 <b><u>Bore Hole Information</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1006367887			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	79.828506  17 614621 4823583 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>	1006583052				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>	1006583046	0			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> <b>Casing Diameter UOM:</b> <b>Casing Depth UOM:</b>	1006583050		inch ft		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>	1006583051		ft inch		
<b><u>Water Details</u></b>					
<b>Water ID:</b> <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b>	1006583049				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006583048			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">143</a>	1 of 1	SE/233.3	74.8 / -5.00	113 LAKESHORE BLVD. 107 Mississauga ON	WWIS
Well ID:	7109075			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	7/31/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z81870			Owner:	
Tag:	A073010			Street Name:	113 LAKESHORE BLVD. 107
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7109075.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7109075.pdf</a>				

#### **Bore Hole Information**

Bore Hole ID:	1001703973	Elevation:	76.798713
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	614601
Code OB Desc:		North83:	4823210
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	7/10/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### **Overburden and Bedrock Materials Interval**

Formation ID:	1001760981
Layer:	2
Color:	6
General Color:	BROWN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760982			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.1			
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760980			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.22			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760983			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		4.88			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001760987			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760986			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760985			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001760992			
<b>Method Construction Code:</b>		H			
<b>Method Construction:</b>		Geoprobe			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001760979			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001760989			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.83			
<b>Casing Diameter:</b>		3.81			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001760990			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.83			
<b>Screen End Depth:</b>		4.88			
<b>Screen Material:</b>		5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		3.81			
<b><u>Water Details</u></b>					
Water ID:		1001760988			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1001760984			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">144</a>	1 of 1	SSW/234.2	79.8 / 0.00	ON	BORE
Borehole ID:		640873		Inclin FLG:	No
OGF ID:		215541268		SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:		Borehole		Piezometer:	No
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		JAN-1965		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:		Not Used		Township:	
Sec. Water Use:				Latitude DD:	43.55283
Total Depth m:		1.5		Longitude DD:	-79.583774
Depth Ref:		Ground Surface		UTM Zone:	17
Depth Elev:				Easting:	614395
Drill Method:		Power auger		Northing:	4823183
Orig Ground Elev m:		80.4		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:		80.1			
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:		218493878		Mat Consistency:	
Top Depth:		.6		Material Moisture:	Wet
Bottom Depth:		1.5		Material Texture:	
Material Color:		Brown		Non Geo Mat Type:	
Material 1:		Sand		Geologic Formation:	
Material 2:		Clay		Geologic Group:	
Material 3:		Silt		Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND,CLAY,SILT. BROWN,ALLUVIAL,WET, AGE POST-GLACIAL. T, CL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		218493876		Mat Consistency:	
Top Depth:		.1		Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	.2 Fill Gravel			<b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	fill
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218493877 .2 .6 Brown Sand Silt Clay			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	alluvial
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218493875 0 .1 Asphalt			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Source</b>					
<b>Source Type:</b> <b>Source Orig:</b> <b>Source Date:</b> <b>Confidence:</b> <b>Observatio:</b> <b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Data Survey Geological Survey of Canada 1956-1972 M			<b>Source Appl:</b> <b>Source Iden:</b> <b>Scale or Res:</b> <b>Horizontal:</b> <b>Verticalda:</b>	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 088390 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.				
<b>Source List</b>					
<b>Source Identifier:</b> <b>Source Type:</b> <b>Source Date:</b> <b>Scale or Resolution:</b> <b>Source Name:</b> <b>Source Originators:</b>	1 Data Survey 1956-1972 Varies			<b>Horizontal Datum:</b> <b>Vertical Datum:</b> <b>Projection Name:</b>	NAD27 Mean Average Sea Level Universal Transverse Mercator
<b>Source Name:</b> <b>Source Originators:</b>	Urban Geology Automated Information System (UGAIS) Geological Survey of Canada				
<b>145</b>	1 of 1	NE/235.0	79.8 / 0.00	158 LAKESHORE RD E Mississauga ON	WWIS
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b>	7284535 Abandoned-Other			<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b>	4/7/2017 Yes Yes 7147 7 158 LAKESHORE RD E

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	PEEL MISSISSAUGA CITY (PORT CREDIT)
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1006376933       3/28/2017			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	79.826896  17 614619 4823587 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006633199 3   2.1 m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006633198 2 0.2 2.1 m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006633197 1 0 0.2 m				
<b><u>Method of Construction &amp; Well Use</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>		1006633196			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>		1006633190 0			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> <b>Casing Diameter UOM:</b> <b>Casing Depth UOM:</b>		1006633194 1 5 PLASTIC 0 .6 3.2 cm m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>		1006633195 1 .01 0.6 2.1 5 m cm 4.3			
<b><u>Water Details</u></b>					
<b>Water ID:</b> <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b>		1006633193 1 8 Untested 0.15 m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		1006633192    m cm			

<b>146</b>	<b>1 of 2</b>	<b>SW/236.9</b>	<b>79.8 / 0.00</b>	<b>88 Lakeshore Rd. E Mississauga ON L5G 1E1</b>	<b>EHS</b>
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b>		20011120012 C Complete Report 11/28/01	<b>Nearest Intersection:</b> see attached legal desc. <b>Municipality:</b> Peel <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b> 11/20/01 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans and/or Inspection Reports; Aerials Photos and/or Topographical Maps					
<hr/>					
<a href="#">146</a>	2 of 2	SW/236.9	79.8 / 0.00	Hooper's Pharmacy 88 Lakeshore Road East Mississauga ON L5G 1E1	GEN
<b>Generator No:</b> ON4472068 <b>Status:</b> <b>Approval Years:</b> 2010 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 446110 <b>SIC Description:</b> Pharmacies and Drug Stores					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 261 <b>Waste Class Desc:</b> PHARMACEUTICALS					
<hr/>					
<a href="#">147</a>	1 of 1	NW/237.7	78.8 / -1.00	ON	BORE
<b>Borehole ID:</b> 640930 <b>OGF ID:</b> 215541325 <b>Status:</b> <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> JAN-1965 <b>Static Water Level:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Total Depth m:</b> 2.1 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Power auger <b>Orig Ground Elev m:</b> 82.9 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 82.6 <b>Concession:</b> <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>					
<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> <b>Township:</b> <b>Latitude DD:</b> 43.556266 <b>Longitude DD:</b> -79.584931 <b>UTM Zone:</b> 17 <b>Easting:</b> 614295 <b>Northing:</b> 4823563 <b>Location Accuracy:</b> <b>Accuracy:</b> Not Applicable					
<b>Borehole Geology Stratum</b>					
<b>Geology Stratum ID:</b> 218494130 <b>Top Depth:</b> .5 <b>Bottom Depth:</b> 2.1 <b>Material Color:</b> <b>Material 1:</b> Sand <b>Material 2:</b> Silt <b>Material 3:</b> Clay <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> SAND-MEDIUM,SILT, CLAY. ALLUVIAL,AGE POST-GLACIAL. GE **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> Medium <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b> alluvial					
<b>Geology Stratum ID:</b> 218494127 <b>Top Depth:</b> 0 <b>Mat Consistency:</b> <b>Material Moisture:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	0  Asphalt			<b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494128 0 .2  Fill Gravel	ASPHALT.		<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	fill
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218494129 .2 .5 Brown Soil Sand Silt Clay			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Medium
<b>Gsc Material Description:</b> <b>Stratum Description:</b>		SOIL,SAND-MEDIUM, SILT,CLAY. BROWN.			
<b>Source</b>					
<b>Source Type:</b> <b>Source Orig:</b> <b>Source Date:</b> <b>Confidence:</b> <b>Observatio:</b> <b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Data Survey Geological Survey of Canada 1956-1972 M			<b>Source Appl:</b> <b>Source Iden:</b> <b>Scale or Res:</b> <b>Horizontal:</b> <b>Verticalda:</b>	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<b>Source Name:</b> <b>Source Details:</b> <b>Confiden 1:</b>	Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 088960 NTS_Sheet: 30M12A Logs are approximately correct. Lack of information. Doubtful terminology.				
<b>Source List</b>					
<b>Source Identifier:</b> <b>Source Type:</b> <b>Source Date:</b> <b>Scale or Resolution:</b> <b>Source Name:</b> <b>Source Originators:</b>	1 Data Survey 1956-1972 Varies			<b>Horizontal Datum:</b> <b>Vertical Datum:</b> <b>Projection Name:</b>	NAD27 Mean Average Sea Level Universal Transverse Mercator
<b>Source Name:</b> <b>Source Originators:</b>	Urban Geology Automated Information System (UGAIS) Geological Survey of Canada				
<b>148</b>	<b>1 of 6</b>	<b>NW/238.9</b>	<b>79.8 / -0.02</b>	<b>Metrolinx</b> <b>30 Queen Street East</b> <b>Mississauga ON L5H 1L4</b>	<b>GEN</b>
<b>Generator No:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON5182768  2016 No No 482114 482114			<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	Canada CO_ADMIN Cathy Lumsden 416-202-5167 Ext.



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">148</a>	2 of 6	NW/238.9	79.8 / -0.02	Metrolinx 30 Queen Street East Mississauga ON L5H 1L4	GEN
<b>Generator No:</b>	ON5182768			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Cathy Lumsden
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	905-803-8008 Ext.2607
<b>SIC Code:</b>	482114				
<b>SIC Description:</b>	482114				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">148</a>	3 of 6	NW/238.9	79.8 / -0.02	Metrolinx 30 Queen Street East Mississauga ON L5H 1L4	GEN
<b>Generator No:</b>	ON5182768			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Emily Cosburn
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	(416) 869-3600 Ext.5209
<b>SIC Code:</b>	482114				
<b>SIC Description:</b>	482114				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">148</a>	4 of 6	NW/238.9	79.8 / -0.02	Metrolinx 30 Queen Street East Mississauga ON L5H 1L4	GEN
<b>Generator No:</b>	ON5182768			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146 L			
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<a href="#">148</a>	5 of 6	NW/238.9	79.8 / -0.02	Metrolinx 30 Queen Street East Mississauga ON L5G 3B7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Generator No: ON2615101  Status: Registered  Approval Years: As of Dec 2018  Contam. Facility:  MHSW Facility:  SIC Code:  SIC Description: </div> <div> PO Box No:  Country: Canada  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
<a href="#">148</a>	6 of 6	NW/238.9	79.8 / -0.02	Metrolinx Capital Projects Group 30 Queen St E Mississauga ON L5G 3B7	GEN
<div> <div> Generator No: ON7891479  Status: Registered  Approval Years: As of Oct 2019  Contam. Facility:  MHSW Facility:  SIC Code:  SIC Description: </div> <div> PO Box No:  Country: Canada  Choice of Contact:  Co Admin:  Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		251 U			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
<a href="#">149</a>	1 of 1	NW/239.2	79.8 / 0.00	ON	BORE
<div> <div> Borehole ID: 646207  OGF ID: 215546590  Status:  Type: Borehole  Use: Geotechnical/Geological Investigation  Completion Date: MAY-1968  Static Water Level:  Primary Water Use: Not Used  Sec. Water Use:  Total Depth m: 8.2  Depth Ref: Ground Surface  Depth Elev:  Drill Method: Diamond Drill  Orig Ground Elev m: 80.7  Elev Reliabil Note:  DEM Ground Elev m: 82.2  Concession:  Location D:  Survey D:  Comments: </div> <div> Inclin FLG: No  SP Status: Initial Entry  Surv Elev: No  Piezometer: No  Primary Name:  Municipality:  Lot:  Township:  Latitude DD: 43.556706  Longitude DD: -79.584178  UTM Zone: 17  Easting: 614355  Northing: 4823613  Location Accuracy:  Accuracy: Not Applicable </div> </div>					
<u>Borehole Geology Stratum</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218514032			Mat Consistency:	
Top Depth:	6.7			Material Moisture:	
Bottom Depth:	8.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	Ordovician
Material 4:				Depositional Gen:	marine
Gsc Material Description:					
Stratum Description:	SHALE. GREY,MARINE,AGE ORDOVICIAN. 012 000300420003502 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218514031			Mat Consistency:	Hard
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	6.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	TILL,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.				
Geology Stratum ID:	218514029			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.9			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND,SILT. BROWN.				
Geology Stratum ID:	218514030			Mat Consistency:	Dense
Top Depth:	.9			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,DENSE, AGE GLACIAL.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR2.txt RecordID: 142290 NTS_Sheet: 30M12A				
Confiden 1:	Reliable information but incomplete.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Originators:		Geological Survey of Canada			
<a href="#">150</a>	1 of 1	W/242.6	79.7 / -0.18	ON	BORE
<b>Borehole ID:</b> 640920		<b>Inclin FLG:</b> No			
<b>OGF ID:</b> 215541315		<b>SP Status:</b> Initial Entry			
<b>Status:</b>		<b>Surv Elev:</b> No			
<b>Type:</b> Borehole		<b>Piezometer:</b> No			
<b>Use:</b> Geotechnical/Geological Investigation		<b>Primary Name:</b>			
<b>Completion Date:</b> JAN-1965		<b>Municipality:</b>			
<b>Static Water Level:</b>		<b>Lot:</b>			
<b>Primary Water Use:</b> Not Used		<b>Township:</b>			
<b>Sec. Water Use:</b>		<b>Latitude DD:</b> 43.555015			
<b>Total Depth m:</b> 2.7		<b>Longitude DD:</b> -79.585765			
<b>Depth Ref:</b> Ground Surface		<b>UTM Zone:</b> 17			
<b>Depth Elev:</b>		<b>Easting:</b> 614230			
<b>Drill Method:</b> Power auger		<b>Northing:</b> 4823423			
<b>Orig Ground Elev m:</b> 81.7		<b>Location Accuracy:</b>			
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b> Not Applicable			
<b>DEM Ground Elev m:</b> 81.2					
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b> 218494073		<b>Mat Consistency:</b>			
<b>Top Depth:</b> 0		<b>Material Moisture:</b>			
<b>Bottom Depth:</b> .1		<b>Material Texture:</b>			
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>			
<b>Material 1:</b> Asphalt		<b>Geologic Formation:</b>			
<b>Material 2:</b>		<b>Geologic Group:</b>			
<b>Material 3:</b>		<b>Geologic Period:</b>			
<b>Material 4:</b>		<b>Depositional Gen:</b>			
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b> ASPHALT.					
<b>Geology Stratum ID:</b> 218494074		<b>Mat Consistency:</b>			
<b>Top Depth:</b> .1		<b>Material Moisture:</b>			
<b>Bottom Depth:</b> .3		<b>Material Texture:</b>			
<b>Material Color:</b> Brown		<b>Non Geo Mat Type:</b>			
<b>Material 1:</b> Fill		<b>Geologic Formation:</b>			
<b>Material 2:</b> Gravel		<b>Geologic Group:</b>			
<b>Material 3:</b>		<b>Geologic Period:</b>			
<b>Material 4:</b>		<b>Depositional Gen:</b> fill			
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b> FILL,GRAVEL. BROWN.					
<b>Geology Stratum ID:</b> 218494076		<b>Mat Consistency:</b>			
<b>Top Depth:</b> .6		<b>Material Moisture:</b>			
<b>Bottom Depth:</b> 1.1		<b>Material Texture:</b> Medium			
<b>Material Color:</b> Brown		<b>Non Geo Mat Type:</b>			
<b>Material 1:</b> Sand		<b>Geologic Formation:</b>			
<b>Material 2:</b> Clay		<b>Geologic Group:</b>			
<b>Material 3:</b> Silt		<b>Geologic Period:</b>			
<b>Material 4:</b>		<b>Depositional Gen:</b> alluvial			
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b> SAND-MEDIUM,CLAY, SILT. BROWN,ALLUVIAL, AGE POST-GLACIAL.					
<b>Geology Stratum ID:</b> 218494075		<b>Mat Consistency:</b>			
<b>Top Depth:</b> .3		<b>Material Moisture:</b>			
<b>Bottom Depth:</b> .6		<b>Material Texture:</b> Medium			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,SILT, CLAY. BROWN,ALLUVIAL, AGE POST-GLACIAL.				
Geology Stratum ID:	218494077			Mat Consistency:	
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	Medium
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,CLAY, SILT. GREY,ALLUVIAL, AGE POST-GLACIAL.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088860 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">151</a>	1 of 1	WSW/244.4	79.8 / 0.00	ON	BORE
Borehole ID:	646198			Inclin FLG:	No
OGF ID:	215546581			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	MAY-1968			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.553477
Total Depth m:	-999			Longitude DD:	-79.585182
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614280
Drill Method:	Power auger			Northing:	4823253
Orig Ground Elev m:	78.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.1				
Concession:					
Location D:					
Survey D:					
Comments:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218513995			Mat Consistency:	Dense
Top Depth:	0			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SAND,SILT,CLAY. BROWN,GREY,GLACIAL,DENSE, AGE GLACIAL. 014 00000025 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR2.txt RecordID: 142200 NTS_Sheet: 30M12A				
Confiden 1:	Reliable information but incomplete.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<a href="#">152</a>	1 of 1	NE/246.2	79.8 / 0.00	158 LAKESHORE RD E Mississauga ON	WWIS
Well ID:	7284531			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/7/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned Monitoring and Test Hole			Abandonment Rec:	Yes
Water Type:				Contractor:	7147
Casing Material:				Form Version:	7
Audit No:	Z246111			Owner:	
Tag:	A195287			Street Name:	158 LAKESHORE RD E
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY (PORT CREDIT)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1006376769			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	79.974121  17 614608 4823609 UTM83 4 margin of error : 30 m - 100 m wwr
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006633045	2	2.4 m		
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006633044	1 0	2.4 m		
<u><b>Method of Construction &amp; Well Use</b></u>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>	1006633043				
<u><b>Pipe Information</b></u>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>	1006633037	0			
<u><b>Construction Record - Casing</b></u>					
<b>Casing ID:</b> <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> <b>Casing Diameter UOM:</b> <b>Casing Depth UOM:</b>	1006633041	1 5 PLASTIC 0 .9 5 cm m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006633042			
Layer:		1			
Slot:		.01			
Screen Top Depth:		0.9			
Screen End Depth:		2.4			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			
<b><u>Water Details</u></b>					
Water ID:		1006633040			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		1.5			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006633039			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">153</a>	1 of 2	N/246.7	79.8 / 0.00	Greenspoon Specialty Contracting Ltd.; 20 Rosewood Avenue construction site<UNOFFICIAL> Mississauga ON	SPL
Ref No:	2855-86JJTA			Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Tank (Underground) Leak			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	41			Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL AND WATER MIXTURE			Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	
Nature of Impact:	Soil Contamination			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	6/18/2010			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Equipment/Vehicles			Source Type:	
Site Name:	construction site<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Greenspoon Specialty: UST 500 L diesel & water to ground				
Contaminant Qty:	500 L				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	2 of 2	N/246.7	79.8 / 0.00	20 Rosewood Avenue, Mississauga ON	INC
<div> <div> <b>Incident No:</b> 410004  <b>Incident ID:</b> 2561688  <b>Instance No:</b>  <b>Status Code:</b> Causal Analysis Complete  <b>Attribute Category:</b> FS-Perform L1 Incident Insp  <b>Context:</b>  <b>Date of Occurrence:</b> 2010/06/18 00:00:00  <b>Time of Occurrence:</b> 09:30:00  <b>Incident Created On:</b>  <b>Instance Creation Dt:</b>  <b>Instance Install Dt:</b>  <b>Occur Insp Start Date:</b> 2010/06/18 00:00:00  <b>Approx Quant Rel:</b> unknown  <b>Tank Capacity:</b>  <b>Fuels Occur Type:</b> Discovery of a Petroleum Product  <b>Fuel Type Involved:</b> Fuel Oil  <b>Enforcement Policy:</b> NULL  <b>Prc Escalation Req:</b> NULL  <b>Tank Material Type:</b>  <b>Tank Storage Type:</b>  <b>Tank Location Type:</b>  <b>Pump Flow Rate Cap:</b>  <b>Task No:</b> 2942614  <b>Notes:</b>  <b>Drainage System:</b> Unknown  <b>Sub Surface Contam.:</b> 20 to 30 feet maybe more  <b>Aff Prop Use Water:</b> Unknown  <b>Contam. Migrated:</b> Unknown  <b>Contact Natural Env:</b> Yes  <b>Incident Location:</b> 20 Rosewood Avenue, Mississauga - Discovery of Product  <b>Occurrence Narrative:</b> UST hit by backhoe  <b>Operation Type Involved:</b> Construction Site (excluding pipeline strike)  <b>Item:</b>  <b>Item Description:</b>  <b>Device Installed Location:</b> </div> <div> <b>Any Health Impact:</b> Unknown  <b>Any Enviro Impact:</b> Yes  <b>Service Interrupted:</b> No  <b>Was Prop Damaged:</b> No  <b>Reside App. Type:</b>  <b>Commer App. Type:</b>  <b>Indus App. Type:</b>  <b>Institut App. Type:</b>  <b>Venting Type:</b>  <b>Vent Conn Mater:</b>  <b>Vent Chimney Mater:</b>  <b>Pipeline Type:</b>  <b>Pipeline Involved:</b>  <b>Pipe Material:</b>  <b>Depth Ground Cover:</b>  <b>Regulator Location:</b>  <b>Regulator Type:</b>  <b>Operation Pressure:</b>  <b>Liquid Prop Make:</b>  <b>Liquid Prop Model:</b>  <b>Liquid Prop Serial No:</b>  <b>Liquid Prop Notes:</b>  <b>Equipment Type:</b>  <b>Equipment Model:</b>  <b>Serial No:</b>  <b>Cylinder Capacity:</b>  <b>Cylinder Cap Units:</b>  <b>Cylinder Mat Type:</b>  <b>Near Body of Water:</b> No </div> </div>					

<a href="#">154</a>	1 of 1	S/247.4	79.0 / -0.87	LAKESHORE 91/99 Mississauga ON	WWIS
<div> <div> <b>Well ID:</b> 7148417  <b>Construction Date:</b>  <b>Primary Water Use:</b> Monitoring and Test Hole  <b>Sec. Water Use:</b> 0  <b>Final Well Status:</b> Monitoring and Test Hole  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> Z116139  <b>Tag:</b> A099993  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </div> <div> <b>Data Entry Status:</b>  <b>Data Src:</b>  <b>Date Received:</b> 7/16/2010  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 7241  <b>Form Version:</b> 7  <b>Owner:</b>  <b>Street Name:</b> LAKESHORE 91/99  <b>County:</b> PEEL  <b>Municipality:</b> MISSISSAUGA CITY  <b>Site Info:</b>  <b>Lot:</b>  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </div> </div>					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7148417.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7148417.pdf)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1003169217			Elevation:	78.949066
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	614459
Code OB Desc:				North83:	4823157
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/10/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003209246				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	8				
Formation End Depth:	15				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003209245				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003209247				
Layer:	3				
Color:					
General Color:					
Mat1:					
Most Common Material:					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		15			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209249			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209250			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003209251			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003209257			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003209244			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003209253			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		1.5			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003209254			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.75			
<b><u>Water Details</u></b>					
Water ID:		1003209252			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003209248			
Diameter:		10.92			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<a href="#">155</a>	1 of 1	WSW/248.5	79.8 / 0.00	ON	BORE
Borehole ID:	640910			Inclin FLG:	No
OGF ID:	215541305			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JAN-1965			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.553933
Total Depth m:	2.1			Longitude DD:	-79.585605
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	614245
Drill Method:	Power auger			Northing:	4823303
Orig Ground Elev m:	76.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	77.5				
Concession:					
Location D:					
Survey D:					
Comments:					
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID:	218494033			Mat Consistency:	
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Organic			Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		SAND,SILT,CLAY, ORGANIC.		ALLUVIAL,AGE POST-GLACIAL.	
Geology Stratum ID:	218494029			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	0			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ASPHALT.			
Geology Stratum ID:	218494031			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.4			Material Texture:	
Material Color:	Yellow			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL,SAND,SILT,CLAY.YELLOW.			
Geology Stratum ID:	218494032			Mat Consistency:	
Top Depth:	.4			Material Moisture:	Wet
Bottom Depth:	1.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Organic			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	organic
Gsc Material Description:					
Stratum Description:		ORGANIC,SAND,SILT, CLAY. BLACK,WET.			
Geology Stratum ID:	218494034			Mat Consistency:	Firm
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	alluvial
Gsc Material Description:					
Stratum Description:		CLAY,SAND,SILT. ALLUVIAL,FIRM, AGE POST-GLACIAL.			
Geology Stratum ID:	218494030			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL,GRAVEL.			
<b>Source</b>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 088760 NTS_Sheet: 30M12A				
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
156	1 of 1	SSW/248.7	79.8 / 0.00	DISTANT HORIZON MARINE 6 ELIZABETH ST S MISSISSAUGA ON L5G 2Y5	SCT
Established:	1979				
Plant Size (ft²):					
Employment:	1				
--Details--					
Description:	TRANSPORTATION EQUIPMENT, EXCEPT MOTOR VEHICLES				
SIC/NAICS Code:	5088				

# Unplottable Summary

Total: **13** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	GOTTARDO PROPERTIES LTD. & GOTTARDO CORP	HURONTARIO ST. STREET A	MISSISSAUGA CITY ON	
CA	MISSISSAUGA CITY	HURONTARIO STREET	MISSISSAUGA CITY ON	
CA	MISSISSAUGA CITY	HIGH STREET, PORT CREDIT	MISSISSAUGA CITY ON	
CA	JOSEPH GYETVAN	HURONTARIO ST.	MISSISSAUGA CITY ON	
CA	GOTTARDO PROPERTIES LTD. & GOTTARDO CORP	HURONTARIO ST. STREET A	MISSISSAUGA CITY ON	
CONV	LOBLAWS SUPERMARKETS LIMITED		ON	
ECA	The Regional Municipality of Peel	High Street Park St E & Hurontario Street	Mississauga ON	L6T 4B9
SPL	PETRO-CANADA	TANK TRUCK (CARGO)	MISSISSAUGA CITY ON	
SPL	PETRO-CANADA	SERVICE STATION	MISSISSAUGA CITY ON	
SPL		PETRO-CANADA SERVICE STATION \	MISSISSAUGA CITY ON	
SPL	Enersource Hydro Mississauga Inc.		Mississauga ON	
SPL		just E of Hurontario	Mississauga ON	
SPL	Enersource Hydro Mississauga Inc.		Mississauga ON	

# Unplottable Report

---

**Site:** GOTTARDO PROPERTIES LTD. & GOTTARDO CORP  
HURONTARIO ST. STREET A MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 3-0471-88-  
**Application Year:** 88  
**Issue Date:** 5/5/1988  
**Approval Type:** Municipal sewage  
**Status:** Revised  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** MISSISSAUGA CITY  
HURONTARIO STREET MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 3-1325-88-  
**Application Year:** 88  
**Issue Date:** 8/3/1988  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** MISSISSAUGA CITY  
HIGH STREET, PORT CREDIT MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 3-1102-93-  
**Application Year:** 93  
**Issue Date:** 9/27/1993  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** JOSEPH GYETVAN  
HURONTARIO ST. MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 7-0850-87-  
**Application Year:** 87

**Issue Date:** 6/25/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** GOTTARDO PROPERTIES LTD. & GOTTARDO CORP  
HURONTARIO ST. STREET A MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 7-0417-88-  
**Application Year:** 88  
**Issue Date:** 5/5/1988  
**Approval Type:** Municipal water  
**Status:** Revised  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** LOBLAWS SUPERMARKETS LIMITED  
ON

**Database:**  
CONV

**File No:**  
**Crown Brief No:** 02-0108-0749  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** STORE AND DISPLAY PESTICIDE IN MANNER LIKELY TO BRING IT INTO CONTACT WITH FOOD.  
**Background:**  
**URL:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** YORK-DURHAM

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** PA  
**Regulation:** 914  
**Section:** 125(C)  
**Act/Regulation/Section:** PA 914 125(C)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 3/24/2003  
**Charge Disposition:** FINED  
**Fine:** \$7000  
**Synopsis:**

---

**Site:** The Regional Municipality of Peel  
High Street Park St E & Hurontario Street Mississauga ON L6T 4B9

**Database:**  
ECA

**Approval No:** 0657-4SGM38  
**Approval Date:** 2000-12-29  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-Municipal and Private Water Works  
**Project Type:** Municipal and Private Water Works  
**Address:** High Street Park St E & Hurontario Street  
**Full Address:**  
**Full PDF Link:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **PETRO-CANADA**  
**TANK TRUCK (CARGO) MISSISSAUGA CITY ON**

**Database:**  
**SPL**

<b>Ref No:</b>	51137	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	5/24/1991	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED	<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/24/1991	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	ERROR	<b>Source Type:</b>	
<b>Site Name:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	PETRO CANADA - 50 L. OF GAS TO GROUND AT 2125 DUNDAS STREET		
<b>Contaminant Qty:</b>			

---

**Site:** **PETRO-CANADA**  
**SERVICE STATION MISSISSAUGA CITY ON**

**Database:**  
**SPL**

<b>Ref No:</b>	8408	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	8/21/1988	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/21/1988	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	ERROR	<b>Source Type:</b>	
<b>Site Name:</b>			
<b>Site County/District:</b>			



Site Geo Ref Meth:  
Incident Summary:  
Contaminant Qty:

PETROCAN SERVICE CENTRE - UNKNOWN AMOUNT (SMALL) OF GASOLINE TO PAVEMENT.

---

<b>Site:</b>	<b>PETRO-CANADA SERVICE STATION \ MISSISSAUGA CITY ON</b>		<b>Database:</b> <b>SPL</b>
Ref No:	123672	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	2/16/1996	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	21102
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2/16/1996	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:		Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:			
Contaminant Qty:			

---

<b>Site:</b>	<b>Enersource Hydro Mississauga Inc. Mississauga ON</b>		<b>Database:</b> <b>SPL</b>
Ref No:	4022-9LERFW	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2014/06/25	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Collision/Accident	Sector Type:	Transformer
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Mississauga
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2014/06/25	Site Map Datum:	
Dt Document Closed:	2014/07/10	SAC Action Class:	Watercourse Spills
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	Enola Ave, between The Greenway and Lakeshore<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	40L pcb (14ppm) transformer oil to road, cb, cleaning		
Contaminant Qty:	40 L		

---

<b>Site:</b>	<b>just E of Hurontario Mississauga ON</b>	<b>Database:</b> <b>SPL</b>
--------------	--	--------------------------------

---

<b>Ref No:</b>	3241-7ZM99Q	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>		<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Discharges	<b>Sector Type:</b>	Sewer
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	44	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	GREY WATER	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	
<b>Nature of Impact:</b>	Other Impact(s)	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>	Referral to others	<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	1/12/2010	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	Primary Assessment of Incident
<b>Incident Reason:</b>	Other - Reason not otherwise defined	<b>Source Type:</b>	
<b>Site Name:</b>	Courtney Park Dr<UNOFFICIAL>		
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	Surging manhole in mississauga, greywater to grnd		
<b>Contaminant Qty:</b>	0 other - see incident description		

**Site:** Enersource Hydro Mississauga Inc.  
Mississauga ON

**Database:**  
SPL

<b>Ref No:</b>	8785-9KBJTE	<b>Discharger Report:</b>	
<b>Site No:</b>	NA	<b>Material Group:</b>	
<b>Incident Dt:</b>	2014/04/28	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Leak/Break	<b>Sector Type:</b>	Transformer
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	TRANSFORMER OIL (N.O.S.)	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed	<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2014/05/21	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Equipment Failure	<b>Source Type:</b>	
<b>Site Name:</b>	6901 Glory Crt<UNOFFICIAL>		
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	Enersource Hydro: 118L non PCB transformer oil to grnd		
<b>Contaminant Qty:</b>	118 L		

## Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.*

### **Abandoned Aggregate Inventory:**

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

### **Aggregate Inventory:**

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2020**

### **Abandoned Mine Information System:**

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

### **Anderson's Waste Disposal Sites:**

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

### **Aboveground Storage Tanks:**

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

### **Automobile Wrecking & Supplies:**

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Jun 30, 2020**

### **Borehole:**

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**Federal [CDRY](#)

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2018**

**Commercial Fuel Oil Tanks:**Provincial [CFOT](#)

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Chemical Manufacturers and Distributors:**Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**Private [CHM](#)

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Jun 30, 2020**

**Compressed Natural Gas Stations:**Private [CNG](#)

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Dec 2020**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Nov 2020**

**Certificates of Property Use:**Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Dec 31, 2020**

**Drill Hole Database:**

Provincial

[DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020**

**Delisted Fuel Tanks:**

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: Jul 31, 2020**

**Environmental Activity and Sector Registry:**

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

**Government Publication Date: Oct 2011-Dec 31, 2020**

**Environmental Registry:**

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Dec 31, 2020**

**Environmental Compliance Approval:**

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Dec 31, 2020**

**Environmental Effects Monitoring:**

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Oct 31, 2020**

**Environmental Issues Inventory System:**

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date:** Dec 31, 2016

**Environmental Penalty Annual Report:**

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date:** Jan 1, 2011 - Dec 31, 2019

**List of Expired Fuels Safety Facilities:**

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date:** Jul 31, 2020

**Federal Convictions:**

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date:** 1988-Jun 2007\*

**Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date:** Jun 2000-Sep 2020

**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date:** 1964-Sep 2019

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date:** May 31, 2018

**Fuel Storage Tank:**

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date:** Jul 31, 2020



**Fuel Storage Tank - Historic:**

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date:** Pre-Jan 2010\*

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date:** 1986-Jul 31, 2020

**Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date:** 2013-Dec 2018

**TSSA Historic Incidents:**

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date:** 2006-June 2009\*

**Indian & Northern Affairs Fuel Tanks:**

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date:** 1950-Aug 2003\*

**Fuel Oil Spills and Leaks:**

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date:** Jul 31, 2020

**Landfill Inventory Management Ontario:**

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date:** Feb 28, 2019

**Canadian Mine Locations:**

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date:** 1998-2009\*

**Mineral Occurrences:**

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Jan 2020**

**National Analysis of Trends in Emergencies System (NATES):**

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2018**

**National Defense & Canadian Forces Fuel Tanks:**

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Sep 30, 2020**

**National Energy Board Wells:**

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\*****National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\*****National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017****Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Aug 31, 2020****Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jun 2020****Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013****Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Dec 31, 2020****Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014****Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date:** Oct 2011-Dec 31, 2020

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date:** Oct 31, 2020

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date:** 1989-1996\*

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date:** 1994-Dec 31, 2020

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date:** 1986-2016

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date:** 1997-Sept 2001, Oct 2004-Nov 2020

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date:** 1999-Jun 30, 2020

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date:** 1992-Mar 2011\*

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date:** 1988-Mar 2020; Jul 2020 - Aug 2020

**Wastewater Discharger Registration Database:**

Provincial

[SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2017**

**Anderson's Storage Tanks:**

Private

[TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal

[TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970-Aug 2019**

**Variances for Abandonment of Underground Storage Tanks:**

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011-Dec 31, 2020**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Apr 30, 2020**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



**APPENDIX IV**  
**Qualifications of Assessor**



**Allison McCarthy, B.Sc., BES, Project Technologist**

Allison McCarthy is a Project Technologist with the Environmental Due Diligence & Remediation group at Pinchin Ltd. with over two years of experience working in the environmental consulting field. Allison holds a Bachelor of Science and a Bachelor of Environmental Studies from the University of Waterloo. Prior to joining Pinchin, she worked as a Junior Project Consultant at Altech Environmental Consulting Ltd. Allison has experience in Phase I and Phase II Environmental Site Assessments, due diligence acquisition transactions, soil and groundwater sampling, remediation, and report preparation.

**APPENDIX V**  
**Photographs**



Photo 1 – Site Building (northeast elevation, partial view).



Photo 2 – Site Building (southeast elevation).



Photo 3 – Site Building (northwest elevation).



Photo 4 – Site Building (southwest elevation).



Photo 5 – Properties located northeast of the Site.



Photo 6 – Properties located southeast of the Site.





Photo 7 – Properties located northwest of the Site.



Photo 8 – Properties located southwest of the Site.



Photo 9 – Ground floor chapel room.



Photo 10 – Ground floor lobby.



Photo 11 – Second floor office area.



Photo 12 – Suspect mould observed on rooftop patio.



Photo 13 – Basement storage room.



Photo 14 – Out-of-use hydraulic freight elevator.





Photo 15 – Hydraulic reservoir for out-of-use freight elevator.



Photo 16 – Basement passenger elevator maintenance room, showing steel reservoir.



Photo 17 – Storage room, showing suspect vent and fill pipes.



Photo 18 – Suspect vent and fill pipes in basement storage room.





Photo 19 – Suspect vent pipe on Site Building northeast exterior wall.



Photo 20 – Ground floor preparation room chemical storage.