

- NO GRADING, STRUCTURES, RETAINING WALLS, CONSTRUCTION OR SITE/CONSTRUCTION ACCESS ARE PERMITTED ON OR FROM THE MUNICIPAL PARKLAND.
- THE PLACEMENT OF UNAPPROVED MATERIALS OR STRUCTURES WITHIN MUNICIPAL GREENBELT BLOCKS IS NOT PERMITTED BY COMMUNITY SERVICES AT ANY STAGE OF DEVELOPMENT. THIS INCLUDES, BUT IS NOT LIMITED TO, TOPSOIL STOCKPILING, CONSTRUCTION TRAILERS AND VEHICLES, CONSTRUCTION MATERIALS AND DEBRIS, SALES/PROMOTIONAL TRAILERS AND STORAGE.
- THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING PARK AND TREE PRESERVATION HOARDING IN AN APPROVED AND FUNCTIONING CONDITION AS REQUIRED BY THE COMMUNITY SERVICES DEPARTMENT THROUGHOUT ALL PHASES OF CONSTRUCTION.
- INFORM THE COMMUNITY SERVICES DEPT. OF THE CONSTRUCTION SCHEDULE AS IT PERTAINS TO THE MUNICIPALLY OWNED PARKLAND, ITS PROTECTIVE HOARDING, CLEAN UPS, RESTORATION AND ISSUES AFFECTING PARKLAND USE, CONSTRUCTION AND MAINTENANCE. IT IS THE RESPONSIBILITY OF THE APPLICANT TO ARRANGE FOR COMMUNITY SERVICES, PARK PLANNING SECTION INSPECTION AND APPROVALS AS REQUIRED.
- REMOVE CONSTRUCTION RELATED DEBRIS OR LITTER THAT HAS MIGRATED OR HAS THE POTENTIAL TO MIGRATE INTO THE ADJACENT MUNICIPALLY OWNED P-240 NOT TO BE NAMED. SHOULD THE CONTRACTOR/APPLICANT FAIL TO DO SO, ARRANGEMENTS WILL BE MADE TO DRAW ON THE SUMMITTED PARK PROTECTION AND RESTORATION SECURITIES TO FUND PARK CLEAN UP ACTIVITIES.
- PRIOR TO THE RELEASE OF SECURITIES, THE COMMUNITY SERVICES DEPARTMENT IS TO INSPECT AND APPROVE ANY REQUIRED RESTORATION, RESTORATION AND/OR CLEAN UP WORKS INCLUDING HOARDING REMOVAL AND OFF-SITE DISPOSAL, CONDUCTED AT THE SHARED PROPERTY LINE WITH AND WITHIN P-240, NOT TO BE NAMED.



ISSUED FOR
 2021-05-20 ISSUED FOR PROGRESS SET
 2021-08-18 ISSUED FOR SPA
 2021-08-18 REVISED
 2021-08-23 BID B/P1
 2021-08-19 BID BY ADDENDUM 03
 2021-10-29 MOE STAGE 4.1
 2021-11-08 ISSUED FOR CHANGE NOTICE 01
 2021-12-01 ISSUED FOR CIVC
 2022-02-24 SP 21-156 W/ REVISION 1

BENCHMARK
 ELEVATIONS ARE IN METRES AND ARE RELATED TO VERTICAL DATUM
 CGVD-1188 PRE-1978 AND WERE DERIVED FROM CITY OF MISSISSAUGA
 BENCHMARK NO. 700
 ELEVATION = 110.995

METRIC
 THIS DRAWING IS COPYRIGHTED AND MUST NOT BE USED,
 REPRODUCED, OR REVISED WITHOUT WRITTEN PERMISSION.
 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.
 VISIBILITY DIMENSIONS
 DO NOT SCALE THIS DRAWING.
 REPORT INCONSISTENCIES AND OMISSIONS TO THE CONSULTANT
 FOR CLARIFICATION BEFORE COMMENCING WITH THE WORK.
 DEVIATIONS FROM THE CONTRACT DOCUMENTS WITHOUT WRITTEN
 APPROVAL FROM THE CONSULTANT ARE SUBJECT TO CORRECTION
 AT THE CONTRACTOR'S EXPENSE.

CLIENT
 TRILLIUM HEALTH PARTNERS
 150 SHERWAY DR. ETOBICOKE
 TORONTO, ON M9C 1A5
 TEL: (416) 298-9671 WEBSITE: trilliumhealthpartners.ca

CONSTRUCTION MANAGER
 KANSAN CONTRACTING LTD.
 7080 DERRICK CREST DRIVE
 MISSISSAUGA, ON L4W 0E5
 TEL: (905) 670-2890 WEBSITE: www.kansan.com

ARCHITECT & PRIME CONSULTANT
 DIALOG
 35 JOHN STREET, SUITE 500
 TORONTO, ON M5V 2E2
 TEL: (416) 966-2220 WEBSITE: dialogdesign.ca

STRUCTURAL ENGINEER
 DIALOG

MECHANICAL ENGINEER
 DIALOG

ELECTRICAL ENGINEER
 DIALOG

LANDSCAPE ARCHITECT
 DIALOG

CIVIL ENGINEER
 MTC CONSULTANTS INC.
 1018 SUTTON DRIVE, UNIT A
 BURLINGTON, ON L7R 6B8
 TEL: (905) 639-2532 WEBSITE: mtc85.com

SECURITY
 THE ATMAN GROUP INC.
 255-185 WOODWARD DRIVE
 OTTAWA, ON K2C 3P7
 TEL: (613) 837-0999 WEBSITE: theatmangroup.com

SIGNAGE AND WAYFINDING
 ENTRIO
 33 HARBOUR SQUARE, SUITE 202
 TORONTO, ON M5J 2G2
 TEL: (416) 369-8688 WEBSITE: entriocan.com

VIBRATION, NOISE, ACOUSTICS
 SWALLOW ACOUSTICS CONSULTANTS LTD.
 23-368 REVIS AVENUE
 MISSISSAUGA, ON L5G 4S6
 TEL: (905) 271-7888 WEBSITE: thornstonbaseit.com

BUILDING CODE
 LE ENGINEERING INC.
 170 UNIVERSITY AVE. 3RD FLOOR, BOX 1
 TORONTO, ON M5H 3S1
 TEL: (416) 515-9331 WEBSITE: lefrmo.com


VERTICAL TRANSPORTATION
 SBERMAN ENGINEERING INC.
 55 ST. CLAIR AVENUE WEST, SUITE 205
 TORONTO, ON M4V 2T7
 TEL: (416) 323-1333 WEBSITE: sbermanengineering.com

HARDWARE
 SPYDERS SC
 35 HILDEN RD.
 WILLOWDALE, ON M2H 3M6
 TEL: (416) 271-6489 WEBSITE: spydsc.com

CROSSING #	SEWER TYPE	SEWER SIZE (mm#)	CROSSING ELEVATION	NOTES
X1	STM	250	INV=99.73	A MINIMUM CLEARANCE OF 500mm BETWEEN OVERTOP OF THE SANITARY SEWER AND THE INVERT OF THE STORM SEWER MUST BE PROVIDED
	SAN	250	OBV=99.55	
X2	STM	375	INV=99.37	A MINIMUM CLEARANCE OF 500mm BETWEEN OVERTOP OF THE SANITARY SEWER AND THE INVERT OF THE STORM SEWER MUST BE PROVIDED
	SAN	250	OBV=98.67	
X3	STM	250	INV=99.94	WATERMAIN MUST MAINTAIN A MINIMUM VERTICAL CLEARANCE OF 300mm WHEN CROSSING ABOVE THE SEWER.
	EX. WTM	150	OBV=99.50	
X4	EX. WTM	200	OBV=99.50	*CONFLICT* DEFLECT EX. WATERMAIN TO AVOID CONFLICT WITH PROPOSED STORM SEWER (ENSURE 500mm MINIMUM CLEARANCE BETWEEN INVERT OF SEWER AND CROWN OF WATERMAIN)
	STM	375	INV=97.35	
X5	STM	300	INV=100.59	*CONFLICT* DEFLECT EX. WATERMAIN TO AVOID CONFLICT WITH PROPOSED STORM SEWER (ENSURE 500mm MINIMUM CLEARANCE BETWEEN INVERT OF SEWER AND CROWN OF WATERMAIN)
	EX. WTM	200	OBV=100.72	
X6	HYDRO DUCT	400x700	INV=101.20±	*WATERMAIN MUST BE DEFLECTED UNDERNEATH ALECTRA'S HYDRO DUCT TO ACHIEVE 0.6m VERTICAL CLEARANCE AS PER ALECTRA'S OFFSET REQUIREMENTS*
	WTM	200	OBV=100.80	
X7	EX. WTM	200	INV=99.35	*CONFLICT* DEFLECT EX. WATERMAIN TO AVOID CONFLICT WITH PROPOSED STORM SEWER (ENSURE 500mm MINIMUM CLEARANCE BETWEEN INVERT OF SEWER AND CROWN OF WATERMAIN)
	SAN	150	OBV=98.33	
X8	HYDRO DUCT	400x700	INV=101.15±	WATERMAIN MUST BE DEFLECTED UNDERNEATH ALECTRA'S HYDRO DUCT TO ACHIEVE 0.6m VERTICAL CLEARANCE AS PER ALECTRA'S OFFSET REQUIREMENTS*
	WTM	150	OBV=100.75	
X9	EX. STM	375	INV=99.34	A MINIMUM CLEARANCE OF 500mm BETWEEN OVERTOP OF THE SANITARY SEWER AND THE INVERT OF THE STORM SEWER MUST BE PROVIDED
	SAN	250	OBV=97.48	
X10	EX. WTM	200	INV=99.35	WATERMAIN MUST MAINTAIN A MINIMUM VERTICAL CLEARANCE OF 300mm WHEN CROSSING ABOVE THE SEWER.
	SAN	250	OBV=98.14	
X11	WTM	150	INV=100.72	*CONFLICT* DEFLECT WATERMAIN TO AVOID CONFLICT WITH PROPOSED STORM SEWER (ENSURE 500mm MINIMUM CLEARANCE BETWEEN INVERT OF SEWER AND CROWN OF WATERMAIN)
	STM	250	INV=100.70	

LEGEND OF EXISTING FEATURES	
(Symbol)	SITE BOUNDARY
(Symbol)	EASEMENT
(Symbol)	EXISTING SANITARY SEWER
(Symbol)	EXISTING WATERMAIN
(Symbol)	EXISTING STORM SEWER
(Symbol)	EXISTING CURB
(Symbol)	EXISTING BUILDING
(Symbol)	EXISTING FENCE
(Symbol)	EXISTING HYDRO
(Symbol)	EXISTING HYDRO SERVICE
(Symbol)	EXISTING STREET LIGHT
(Symbol)	EXISTING WATER SERVICE
(Symbol)	EXISTING FIBRE OPTIC CABLE
(Symbol)	EXISTING TELEVISION CABLE
(Symbol)	EXISTING OXYGEN LINE
(Symbol)	EXISTING COMMUNICATION
(Symbol)	EXISTING MAN DOOR

LEGEND OF PROPOSED FEATURES	
(Symbol)	PROPOSED BUILDING
(Symbol)	OVERHEAD DOOR
(Symbol)	MAN DOOR
(Symbol)	CONCRETE CURB
(Symbol)	RETAINING WALL
(Symbol)	SANITARY SEWER
(Symbol)	STORM SEWER
(Symbol)	PERFORATED BIG TO SUBRAIN (SEE DETAIL)
(Symbol)	WATERMAIN
(Symbol)	WATER METER
(Symbol)	SEWER CROSSING (REFER TO CROSSING CHART)
(Symbol)	SHALLOW PIPE INSULATION (SEE DETAIL)
(Symbol)	LINE OF SHORING (BY OTHERS)
(Symbol)	SCOPE LINE
(Symbol)	STAKED NATURAL FEATURE LIMIT DRIFLINE OF WOODLAND (CVC AUGUST 21, 2019)
(Symbol)	STAKED NATURAL FEATURE LIMIT DRIFLINE OF WOODLAND +10.0m
(Symbol)	SAW CUT (SEE DETAIL ON C2-9)
(Symbol)	PROPOSED HEAVY DUTY ASPHALT (REFER TO C2-3)
(Symbol)	MARY FIX CREEK FLOOD PLAN (REGIONAL STW) REFER TO STANTEC DWGS
(Symbol)	G1/G2 LINE
(Symbol)	G1/G2 LINE + 10.0m
(Symbol)	MEANDER BELT



SEE CONTINUATION ON C207

SEAL

PROJECT NORTH

THP M-SITE HOSPITAL PARKING STRUCTURE

MISSISSAUGA HOSPITAL
 100 QUEENSWAY WEST
 MISSISSAUGA, ONTARIO
 L5B 1B8

SITE SERVICING - PLAN 2

DRAWN: LGX CHECKED: GFB
 PLOT DATE: 06/20/22 9:46:43 AM

SCALE: 1:200

C206

© 2022 Local File: C206_2023072_AR_THP_M_PARKING_HIERP.WXD