

7th Floor – 55 St. Clair Avenue West Toronto ON M4V 2Y7 Canada tel 416 596 1930 fax 416 596 0644 ibigroup.com

3115 Hurontario Street - Proposed Zoning Table

DARC File: 22-106

Application Type: Official Plan Amendment and Zoning By-law Amendment

It should be noted that the below provisions are subject to change as the planning applications progress.

IBI Group on behalf of Clearbrook Developments Ltd. reserves the right to modify the below provisions as needed and requests the review of any By-law prior to final approval.

The following Zoning Standards and Regulations shall apply to the site:

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
General Pro	ovisions		
2.1.2.1.1	Min. Separation Distance from Residential Zones	All buildings and structures containing a use in Table 2.1.2.1.1 - Minimum Separation Distance from Residential Zones, shall comply with the applicable minimum separation distance required.	Delete lines 1.0, 2.0 and 3.0 of Table 2.1.2.1.1
2.1.3.1	Frontage on a Street	All lots shall have frontage on a street	N/A - Conforms
2.1.5	Accessory Uses	Where this By-law provides that land may be used or a building or structure may be erected and/or used for a permitted use, that use shall include any building or structure or use accessory thereto as long as the accessory use, building and/or structure is located on the same lot.	N/A – Conforms
2.1.14.1	Min. Centreline Setback	Where a lot abuts a right-of-way or a 0.3 metre reserve abutting a right-of-way identified on Schedules 2.1.14(1) and (2) of this By-law, the minimum distance required between the nearest part of any building or structure to the centreline of the right-of-way shall be as contained in Table 2.1.14.1 - Centreline Setback: Hurontario – 35 m ROW 17.5 m + required yard/setback 20.5 m +required yard/setback (within 110 m of intersection)	N/A-Conforms (20.9 m + 2 m setback to building face)

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
2.1.30	Rooftop Balcony	A rooftop balcony shall be setback 1.2 m for all exterior edges of a building or structure.	Delete Provision 2.1.30
Parking, Lo	ading, Stacking Lan	e and Bicycle Parking Regulations	
3.1.1.4.3	Parking Space Width	The minimum width of a parking space, other than an accessible parking space or parallel parking space, shall be increased to 2.75 m where the length of one side of the parking space abuts a building, structure or part thereof, except for a building, structure or part thereof, that extends 1.0 m or less into the front and/or rear of the parking space.	
3.1.1.5.1	Parking Aisle Width	The minimum aisle width shall be 7.0 m.	N/A - Conforms - Min. Drive Aisle of 7.0 m provided.
3.1.1.5.2	Parking Aisle Width – One Way	Notwithstanding Sentence 3.1.1.5.1, where a one-way aisle is provided for access to and from parking spaces with a parking angle not exceeding 60°, the minimum aisle width may be 5.5 m.	4.5 m parking aisle width for one-way aisle.
3.1.2.1 3.1.2.2	Required Number of Parking Spaces	Table 3.1.2.1 – Residential Uses (Precinct 1) Condominium Apartment Residential:0.8 resident spaces per unit Visitor: 0.2 visitor spaces per unit Table 3.1.2.2 – Non Residential Uses (Precinct 1) Retail Store: 3.0 spaces per 100 m² GFA Convivence Retail: 3 spaces per less than or equal 220 m² GFA Other Non-Residential Uses Not Specified Above: 5.4 spaces per 100 m² GFA	Residential 0.65 spaces per unit Visitor: 0.15 spaces per unit
3.1.3 3.1.3.1	Accessible Parking	Table 3.1.3.1 – Accessible Parking Regulations Total Number of Required Visitor Parking Spaces (13-100) – 4% of total	N/A – Conforms: 17 spaces required at proposed parking rate – 17 spaces are provided.
3.1.4 3.1.4.1	Loading Spaces	Loading spaces shall be required for the following uses: (1) Retail Store	N/A – Conforms.

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
3.1.4.5		Table 3.1.4.3 – Required Number of Loading Spaces: Less than equal to 250 m ² : None Required	
		Required Number of Loading Spaces for Apartment and/or Retirement Buildings: One loading space per apartment building containing a minimum of 30 dwellings	
3.1.6.	Bicycle Parking	Required Number of Bicycle Parking	N/A – Conforms.
3.1.6.5		Spaces	
3.1.6.6		 Apartment without exclusive garages: 0.6 spaces per unit 	
		Non-Residential Uses:	
		Retail: 0.15 m² per 100 m² GFA non-residential	
		All other non-residential uses: 0.05 spaces per 100 m² non- residential GFA	
4.15 Apartn	nent Zones		
4.1.5.10	Balcony Encroachments	A balcony may encroach a maximum of 1.0 m into a required front, exterior side or rear yard. (0158-2013), (0144-2016)	2.0 m
4.1.15.1.1	Permitted Accessory Uses	Retail store, personal service establishment, financial institution, office and medical office - restricted	The following are to be included as site-specific accessory uses: Charity/Non-Profit Use Retail Personal Service Shop Daycare Education and Training Facility, Restaurant Take-Out Restaurant Recreational Establishment Medical Office Financial Institution Veterinary Clinic

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)	
4.1.15.1.2	Location of Permitted Use	An accessory use shall only be permitted in an apartment having 75 or more dwelling units, or in a long-term care building having 75 or more beds, or in a retirement building having 75 or more retirement dwelling units	Conforms.	
4.1.15.1.3	Access to Accessory Use	The accessory use shall be wholly contained within the dwelling and the entrance to the accessory use shall only be from within the dwelling.	Delete Provision.	
4.1.15.1.4	Location of Accessory Use	An accessory use shall not be permitted above the first storey of an apartment, retirement building or long-term care building; (0174-2017)	Delete Provision.	
4.1.15.1.5	Max GFA - Non- Residential – Accessory Uses	186 m ²	Max. GFA non residential shall be 1,700 ^{m2}	
4.1.15.1.6	Max GFA - Non- Residential for Accessory Uses	Lesser of 10% of the GFA - apartment zone or the GFA - apartment zone of one storey of the dwelling	Max. GFA - non residential accessory uses shall be as follows: - Retail use: 200 m ² - Charity use: 1500 m ²	
4.1.15.1.7	Additional On-Site Parking	Not required for accessory uses permitted in 4.1.15.1.1	N/A	
4.1.15.3	Height	Notwithstanding any other provisions of this By-law, the calculation of height for apartment, long-term care and retirement buildings, shall be exclusive of mechanical or architectural appurtenances such as mechanical equipment, mechanical penthouse, elevator machine rooms, telecommunication equipment and enclosures, parapets, turrets, cupolas, stairs and stair enclosures, located on the roof of a dwelling provided that the maximum height of the top of such elements is no higher than 6.0 m above the height limit otherwise applicable.	Notwithstanding Provision 4.1.15.3, the max. height of Mechanical or architectural appurtenances above height limit shall be: 10.0 m	
4.15 RA5	4.15 RA5 Zones (Apartments)			
Table 4.15.1	Permitted Uses	Residential: Apartment, Long-Term Care Building, Retirement Building	Conforms	

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
Table 4.15.1 <i>3.0</i>	Minimum Lot Frontage	30.0 m	Conforms
Table 4.15.1 4.0	Minimum Floor Space Index	1.9	Conforms
Table 4.15.1 5.0	Maximum Floor Space Index – Apartment Zone	2.9	12.0
Table 4.15.1 6.0	Maximum GFA – Apartment Zone per Storey above 12 Storeys	1,000 m ²	Conforms
Table 4.15.1 7.0	Maximum Height	77.0 and 25 storeys	121 m and 35-storeys, excluding Mechanical Penthouse
			Max. Height Mechanical Penthouse: 10 m
Table 4.15.1 8.0 8.1, 8.2, 8.3	Minimum Front and Exterior Side Yards	For that portion of the dwelling with a height less than or equal to 13.0 m: 7.5 m For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m: 8.5 m For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m: 9.5 m	Min. Front Yard Setback of 1.5 m to the podium (Floors 1 – 6) Min. Front Yard Setback of 7.5 m to the tower portion (Floors 7-35) for the tower portion.
Table 4.15.1 9.0	Minimum Interior Side Yard	For that portion of the dwelling with a height less than or equal to 13.0 m: 4.5 m For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m: 6 m	Min. Interior Side Yard Setback of 0.0 m for podium (Floors 1-6) Min. Interior Side Yard Setback to Tower (North): 8.5 m
9.1, 9.2, 9.3, 9.4, 9.5, 9.6		For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m: 7.5 m For that portion of the dwelling with a height greater than 26.0 m: 9 m Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial,	Min. Interior Side Yard Setback to Tower (South): 14.5 m

BY-LAW SECTION	ZONING STANDARD/	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
	REGULATION		
		Employment, or Utility Zone, or any combination of zones thereof: 4.5 m	
Table 4.15.1	Minimum Rear Yard	For that portion of the dwelling with a height less than or equal to 13.0 m: 7.5 m	Min. Rear Yard Setback of 7.5 m
10		For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m: 10.0 m	
		For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m: 12.5 m	
		For that portion of the dwelling with a height greater than 26.0 m: 15.0 m	
		Where a rear lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof: 4.5 m	
		Where a rear lot line, or any portion thereof, abuts a zone permitting detached dwelling and/or semi-detached: 7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of: 25.5 m"	
Table 4.15.1 11	Encroachments and Projections	Maximum encroachment of a balcony located above the first storey, sunroom, window, chimney, pilaster, cornice, balustrade or roof eaves into a required yard: 1.0 m	Permit Maximum Encroachment of 2.0 m Maximum Balcony Encroachment into
		Maximum encroachment into a required yard of a porch, balcony located on the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m: 1.8 m	required yard above first storey: 2.15 m
		Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects: 1.0 m	
Table 4.15.1 12	Minimum Above Grade Separation Between Buildings	For that portion of dwelling with a height less than or equal to 13.0 m: 3.0 m For that portion of dwelling with a height greater than 13.0 m and less than or equal to 20.0 m: 9.0 m	Minimum Grade Separation Distance Between Buildings for that portion of height less than or equal to 26 m shall be: 0.0 m

BY-LAW	ZONING	RA5 ZONE REQUIREMENTS	DECLIECTED /DAF
SECTION	STANDARD/	RAS ZONE REQUIREMENTS	REQUESTED (RA5- XX)
SECTION	REGULATION		, , , , , , , , , , , , , , , , , , ,
		For that parties of should be with a bairby	For that partials of
		For that portion of dwelling with a height greater than 20.0 m and less than or	For that portion of dwelling with a height
		equal to 26.0 m: 12.0 m	greater than 26.0 m:
		For that partian of dwalling with a haight	7.0 m
		For that portion of dwelling with a height greater than 26.0 m: 15.0 m	
		, Servicing Area and Parking Structure	NI/A
13.2	Minimum setback	Minimum setback from surface parking spaces or aisles to a street line: 4.5 m	N/A
13.3	from surface parking		
13.4	parking	Minimum setback from surface parking	
		spaces or aisles to any other lot line: 3.0 m	
		Minimum setback from a parking structure above or partially above finished	
		grade to any lot line: 7.5 m	
13.5	Minimum Setback	Minimum setback from a parking structure completely below finished	0.0 m
	from Below-Grade	grade, inclusive of external access	
	Parking Structure	stairwells, to any lot line:	
		3.0 m	
13.6	Minimum Setback	Minimum setback from a waste	Conforms –
	from Waste	enclosure/loading area to a street line:	Enclosure/Loading
	Enclosure	10 m	facing private driveway at rear
Table 14.15	.1 – Minimum Lands	caped Area, Landscaped Buffer, and Ame	enity Area
15.1	Minimum	40%	3.5%
	Landscaped Area		
15.2	Minimum Depth of	Minimum depth of a landscaped buffer	0.0 m along Hurontario
10.2	Landscaped Area	abutting a lot line that is a street line	Street
	,	and/or abutting lands with an Open Space, Greenlands and/or a Residential	
		Zone with the exception of an Apartment	
		Zone:	
		4.5 m	
15.3	Minimum Depth of	Minimum depth of a landscaped buffer along any other lot line:	0.0 m
	Landscaped Area	along any other localite.	
		3.0 m	
15.4	Minimum amenity	The greater of 5.6 m² per dwelling unit or	N/A. Conforms.
	area	10% of the site area	

BY-LAW SECTION	ZONING STANDARD/ REGULATION	RA5 ZONE REQUIREMENTS	REQUESTED (RA5- XX)
15.5	Minimum amenity area provided Contiguously	50%	N/A. Conforms.
15.6	Minimum Amenity Area to be provided outside at-grade	55.0 m ²	N/A. Conforms.