



		PARKING NOTES:
		1. MINIMUM PARKING SPACE SIZES (UNLESS OTHERWISE NOTED): - 2600mm WIDE X 5200mm LONG (NO SIDES OBSTRUCTED) - 2900mm WIDE X 5200mm LONG (ONE SIDE OBSTRUCTED) - 3200mm WIDE X 5200mm LONG (TWO SIDES OBSTRUCTED)
		 MAINTAIN MININUM DRIVE AISLE WIDTH OF 7000mm UNLESS OTHERWISE NOTED. MAINTAIN MINIMUM HEADROOM CLEARANCE OF 2100mm THROUGHOUT.
		PARKING LEGEND: R RESIDENTIAL PARKING SPACE
		SHARED VISITOR/RETAIL PARKING SPACE
		BIKE/STORAGE LOCKER (1830x915) BIKE PARKING (STACKED - 3900x610) BIKE PARKING (HORIZONTAL - 1800X600)
		HIKE PARKING (VERTICAL - 1200x600)
		PAINTED LINES
		TYPICAL ONE SIDE FUTURE EMVS OBSTRUCTED CHARGING STATION (Rough-In Only)
		→ 3650 → 3650 ↓ 27001500 TYPEA → 1500 ↓ 27001500
		ACCESSIBLE ACCESSIBLE - ACCESSIBLE -
		ТҮРЕ А ТҮРЕ В
	¥	
	22808	
	4	REZONING REVISION
	15315	
	7	
· 		
		2022-09-21 REZONING APPLICATION
	PROPERTY 38086	
Outline of Parking — Level Above		
		BDP. Quadrangle
		Quadrangio
	×	Quadrangle Architects Limited 901 King Street West, Suite 701 Toronto, ON M5V 3H5 t 416 598 1240 www.bdpquadrangle.com
	1889	579 - 619 Lakeshore Road
		East and 1022, 1028 Caven Street
332 PARKING SPACES		
		17125 1:200 AR KVE project scale drawn reviewed
		P3 Parking Level
		A151
		Note: This drawing is the property of the Architect and may not be reproduced or
		Note: This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.