

Table 41: 4099 Erin Mills Parkway - Mississauga

| Tree # | Species                | Common Name | DBH (cm) | Height (m) | Condition | Comments               | Recommendation |
|--------|------------------------|-------------|----------|------------|-----------|------------------------|----------------|
| 272    | Amelanchier canadensis | Shadblow    | 21       | 1          | F         | in excellent condition | R 1.8          |
| 273    | Amelanchier canadensis | Shadblow    | 24       | 1          | F         | in excellent condition | R 1.8          |
| 274    | Amelanchier canadensis | Shadblow    | 24       | 1          | F         | in excellent condition | R 1.8          |
| 275    | Amelanchier canadensis | Shadblow    | 33       | 1          | F         | in excellent condition | R 1.8          |
| 276    | Amelanchier canadensis | Shadblow    | 27       | 1          | F         | in excellent condition | R 1.8          |
| 277    | Amelanchier canadensis | Shadblow    | 17       | 1          | F         | in excellent condition | R 1.8          |
| 278    | Amelanchier canadensis | Shadblow    | 16       | 1          | F         | in excellent condition | R 1.8          |
| 279    | Amelanchier canadensis | Shadblow    | 29       | 1          | F         | in excellent condition | R 1.8          |
| 280    | Amelanchier canadensis | Shadblow    | 27       | 1          | F         | in excellent condition | R 1.8          |
| 281    | Amelanchier canadensis | Shadblow    | 28       | 1          | F         | in excellent condition | R 1.8          |


**Notes:**

- 1. DBH: Diameter of stem (measured at a point in the crown, using a caliper, of the tree trunk at 1.37 metres above existing grade).
- 2. Condition: A rating of tree health based on the visual assessment of the above ground components of the tree, using appropriate methods. The condition of a tree is based on the visual assessment of the tree trunk, crown, and root system. The condition of a tree is based on the visual assessment of the tree trunk, crown, and root system.
- 3. Comments: A description of the tree's condition, including any visible defects, decay, or other factors that may affect the tree's health.
- 4. Recommendation: A recommendation for the tree's management, based on its condition and the project's requirements.

| Tree # | Species                | Common Name | DBH (cm) | Height (m) | Condition | Comments               | Recommendation |
|--------|------------------------|-------------|----------|------------|-----------|------------------------|----------------|
| 282    | Amelanchier canadensis | Shadblow    | 21       | 1          | F         | in excellent condition | R 1.8          |
| 283    | Amelanchier canadensis | Shadblow    | 24       | 1          | F         | in excellent condition | R 1.8          |
| 284    | Amelanchier canadensis | Shadblow    | 24       | 1          | F         | in excellent condition | R 1.8          |
| 285    | Amelanchier canadensis | Shadblow    | 33       | 1          | F         | in excellent condition | R 1.8          |
| 286    | Amelanchier canadensis | Shadblow    | 27       | 1          | F         | in excellent condition | R 1.8          |
| 287    | Amelanchier canadensis | Shadblow    | 17       | 1          | F         | in excellent condition | R 1.8          |
| 288    | Amelanchier canadensis | Shadblow    | 16       | 1          | F         | in excellent condition | R 1.8          |
| 289    | Amelanchier canadensis | Shadblow    | 29       | 1          | F         | in excellent condition | R 1.8          |
| 290    | Amelanchier canadensis | Shadblow    | 27       | 1          | F         | in excellent condition | R 1.8          |
| 291    | Amelanchier canadensis | Shadblow    | 28       | 1          | F         | in excellent condition | R 1.8          |

**Notes:**

- 1. DBH: Diameter of stem (measured at a point in the crown, using a caliper, of the tree trunk at 1.37 metres above existing grade).
- 2. Condition: A rating of tree health based on the visual assessment of the above ground components of the tree, using appropriate methods. The condition of a tree is based on the visual assessment of the tree trunk, crown, and root system. The condition of a tree is based on the visual assessment of the tree trunk, crown, and root system.
- 3. Comments: A description of the tree's condition, including any visible defects, decay, or other factors that may affect the tree's health.
- 4. Recommendation: A recommendation for the tree's management, based on its condition and the project's requirements.



# LEGEND

- Regulated tree to be preserved
- Regulated tree to be removed
- Prescribed TPZ
- Proposed tree protection hoarding

# KEY MAP



|                                    |            |
|------------------------------------|------------|
| Direction                          | Drawing    |
| Scale                              | Date       |
| 1:500                              | 07/25/2022 |
| File No                            | 21085      |
| Project Name                       |            |
| 4099 Erin Mills Pkwy – Mississauga |            |