



MAINTENANCE SCHEDULE

- INSPECT AFTER EVERY MAJOR RAIN EVENT.
- INSPECT EVERY 3 WEEKS MINIMUM.
- SILTSACK SHOULD NEVER BE OVER HALF FULL.
- FULL BAG CAN BE REMOVED, DUMPED, CLEANED AND REUSED
(TO REMOVE INSERT 25mm REBAR INTO REMOVAL FLAP POCKETS)
(TO DUMP INSERT 25mm REBAR INTO BOTH DUMPING STRAPS)

SILTSACK DETAIL

N.T.S.

ELEVATION NOTE

ELEVATIONS SHOWN ON THIS PLAN ARE RELATED TO GEODETIC DATUM AND ARE DERIVED FROM THE CITY OF MISSISSAUGA BENCHMARKS:
No. 732 ELEVATION=78.128m
No. 731 ELEVATION=81.58m

BENCHMARK NOTE

LBM1 SANITARY MANHOLE 0.696m FROM THE CENTER LINE OF THE ROAD AT THE INTERSECTION OF ANN STREET AND HIGH STREET.
ELEVATION=80.36m

LBM2 SANITARY MANHOLE 1.345m FROM THE CENTER LINE OF THE ROAD AT THE INTERSECTION OF PARK STREET AND HURONTARIO STREET.
ELEVATION=82.51m

TOPOGRAPHIC SURVEY PREPARED BY J.D. BARNES LIMITED, JANUARY 28, 2020.

<input checked="" type="checkbox"/> ISSUED FOR OPA & REZONING SUBMISSION	<input checked="" type="checkbox"/> ISSUED FOR OPA & REZONING SUBMISSION	<input type="checkbox"/> THIRD DATE	<input type="checkbox"/> FINAL DATE
DATE DEC. 21, 2021	DATE OCT. 26, 2022		



Urbantech® Consulting
A Division of Leighton-Zec West Ltd.
2030 Bristol Circle, Suite 105
Oakville, ON, L6H 0H2
TEL 905.829.8818 • urbantech.com

10 WEST GO GP INC.
17 & 19 ANN STREET, 84 & 90 HIGH STREET
OZ OPA 22-3



EROSION & SEDIMENT CONTROL DETAILS

REGION FILE No. XXX		CITY FILE No. XXX	
SCALE:	1:250	AREA	Z-08-C5/D
PROJECT No.		19-241	
DRAWN BY:	A.G.	CHECKED BY:	R.M./R.B.T.M
PLAN No.		1002	
DATE:	NOVEMBER 2021	SHEET	OF
C-			