4.2.4 **R3** Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

In addition to the **uses** and regulations of Table 4.2.1 - R1 to R5 Permitted Uses and Regulations, the regulations of Table 4.2.4 - R3 Infill Exception Regulations shall apply where specified by an R3 Exception Zone.

Table 4.2.4 - R3 Infill Exception Regulations (0325-2008), (0308-2011), (0111-2019/LPAT Order 2021 March 09)

| Colum | nn A | В |
|-------|---|---|
| Line | | |
| 1.0 | MINIMUM INTERIOR SIDE YARD | |
| 1.1 | Interior lot - lot having a lot frontage less than 18.0 m | 1.2 m + 0.61 m for each additional storey or portion thereof above one storey |
| 1.2 | Interior lot - lot having a lot frontage equal to or greater than 18.0 m | 1.8 m + 0.61 m for each additional storey or portion thereof above one storey |
| 2.0 | MINIMUM COMBINED WIDTH OF SIDE YARDS | |
| 2.1 | One storey detached dwelling - interior lots having a lot frontage less than 18.0 m | 2.4 m + 0.2 m for each 0.5 m the lot exceeds 15.0 m |
| 2.2 | Dwelling having more than one storey - interior lots having a lot frontage less than 18.0 m | 3.6 m + 0.2 m for each 0.5 m the lot exceeds 15.0 m |
| 2.3 | One storey detached dwelling - interior lots having a lot frontage equal to or greater than 18.0 m | 20% of the lot frontage |
| 2.4 | Dwelling having more than one storey - interior lots having a lot frontage equal to or greater than 18.0 m | 27% of the lot frontage |
| 3.0 | MAXIMUM HEIGHT - HIGHEST RIDGE: lots having a lot frontage equal to or greater than 22.5 m sloped roof | 9.5 m |
| 4.0 | MAXIMUM HEIGHT - HIGHEST RIDGE: lots having a lot frontage less than 22.5 m sloped roof | 9.0 m |
| 5.0 | MAXIMUM HEIGHT: flat roof | 7.5 m |
| 6.0 | MAXIMUM HEIGHT OF EAVES: from average grade to lower edge of the eaves | 6.4 m |
| 7.0 | MAXIMUM GROSS FLOOR AREA - INFILL RESIDENTIAL | 190 m ² plus 0.20 times the lot area |
| 8.0 | GARAGE PROJECTION: maximum projection of the garage beyond the front wall or exterior side wall of the first storey | 0.0 m |
| 9.0 | MAXIMUM DWELLING UNIT DEPTH | 20.0 m |
| 10.0 | deleted by 0111-2019/LPAT Order 2021 March 09 | |

Revised: 2022 August 31 Page 4.2.4 ~ 1

2007 June 20 Page 4.2.4 ~ 2

| 4.2.4.1 | Exception: R3-1 | Map # 03, 07, 08, 09, 10 | By-law: 0131-2019, OLT Order 2021 August 10/ 2021 November 09, 0068-2022 | | |
|---|-----------------|--------------------------|--|--|--|
| In a R3-1 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulation | | | | | |
| 4.2.4.1.1 The regulations contained in Subsection 4.2.4 of this By-law shall apply | | | | | |

| 4.2.4.2 | Exception: R3-2 | Map # 03, 07, 08, 10 | By-law: | | |
|--|---|----------------------|---------|--|--|
| that the followi | In a R3-2 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.2.4.2.1 The regulations contained in Subsection 4.2.4 of this By-law shall apply | | | | | |
| 4.2.4.2.2 | Minimum lot frontage | | 22.5 m | | |

| 4.2.4.3 | Exception: R3-3 | Map # 03, 07, 08, 10 | By-law: | | |
|-----------|---|----------------------|---------|--|--|
| | In a R3-3 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| 4.2.4.3.1 | 4.2.4.3.1 The regulations contained in Subsection 4.2.4 of this By-law shall apply | | | | |
| 4.2.4.3.2 | Minimum lot frontag | ge | 30.0 m | | |

| 4.2.4.4 | Exception: R3-4 | Map # 09 | By-law: | | |
|-------------|---|------------|-------------------|--|--|
| | In a R3-4 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.2.4.4.1 | The regulations contained in Subsection 4.2.4 of this By-law shall apply | | | | |
| 4.2.4.4.2 | Minimum lot area - interio | or lot | 420 m^2 | | |
| 4.2.4.4.3 | Minimum lot area - corner | ·lot | 585 m^2 | | |
| 4.2.4.4.4 | Minimum lot frontage - in | terior lot | 14.0 m | | |
| 4.2.4.4.5 | Minimum lot frontage - co | rner lot | 18.0 m | | |

Revised: 2023 March 31 Page 4.2.4~3


| 4.2.4.5 | Exception: R3-5 | Map # 13 | By-law: | |
|------------------|---|----------|---------|--|
| that the followi | In a R3-5 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | |
| Regulations | | | | |
| 4.2.4.5.1 | Minimum front yard | | 10.5 m | |
| 4.2.4.5.2 | Minimum exterior side yai | rd | 9.0 m | |

| 4.2.4.6 | Exception: R3-6 | Map # 49E | By-law: 0379-2009, 0181-2018/LPAT Order 2019 February 15 | | |
|------------------|---|--------------------|--|--|--|
| that the follows | In a R3-6 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.2.4.6.1 | Minimum lot area | 425 m ² | | | |
| 4.2.4.6.2 | Minimum lot frontage | 14.0 m | | | |
| 4.2.4.6.3 | Minimum front yard - inte | 6.0 m | | | |
| 4.2.4.6.4 | 6.4 Minimum interior side yard | | | | |
| 4.2.4.6.5 | Minimum exterior side yai | 3.5 m | | | |
| 4.2.4.6.6 | Minimum exterior side yai | 4.5 m | | | |
| 4.2.4.6.7 | Minimum setback to garag | 6.0 m | | | |

| 4.2.4.7 | Exception: R3-7 | Map # 32 | By-law: | |
|---|----------------------------|------------|-------------------|--|
| In a R3-7 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | |
| 4.2.4.7.1 | Minimum lot area - interio | er lot | 440 m^2 | |
| 4.2.4.7.2 | Minimum lot frontage - int | terior lot | 6.0 m | |
| 4.2.4.7.3 | Minimum front yard | | 1.5 m | |

| 4.2.4.8 | Exception: R3-8 | Map # 46W | By-law: 0181-20 Order 2019 Febr | | | |
|-------------|---|-------------------------------|------------------------------------|--------|--|--|
| | In a R3-8 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.8.1 | The regulations of Lines 3.0 to 13.0 contained in Table 4.2.1 of this By-law shall not apply | | | | | |
| 4.2.4.8.2 | Maximum number of dwelling units per hectare on all lands zoned R3-8 | | | 19.8 | | |
| 4.2.4.8.3 | Minimum setback to a cond | lominium road | | 4.5 m | | |
| 4.2.4.8.4 | Minimum distance between buildings | | | 3.0 m | | |
| 4.2.4.8.5 | Minimum setback of all bu | ildings and structures to any | lot line | 7.5 m | | |
| 4.2.4.8.6 | Minimum setback of a garage face to a condominium road | | | 6.0 m | | |
| 4.2.4.8.7 | Maximum height | | | 10.7 m | | |
| 4.2.4.8.8 | Height of all buildings and established grade | structures shall be measured | l from | | | |

| 4.2.4.9 | Exception: R3-9 | Map # 59 | By-law: | | | |
|-------------|---|--|------------------|--|--|--|
| | In a R3-9 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.9.1 | Minimum interior side yar | ·d | 1.5 m | | | |
| 4.2.4.9.2 | Minimum rear yard measured from the limit of the tree 7.5 m preservation area for a lot that includes a tree preservation area, identified on Schedule R3-9 of this Exception | | , | | | |
| 4.2.4.9.3 | Minimum setback between a detached dwelling and the tree preservation area for a lot that includes or abuts a tree preservation area, identified on Schedule R3-9 of this Exception | | | | | |
| 4.2.4.9.4 | preservation area, shall only and no buildings or structu | edule R3-9 of this Exception at the used for conservation pur tres, swimming pools, tennis lities, except for fences along | poses, courts | | | |




Schedule R3-9 Map 59

| 4.2.4.10 | Exception: R3-10 | Map # 38W | By-law: | | | |
|-------------|--|-----------|-------------------|--|--|--|
| | In a R3-10 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | Regulations | | | | | |
| 4.2.4.10.1 | Minimum lot area | | 500 m^2 | | | |
| 4.2.4.10.2 | Maximum lot coverage | | 45% | | | |

| 4.2.4.11 | Exception: R3-11 | Map # 10 | By-law: | | | |
|---------------|--|------------------------------------|---------------|--|--|--|
| | In a R3-11 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Permitted Use | es | | | | | |
| 4.2.4.11.1 | Lands zoned R3-11 shall or | nly be used for the following: | | | | |
| | (1) A private swimming club and accessory uses such as swimming and wading pools, meeting and changing rooms and washroom facilities | | | | | |
| Regulations | | | | | | |
| 4.2.4.11.2 | Minimum front yard | | 13.5 m | | | |
| 4.2.4.11.3 | Minimum interior side yar | rd | 2.4 m | | | |
| 4.2.4.11.4 | Minimum rear yard | | 12.0 m | | | |
| 4.2.4.11.5 | Maximum lot coverage | | 20% | | | |
| 4.2.4.11.6 | Maximum height | | 10.7 m | | | |
| 4.2.4.11.7 | Minimum number of parki swimming pool area | ng spaces per 10 m ² of | 1 | | | |
| 4.2.4.11.8 | Minimum setback from a p | arking space to an interior l | ot line 1.5 m | | | |

| 4.2.4.12 | Exception: R3-12 | Map # 08 | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30 | | | | |
|-------------|--|----------|--|--|--|--|--|
| | In a R3-12 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.12.1 | Minimum lot area | | 535 m ² | | | | |
| 4.2.4.12.2 | Minimum lot frontage - corner lot | | 15.0 m | | | | |
| 4.2.4.12.3 | Minimum front yard - interior lot | | 6.0 m | | | | |
| 4.2.4.12.4 | Maximum height - highest ridge: sloped roof | | 9.5 m | | | | |
| 4.2.4.12.5 | Maximum height: flat roof | | 7.5 m | | | | |
| 4.2.4.12.6 | Maximum height of eaves: from average grade to lower edge of eaves | | 6.4 m | | | | |
| 4.2.4.12.7 | Maximum dwelling unit de | epth | 20.0 m | | | | |

| 4.2.4.13 | Except | tion: R3-13 | Map # 20 | By-law: | | |
|--------------------------------|------------|--|--|--------------------|-----------------------|--|
| In a R3-13 zon uses/regulation | • | plicable regulations s apply: | shall be as specified t | for a R3 zone exce | pt that the following | |
| Permitted Use | 2 | | | | | |
| 4.2.4.13.1 | Lands | zoned R3-13 shall or | aly be used for the fo | llowing: | | |
| | (1) (2) | S | | | | |
| Regulations | | | | | | |
| 4.2.4.13.2 | | A medical office - restricted shall comply with the R3 zone regulations contained in Subsection 4.2.1 of this By-law except that: | | | | |
| | (1) | maximum gross floor area - non-residential used for a 433 m ² medical office - restricted | | | | |
| | (2) | (2) maximum number of physicians , dentists , drugless practitioners or health professionals permitted to practise | | | | |
| | (3) | minimum number of parking spaces 15 | | | | |
| | (4) | all site developmen Schedule R3-13 of | t plans shall comply this Exception | with | | |



Schedule R3-13 Map 20

| 4.2.4.14 | Exception: R3-14 | Map # 30 | By-law: | | | |
|--|----------------------|----------|---------------------|--|--|--|
| In a R3-14 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | Regulations | | | | | |
| 4.2.4.14.1 | Minimum lot area | | $1 590 \text{ m}^2$ | | | |
| 4.2.4.14.2 | Minimum lot frontage | | 30.0 m | | | |
| 4.2.4.14.3 | Minimum rear yard | | 1.7 m | | | |

| 4.2.4.15 | Except | ion: R3-15 | Map # 22, 24, 38W, 44W, 45E | By-law: | | | |
|-------------|--|-------------------------------|-----------------------------|-------------------|--|--|--|
| | In a R3-15 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.15.1 | Minim | um lot area - interi o | or lot | 450 m^2 | | | |
| 4.2.4.15.2 | Minim | Minimum lot area - corner lot | | | | | |
| 4.2.4.15.3 | Minim | 14.0 m | | | | | |
| 4.2.4.15.4 | Minimum lot frontage - corner lot | | | | | | |
| 4.2.4.15.5 | Minimum front yard - interior lot 6.0 m | | | | | | |
| 4.2.4.15.6 | (1) | Minimum interior | side yard - interior lot | 1.2 m | | | |
| | (2) Minimum interior side yard - interior lot, for that part of a lot that adjoins a one storey garage or a wall of a main building containing no windows or doors into a habitable room | | | | | | |
| 4.2.4.15.7 | Minimum combined width of side yards | | | 1.81 m | | | |
| 4.2.4.15.8 | Minim | um exterior side yaı | ·d | 4.5 m | | | |

| 4.2.4.16 | Exception: R3-16 | Map # 11 | By-law: | | | |
|--|--|----------|---------|--|--|--|
| In a R3-16 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | Regulations | | | | | |
| 4.2.4.16.1 The provisions contained in Subsection 4.1.17 of this By-law shall not apply | | | | | | |
| 4.2.4.16.2 | .16.2 Access shall only be permitted from Thetford Court | | | | | |

| 4.2.4.17 | Exception: R3-17 | Map # 31, 37E | By-law: 0379-2009, 0171-2015/OMB Order 2016 April 04, 0181-2018/ LPAT Order 2019 February 15 |
|-------------|--|--|---|
| | e the permitted uses and apping uses /regulations shall ap | | as specified for a R3 zone except |
| Regulations | | | |
| 4.2.4.17.1 | Minimum lot area - interi | ior lot | 480 m^2 |
| 4.2.4.17.2 | Minimum lot area - corne | er lot | 585 m^2 |
| 4.2.4.17.3 | Minimum lot frontage - c | orner lot | 18.0 m |
| 4.2.4.17.4 | Maximum lot coverage | | 45% |
| 4.2.4.17.5 | Minimum front yard - int | 6.0 m | |
| 4.2.4.17.6 | Minimum interior side ya | 1.2 m on side and 0.61 m on the other side | |
| 4.2.4.17.7 | Minimum interior side ya | ard - corner lot | 1.2 m |
| 4.2.4.17.8 | Minimum exterior side ya | ard | 4.5 m |
| 4.2.4.17.9 | Minimum exterior side ya | Road 7.5 m | |
| 4.2.4.17.10 | Minimum rear yard - cor | 7.5 m | |
| 4.2.4.17.11 | Minimum setback to a rail | 22.0 m | |
| 4.2.4.17.12 | Minimum setback to gara | ge face | 6.0 m |

| 4.2.4.18 | Exception: R3-18 | Map # 45W | By-law: | | | |
|-------------|--|-----------|---------|--|--|--|
| | In a R3-18 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.18.1 | Minimum front yard | | 6.5 m | | | |
| 4.2.4.18.2 | Minimum rear yard | | 30.0 m | | | |

| 4.2.4.19 | Exception: R3-19 | Map # 45W | By-law: | | | |
|------------|--|--------------------------------|---------|--|--|--|
| | In a R3-19 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| 4.2.4.19.1 | Minimum front yard | | 6.5 m | | | |
| 4.2.4.19.2 | Minimum rear yard - | lots abutting a G1 zone | 17.5 m | | | |

| 4.2.4.20 | Exception: R3-20 | Map # 32, 39E | By-law: | | | |
|------------|--|---------------|---------|--------------------|--|--|
| | In a R3-20 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulation | | | | | | |
| 4.2.4.20.1 | Minimum lot area - in | terior lot | | 460 m ² | | |

| 4.2.4.21 | Exception: R3-21 | Map # 38W | By-law: 0379-2009, 0181-2018/LPAT Order 2019 February 15 | | | |
|-----------------|--|-----------|--|--|--|--|
| that the follow | In a R3-21 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | Regulations | | | | | |
| 4.2.4.21.1 | Maximum lot coverage | | 40% | | | |
| 4.2.4.21.2 | Minimum front yard | | 4.5 m | | | |
| 4.2.4.21.3 | Minimum interior side ya | rd | 1.2 m | | | |
| 4.2.4.21.4 | Minimum setback to garag | ge face | 6.0 m | | | |


| 4.2.4.22 | Exception: R3-22 | Map # 38W | By-law: | | | |
|--|----------------------|-----------|---------|--|--|--|
| In a R3-22 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulation | | | | | | |
| 4.2.4.22.1 | Maximum lot coverage | | 40% | | | |

| 4.2.4.23 | Exception: R3-23 | Map # 17, 30, 38W | By-law: | | | |
|------------------|--|-------------------|---------|--|--|--|
| that the followi | In a R3-23 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.23.1 | Maximum lot coverage | | 40% | | | |
| 4.2.4.23.2 | Minimum interior side yar | d - interior lot | 1.2 m | | | |

| 4.2.4.24 | Exception: R3-24 | Map # 30, 37W, 38E, 38W, 39W | By-law: 0181-2018/LPAT Order 2019 February 15 | | | | |
|-------------|--|------------------------------|--|--|--|--|--|
| | In a R3-24 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.24.1 | Minimum lot area - interio | or lot | 560 m^2 | | | | |
| 4.2.4.24.2 | Minimum lot area - corner | ·lot | 700 m^2 | | | | |
| 4.2.4.24.3 | Minimum lot frontage - int | terior lot | 14.0 m | | | | |
| 4.2.4.24.4 | Minimum lot frontage - co | rner lot | 18.5 m | | | | |
| 4.2.4.24.5 | Maximum lot coverage | | 40% | | | | |
| 4.2.4.24.6 | Minimum front yard - inte | 9.0 m | | | | | |
| 4.2.4.24.7 | Minimum interior side yar | 1.2 m | | | | | |
| 4.2.4.24.8 | Minimum setback to garage | e face | 12.0 m | | | | |

| 4.2.4.25 | Exception: R3-25 | Map # 45E | By-law: | | | | |
|--|--|---|----------------|--|--|--|--|
| In a R3-25 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | | |
| Regulations | Regulations | | | | | | |
| 4.2.4.25.1 | Minimum setback of a dwel | lling to all lands zoned G2-3 | 15.0 m | | | | |
| 4.2.4.25.2 | Minimum setback of all acc swimming pools to all land | eessory buildings and structus zoned G1 | res and 15.0 m | | | | |

| 4.2.4.26 | Exception: R3-26 | Map # 45E | By-law: |
|------------|--|-----------------------------|--|
| | e the permitted uses and appling uses /regulations shall app | | specified for a R3 zone except |
| Regulation | | | |
| 4.2.4.26.1 | Minimum setback of a dwel | lling to all lands zoned G2 | the dwelling setback line indicated on Schedule R3-26 of this Exception |



Schedule R3-26 Map 45E

| 4.2.4.27 | Exception: R3-27 | Map # 30 | By-law: 0379-2009, 0181-2018/LPAT Order 2019 February 15 | | | | |
|-------------|--|--|--|--|--|--|--|
| | In a R3-27 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.27.1 | Minimum lot area - interio | or lot | 540 m^2 | | | | |
| 4.2.4.27.2 | Minimum lot area - corner | ·lot | 680 m^2 | | | | |
| 4.2.4.27.3 | Minimum lot frontage - co | Minimum lot frontage - corner lot | | | | | |
| 4.2.4.27.4 | Maximum lot coverage | | 40% | | | | |
| 4.2.4.27.5 | Minimum front yard | | 4.5 m | | | | |
| 4.2.4.27.6 | Minimum interior side yar | ·d | 1.2 m | | | | |
| 4.2.4.27.7 | Minimum exterior side yai | rd | 4.5 m | | | | |
| 4.2.4.27.8 | Minimum rear yard - corn | er lot | 7.5 m | | | | |
| 4.2.4.27.9 | Minimum setback to a sigh | t triangle | 0.0 m | | | | |
| 4.2.4.27.10 | Maximum height | 11.0 m | | | | | |
| 4.2.4.27.11 | Maximum encroachment of required front yard or exte | a porch or a balcony into the rior side yard | he 2.0 m | | | | |
| 4.2.4.27.12 | A detached garage shall no | t be permitted | | | | | |
| 4.2.4.27.13 | Minimum setback to garag | e face | 6.0 m | | | | |

| 4.2.4.28 | Exception: R3-28 | Map # 24 | By-law: | | | |
|---------------------------------|--|-----------------------------------|------------------------------|--|--|--|
| In a R3-28 zone uses/regulation | | shall be as specified for a R3 zo | ne except that the following | | | |
| Permitted Use | Permitted Use | | | | | |
| 4.2.4.28.1 | 4.2.4.28.1 Lands zoned R3-28 shall only be used for the following: | | | | | |
| | (1) Detached Dwelling (2) Office | g or | | | | |

| 4.2.4.29 | Exception: R3-29 | Map # 37W | By-law: 0137-2013, 0181-2018/LPAT Order 2019 February 15 | | | | |
|-------------|--|-------------------|--|--|--|--|--|
| | In a R3-29 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.29.1 | Minimum lot area - interio | or lot | 500 m^2 | | | | |
| 4.2.4.29.2 | Minimum lot area - corner | 600 m^2 | | | | | |
| 4.2.4.29.3 | Minimum lot frontage - int | terior lot | 14.0 m | | | | |
| 4.2.4.29.4 | Minimum lot frontage - co | rner lot | 17.0 m | | | | |
| 4.2.4.29.5 | Minimum front yard - inte | 9.0 m | | | | | |
| 4.2.4.29.6 | Minimum interior side yar | 1.2 m | | | | | |
| 4.2.4.29.7 | Minimum setback to garage | e face | 12.0 m | | | | |


| 4.2.4.30 | Exception: R3-30 | Map # 32 | By-law: | | | |
|-------------|--|-------------------|---|--|--|--|
| | In a R3-30 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.30.1 | Minimum interior side yar | rd - interior lot | 1.2 m + 0.3 m for each additional storey , or portion thereof, above one storey | | | |
| 4.2.4.30.2 | Minimum interior side yar | d - corner lot | 1.2 m | | | |

| 4.2.4.31 | Exception: R3-31 | Map # 45E | By-law: |
|------------|---------------------------|---------------------------|---|
| | wing uses/regulations sha | | all be as specified for a R3 zone except |
| 4.2.4.31.1 | Maximum gross floor | area - infill residential | 190 m ² plus 0.20 times the lot area |
| 4.2.4.31.2 | Minimum setback to a | ll lands zoned G1 | 3.0 m |

| 4.2.4.32 | Exception: R3-32 | Map # 36W | By-law: 0181-2018/LPAT Order 2019 February 15 | | | | |
|-------------|--|------------|--|--|--|--|--|
| | In a R3-32 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.32.1 | Minimum lot area - interio | or lot | 525 m ² | | | | |
| 4.2.4.32.2 | Minimum lot area - corner | ·lot | 660 m^2 | | | | |
| 4.2.4.32.3 | Minimum lot frontage - int | terior lot | 14.0 m | | | | |
| 4.2.4.32.4 | Minimum lot frontage - co | rner lot | 18.5 m | | | | |
| 4.2.4.32.5 | Minimum front yard - inte | 10.4 m | | | | | |
| 4.2.4.32.6 | Minimum interior side yar | 1.2 m | | | | | |
| 4.2.4.32.7 | Minimum setback to garage | e face | 10.4 m | | | | |

| 4.2.4.33 | Excep | otion: R3-33 | Map # 38W | By-law: | | |
|--------------------------------|------------|--|--|------------------|--------------------|--|
| In a R3-33 zon uses/regulation | _ | - | shall be as specified for | a R3 zone except | that the following | |
| Permitted Use | e | | | | | |
| 4.2.4.33.1 | Lands | zoned R3-33 shall or | nly be used for the follo | wing: | | |
| | (1) (2) | , , | | | | |
| Regulations | | | | | | |
| 4.2.4.33.2 | | reterinary clinic shall comply with the R3 zone regulations tained in Subsection 4.2.1 of this By-law except that: | | | | |
| | (1) | maximum number | of veterinarians permitt | ed to practise | 1 | |
| | (2) | maximum gross flo | oor area - non-resident | tial | 340 m^2 | |
| | (3) | minimum front ya | rd - corner lot | | 3.4 m | |
| | (4) | minimum exterior | side yard | | 75.0 m | |
| | (5) | (5) minimum interior side yard - corner lot 2.8 m | | | 2.8 m | |
| | (6) | minimum rear yard - corner lot 2.5 m | | | | |
| | (7) | (7) outdoor storage shall not be permitted | | | | |
| | (8) | • | use and all related activithin the existing buil e | | | |


| 4.2.4.34 | Exception: R3-34 | Map # 10 | By-law: | |
|-------------|--|----------------------------|-----------------------|--------------------|
| | ne the permitted uses and app ring uses /regulations shall app | | l be as specified for | a R3 zone except |
| Regulations | | | | |
| 4.2.4.34.1 | Minimum lot area | | | 523 m ² |
| 4.2.4.34.2 | Minimum lot frontage | | | 14.5 m |
| 4.2.4.34.3 | Maximum lot coverage | | | 35% |
| 4.2.4.34.4 | Maximum gross floor area Schedule R3-34 of this Exc | | entified on | |
| 4.2.4.34.5 | Minimum front yard | | | 7.5 m |
| 4.2.4.34.6 | Minimum exterior side ya | rd | | 5.0 m |
| 4.2.4.34.7 | Minimum rear yard | | | 7.5 m |
| 4.2.4.34.8 | No part of any garage shall road or private lane than the dwellings on Lots 1, 2, 3, 5 of this Exception | e first floor walls of the | detached | |
| 4.2.4.34.9 | Maximum height - highest sloped roof | ridge: | | 9.0 m |
| 4.2.4.34.10 | Maximum height: flat roof | | | 7.5 m |
| 4.2.4.34.11 | Minimum number of parki | ng spaces per dwelling | g unit | 4 |
| 4.2.4.34.12 | Maximum driveway width | | | 6.0 m |
| 4.2.4.34.13 | All site development plans of this Exception | shall comply with Scho | edule R3-34 | |



Schedule R3-34 Map 10

| 4.2.4.35 | Exception: R3-35 | Map # 36E | By-law: 0379-2009, 0181-2018/LPAT Order 2019 February 15 | | | | |
|--------------------|--|-------------------|--|--|--|--|--|
| that the following | In a R3-35 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.35.1 | Minimum lot area - interio | 470 m^2 | | | | | |
| 4.2.4.35.2 | Minimum lot area - corner | 600 m^2 | | | | | |
| 4.2.4.35.3 | Maximum lot coverage | | 35% | | | | |
| 4.2.4.35.4 | Minimum front yard | | 4.5 m | | | | |
| 4.2.4.35.5 | Minimum interior side yar | 1.2 m | | | | | |
| 4.2.4.35.6 | Minimum exterior side yar | 4.5 m | | | | | |
| 4.2.4.35.7 | Minimum setback to garage | e face | 6.0 m | | | | |

| 4.2.4.36 | Exception: R3-36 | Map # 10 | | 0181-2018/LPAT 19 February 15 |
|-------------|--|--------------------------------|--------------------|----------------------------------|
| | ne the permitted uses and apping uses /regulations shall app | | ll be as specified | for a R3 zone except |
| Regulations | | | | |
| 4.2.4.36.1 | The regulations contained i shall not apply | n Article 3.1.1.8 of thi | s By-law | |
| 4.2.4.36.2 | Maximum number of detached dwellings on all lands zoned R3-36 | | | 8 |
| 4.2.4.36.3 | Minimum landscaped area | ı | | 50% of the lot area |
| 4.2.4.36.4 | Minimum setback to a cond | dominium road | | 4.5 m |
| 4.2.4.36.5 | Minimum setback to garag | e face from a condom | inium road | 5.2 m |
| 4.2.4.36.6 | Minimum separation between | en detached dwelling | S | 3.0 m |
| 4.2.4.36.7 | Maximum height | | | 7.5 m |
| 4.2.4.36.8 | Height of all buildings and established grade | l structures shall be m | neasured from | |
| 4.2.4.36.9 | Maximum driveway width | | | 8.5 m |
| 4.2.4.36.10 | Minimum number of parki | ng spaces per dwellin | g unit | 4 |
| 4.2.4.36.11 | All site development plans this Exception | shall comply with Sch | edule R3-36 of | |



Schedule R3-36 Map 10

| 4.2.4.37 | Exception: R3-37 | Map # 30 | By-law: 0184-2008, 0181-2018/LPAT Order 2019 February 15 | |
|-------------|---|---------------------------|--|--|
| | e the permitted uses and appl ng uses /regulations shall app | _ | specified for a R3 zone except | |
| Regulations | | | | |
| 4.2.4.37.1 | Minimum lot area - interio | r lot | 480 m^2 | |
| 4.2.4.37.2 | Maximum lot coverage | | 45% | |
| 4.2.4.37.3 | Minimum front yard - inte | rior lot | 4.5 m | |
| 4.2.4.37.4 | Minimum interior side yar | 1.2 m | | |
| 4.2.4.37.5 | 7.5 Minimum interior side yard - corner lot | | | |
| 4.2.4.37.6 | Minimum setback to garage face - interior lot | | | |
| 4.2.4.37.7 | Minimum setback to a sight | t triangle | 0.0 m | |
| 4.2.4.37.8 | Maximum height | 11.0 m | | |
| 4.2.4.37.9 | Maximum encroachment of required front yard or exte | e 2.0 m | | |
| 4.2.4.37.10 | Maximum area of a balcony | $\frac{12 \text{ m}^2}{}$ | | |
| 4.2.4.37.11 | A detached garage shall no | t be permitted | | |

| 4.2.4.38 | Exception: R3-38 | Map # 46W, 54W | By-law: | | | | |
|--|--|----------------|---------|--|--|--|--|
| | In a R3-38 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | Permitted Use | | | | | | |
| 4.2.4.38.1 Lands zoned R3-38 shall only be used for the following: | | | | | | | |
| | (1) Day Care | | | | | | |


| 4.2.4.39 | Exception: R3-39 | Map # 11 | By-law: | | | | |
|---------------|--|--|---------|--|--|--|--|
| | In a R3-39 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | | | | | | | |
| 4.2.4.39.1 | 2.2.4.39.1 Lands zoned R3-39 shall only be used for the following: | | | | | | |
| | (1) Medical Office - Restricted | | | | | | |
| Regulation | | | | | | | |
| 4.2.4.39.2 | Maximum number of physi practitioners or health pro | cians, dentists, drugless ofessionals permitted to practi | se 2 | | | | |

| 4.2.4.40 | Exception: R3-40 | Map # 11 | By-law: | | | | |
|---------------|--|--|-------------------|--|--|--|--|
| | In a R3-40 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | , | | | | | | |
| 4.2.4.40.1 | 4.2.4.40.1 Lands zoned R3-40 shall only be used for the following: | | | | | | |
| | (1) Detached Dwelling or (2) Medical office - restricted in a detached dwelling | | | | | | |
| Regulations | | | | | | | |
| 4.2.4.40.2 | Maximum gross floor area medical office - restricted | - non-residential used for a | 100 m^2 | | | | |
| 4.2.4.40.3 | Maximum number of physic practitioners or health pro | icians, dentists, drugless ofessionals permitted to practi | 1 ise | | | | |
| 4.2.4.40.4 | A medical office - restricte first storey | ed shall only be located in the | | | | | |

| 4.2.4.41 | Exce | ption: R3-41 | Map # 07 | By-law: 0208-2022 | | |
|--|---|---|--|---|--|--|
| In a R3-41 zo uses /regulation | | | s shall be as specified | for a R3 zone except that the following | | |
| Permitted U | ses | | | | | |
| 4.2.4.41.1 | Lands zoned R3-41 shall only be used for the following: | | | | | |
| | (1) (2) (3) | Detached Dwelli Office Medical Office - | | | | |
| Uses Not Per | mitted | | | | | |
| 4.2.4.41.2 | (1) | Office and/or me more than 14 par | dical office - restricte king spaces | d that requires | | |
| Regulations | | | | | | |
| 4.2.4.41.3 | Deta | ched Dwelling: | | | | |
| | (1) | the regulations co By-law shall appl | ontained in Subsection | 4.2.4 of this | | |
| | (2) | minimum lot from | ntage | 30.0 m | | |
| | (3) | maximum height flat roof | : | 9.0 m | | |
| 4.2.4.41.4 | R3 zo | | fice - restricted shall of ained in Subsection 4.2 | | | |
| | (1) | maximum gross | floor area - non-resid | ential 420 m ² | | |
| | (2) | shall only be used (2.1) climate or distribution operation (2.2) areas of s (2.3) collection waste ger (2.4) storage in building; (2.5) lunch roo | dilding located below a for the following: ontrol, electrical, energon, mechanical equipm or maintenance of the tairwells, washrooms of or storage of disposable acidental to permitted upon the forms, lounges or fitness and the state of occupants of the state of the | gy generation and tent related to the building; or elevators; ole or recyclable ding; uses in the | | |

Exception R3-41 continued on next page

| 4.2.4.41 | Excep | tion: R3-41 | Map # 07 | By-law: 0208-2022 | | | |
|---------------------------|--|---|---|-------------------|--|--|--|
| Exception R3 | Exception R3-41 continued from previous page | | | | | | |
| 4.2.4.41.4 (continued) | (3) | maximum height - h sloped roof | ighest ridge: | 10.0 m | | | |
| | (4) | maximum height: flat roof | | 9.0 m | | | |
| | (5) | | parking spaces per 100 m ² on-residential used for a plasti | 3.2 c | | | |
| | (6) | | nent of an awning outside the ified on Schedule R3-41 of thi quired front yard | 4.5 m | | | |
| | (7) | buildable area ident | nent of an awning outside the ified on Schedule R3-41 of thi ortherly required interior side | | | | |
| | (8) | restricted containing medical practitioner | ic" means a medical office - g the office of a maximum of o in which plastic, reconstructive edures are undertaken | | | | |
| | (9) | maximum number of | parking spaces | 14 | | | |
| | (10) | all site development schedule R3-41 of the | plans shall comply with is Exception | | | | |



Schedule R3-41 Map 07


| 4.2.4.42 | Exception: R3-42 | Map # 15 | By-law: | | | | |
|---------------|--|---|--------------------|--|--|--|--|
| | In a R3-42 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | es | | | | | | |
| 4.2.4.42.1 | Lands zoned R3-42 shall on | aly be used for the following: | | | | | |
| | (1) Detached Dwelling (2) Office (3) Medical Office - Remarks | , | | | | | |
| Regulation | | | | | | | |
| 4.2.4.42.2 | | ce - restricted shall comply we ned in Subsection 4.2.1 of this | | | | | |
| | (1) maximum gross flo | or area - non-residential | 125 m ² | | | | |

| 4.2.4.43 | Exception: R3-43 | Map # 07 | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30 |
|-------------|---|---|--|
| | one the applicable regulations sons shall apply: | hall be as specified for a R3 | zone except that the following |
| Permitted U | ses | | |
| 4.2.4.43.1 | Lands zoned R3-43 shall or | aly be used for the following: | : |
| | (1) Detached Dwelling (2) Office (3) Medical Office - R | | |
| Regulations | | | |
| 4.2.4.43.2 | Minimum lot frontage | | 30.0 m |
| 4.2.4.43.3 | Maximum height - highest sloped roof | ridge of a detached dwellin | ng : 9.5 m |
| 4.2.4.43.4 | Maximum height of a deta | ched dwelling: | 7.5 m |
| 4.2.4.43.5 | Maximum height of eaves of from average grade to low | g | 6.4 m |
| 4.2.4.43.6 | Maximum dwelling unit do | epth | 20.0 m |
| 4.2.4.43.7 | | ee - restricted shall comply the din Subsection 4.2.1 of this | |
| | (1) maximum gross flo | or area - non-residential | 190 m^2 |

| 4.2.4.44 | Excep | otion: R3-44 | Map # 15 | By-law: | | |
|----------------------------------|------------|---|--|---------------------------|-----------|--|
| In a R3-44 zo uses/regulation | | | shall be as specified for a | a R3 zone except that the | following | |
| Permitted Us | se | | | | | |
| 4.2.4.44.1 | Lands | zoned R3-44 shall or | nly be used for the follow | wing: | | |
| | (1) (2) | · / | | | | |
| Regulations | | | | | | |
| 4.2.4.44.2 | | tions contained in Su | ed shall comply with the bsection 4.2.1 of this By | | | |
| | (1) | (1) maximum gross floor area - non-residential used for a medical office - restricted | | | | |
| | (2) | minimum front ya | rd - interior lot | 0. | 0 m | |
| | (3) | minimum westerly | interior side yard | 0.6 | 51 m | |
| | (4) | | of physicians, dentists, ealth professionals perm | | 2 | |
| | (5) | minimum number o | of parking spaces | | 8 | |


| 4.2.4.45 | Exception: R3-45 | Map # 07 | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30 | | |
|-------------|---|--|--|--|--|
| | one the applicable regulation ons shall apply: | ns shall be as specified for | a R3 zone except that the following | | |
| Permitted U | ses | | | | |
| 4.2.4.45.1 | Lands zoned R3-45 shall | only be used for the follow | wing: | | |
| | (1) Detached Dwelling or (2) Office (3) Medical Office - Restricted | | | | |
| Regulations | | | | | |
| 4.2.4.45.2 | Maximum height - high sloped roof | est ridge of a detached dv | velling: 9.5 m | | |
| 4.2.4.45.3 | Maximum height of a do | etached dwelling: | 7.5 m | | |
| 4.2.4.45.4 | Maximum height of eave from average grade to le | es of a detached dwelling : ower edge of eaves | 6.4 m | | |
| 4.2.4.45.5 | Maximum dwelling unit | depth | 20.0 m | | |
| 4.2.4.45.6 | | ffice - restricted shall contained in Subsection 4.2.1 | A • | | |
| | (1) maximum gross | floor area - non-resident | ial 210 m ² | | |
| | (2) minimum rear y | ard | 12.0 m | | |

| 4.2.4.46 | Exception: R3-46 | Map # 45W | By-law: | | | |
|--|--|------------------------------|---------|--|--|--|
| In a R3-46 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | |
| 4.2.4.46.1 | Maximum number of detac | hed dwellings | 35 | | | |
| 4.2.4.46.2 | 4.2.4.46.2 Height of all buildings and structures shall be measured from established grade | | | | | |
| 4.2.4.46.3 | All site development plans this Exception | shall comply with Schedule R | 3-46 of | | | |



Schedule R3-46 Map 38W

| 4.2.4.47 | Exception: R3-47 | Map # 39E | By-law: |
|-------------|--|-------------------------------|--------------------------------|
| I D2 47 | at to t | P 11 12 1 111 | .c. 10 P2 |
| | e the permitted uses and appling uses /regulations shall app | | specified for a R3 zone except |
| | ing uses/regulations shall app | лу. | |
| Regulations | | | |
| 4.2.4.47.1 | Maximum number of detached dwellings 36 | | |
| 4.2.4.47.2 | Minimum separation distance between detached dwellings 3.6 | | |
| 4.2.4.47.3 | Minimum separation distance between garages 1.2 m | | |
| 4.2.4.47.4 | Height of all buildings and established grade | structures shall be measured | from |
| 4.2.4.47.5 | All site development plans this Exception | shall comply with Schedule R. | 3-47 of |




Schedule R3-47 Map 39E

| 4.2.4.48 | Except | tion: R3-48 | Map # 13 | By-law: 0308-2011, 0171-2015/OMB Order 2016 April 04, 0193-2016/ OMB Order 2017 May 30, 0111-2019/LPAT Order 2021 March 09 |
|----------------------------------|-------------------|---|--|---|
| In a R3-48 zo uses/regulation | | | shall be as specified for a R3 z | zone except that the following |
| Permitted Us | ses | | | |
| 4.2.4.48.1 | Lands | zoned R3-48 shall or | aly be used for the following: | |
| | (1) (2) (3) | Detached Dwelling Service Establishm Office | | |
| Regulations | | | | |
| 4.2.4.48.2 | Maxin sloped | | ridge of a detached dwelling | g: 9.5 m |
| 4.2.4.48.3 | Maxin flat ro | num height of a deta | ched dwelling: | 7.5 m |
| 4.2.4.48.4 | | num height of eaves o | of a detached dwelling : er edge of eaves | 6.4 m |
| 4.2.4.48.5 | Maxin | num dwelling unit de | epth | 20.0 m |
| 4.2.4.48.6 | | ne regulations contain | nd/or office shall comply with ned in Subsection 4.2.1 of this | |
| | (1) | maximum gross flo lands zoned R3-48 | oor area - non-residential on | $all 	 350 \text{ m}^2$ |
| | (2) | | oor area - non-residential use ent on all lands zoned R3-48 | ed for a 200 m ² |
| | (3) | a service establish ground floor | ment shall only be permitted of | on the |
| | (4) | minimum lot front Baldwin Road | age for lands fronting onto | 12.0 m |
| | (5) | minimum landscap | oed area | 30% of the lot area |
| | (6) | maximum height | | 10.7 m and 2 storeys |
| | (7) | | a landscaped buffer required the Stanfield Road lot fronta | |

| 4.2.4.49 | Exception: R3-49 | Map # 15 | By-law: 0181-2 Order 2019 Fe | | | |
|-------------|--|--|---------------------------------|--------------------|--|--|
| | In a R3-49 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.49.1 | Minimum lot area - interio | or lot | | 515 m ² | | |
| 4.2.4.49.2 | Minimum lot frontage - int | terior lot | | 14.7 m | | |
| 4.2.4.49.3 | Maximum projection of a garage beyond either the main front entrance or beyond the main entry feature where provided | | | | | |
| 4.2.4.49.4 | Where a main entry feature has been provided, the maximum 5.0 m projection of a garage beyond a main front entrance | | | 5.0 m | | |
| 4.2.4.49.5 | the garage projects beyond | ore than one storey in height, the main front entrance, the d storey which may be set bac e garage face | garage | | | |

| 4.2.4.50 | Exception: R3-50 | Map # 45W | By-law: | | | |
|--|--|------------------------------|---------|--|--|--|
| | In a R3-50 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.50.1 | Maximum number of detac | hed dwellings | 48 | | | |
| 4.2.4.50.2 | Height of all buildings and established grade | structures shall be measured | from | | | |
| 4.2.4.50.3 All site development plans shall comply with Schedule R3-50 of this Exception | | | 3-50 of | | | |



Schedule R3-50 Map 45W

| 4.2.4.51 | Exception: R3-51 | | y-law: 0181-2018/LPAT rder 2019 February 15 |
|-------------|---|---|---|
| | e the permitted uses and apping uses /regulations shall app | licable regulations shall be as spe sly: | ecified for a R3 zone except |
| Regulations | | | |
| 4.2.4.51.1 | Minimum lot area - interio | or lot | 375 m^2 |
| 4.2.4.51.2 | Minimum lot area - corner | lot | 425 m^2 |
| 4.2.4.51.3 | Minimum lot frontage - in | terior lot | 13.5 m |
| 4.2.4.51.4 | Minimum lot frontage - co | rner lot | 15.5 m |
| 4.2.4.51.5 | Maximum lot coverage of a excluding the area of a por | all buildings and structures ch or balcony | 50% |
| 4.2.4.51.6 | Maximum gross floor area | - infill residential | 190 m ² plus 0.33 times the lot area |
| 4.2.4.51.7 | Minimum front yard - cor | ner lot | 4.5 m |
| 4.2.4.51.8 | Minimum exterior side yai | ·d | 3.5 m |
| 4.2.4.51.9 | Minimum interior side yar | d - corner lot | 1.2 m |
| 4.2.4.51.10 | Minimum interior side yar | d - interior lot | 1.2 m on one side and 2.4 m on the other side |
| 4.2.4.51.11 | Minimum rear yard | | 6.5 m to first storey |
| 4.2.4.51.12 | Minimum rear yard | | 0.6 m to detached or attached garage and second storey |
| 4.2.4.51.13 | Minimum setback to a sigh | t triangle | 0.0 m |
| 4.2.4.51.14 | Maximum height - highest sloped roof | ridge: | 9.5 m |
| 4.2.4.51.15 | Maximum height: flat roof | | 7.5 m |
| 4.2.4.51.16 | Maximum height of eaves: from average grade to low | er edge of the eaves | 6.4 m |
| 4.2.4.51.17 | Maximum encroachment of exterior side yard | a porch or balcony into the req | uired 2.0 m |
| 4.2.4.51.18 | | window projections and archite foundation, such as, but not limit, pilasters and corbels: | |
| | (1) into the required fr | ont yard | 1.0 m |
| | (2) into the required in | terior or exterior side yard | 0.6 m |
| 4.2.4.51.19 | The lot line abutting a stree shall be deemed to be the fr | et with a width of 18.0 m or grea cont lot line | ter |
| 4.2.4.51.20 | No parking of motor vehice any part of a front or exter | les or driveways shall be permittior side yard | ted in |
| 4.2.4.51.21 | Setback to garage face from | n the rear lot line | less than 1.0 m; or between 1.8 m and 2.0 m; or greater than 4.5 m |
| 4.2.4.51.22 | Minimum number of parki | ng spaces per lot | 2 |
| 4.2.4.51.23 | 0 0 | et back less than 1.0 m from the rea measuring 2.6 m by 5.2 m sha | |
| 4.2.4.51.24 | Maximum garage width: measured from the inside fa | ace of the garage side walls | 11.0 m |

| 4.2.4.52 | Exception: R3-52 | | By-law: 0379-2009, 308-2011, 0181-2018/LPAT Order 2019 February 15 |
|-------------|--|--|--|
| | ne the permitted uses and appliving uses /regulations shall appl | cable regulations shall be as sp y: | ecified for a R3 zone except |
| Regulations | | | |
| 4.2.4.52.1 | Minimum lot area - interior | · lot | 500 m^2 |
| 4.2.4.52.2 | Minimum lot area - corner | lot | 600 m^2 |
| 4.2.4.52.3 | Minimum lot frontage - cor | ner lot | 18.0 m |
| 4.2.4.52.4 | Maximum lot coverage of a excluding the area of a porc | | 40% |
| 4.2.4.52.5 | Maximum gross floor area | - infill residential | $190 \text{ m}^2 \text{ plus}$ 0.33 times the lot area |
| 4.2.4.52.6 | Minimum front yard - corn | er lot | 6.0 m |
| 4.2.4.52.7 | Minimum exterior side yar | d | 4.5 m |
| 4.2.4.52.8 | Minimum interior side yard | i | 1.5 m |
| 4.2.4.52.9 | Minimum rear yard - corne | er lot | 7.5 m |
| 4.2.4.52.10 | Minimum setback to a sight | triangle | 1.5 m |
| 4.2.4.52.11 | Maximum height - highest is sloped roof | ridge: | 9.5 m |
| 4.2.4.52.12 | Maximum height: flat roof | | 7.5 m |
| 4.2.4.52.13 | Maximum height of eaves: from average grade to lowe | r edge of the eaves | 6.4 m |
| 4.2.4.52.14 | Maximum encroachment of exterior side yard | a porch or balcony into the rec | quired 2.0 m |
| 4.2.4.52.15 | | window projections and archite foundation, such as, but not lim pilasters and corbels: | |
| | (1) into the required fro | nt, rear or exterior side yard | 1.0 m |
| | (2) into the required int | erior side yard | 0.6 m |
| 4.2.4.52.16 | Maximum encroachment of required front yard | a side wall of a garage into the | 1.5 m |
| 4.2.4.52.17 | Maximum projection of a ga the first floor front wall or e detached dwelling | rage face beyond any portion exterior side wall of a | of 0.0 m |
| 4.2.4.52.18 | the first floor front wall or e | rage face beyond any portion exterior side wall of a main entry feature is provide | |
| 4.2.4.52.19 | A detached garage shall not | be permitted | |
| 4.2.4.52.20 | Maximum garage width: measured from the inside fac | ce of the garage side walls | 8.0 m |
| 4.2.4.52.21 | Minimum setback to garage | | 6.0 m |

| 4.2.4.53 | Exception: R3-53 | 0 | By-law: 0379-2009, 308-2011, 0181-2018/LPAT Order 2019 February 15 |
|-------------|---|--|--|
| | ne the permitted uses and applications shall apply | | ecified for a R3 zone except |
| Regulations | | | |
| 4.2.4.53.1 | Minimum lot area - interior | lot | 500 m^2 |
| 4.2.4.53.2 | Minimum lot area - corner l | ot | 600 m^2 |
| 4.2.4.53.3 | Minimum lot frontage - cor | ner lot | 18.0 m |
| 4.2.4.53.4 | Maximum lot coverage of al excluding the area of a porch | | 40% |
| 4.2.4.53.5 | Maximum gross floor area - | infill residential | $190 \text{ m}^2 \text{ plus}$ 0.33 times the lot area |
| 4.2.4.53.6 | Minimum front yard - corne | er lot | 6.0 m |
| 4.2.4.53.7 | Minimum exterior side yard | l | 4.5 m |
| 4.2.4.53.8 | Minimum interior side yard | | 1.5 m |
| 4.2.4.53.9 | Minimum rear yard - corne | r lot | 7.5 m |
| 4.2.4.53.10 | Minimum setback to a sight | triangle | 1.5 m |
| 4.2.4.53.11 | Maximum height - highest r sloped roof | idge: | 10.8 m |
| 4.2.4.53.12 | Maximum height: flat roof | | 7.5 m |
| 4.2.4.53.13 | Maximum height of eaves: from average grade to lower | edge of the eaves | 7.7 m |
| 4.2.4.53.14 | Maximum encroachment of a exterior side yard | a porch or balcony into the req | quired 2.0 m |
| 4.2.4.53.15 | | window projections and archite bundation, such as, but not liming pilasters and corbels: | |
| | (1) into the required fro | nt, rear or exterior side yard | 1.0 m |
| | (2) into the required inte | rior side yard | 0.6 m |
| 4.2.4.53.16 | Maximum encroachment of a required front yard | a side wall of a garage into the | 1.5 m |
| 4.2.4.53.17 | Maximum projection of a gaing the first floor front wall or exdetached dwelling | rage face beyond any portion of a sterior side wall of a | of 0.0 m |
| 4.2.4.53.18 | the first floor front wall or e | rage face beyond any portion of a main entry feature is provided | |
| 4.2.4.53.19 | A detached garage shall not | be permitted | |
| 4.2.4.53.20 | Maximum garage width: measured from the inside fac | e of the garage side walls | 8.0 m |
| 4.2.4.53.21 | Minimum setback to garage | | 6.0 m |

| 4.2.4.54 | Excep | otion: R3-54 | Map # 14 | By-law: | | | |
|---|--|--------------|--------------------------------|--------------------|--|--|--|
| | In a R3-54 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulation | | | | | | | |
| 4.2.4.54.1 | The p | | n Subsection 2.1.24 of this By | /-law | | | |
| Holding Prov | ision | | | | | | |
| | The holding symbol H is to be removed from the whole or any part of the lands zoned H-R3-54 by further amendment to Map 14 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements: | | | | | | |
| a letter from a Registered Professional Engineer in the Province of Ontario certifying that the building meets the requirements for flood proofing to the satisfaction of the City and Credit Valley Conservation; confirmation in writing from Credit Valley Conservation | | | | meets action of | | | |
| | (2) | | the site has been provided. | | | | |

| 4.2.4.55 | Exception: R3-55 | Map # 20 | By-law: | | | | |
|---------------|--|-----------|---------|--|--|--|--|
| | In a R3-55 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | | | | | | | |
| 4.2.4.55.1 | 4.2.4.55.1 Lands zoned R3-55 shall only be used for the following: | | | | | | |
| | (1) Day Care | | | | | | |
| Regulation | | | | | | | |
| 4.2.4.55.2 | Minimum number of parki | ng spaces | 22 | | | | |

| 4.2.4.56 | Exception: R3-56 | Map # 08 | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30 | |
|--------------|---|--|--|--|
| | ne the applicable regulations s ns shall apply: | shall be as specified for a R3 z | zone except that the following | |
| Permitted Us | es | | | |
| 4.2.4.56.1 | Lands zoned R3-56 shall or | nly be used for the following: | | |
| | (1) Detached Dwelling or (2) Office (3) Medical Office - Restricted | | | |
| Regulations | | | | |
| 4.2.4.56.2 | Maximum height - highest sloped roof | ridge of a detached dwelling | g: 9.5 m | |
| 4.2.4.56.3 | Maximum height of a deta | ched dwelling: | 7.5 m | |
| 4.2.4.56.4 | Maximum height of eaves of from average grade to low | S | 6.4 m | |
| 4.2.4.56.5 | Maximum dwelling unit do | epth | 20.0 m | |
| 4.2.4.56.6 | | ce - restricted shall comply water in Subsection 4.2.1 of this | | |
| | (1) minimum lot front | age - interior lot | 22.5 m | |
| | (2) maximum gross flo | oor area - non-residential | 355 m^2 | |

| 4.2.4.57 | Exception: R3-57 | Map # 48W | By-law: | | |
|--------------|--|--|------------------------------|--------------------|--|
| | one the applicable regulations ons shall apply: | shall be as specified fo | r a R3 zone except that | at the following | |
| Permitted Us | ses | | | | |
| 4.2.4.57.1 | Lands zoned R3-57 shall o | only be used for the foll | owing: | | |
| | (1) A Place of Religio (2) A funeral preparat religious assembl | ion room accessory to a | a place of | | |
| Regulations | | | | | |
| 4.2.4.57.2 | The regulations of Articles shall not apply | s 2.1.13.1 and 2.1.9.3 of | f this By-law | | |
| 4.2.4.57.3 | Maximum gross floor are | a | | 1600 m^2 | |
| 4.2.4.57.4 | Maximum gross floor are worship area | Maximum gross floor area - non-residential of the worship area 184 m ² | | | |
| 4.2.4.57.5 | Maximum gross floor are rooms | a - non-residential of | the multi-use | 183 m ² | |
| 4.2.4.57.6 | Minimum side yard | | | 6.0 m | |
| 4.2.4.57.7 | Maximum height | | | 12.5 m | |
| 4.2.4.57.8 | Maximum height : spire, ornamental dome, cu | apola, minaret or other | like feature | 25.0 m | |
| 4.2.4.57.9 | "Multi-Use Room" means place of religious assemb used as a place of conduct activities, and any rooms or rooms | ly that are used or interof social, recreational a | nded to be and charitable | | |
| Revised: 202 | 3 January 31 | | | Page 4.2.4 ~ 3 | |

| 4.2.4.58 | Except | tion: R3-58 | Map # 20 | By-law: | | | |
|--------------|--|---|---|-----------|----------------------------|--|--|
| | In a R3-58 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Us | e | | | | | | |
| 4.2.4.58.1 | Lands | zoned R3-58 shall or | nly be used for the following | y: | | | |
| | (1) (2) | Detached Dwelling Showroom for the r and accessory office | etail display of windows and | d doors | | | |
| Regulations | | | | | | | |
| 4.2.4.58.2 | access | ory office shall comp | lisplay of windows and door ly with the R3 zone regulati .1 of this By-law except tha | ons | | | |
| | (1) | | oor area - non-residential u etail display of windows and e | | 150 m ² | | |
| | (2) | minimum landscap | oed area | | 50% of the lot area | | |
| | (3) | maximum lot cover | rage | | 15% | | |
| | (4) | minimum setback of parking areas to the | of all buildings, structures and rear lot line | and | 9.0 m | | |

| 4.2.4.59 | Exception: R3-59 | Map # 06 | By-law: | | | | |
|-------------|--|--------------------------|------------|--|--|--|--|
| | In a R3-59 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted U | Permitted Use | | | | | | |
| 4.2.4.59.1 | Lands zoned R3-59 sha | all only be used for the | following: | | | | |
| | (1) Detached Dw | elling or | | | | | |
| | (2) Private Club | | | | | | |

| 4.2.4.60 | Exception: R3-60 | Map # 19 | By-law: | | |
|---------------------------------|---|---|-------------------------------|--|--|
| In a R3-60 zone uses/regulation | 11 | hall be as specified for a R3 z | one except that the following | | |
| Permitted Use | s | | | | |
| 4.2.4.60.1 | Lands zoned R3-60 shall on | aly be used for the following: | | | |
| | passing of this By-la | legally existing on the date of aw ry clinic within the existing | f | | |
| Regulations | | | | | |
| 4.2.4.60.2 | | ll be the principal private residerinarian must not be an occas | | | |
| 4.2.4.60.3 | Maximum gross floor area - non-residential used for a 150 m ² veterinary clinic | | | | |
| 4.2.4.60.4 | Outdoor storage shall not be permitted | | | | |
| 4.2.4.60.5 | A veterinary clinic and all wholly within the existing of | related activities shall be conc letached dwelling | lucted | | |

| 4.2.4.61 | Exception: R3-61 | Map # 25 | By-law: | | | | | |
|--|--|----------|---------|--|--|--|--|--|
| | In a R3-61 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | | |
| Permitted Use | es | | | | | | | |
| 4.2.4.61.1 | Lands zoned R3-61 shall only be used for the following: | | | | | | | |
| (1) Detached Dwelling (2) Garden Centre | | | | | | | | |
| Regulation | | | | | | | | |
| 4.2.4.61.2 | Minimum lot area - garder | centre | 0.3 ha | | | | | |

| 4.2.4.62 | Exception: R3-62 | Map # | By-law: deleted by 0131-2019 |
|----------|------------------|-------|------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| 4.2.4.63 | Exception: R3-63 | Map # 15 | By-law: 0174-2015 | | | | |
|---------------|--|--------------------------------|-------------------|--|--|--|--|
| | In a R3-63 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | | | | | | | |
| 4.2.4.63.1 | Lands zoned R3-63 shall on | aly be used for the following: | | | | | |
| | (1) Detached Dwelling | ; | | | | | |
| Regulations | Regulations | | | | | | |
| 4.2.4.63.2 | Minimum lot frontage | | 13.0 m | | | | |
| 4.2.4.63.3 | Maximum height | | 9.5 m | | | | |
| 4.2.4.63.4 | deleted | | | | | | |

| 4.2.4.64 | Exception: R3-64 | Map # 39E | By-law: | | | | | |
|---------------|--|--------------------------------|---------|--|--|--|--|--|
| | In a R3-64 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | | |
| Permitted Use | s | | | | | | | |
| 4.2.4.64.1 | Lands zoned R3-64 shall or | aly be used for the following: | | | | | | |
| | (1) Detached Dwelling or (2) Dental Office | | | | | | | |
| Regulations | Regulations | | | | | | | |
| 4.2.4.64.2 | A dental office shall comply with the R3 zone regulations contained in Subsection 4.2.1 of this By-law except that: | | | | | | | |
| | (1) maximum lot cove r | rage | 14% | | | | | |


| 4.2.4.65 | Excep | otion: R3-65 | Map # 07 | By-law: | 0019-2008 |
|--------------|-------------------|---|--|-----------|---|
| | | ermitted uses and apples/regulations shall app | licable regulations shall be as bly: | specified | for a R3 zone except |
| Permitted Us | es | | | | |
| 4.2.4.65.1 | (1) (2) (3) | Detached Dwelling Office Medical Office - R | | | |
| Uses Not Per | mitted | | | | |
| 4.2.4.65.2 | (1) | Office and/or media | cal office - restricted that requarking spaces | uires | |
| Regulations | | | | | |
| 4.2.4.65.3 | Detac | ched Dwelling: | | | |
| | (1) | the regulations cont By-law shall apply | ained in Subsection 4.2.4 of the | his | |
| | (2) | minimum interior s | side yard | | 4.27 m on one side of the lot and 0.31 m on the other side |
| | (3) | minimum combined detached dwelling | l width of side yards - one sto | rey | 4.58 m |
| | (4) | maximum dwelling | unit depth | | 22.0 m |
| 4.2.4.65.4 | R3 zc | | ce - restricted shall comply water in Subsection 4.2.1 of this | | |
| | (1) | the regulations cont By-law shall apply | tained in Subsection 4.2.4 of t | his | |
| | (2) | | of physicians, dentists, drugle ealth professionals permitted | | 1 |
| | (3) | maximum total gro | ss floor area - non-residentia | al | 230 m^2 |
| | (4) | maximum gross flo medical office - res | or area - non-residential use stricted | ed for a | 170 m^2 |
| | (5) | minimum interior : | side yard | | 4.27 m on one side of the lot and 0.31 m on the other side |

Exception R3-65 continued on next page

| 4.2.4.65 | Excep | tion: R3-65 | Map # 07 | By-law: 0019-2008 |
|---------------------------|---------|---|---|-------------------|
| Exception R3- | 65 cont | tinued from previous j | page | |
| 4.2.4.65.4 (continued) | (6) | minimum combined v | vidth of side yards - one storey | 4.58 m |
| | (7) | maximum building depth | | 22.0 m |
| | (8) | maximum number of parking spaces | | 13 |
| | (9) | maximum number of tandem parking spaces | | 6 |
| | (10) | minimum aisle width | | 4.24 m |

| 4.2.4.66 | Except | tion: R3-66 | Map # 15 | By-law: 0112-2008 | | | | |
|---------------|--|--|---|-------------------|--|--|--|--|
| | In a R3-66 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | | |
| Permitted Use | es | | | | | | | |
| 4.2.4.66.1 | Lands | zoned R3-66 shall only | be used for the following: | | | | | |
| | (1) (2) | Detached Dwelling or Office | | | | | | |
| Regulations | | | | | | | | |
| 4.2.4.66.2 | | ice shall comply with the tion 4.2.1 of this By-la | he R3 zone regulations contain w except that: | ned in | | | | |
| | (1) | the provisions contained in Article 3.1.3.1 of this By-law shall not apply | | | | | | |
| | (2) | the office use and all related activities shall be conducted wholly within the detached dwelling legally existing on the date of passing of this By-law | | | | | | |
| | (3) | maximum number of persons employed on the site 2 | | | | | | |
| | (4) | minimum landscaped area 40% of the lot area | | | | | | |
| | (5) | minimum number of | parking spaces | 4 | | | | |

| 4.2.4.67 | Exception: R3-67 | Map # 07 | By-law: 0079-2010, 0111-2019/LPAT Order 2021 March 09 | | | | | |
|---------------|--|---|---|--|--|--|--|--|
| | In a R3-67 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | | | |
| Permitted Use | | | | | | | | |
| 4.2.4.67.1 | Lands zoned R3-67 shall or | ally be used for the following: | | | | | | |
| | (1) Office | | | | | | | |
| Use Not Permi | itted | | | | | | | |
| 4.2.4.67.2 | (1) deleted | | | | | | | |
| Regulations | | | | | | | | |
| 4.2.4.67.3 | Maximum lot coverage for respectively, identified on S | Parcel 'A' and Parcel 'B', Schedule R3-67 of this Except | 25% of the parcel area | | | | | |
| 4.2.4.67.4 | Maximum gross floor area - non-residential in Parcel 'A' identified on Schedule R3-67 of this Exception | | | | | | | |
| 4.2.4.67.5 | Maximum gross floor area - non-residential in Parcel 'B' identified on Schedule R3-67 of this Exception | | | | | | | |
| 4.2.4.67.6 | Minimum number of parki area - non-residential in P of this Exception | | | | | | | |
| 4.2.4.67.7 | Tandem parking spaces an Schedule R3-67 of this Exc | re permitted in Parcel 'B' ident eption | ified on | | | | | |
| 4.2.4.67.8 | Maximum number of tande Parcel 'B' identified on Scho | in 6 | | | | | | |
| 4.2.4.67.9 | Parking areas may be consof material | structed of a permeable type | | | | | | |
| 4.2.4.67.10 | Parcel 'A' and Parcel 'B' ide Exception may share drive | ntified on Schedule R3-67 of ways and aisles | this | | | | | |
| 4.2.4.67.11 | All site development plans of this Exception | shall comply with Schedule R | 3-67 | | | | | |



Schedule R3-67 Map 07


| 4.2.4.68 | Exception: R3-68 | • | By-law: 0084-2009, 0111-2019/LPAT Order 2021 March 09 | | |
|---------------|---|--|---|--|--|
| | ne the permitted uses and aping uses /regulations shall ap | plicable regulations shall be as speply: | pecified for a R3 zone except | | |
| Additional Pe | rmitted Use | | | | |
| 4.2.4.68.1 | (1) Office | | | | |
| Use Not Perm | itted | | | | |
| 4.2.4.68.2 | (1) deleted | | | | |
| Regulations | | | | | |
| 4.2.4.68.3 | The provisions of Line 3.4 contained in Table 2.1.9.4 of this By-law shall not apply | | | | |
| 4.2.4.68.4 | The regulations of Line 12 By-law shall not apply | 2.3 contained in Table 4.2.1 of th | is | | |
| 4.2.4.68.5 | The regulations contained in Subsection 4.2.4 of this By-law shall apply except that: | | | | |
| | or structure havin | ed width of side yards for a buil g more than one storey - interio age equal to or greater than 18.0 | or lots lot frontage | | |
| 4.2.4.68.6 | Maximum gross floor are | 320 m^2 | | | |
| 4.2.4.68.7 | Maximum amount of parl | 64% of the front yard | | | |
| 4.2.4.68.8 | Minimum setback of a par abutting a Residential Zon | t line 3.5 m | | | |

| 4.2.4.69 | Exception: R3-69 | Map # 38W, 39E, 45W | By-law: 0380-2009/ OMB Order 2010 September 13, 0308-2011 |
|-------------|--|---|---|
| | e the permitted uses and appling uses /regulations shall app | | specified for a R3 zone except |
| Regulations | | | |
| 4.2.4.69.1 | Maximum lot coverage | | 30% |
| 4.2.4.69.2 | Maximum gross floor area | 150 m ² plus 0.2 times the lot area | |
| 4.2.4.69.3 | Maximum height - highest sloped roof | 9.0 m | |
| 4.2.4.69.4 | Maximum height: flat roof | | 7.5 m |
| 4.2.4.69.5 | Maximum height of eaves: | | |
| | from average grade to low | 6.4 m | |
| 4.2.4.69.6 | Garage projection: | | |
| | maximum projection of the exterior side wall of the fir | garage beyond the front wal st storey | l or 2.0 m |
| 4.2.4.69.7 | Maximum dwelling unit de | 20.0 m | |

| 4.2.4.70 | Exception: R3-70 | Map # 37W | By-law: 0024-2011, 0181-2018/LPAT Order 2019 February 15 |
|-------------|--|---|--|
| | ne the permitted uses and apping uses /regulations shall app | | specified for a R3 zone except |
| Regulations | | | |
| 4.2.4.70.1 | Minimum lot area - interio | or lot | 435 m^2 |
| 4.2.4.70.2 | Minimum lot area - corner | ·lot | 550 m^2 |
| 4.2.4.70.3 | Minimum lot frontage - in | terior lot | 14.0 m |
| 4.2.4.70.4 | Minimum lot frontage - co | rner lot | 17.0 m |
| 4.2.4.70.5 | Maximum lot coverage | | 40% |
| 4.2.4.70.6 | Minimum front yard | | 9.0 m |
| 4.2.4.70.7 | Minimum setback to garag | e face | 12.0 m |
| 4.2.4.70.8 | Minimum exterior side yai | ·d | 4.5 m |
| 4.2.4.70.9 | Minimum interior side yar | rd - interior lot | 1.2 m on one side of the lot and 0.61 m on the other side |
| 4.2.4.70.10 | Minimum interior side yar | d - corner lot | 1.2 m |
| 4.2.4.70.11 | Minimum rear yard | | 7.0 m |
| 4.2.4.70.12 | accessible from the first sto | Ta porch or a deck, located at orey or below the first storey airs, into a required front and | of |
| 4.2.4.70.13 | A hammerhead shall be pergreater than or equal to 14.0 | ermitted on a lot with a lot fro m | ntage |

| 4.2.4.71 | Exception: R3-71 | Map # 39E | By-law: 0014-2012 | | |
|---------------|--|-----------|-------------------|--|--|
| | In a R3-71 zone the applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Permitted Use | S | | | | |
| 4.2.4.71.1 | Lands zoned R3-71 shall only be used for the following: | | | | |
| | (1) Detached Dwelling(2) Office | g and/or | | | |
| Regulations | Regulations | | | | |
| 4.2.4.71.2 | Minimum front yard | | 4.2 m | | |
| 4.2.4.71.3 | Minimum interior side yard 1.6 m | | | | |
| 4.2.4.71.4 | Parking for an office shall only be permitted in the rear yard | | | | |

| 4.2.4.72 | Exception: R3-72 | Map # 17 | By-law: OLT Order 2023 January 03 | | |
|-------------|--|----------|--------------------------------------|--|--|
| | In a R3-72 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.2.4.72.1 | The provisions contained in Subsection 4.1.8 of this By-law shall not apply | | | | |
| 4.2.4.72.2 | Maximum lot area - Lot 'A' 555 m ² | | | | |
| 4.2.4.72.3 | Maximum lot area - Lot 'B' 730 m ² | | | | |
| 4.2.4.72.4 | Maximum lot area - Lot 'C' 675 m ² | | | | |
| 4.2.4.72.5 | Minimum setback from a garage face to a shared internal roadway identified on Schedule R3-72 of this Exception | | | | |
| 4.2.4.72.6 | All site development plans shall comply with Schedule R3-72 of this Exception | | | | |



Schedule R3-72 Map 17

| 4.2.4.73 | Excep | otion: R3-73 | Map # 39E | By-law: 0139-2014 |
|----------------------------------|-------------------|--|---|-------------------------------------|
| In a R3-73 zoi uses/regulatio | _ | - | shall be as specified for | a R3 zone except that the following |
| Permitted Us | es | | | |
| 4.2.4.73.1 | Lands | s zoned R3-73 shall or | nly be used for the follo | owing: |
| | (1) (2) (3) | Detached Dwelling or Office or Office with one dwelling unit | | |
| Regulations | | | | |
| 4.2.4.73.2 | Minin | num parking space v | vidth | 2.45 m |
| 4.2.4.73.3 | | fice shall comply with ection 4.2.1 of this By | h the R3 zone regulation law except that: | ns contained in |
| | (1) | maximum gross flo | oor area - non-resident | tial 138.5 m^2 |
| | (2) | maximum number | of tandem parking spa | aces 3 |
| | (3) | minimum depth of Queen Street South | a landscaped buffer ab | putting 7.5 m |
| | (4) | minimum aisle wid | th | 6.0 m |

| 4.2.4.74 | Excep | otion: R3-74 | Map # 38W | By-law: (| 0246-2014 |
|-------------|-------|--|--|--------------------------------|----------------------|
| | | ermitted uses and app s/regulations shall app | | nall be as specified f | For a R3 zone except |
| Regulations | | | | | |
| 4.2.4.74.1 | healt | office of a physician, dentist, drugless practitioner or th professional shall comply with the R3 zone regulations ained in Subsection 4.2.1 of this By-law except that: | | | |
| | (1) | the provisions conta of this By-law shall | nined in Articles 4.1. not apply | 17.2 and 4.1.17.8 | |
| | (2) | practitioner or hea physician, dentist, | ian, dentist, drugles alth professional, one drugless practition aree employees shall | e non-resident er or health | |
| | (3) | maximum gross flo | or area - non-reside | ential | 136 m^2 |
| | (4) | minimum rear yar | d | | 6.7 m |
| | (5) | minimum aisle wid | th | | 6.0 m |
| | (6) | minimum landscap and the front lot lin | oed buffer between a ne | parking space | 2.8 m |
| | (7) | minimum number of floor area - non-re | of parking spaces per sidential | r 100 m ² gross | 5.8 |
| | (8) | required number of | parking spaces for | residential use | 2 |
| | (9) | | persons with disabilit ch into the required f | | |

Revised: 2024 February 29 Page 4.2.4 ~ 42

| 4.2.4.75 | Exception: R3-75 | Map # 01, 05, 06, 07, 12, 13 | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30/2018 January 10, 0198-2019, 0183-2021, OLT Order 2021 October 14, 0007-2022, 0162-2022 |
|-------------|---|------------------------------|--|
| | one the permitted uses and app wing uses /regulations shall ap | | s specified for a R3 zone except |
| Regulations | | | |
| 4.2.4.75.1 | Maximum height - highes sloped roof | t ridge: | 9.5 m |
| 4.2.4.75.2 | Maximum height: 7.5 flat roof | | |
| 424552 | Maximum height of eaves: from average grade to lower edge of eaves | | |
| 4.2.4.75.3 | · · | | 6.4 m |

| | Exception: R3-76 one the permitted uses and twing uses /regulations shall | | By-law: 0171-2015/ OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30, 0181-2018/ LPAT Order 2019 February 15 hall be as specified for a R3 zone except | |
|-------------|--|--|--|--|
| Regulations | | r appry. | | |
| 4.2.4.76.1 | Minimum lot area - in | terior lot | 480 m^2 | |
| 4.2.4.76.2 | Minimum lot area - co | rner lot | 585 m ² | |
| 4.2.4.76.3 | Minimum lot frontage | - corner lot | 18.0 m | |
| 4.2.4.76.4 | Maximum lot coverage | 2 | 45% | |
| 4.2.4.76.5 | Minimum front yard - | interior lot | 6.0 m | |
| 4.2.4.76.6 | Minimum exterior side | e yard | 4.5 m | |
| 4.2.4.76.7 | Minimum exterior side | Minimum exterior side yard - lots abutting Cawthra Road | | |
| 4.2.4.76.8 | Minimum setback to ga | 6.0 m | | |
| 4.2.4.76.9 | Minimum interior side | yard - interior lot | 1.2 m on side and 0.61 m on the other side | |
| 4.2.4.76.10 | Minimum interior side | yard - corner lot | 1.2 m | |
| 4.2.4.76.11 | Minimum rear yard - | corner lot | 7.5 m | |
| 4.2.4.76.12 | Minimum setback to a | railway right-of-way | 22.0 m | |
| 4.2.4.76.13 | Maximum height - hig sloped roof | Maximum height - highest ridge: sloped roof | | |
| 4.2.4.76.14 | Maximum height: flat roof | <u>e</u> | | |
| 4.2.4.76.15 | • | Maximum height of eaves: from average grade to lower edge of eaves | | |
| 4.2.4.76.16 | Maximum dwelling un | it depth | 20.0 m | |

Revised: 2023 March 31 Page 4.2.4 ~ 43


| 4.2.4.77 | Exception: R3-77 | Map # 01 | By-law: 0193-2016/OMB Order 2018 January 10 | | |
|-------------|--|----------|--|--|--|
| | In a R3-77 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.2.4.77.1 | Maximum height - highest ridge: sloped roof | | 10.0 m | | |
| 4.2.4.77.2 | Maximum height: flat roof | | 7.5 m | | |
| 4.2.4.77.3 | Maximum height of eaves: from average grade to lower edge of eaves | | 7.4 m | | |
| 4.2.4.77.4 | Maximum dwelling unit de | epth | 20.0 m | | |

| 4.2.4.78 | Exception: R3-78 | Map # 07 | By-law: 0193-2016/OMB Order 2018 January 10 | |
|---|--|----------|--|--|
| In a R3-78 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: Regulations | | | | |
| 4.2.4.78.1 | Maximum height - highest ridge: sloped roof | | 9.5 m | |
| 4.2.4.78.2 | Maximum height: flat roof | | 7.5 m | |
| 4.2.4.78.3 | Maximum height of eaves: from average grade to lower edge of eaves | | 7.4 m | |
| 4.2.4.78.4 | Maximum dwelling unit depth | | 20.0 m | |

| 4.2.4.79 | Exception: R3-79 | Map # 07 | By-law: 0193-2016/OMB Order 2018 January 10 | |
|---|--|----------|--|--|
| In a R3-79 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: Regulations | | | | |
| 4.2.4.79.1 | Maximum height - highest ridge: sloped roof | | 9.5 m | |
| 4.2.4.79.2 | Maximum height: flat roof | 7.5 m | | |
| 4.2.4.79.3 | Maximum height of eaves: from average grade to lower edge of eaves | | 8.5 m | |
| 4.2.4.79.4 | Maximum dwelling unit depth | | 20.0 m | |

Revised: 2023 March 31 Page 4.2.4 ~ 44

| 4.2.4.80 | Exception: R3-80 | Map # 08 | By-law: LPAT Order 2019 August 20, 0208-2022 | | | |
|-------------|--|-------------------------------|---|--|--|--|
| | In a R3-80 zone the permitted uses and applicable regulations shall be as specified for a R3 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.2.4.80.1 | The regulations contained in shall apply | n Subsection 4.2.4 of this By | -law | | | |
| 4.2.4.80.2 | The regulations of Lines 8.0 and 9.0 in Table 4.2.4 contained in Subsection 4.2.4 of this By-law shall not apply | | | | | |
| 4.2.4.80.3 | The provisions contained in Article 2.1.3.1 of this By-law shall not apply to Lot 'A' | | | | | |
| 4.2.4.80.4 | Minimum lot frontage - int | terior lot for Lot 'B' | 5.5 m | | | |
| 4.2.4.80.5 | Minimum setback of accessory buildings and structures to a 7.5 m rear lot line | | | | | |
| 4.2.4.80.6 | Accessory buildings and structures and swimming pools are permitted outside the buildable area identified in Schedule R3-80 of this Exception, but shall only be located in the rear yard, and shall not include a detached garage | | | | | |
| 4.2.4.80.7 | For Lot 'A', the most easterly property line parallel to Kane Road shall be deemed to be the front lot line | | | | | |
| 4.2.4.80.8 | All site development plans this Exception | shall comply with Schedule I | R3-80 of | | | |



Schedule R3-80 Map 08