4.3 R6 AND R7 ZONES (DETACHED DWELLINGS - SHALLOW LOTS)

4.3.1 R6 and R7 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.3.1 - R6 and R7 Permitted Uses and Zone Regulations.

Table 4.3.1 - R6 and R7 Permitted Uses and Zone Regulations

(0181-2018/LPAT Order 2019 February 15), (0018-2021)

Colum	n A	В	C
Line 1.0	ZONES	R6	R7
PERM	ITTED USES		
2.0	RESIDENTIAL		
2.1	Detached Dwelling	√ (1)	√ (1)
ZONE	REGULATIONS		
3.0	MINIMUM LOT AREA		
3.1	Interior lot	320 m^2	285 m ²
3.2	Corner lot	405 m ²	370 m^2
4.0	MINIMUM LOT FRONTAGE		
4.1	Interior lot	12.5 m	11.0 m
4.2	Corner lot	15.8 m	14.3 m
5.0	MINIMUM FRONT YARD		
5.1	Lot with a municipal sidewalk adjacent the front lot line	4.5 m ⁽²⁾	4.5 m ⁽²⁾
5.2	Lot without a municipal sidewalk adjacent the front lot line	3.5 m ⁽²⁾	3.5 m ⁽²⁾
5.3	Garage face	5.8 m	5.8 m
6.0	MINIMUM EXTERIOR SIDE YARD		
6.1	Lot with a municipal sidewalk adjacent the exterior side lot line	4.5 m ⁽²⁾	4.5 m ⁽²⁾
6.2	Lot without a municipal sidewalk adjacent the exterior side lot line	3.5 m ⁽²⁾	3.5 m ⁽²⁾
6.3	Garage face	5.8 m	5.8 m
6.4	Minimum setback of a detached dwelling to all lands zoned U-3	14.5 m ⁽²⁾	14.5 m ⁽²⁾
7.0	MINIMUM INTERIOR SIDE YARD		
7.1	Interior lot	1.2 m on one side of the lot and 0.61 m on the other side ⁽²⁾	1.2 m on one side of the lot and 0.61 m on the other side (2)
7.2	Corner lot	0.61 m ⁽²⁾	0.61 m ⁽²⁾

Table 4.3.1 continued on next page

Revised: 2022 September 30 Page 4.3.1~1

Colum	n A	В	С
Line 1.0	ZONES	R6	R 7
Table 4	1.3.1 continued from previous page		
8.0	MINIMUM REAR YARD		
8.1	Interior lot	7.0 m ⁽²⁾	7.0 m ⁽²⁾
8.2	Corner lot	7.0 m ⁽²⁾	7.0 m ⁽²⁾
8.3	Where lot abuts a lot with a minimum rear yard of 7.5 m	6.0 m ⁽²⁾	6.0 m ⁽²⁾
8.4	Where the abutting lot to the rear of the subject lot has a minimum rear yard of 7.0 m, the minimum rear yard of the subject lot may be reduced to 6.0 m for a maximum of 50% of the width of the rear wall of the detached dwelling	√ (2)	√ (2)
8.5	Minimum setback of a detached dwelling to all lands zoned U-3	14.5 m ⁽²⁾	14.5 m ⁽²⁾
9.0	MAXIMUM HEIGHT	10.7 m	10.7 m
10.0	ENCROACHMENTS, PROJECTIONS AND SETBACKS		
10.1	Maximum projection of a garage beyond either the main front entrance or beyond the main entry feature where provided	2.5 m	2.5 m
10.2	Where a main entry feature has been provided, the maximum projection of a garage beyond a main front entrance 5.0 m		5.0 m
10.3	For a detached dwelling more than one storey in height , where the garage projects beyond the main front entrance , a minimum of 75% of the width of the garage , measured from the inside face of the garage walls, shall be covered by a second storey which may be set back a maximum of 2.5 m from the garage face	✓	√
10.4	Maximum encroachment of a balcony or porch into the required front and exterior side yards	2.0 m ⁽²⁾	2.0 m ⁽²⁾
10.5	Maximum encroachment of an awning into the required front yard	0.6 m ⁽²⁾	0.6 m $^{(2)}$
10.6	Maximum encroachment of an awning into the required exterior side yard	0.3 m ⁽²⁾	0.3 m ⁽²⁾
10.7	Minimum setback to a sight triangle	0.0 m	0.0 m
11.0	ATTACHED GARAGE, PARKING AND DRIVEWAY		
11.1	Attached garage	Required (3)	Required (3)
11.2	Minimum parking spaces	√ (4) (5)	√ (4) (5)
11.3	Maximum driveway width	Lesser of 6.1 m or 45% of lot frontage ⁽⁶⁾	Lesser of 6.5 m or 50% of lot frontage (6)
11.4	Maximum width of an attached garage : measured from the inside face of the garage walls	Lesser of 6.1 m or 45% of lot frontage (6)	Lesser of 5.5 m or 50% of lot frontage (6)
12.0	ACCESSORY BUILDINGS AND STRUCTURES	√ (7)	√ (7)

NOTES:

- See also Subsections 4.1.1, 4.1.16 and 4.1.17 of this By-law.
 See also Subsections 4.1.7 and 4.1.8 of this By-law.
 See Subsection 4.1.12 of this By-law.
- (4) See Subsection 4.1.9 of this By-law.
 (5) See Part 3 of this By-law.
 (6) See Article 4.1.9.1 of this By-law.

- (7) See Subsection 4.1.2 of this By-law.
- (8) deleted by 0018-2021.

Revised: 2021 February 28

4.3.2 R6 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.3.2.1	Exception: R6-1	Map # 57, 58	By-law:
	e the permitted uses and applicing uses /regulations shall app	cable regulations shall be as sp bly:	pecified for a R6 zone except
Regulations			
4.3.2.1.1	Minimum lot area - interio	or lot	360 m^2
4.3.2.1.2	Minimum lot area - corner	·lot	500 m^2
4.3.2.1.3	Minimum lot frontage - int	terior lot	12.0 m
4.3.2.1.4	Minimum lot frontage - co	rner lot	16.5 m
4.3.2.1.5	Minimum rear yard		7.5 m
4.3.2.1.6	Minimum setback of a deta	ched dwelling to all lands zon	ned U-3 16.0 m
4.3.2.1.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage
4.3.2.1.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage

4.3.2.2	Exception: R6-2	Map # 28	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R6-2 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.2.2.1	4.3.2.2.1 The regulations of Lines 8.3 and 8.4 contained in Table 4.3.1 of this By-law shall not apply					
4.3.2.2.2	Minimum lot area - interio	355 m^2				
4.3.2.2.3	Minimum lot area - corner	415 m^2				
4.3.2.2.4	Minimum lot frontage - int	13.8 m				
4.3.2.2.5	Minimum lot frontage - co	rner lot	16.1 m			
4.3.2.2.6	Minimum setback to garage	e face	6.0 m			
4.3.2.2.7	Minimum setback of a deta	ched dwelling to all lands zon	ed PB1 18.5 m			
4.3.2.2.8	Maximum driveway width		6.0 m			
4.3.2.2.9	Maximum garage width: measured from the inside fa	ace of the garage side walls	6.0 m			

4.3.2.3	Exception: R6-3	Map # 57	By-law:			
	In a R6-3 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.2.3.1	Minimum lot area - interio	or lot	460 m^2			
4.3.2.3.2	Minimum lot area - corner	·lot	565 m^2			
4.3.2.3.3	Minimum lot frontage - in	terior lot	14.0 m			
4.3.2.3.4	Minimum lot frontage - co	rner lot	17.3 m			
4.3.2.3.5	Minimum rear yard		7.5 m			
4.3.2.3.6	Minimum setback of a deta	ched dwelling to all lands zone	ed U-3 14.0 m			
4.3.2.3.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage			
4.3.2.3.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage			

4.3.2.4	Exception: R6-4	Map # 57	By-law:
	the permitted uses and appliing uses /regulations shall app	cable regulations shall be as spe	cified for a R6 zone except
Regulations			
4.3.2.4.1	Minimum lot area - interio	or lot	360 m^2
4.3.2.4.2	Minimum lot area - corner	·lot	500 m^2
4.3.2.4.3	Minimum lot frontage - in	terior lot	12.0 m
4.3.2.4.4	Minimum lot frontage - co	rner lot	16.5 m
4.3.2.4.5	Minimum rear yard		7.5 m
4.3.2.4.6	Minimum setback of a deta	ched dwelling to all lands zone	d U-3 14.0 m
4.3.2.4.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage
4.3.2.4.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage

4.3.2.5	Exception: R6-5	Map # 57	By-law:	
	one the permitted uses and a owing uses /regulations shal		as specified for a R6 zone except	
Regulations	S			
4.3.2.5.1	Minimum lot area - in	terior lot	460 m^2	
4.3.2.5.2	Minimum lot area - co	rner lot	565 m^2	
4.3.2.5.3	Minimum lot frontage	Minimum lot frontage - interior lot		
4.3.2.5.4	Minimum lot frontage	- corner lot	17.3 m	
4.3.2.5.5	Minimum rear yard		7.5 m	
4.3.2.5.6	Minimum setback of a	detached dwelling to all lands	zoned U-3 12.7 m	
4.3.2.5.7	Maximum driveway w	idth	Lesser of 6.1 m or 50% of the lot frontage	
4.3.2.5.8	Maximum garage widt measured from the inside	h: de face of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage	

4.3.2.6	Exception: R6-6	Map # 57	By-law:			
	In a R6-6 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.2.6.1	Minimum lot area - interio	or lot	360 m^2			
4.3.2.6.2	Minimum lot area - corner	·lot	500 m^2			
4.3.2.6.3	Minimum lot frontage - in	terior lot	12.0 m			
4.3.2.6.4	Minimum lot frontage - co	rner lot	16.5 m			
4.3.2.6.5	Minimum rear yard		7.5 m			
4.3.2.6.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 12.7 m			
4.3.2.6.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage			
4.3.2.6.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage			

4.3.2.7	Exception: R6-7	Map # 57	By-law:			
	In a R6-7 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.2.7.1	Minimum lot area - interi	or lot	360 m^2			
4.3.2.7.2	Minimum lot area - corne	er lot	500 m^2			
4.3.2.7.3	Minimum lot frontage - ir	nterior lot	12.0 m			
4.3.2.7.4	Minimum lot frontage - co	orner lot	16.5 m			
4.3.2.7.5	Minimum rear yard		7.5 m			
4.3.2.7.6	Minimum setback of a det	ached dwelling to all lands zo	oned U-3 14.9 m			
4.3.2.7.7	Maximum driveway width	1	Lesser of 6.1 m or 50% of the lot frontage			
4.3.2.7.8	Maximum garage width: measured from the inside f	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage			

4.3.2.8	Exception: R6-8	Map # 57	By-law:
	the permitted uses and appliing uses /regulations shall app	cable regulations shall be as sp oly:	ecified for a R6 zone except
Regulations			
4.3.2.8.1	Minimum lot area - interio	or lot	360 m^2
4.3.2.8.2	Minimum lot area - corner	·lot	500 m^2
4.3.2.8.3	Minimum lot frontage - int	terior lot	12.0 m
4.3.2.8.4	Minimum lot frontage - co	rner lot	16.5 m
4.3.2.8.5	Minimum rear yard		7.5 m
4.3.2.8.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 13.6 m
4.3.2.8.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage
4.3.2.8.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage

4.3.2.9	Exception: R6-9	Map # 57	By-law:			
	In a R6-9 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.2.9.1	Minimum lot area - interio	or lot	360 m^2			
4.3.2.9.2	Minimum lot area - corner	·lot	500 m^2			
4.3.2.9.3	Minimum lot frontage - int	terior lot	12.0 m			
4.3.2.9.4	Minimum lot frontage - co	rner lot	16.5 m			
4.3.2.9.5	Minimum rear yard		5.87 m			
4.3.2.9.6	Minimum setback of a deta	ched dwelling to all lands zone	ed U-3 16.0 m			
4.3.2.9.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage			
4.3.2.9.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage			

4.3.2.10	Exception: R6-10	Map # 57	By-law:			
	In a R6-10 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:					
Regulation	Regulation					
4.3.2.10.1	Minimum rear yard		6.86 m			

4.3.2.11	Exception: R6-11	Map # 57	By-law:				
	In a R6-11 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.11.1	Minimum lot area - interio	or lot	460 m^2				
4.3.2.11.2	Minimum lot area - corner	·lot	565 m^2				
4.3.2.11.3	Minimum lot frontage - in	terior lot	14.0 m				
4.3.2.11.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.11.5	Minimum rear yard		6.3 m				
4.3.2.11.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 14.0 m				
4.3.2.11.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.11.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.12	Exception: R6-12	Map # 57	By-law:				
	In a R6-12 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.12.1	Minimum lot area - interio	er lot	460 m^2				
4.3.2.12.2	Minimum lot area - corner	lot	565 m^2				
4.3.2.12.3	Minimum lot frontage - int	terior lot	14.0 m				
4.3.2.12.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.12.5	Minimum rear yard		6.01 m				
4.3.2.12.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 14.0 m				
4.3.2.12.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.12.8	Maximum garage width: measured from the inside fa	ce of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.13	Exception: R6-13	Map # 57	By-law:				
	In a R6-13 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.13.1	Minimum lot area - interio	or lot	460 m^2				
4.3.2.13.2	Minimum lot area - corner	·lot	565 m ²				
4.3.2.13.3	Minimum lot frontage - in	terior lot	14.0 m				
4.3.2.13.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.13.5	Minimum rear yard		5.77 m				
4.3.2.13.6	Minimum setback of a deta	ched dwelling to all lands zone	ed U-3 14.0 m				
4.3.2.13.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.13.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.14	Exception: R6-14	Map # 57	By-law:				
	In a R6-14 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.14.1	Minimum lot area - interio	or lot	460 m^2				
4.3.2.14.2	Minimum lot area - corner	·lot	565 m^2				
4.3.2.14.3	Minimum lot frontage - int	terior lot	14.0 m				
4.3.2.14.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.14.5	Minimum rear yard		6.22 m				
4.3.2.14.6	Minimum setback of a deta	ched dwelling to all lands zone	ed U-3 14.0 m				
4.3.2.14.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.14.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.15	Exception: R6-15	Map # 57	By-law:				
	In a R6-15 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.15.1	Minimum lot area - interio	or lot	460 m^2				
4.3.2.15.2	Minimum lot area - corner	lot	565 m ²				
4.3.2.15.3	Minimum lot frontage - in	terior lot	14.0 m				
4.3.2.15.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.15.5	Minimum rear yard		6.73 m				
4.3.2.15.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 14.0 m				
4.3.2.15.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.15.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.16	Exception: R6-16	Map # 57	By-law:				
	In a R6-16 zone the permitted uses and applicable regulations shall be as specified for a R6 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.2.16.1	Minimum lot area - interio	er lot	460 m^2				
4.3.2.16.2	Minimum lot area - corner	lot	565 m^2				
4.3.2.16.3	Minimum lot frontage - int	terior lot	14.0 m				
4.3.2.16.4	Minimum lot frontage - co	rner lot	17.3 m				
4.3.2.16.5	Minimum rear yard		6.57 m				
4.3.2.16.6	Minimum setback of a deta	ched dwelling to all lands zon	ed U-3 14.0 m				
4.3.2.16.7	Maximum driveway width		Lesser of 6.1 m or 50% of the lot frontage				
4.3.2.16.8	Maximum garage width: measured from the inside fa	ce of the garage side walls	Lesser of 6.1 m or 50% of the lot frontage				

4.3.2.17	Exception: R6-17	Map # 30	By-law: 0184-2008, 0181-2018/LPAT Order 2019 February 15
that the followi	e the permitted uses and appling uses /regulations shall app		specified for a R6 zone except
Regulations 4.3.2.17.1	Minimum lot area - interio	ar lot	300 m^2
4.3.2.17.1	Minimum lot area - corner		380 m ²
4.3.2.17.3	Minimum lot frontage - co	15.5 m	
4.3.2.17.4	Minimum setback to garage		6.0 m
4.3.2.17.5	Minimum exterior side yar	4.2 m	
4.3.2.17.6	Minimum rear yard - inter	6.0 m	
4.3.2.17.7	Minimum rear yard - corn	6.0 m	
4.3.2.17.8	Maximum height		11.0 m
4.3.2.17.9	Maximum driveway width	Lesser of 8.5 m or 50% of lot frontage	
4.3.2.17.10	Maximum width of an attac measured from the inside fa	0 0	Lesser of 6.3 m or 50% of lot frontage
4.3.2.17.11	Maximum area of a balcon	y on top of an attached garage	e 12 m ²

4.3.2.18	Excep	tion: R6-18	Map # 57	By-law: 0	077-2012
		ermitted uses and s/regulations shal	applicable regulations l apply:	shall be as specified for	or a R6 zone except
Additional Per	rmitted	Use			
4.3.2.18.1	(1)	A detached dw	relling with one second	unit	
Regulations					
4.3.2.18.2	Minin	num lot area - co	rner lot		380 m^2
4.3.2.18.3	Minim	num lot frontage	- corner lot		14.8 m
4.3.2.18.4		num rear yard - ined dwelling	interior lot for a one st	torey	6.0 m
4.3.2.18.5	Maxin	num driveway w	ridth		46.5% of the lot frontage
4.3.2.18.6		num garage widt red from the insi	th: de face of the garage s	ide walls	46.5% of the lot frontage
4.3.2.18.7	Minim lines	num setback of st	airs from the front and	exterior side lot	1.0 m
4.3.2.18.8	the fol	lowing:	with a second unit shall		
	(1)	the provisions c this By-law sha	contained in Articles 4.1 ll not apply	1.1.1 and 4.1.1.3 of	
	(2)	Article 4.1.5.8 or retaining walls, grade at any poor	g the provisions contain of this By-law, stairs, st to facilitate an entrance int, or to facilitate a dire shall be permitted to en- ard	airwells or e located below ect entrance only to	
	(3)	minimum gross	floor area - residenti	al of a second unit	32.5 m^2
	(4)	not more than o dwelling shall f	ne pedestrian entrance ace a street	to a detached	
	(5)	an entrance to a attached garage	second unit shall not be	e located within an	
	(6)		ne required number of p elling, one additional p ela a second unit		
	(7)	a lot with a seco	ond unit shall have one	and not more than	
	(8)	"Second Unit" 1 within a detach	neans a self-contained aed dwelling with its own om(s)/sleeping area and	wn kitchen, sanitary	

Revised: 2024 February 29 Page 4.3.2 ~ 9

Revised: 2012 June 30 Page 4.3.2 ~ 10

4.3.3 R7 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.3.3.1	Exception: R7-1	Map # 57	By-law:				
	In a R7-1 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulation							
4.3.3.1.1	Maximum garage width: measured from the inside fa with lot frontage of 12.5 m	ace of the garage side walls - l or greater	Lesser of 6.1 m or 45% of the lot frontage				

4.3.3.2	Exception: R7-2	Map # 44W	By-law:			
	In a R7-2 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations	ng woes regulariene enan upp	-2,0				
4.3.3.2.1	The regulations of Lines 8.3 and 8.4 contained in Table 4.3.1 of this By-law shall not apply					
4.3.3.2.2	Minimum lot area - interio	or lot	280 m^2			
4.3.3.2.3	Minimum lot frontage - int	terior lot	10.8 m			
4.3.3.2.4	Maximum driveway width		3.8 m			
4.3.3.2.5	Maximum garage width: measured from the inside fa	ce of the garage side walls	3.8 m			

4.3.3.3	Exception: R7-3	Map # 28	By-law: 0181-2018/LPAT Order 2019 February 15				
that the followi	In a R7-3 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.3.3.1	The regulations of Lines 8.3 this By-law shall not apply	3 and 8.4 contained in Table 4	.3.1 of				
4.3.3.3.2	Minimum lot area - interio	or lot	280 m^2				
4.3.3.3.3	Minimum lot area - corner	335 m^2					
4.3.3.3.4	Minimum lot frontage - int	10.8 m					
4.3.3.3.5	Minimum lot frontage - co	rner lot	13.1 m				
4.3.3.3.6	Minimum setback to garage	e face	7.0 m				
4.3.3.3.7	Minimum setback of a deta	ched dwelling to all lands zo:	ned PB1 18.5 m				
4.3.3.3.8	Maximum driveway width	4.3 m					
4.3.3.3.9	Maximum driveway width	4.7 m					
4.3.3.3.10	Maximum garage width: measured from the inside fa	ace of the garage side walls	3.8 m				

4.3.3.4	Exception: R7-4	Map # 28	By-law: 0181-2018/LPAT Order 2019 February 15
	the permitted uses and appliing uses /regulations shall app		pecified for a R7 zone except
Regulations			
4.3.3.4.1	The regulations of Lines 8.3 this By-law shall not apply	3 and 8.4 contained in Table 4	.3.1 of
4.3.3.4.2	Minimum lot area - interio	or lot	280 m^2
4.3.3.4.3	Minimum lot area - corner	· lot	335 m^2
4.3.3.4.4	Minimum lot frontage - int	10.8 m	
4.3.3.4.5	Minimum lot frontage - co	13.1 m	
4.3.3.4.6	Minimum setback to garage	e face	6.0 m
4.3.3.4.7	Minimum setback of a deta	ned PB1 18.5 m	
4.3.3.4.8	Maximum driveway width	4.3 m	
4.3.3.4.9	Maximum driveway width	4.7 m	
4.3.3.4.10	Maximum garage width: measured from the inside fa	ace of the garage side walls	3.8 m

4.3.3.5	Exception: R7-5	Map # 57	By-law: 0449-2007				
	In a R7-5 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.3.5.1	Minimum lot area - interio	or lot	295 m^2				
4.3.3.5.2	Minimum lot area - corner	·lot	415 m^2				
4.3.3.5.3	Minimum lot frontage - int	terior lot	9.75 m				
4.3.3.5.4	Minimum lot frontage - con	rner lot	13.5 m				
4.3.3.5.5	Minimum rear yard		7.5 m				
4.3.3.5.6	Maximum driveway width		6.5 m				
4.3.3.5.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m				

4.3.3.6	Exception: R7-6	Map # 57, 58	By-law:
		cable regulations shall be as sp	pecified for a R7 zone except
	ng uses /regulations shall app	ory:	
Regulations			
4.3.3.6.1	Minimum lot area - interio	r lot	275 m^2
4.3.3.6.2	Minimum lot area - corner	lot	380 m^2
4.3.3.6.3	Minimum lot frontage - int	terior lot	9.75 m
4.3.3.6.4	Minimum lot frontage - con	rner lot	13.5 m
4.3.3.6.5	Minimum setback of a deta	ched dwelling to all lands zor	ned U-3 11.0 m
4.3.3.6.6	Minimum rear yard		7.5 m
4.3.3.6.7	Maximum driveway width		6.5 m
4.3.3.6.8	Maximum garage width: measured from the inside fa	ce of the garage side walls	5.5 m

4.3.3.7	Exception: R7-7	Map # 56	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R7-7 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except hat the following uses /regulations shall apply:						
Regulations							
4.3.3.7.1	.3.7.1 The regulations of Lines 8.3 and 8.4 contained in Table 4.3.1 of this By-law shall not apply						
4.3.3.7.2	Minimum lot area - corner	365 m^2					
4.3.3.7.3	Minimum front yard	4.5 m					
4.3.3.7.4	Minimum exterior side yar	4.5 m					
4.3.3.7.5	Minimum setback to garage	e face	7.0 m				
4.3.3.7.6	Maximum driveway width	6.0 m					
4.3.3.7.7	Maximum garage width: measured from the inside fa	5.7 m					
4.3.3.7.8	Minimum number of parki	ng spaces	3				

4.3.3.8	Exception: R7-8 May	o # 56	y-law:				
	In a R7-8 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations	S						
4.3.3.8.1	The regulations of Lines 8.3 and this By-law shall not apply	8.4 contained in Table 4.3.	1 of				
4.3.3.8.2	Minimum lot area - corner lot		365 m^2				
4.3.3.8.3	Minimum front yard		4.5 m				
4.3.3.8.4	Minimum exterior side yard		4.5 m				
4.3.3.8.5	Minimum interior side yard wl	nere side lot line abuts a G1	zone 3.0 m				
4.3.3.8.6	Maximum driveway width		6.0 m				
4.3.3.8.7	Maximum garage width: measured from the inside face o	f the garage side walls	5.7 m				
4.3.3.8.8	Minimum number of parking s	paces	3				

4.3.3.9	Exception: R7-9	Map # 38E	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R7-9 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.3.9.1	The regulations of Lines 8.3 this By-law shall not apply	3 and 8.4 contained in Table 4	.3.1 of			
4.3.3.9.2	Maximum lot coverage		47%			
4.3.3.9.3	Minimum lot area - corner	365 m^2				
4.3.3.9.4	Minimum lot frontage - co	rner lot	14.0 m			
4.3.3.9.5	Minimum front yard		4.5 m			
4.3.3.9.6	Minimum exterior side yaı	rd	4.5 m			
4.3.3.9.7	Minimum setback to garage	e face	6.0 m			
4.3.3.9.8	Maximum driveway width		5.5 m			
4.3.3.9.9	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.7 m			

4.3.3.10	Exception: R7-10	Map # 38E	By-law: 0181-2018/LPAT Order 2019 February 15
that the followi	e the permitted uses and appl ng uses /regulations shall app		s specified for a R7 zone except
Regulations			
4.3.3.10.1	The regulations of Lines 8.3 this By-law shall not apply	3 and 8.4 contained in Table	4.3.1 of
4.3.3.10.2	Maximum lot coverage		45%
4.3.3.10.3	Minimum lot area - interio	or lot	295 m ²
4.3.3.10.4	Minimum lot area - corner	lot	415 m^2
4.3.3.10.5	Minimum lot frontage - int	terior lot	9.75 m
4.3.3.10.6	Minimum lot frontage - co	rner lot	13.5 m
4.3.3.10.7	Minimum front yard		4.5 m
4.3.3.10.8	Minimum exterior side yar	·d	4.5 m
4.3.3.10.9	Minimum rear yard		7.5 m
4.3.3.10.10	Minimum setback to garage	e face	6.0 m
4.3.3.10.11	Maximum driveway width		6.0 m
4.3.3.10.12	Maximum garage width: measured from the inside fa	ce of the garage side walls	6.0 m

4.3.3.11	Exception: R7-11	Map # 30	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R7-11 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.3.11.1	Minimum lot area - interio	or lot	385 m^2				
4.3.3.11.2	Minimum lot area - corner	· lot	530 m^2				
4.3.3.11.3	Minimum lot frontage - co	15.0 m					
4.3.3.11.4	Minimum front yard	4.5 m					
4.3.3.11.5	Minimum exterior side yard 4.5 m						
4.3.3.11.6	Minimum interior side yar	d - corner lot	1.2 m				
4.3.3.11.7	Minimum rear yard		7.5 m				
4.3.3.11.8	Minimum setback to garag	6.0 m					
4.3.3.11.9	Maximum driveway width		5.5 m				
4.3.3.11.10	Maximum garage width: measured from the inside fa	ace of the garage side w	5.5 m				

4.3.3.12	Exception: R7-12	Map # 30	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R7-12 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.3.12.1	Minimum lot area - interio	or lot	295 m^2				
4.3.3.12.2	Minimum lot area - corner	· lot	415 m^2				
4.3.3.12.3	Minimum lot frontage - int	9.75 m					
4.3.3.12.4	Minimum lot frontage - co	13.5 m					
4.3.3.12.5	Minimum front yard 4.5 m						
4.3.3.12.6	Minimum exterior side yar	rd	4.5 m				
4.3.3.12.7	Minimum rear yard		7.5 m				
4.3.3.12.8	Minimum setback to garage	6.0 m					
4.3.3.12.9	Maximum driveway width 6						
4.3.3.12.10	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m				

4.3.3.13	Exception: R7-13	Map # 57	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R7-13 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:						
Regulations							
4.3.3.13.1	Minimum lot area - interio	r lot	275 m^2				
4.3.3.13.2	Minimum lot area - corner	lot	380 m^2				
4.3.3.13.3	Minimum lot frontage - int	terior lot	9.75 m				
4.3.3.13.4	Minimum lot frontage - co	rner lot	13.5 m				
4.3.3.13.5	Minimum rear yard		7.5 m				
4.3.3.13.6	Minimum setback to garage face		4.0 m				
4.3.3.13.7	Maximum driveway width		6.5 m				
4.3.3.13.8	Maximum garage width: measured from the inside fa	ce of the garage side walls	5.5 m				

4.3.3.14	Exception: R7-14	Map # 57	By-law:			
	In a R7-14 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.3.14.1	The regulations of Lines 8.1 contained in Table 4.3.1 of	to 8.4, 10.1 to 10.3 and 11.1 this By-law shall not apply				
4.3.3.14.2	Minimum lot area - interio	or lot	275 m^2			
4.3.3.14.3	Minimum lot area - corner	·lot	380 m^2			
4.3.3.14.4	Minimum lot frontage - int	terior lot	9.75 m			
4.3.3.14.5	Minimum lot frontage - co	rner lot	13.5 m			
4.3.3.14.6	Minimum setback of a detached garage to a rear lot line		0.5 m			
4.3.3.14.7	Minimum distance between dwelling on the same lot	a detached garage and a detac	hed 6.0 m			
4.3.3.14.8	Minimum setback of a detact a side lot line	ched garage located in a rear y	ard to 0.85 m on one side and 0.0 m on the other side			
4.3.3.14.9	Maximum driveway width		6.5 m			
4.3.3.14.10	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m			
4.3.3.14.11	The lot line abutting a stree shall be deemed to be the fr	et with a width of 17.0 m or greatont lot line	ater			
4.3.3.14.12	A detached garage in the re	ear yard shall be provided				

4.3.3.15	Exception: R7-15	Map # 58	By-law:			
	In a R7-15 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.3.15.1	Minimum lot area - interio	or lot	2	295 m ²		
4.3.3.15.2	Minimum lot area - corner	·lot	4	415 m ²		
4.3.3.15.3	Minimum lot frontage - int	terior lot	(9.75 m		
4.3.3.15.4	Minimum lot frontage - co	rner lot		13.5 m		
4.3.3.15.5	Minimum rear yard			7.5 m		
4.3.3.15.6	Minimum setback of a deta	ched dwelling to all lands zor	ned U-3	16.0 m		
4.3.3.15.7	Maximum driveway width			6.5 m		
4.3.3.15.8	Maximum garage width: measured from the inside fa	ace of the garage side walls		5.5 m		

4.3.3.16	Exception: R7-16	Map # 44W	By-law:				
In a R7-16 zor	In a R7-16 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except						
	ring uses /regulations shall app		as specified for a R7 zone except				
Regulations							
4.3.3.16.1	Minimum lot area - interio	or lot	295 m^2				
4.3.3.16.2	Minimum lot area - corner	Minimum lot area - corner lot					
4.3.3.16.3	Minimum lot frontage - in	terior lot	9.75 m				
4.3.3.16.4	Minimum lot frontage - co	rner lot	13.5 m				
4.3.3.16.5	Minimum rear yard		7.5 m				
4.3.3.16.6	Maximum driveway width		5.5 m				
4.3.3.16.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m				

4.3.3.17	Exception: R7-17	Map # 57	By-law: 0325-2008	
In a R7-17 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:				
Regulations				
4.3.3.17.1	Minimum lot area - interio	or lot	295 m^2	
4.3.3.17.2	Minimum lot area - corner	·lot	415 m^2	
4.3.3.17.3	Minimum lot frontage - int	terior lot	9.75 m	
4.3.3.17.4	Minimum lot frontage - co	rner lot	13.5 m	
4.3.3.17.5	Minimum rear yard		7.5 m	
4.3.3.17.6	Minimum setback of a deta	ched dwelling to all lands zone	ed U-3 14.9 m	
4.3.3.17.7	Maximum driveway width		6.5 m	
4.3.3.17.8	Minimum garage width: measured from the inside fa	ace of the garage side walls	5.5 m	

Revised: 2008 December 22 Page 4.3.3~7

4.3.3.18	Exception: R7-18	Map # 57	By-law:			
	In a R7-18 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations						
4.3.3.18.1	Minimum lot area - interio	or lot		295 m ²		
4.3.3.18.2	Minimum lot area - corner	lot		415 m ²		
4.3.3.18.3	Minimum lot frontage - int	terior lot		9.75 m		
4.3.3.18.4	Minimum lot frontage - co	rner lot		13.5 m		
4.3.3.18.5	Minimum rear yard			7.5 m		
4.3.3.18.6	Minimum setback of a deta	ched dwelling to all lands zone	d U-3	13.2 m		
4.3.3.18.7	Minimum driveway width			6.5 m		
4.3.3.18.8	Minimum garage width: measured from the inside fa	ce of the garage side walls		5.5 m		

4.3.3.19	Exception: R7-19	Map # 57	By-law:		
In a R7-19 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations	ing uses/regulations shall app	шу.	_		
4.3.3.19.1	Minimum lot area - interio	or lot	295 m ²		
4.3.3.19.2	Minimum lot area - corner	· lot	415 m ²		
4.3.3.19.3	Minimum lot frontage - int	terior lot	9.75 m		
4.3.3.19.4	Minimum lot frontage - co	rner lot	13.5 m		
4.3.3.19.5	Minimum rear yard		4.9 m		
4.3.3.19.6	Maximum driveway width		6.5 m		
4.3.3.19.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m		

4.3.3.20	Exception: R7-20	Map # 57	By-law:		
In a R7-20 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations					
4.3.3.20.1	Minimum lot area - interio	er lot	295 m ²		
4.3.3.20.2	Minimum lot area - corner	lot	415 m^2		
4.3.3.20.3	Minimum lot frontage - int	terior lot	9.75 m		
4.3.3.20.4	Minimum lot frontage - co	rner lot	13.5 m		
4.3.3.20.5	Minimum rear yard		6.18 m		
4.3.3.20.6	Maximum driveway width		6.5 m		
4.3.3.20.7	Maximum garage width: measured from the inside fa	ce of the garage side walls	5.5 m		

4.3.3.21	Exception: R7-21	Map # 57	By-law:		
			specified for a R7 zone except		
that the follows	ng uses/regulations shall app	oly:			
Regulations					
4.3.3.21.1	Minimum lot area - interio	or lot	295 m ²		
4.3.3.21.2	Minimum lot area - corner	·lot	415 m ²		
4.3.3.21.3	Minimum lot frontage - int	terior lot	9.75 m		
4.3.3.21.4	Minimum lot frontage - co	rner lot	13.5 m		
4.3.3.21.5	Minimum rear yard		7.12 m		
4.3.3.21.6	Maximum driveway width		6.5 m		
4.3.3.21.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m		

4.3.3.22	Exception: R7-22	Map # 57	By-law:		
In a R7-22 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations					
4.3.3.22.1	Minimum lot area - interio	or lot	295 m^2		
4.3.3.22.2	Minimum lot area - corner	415 m^2			
4.3.3.22.3	Minimum lot frontage - interior lot 9.75 m				
4.3.3.22.4	Minimum lot frontage - co	rner lot	13.5 m		
4.3.3.22.5	Minimum rear yard		6.4 m		
4.3.3.22.6	Maximum driveway width		6.5 m		
4.3.3.22.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m		

4.3.3.23	Exception: R7-23	Map # 57	By-law:	
In a R7-23 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:				
Regulations				
4.3.3.23.1	Minimum lot area - interio	or lot	295 m^2	
4.3.3.23.2	Minimum lot area - corner	415 m^2		
4.3.3.23.3	Minimum lot frontage - interior lot 9.75 m			
4.3.3.23.4	Minimum lot frontage - co	rner lot	13.5 m	
4.3.3.23.5	Minimum rear yard		7.31 m	
4.3.3.23.6	Maximum driveway width		6.5 m	
4.3.3.23.7	Maximum garage width: measured from the inside fa	ace of the garage side walls	5.5 m	

4.3.3.24	Exception: R7-24	Map # 57	By-law: 0055-2012, 0067-2014	
In a R7-24 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:				
Regulations				
4.3.3.24.1	Minimum lot frontage - corner lot 13.			
4.3.3.24.2	Minimum rear yard where the rear lot line abuts an 8.0 m public lane 6.0 m			
4.3.3.24.3	Maximum garage width: measured from the inside face of the garage side walls			
4.3.3.24.4	Minimum setback of stairs from the front and exterior side lot lines			

4.3.3.25	Exception: R7-25	Map # 56	By-law: 0114-2015		
In a R7-25 zone the permitted uses and applicable regulations shall be as specified for a R7 zone except that the following uses /regulations shall apply:					
Regulations					
4.3.3.25.1	Minimum lot area - interio	or lot	279 1	m^2	
4.3.3.25.2	Minimum lot frontage - in	terior lot	10.1	m	
4.3.3.25.3	Minimum interior side yar	d where a side lot line abuts	a B zone 2.0	m	
4.3.3.25.4	Minimum rear yard		7.5 1	m	
4.3.3.25.5	Minimum rear yard where	a lot abuts a B zone	6.5	m	
4.3.3.25.6	Maximum height from ave	rage grade to lower edge of e	eaves 6.4	m	
4.3.3.25.7	Maximum height from ave where a lot abuts lands zon	rage grade to lower edge of e	eaves 6.0 i	m	
4.3.3.25.8	Maximum gross floor area lot abuts lands zoned R7-8	- residential of third storey	where a 88 n	n^2	
4.3.3.25.9	Maximum driveway width		5.4	m	
4.3.3.25.10	Maximum garage width: measured from the inside fa	ace of the garage side walls	6.0	m	

Revised: 2015 May 31 Page 4.3.3 ~ 10

4.4 R8 TO R11 ZONES (DETACHED DWELLINGS - GARAGE CONTROL LOTS)

4.4.1 R8 to R11 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.4.1 - R8 to R11 Permitted Uses and Zone Regulations.

Table 4.4.1 - R8 to R11 Permitted Uses and Zone Regulations

(0325-2008), (0379-2009), (0181-2018/LPAT Order 2019 February 15), (0018-2021)

Colum	ın A	В	С	D	E
Line 1.0	ZONES	R8	R9	R10	R11
PERM	MITTED USES				
2.0	RESIDENTIAL				
2.1	Detached Dwelling	√ (1)	√ (1)	√ (1)	√ (1)
ZONE	EREGULATIONS				
3.0	MINIMUM LOT AREA				
3.1	Interior lot	670 m ²	340 m^2	365 m^2	295 m ²
3.2	Corner lot	780 m ²	410 m^2	500 m ²	415 m ²
4.0	MINIMUM LOT FRONTAGE				
4.1	Interior lot	18.0 m	13.6 m	12.0 m	9.75 m
4.2	Corner lot	21.0 m	16.7 m	16.5 m	13.5 m
5.0	MAXIMUM LOT COVERAGE	30% (2)	35% ⁽²⁾	40% (2)(14)	40% (2)(14)
6.0	MINIMUM FRONT YARD				
6.1	Interior lot	9.0 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾
6.2	Corner lot	7.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾
6.3	Garage face - interior lot	Equal to the front yard and equal to or further from the front lot line than the main front entrance	6.0 m	6.0 m	6.0 m
6.4	Garage face - corner lot	Equal to the front yard	6.0 m	6.0 m	6.0 m
7.0	MINIMUM EXTERIOR SIDE YARD	7.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾	4.5 m ⁽⁵⁾
7.1	Garage face	Equal to the exterior side yard	6.0 m	6.0 m	6.0 m
8.0	MINIMUM INTERIOR SIDE YARD				
8.1	Interior lot	1.8 m plus 0.61 m for each additional storey or portion thereof above one storey (5)	1.2 m ⁽⁵⁾	1.2 m ⁽⁵⁾	1.2 m on one side of the lot and 0.61 m on the other side ⁽⁵⁾

Table 4.4.1 continued on next page

Revised: 2022 September 30 Page 4.4.1 ~ 1

Colum	n A	В	С	D	E
Line	ZONES	R8	R9	R10	R11
1.0	444 10				
8.2	Interior lot with an attached or detached garage in the rear or interior side yard that is located 15.0 m or more from the front lot line	3.0 m on one side and the other interior side yard may be reduced by 0.6 m, except that the attached garage may encroach a maximum of 2.4 m into the 3.0 m side yard (5)	3.0 m on one side and 0.6 m on the other side, except that the attached garage may encroach a maximum of 2.4 m into the 3.0 m side yard (5)	3.0 m on one side and 0.6 m on the other side, except that the attached garage may encroach a maximum of 2.4 m into the 3.0 m side yard (5)	
8.3	Corner lot	3.0 m ⁽⁵⁾	1.2 m ⁽⁵⁾	1.2 m ⁽⁵⁾	1.2 m ⁽⁵⁾
9.0	MINIMUM COMBINED WIDTH OF SIDE YARDS - INTERIOR LOT				
9.1	One storey detached dwelling	20% of the lot frontage or n/a if Line 8.2 of this Table applies			
9.2	Dwelling having more than one storey	27% of the lot frontage or n/a if Line 8.2 of this Table applies			
10.0	MINIMUM REAR YARD				
10.1	Interior lot	7.5 m ⁽⁵⁾	7.5 m ⁽⁵⁾	7.5 m ⁽⁵⁾	7.5 m ⁽⁵⁾
10.2	Corner lot	3.0 m ⁽⁵⁾	7.5 m ⁽⁵⁾	7.5 m ⁽⁵⁾	7.5 m ⁽⁵⁾
11.0	HEIGHT				
11.1	Maximum Height - Highest Ridge: sloped roof	10.7 m			
11.2	Maximum Height: sloped roof		10.7 m	10.7 m	10.7 m
11.3	Maximum Height: flat roof	7.5 m	7.5 m	7.5 m	7.5 m
12.0	ENCROACHMENTS, PROJECTIONS AND SETBACKS			· ·	
12.1	Maximum projection of a garage beyond either the main front entrance or beyond the main entry feature where provided - interior lot	n/a	1.0 m	2.5 m	2.5 m
12.2	Where a main entry feature has been provided, the maximum projection of a garage beyond a main front entrance - interior lot	n/a	2.5 m	4.0 m	4.0 m
12.3	For a detached dwelling more than one storey in height, where the garage projects beyond the main front entrance, the garage shall be covered by a second storey which may be set back a maximum of 2.5 m from the garage face - interior lot	n/a	√	√	✓

Table 4.4.1 continued on next page

Columi	n A	В	C	D	E
Line 1.0	ZONES	R8	R9	R10	R11
Table 4	.4.1 continued from previous page				
12.4	Maximum encroachment of a porch into the required front and exterior side yards	2.5 m ⁽⁵⁾	1.5 m ⁽⁵⁾	1.5 m ⁽⁵⁾	1.5 m ⁽⁵⁾
13.0	ATTACHED GARAGE, PARKING AND DRIVEWAY				
13.1	Attached garage	Required (9)	Required (9)	Required (9)	Required (9)
13.2	Minimum parking spaces	√ (10)(11)	√ (10)(11)	√ (10)(11)	√ (10)(11)
13.3	Maximum driveway width	Lesser of 8.5 m or 50% of lot frontage (10)	Lesser of 8.5 m or 50% of lot frontage (10)	Lesser of 8.5 m or 50% of lot frontage (10)	6.0 m ⁽¹⁰⁾
14.0	ACCESSORY BUILDINGS AND STRUCTURES	√ (12)(13)	√ (12)(13)	√ (12)(13)	√ (12)(13)

- **NOTES:** (1) See also Subsections 4.1.1, 4.1.16 and 4.1.17 of this By-law.
 - (2) See Article 4.4.1.1 of this By-law.
 - (3) deleted by 0018-2021.
 - (4) deleted by 0018-2021.
 - (5) See also Subsections 4.1.7 and 4.1.8 of this By-law.
 - (6) deleted by 0018-2021.
 - (7) deleted by 0018-2021.
 - (8) deleted by 0018-2021.
 - (9) See also Subsection 4.1.12 of this By-law.
 - (10) See also Subsection 4.1.9 of this By-law.
 - (11) See also Part 3 of this By-law.
 - (12) See Subsection 4.1.2 of this By-law.
 - (13) See Article 4.4.1.2 of this By-law.
 - (14) See Article 4.4.1.3 of this By-law.
 - (15) deleted by 0018-2021.
 - (16) deleted by 0018-2021.
- 4.4.1.1 The following exclusions will be permitted from the calculation of **lot coverage**: (0018-2021)
 - (1) A maximum of 12 m² of **porch** area on an **interior lot**;
 - (2) A maximum of 20 m² of **porch** area on a **corner lot**.
- 4.4.1.2 **Accessory buildings** and **structures** shall not be located within an **exterior side yard**. (0018-2021)
- 4.4.1.3 For properties zoned R10 or R11, the maximum lot coverage shall be 45% for interior lots, where the projection of a garage beyond the main entry feature, where provided, is less than or equal to 1.0 m and the projection of a garage beyond the main front entrance is less than or equal to 2.5 m. (0018-2021)

2007 June 20 Page 4.4.1 ~ 4

4.4.2 R8 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.4.2.1	Exception: R8-1	Map # 45E	By-law:			
In a R8-1 zone the permitted uses and applicable regulations shall be as specified for a R8 zone except that the following uses /regulations shall apply:						
Regulations						
4.4.2.1.1	Minimum lot area - corner	lot	660 m^2			
4.4.2.1.2	Minimum lot frontage - corner lot					
4.4.2.1.3	Minimum front yard - corr	ner lot	6.0 m			
4.4.2.1.4	Minimum exterior side yar	·d	6.0 m			
4.4.2.1.5	Maximum encroachment of exterior side yards - corne	a porch into the required from	nt and 4.0 m			

4.4.2.2	Exception: R8-2	Map # 52W	By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09, 0180-2021
	e the permitted uses and appring uses /regulations shall a		all be as specified for a R8 zone except
Additional Pe	ermitted Uses		
4.4.2.2.1	On lands zoned R8-2 the provided that they are can building or within an add (1) Art Gallery (2) Financial Institution (3) Office (4) Community cent (5) Library (6) Medical Office (7) Overnight Accord (8) Service Establism (9) Private Club (10) Private School (11) Commercial School (12) Restaurant (13) Apartment	ried on within the existition to the existing heation tre or private commune Restricted mmodation heat	ting heritage critage building:
Regulations			
4.4.2.2.2	The provisions contained of Sentence 3.1.1.7.1 con shall not apply		
4.4.2.2.3	Minimum lot area - corn	ner lot	1.37 ha
4.4.2.2.4	Maximum gross floor are	a	$1\ 500\ m^2$
4.4.2.2.5	Accessory buildings and exterior side yard	structures shall be pe	rmitted in the
4.4.2.2.6	For the purpose of this Exinclude a music school, a and tutoring		
4.4.2.2.7	"Gross Floor Area" mean storey above established faces of the exterior walls for the parking of motor	grade, measured between s, but shall not include	veen the exterior

Revised: 2023 January 31 Page 4.4.2 ~ 1

4.4.2.3	Exception: R8-3	Map # 45E	By-law:			
In a R8-3 zone the permitted uses and applicable regulations shall be as specified for a R8 zone except that the following uses /regulations shall apply:						
Regulations						
4.4.2.3.1	Minimum lot frontage - int	terior lot	8.5 m			
4.4.2.3.2	Minimum setback of all but southerly interior side lot l	ildings and structures to the ine	3.0 m			
4.4.2.3.3	Minimum setback of all but lot lines	ildings and structures to all o	ther 5.0 m			

4.4.2.4	Exception: R8-4	Map # 52W	By-law:					
	In a R8-4 zone the permitted uses and applicable regulations shall be as specified for a R8 zone except that the following uses /regulations shall apply:							
Regulations								
4.4.2.4.1	Minimum lot area - interio	r lot		600 m ²				
4.4.2.4.2	Minimum front yard - inte		6.0 m					
4.4.2.4.3	Minimum exterior side yar	·d		6.0 m				
4.4.2.4.4	Maximum encroachment of a porch into the required 5.5 m front yard - interior lot							
4.4.2.4.5	Maximum encroachment of front yard - corner lot	a porch into the required		4.0 m				
4.4.2.4.6	Maximum encroachment of exterior side yard	a porch into the required		4.0 m				

4.4.2.5	Exception: R8-5	Map # 52W	By-law: 0308-2011				
In a R8-5 zone the permitted uses and applicable regulations shall be as specified for a R8 zone except that the following uses /regulations shall apply:							
Regulations							
4.4.2.5.1	Minimum lot frontage		22.5 m				
4.4.2.5.2	Maximum lot coverage		25%				
4.4.2.5.3	Minimum front yard - inte	rior lot	6.0 m				
4.4.2.5.4	Minimum exterior side yar	·d	6.0 m				
4.4.2.5.5	Maximum height - highest sloped roof	ridge:	7.0 m				
4.4.2.5.6	Maximum encroachment of front yard - interior lot	a porch into the required	5.5 m				
4.4.2.5.7	Maximum encroachment of front yard - corner lot	a porch into the required	4.0 m				
4.4.2.5.8	Maximum encroachment of exterior side yard	a porch into the required	4.0 m				
4.4.2.5.9	Maximum projection of the front wall or exterior side	garage beyond any portion of wall of the first storey	of the 0.0 m				

Revised: 2011 December 31 Page 4.4.2~2

4.4.3 R9 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.4.3.1	Exception: R9-1	By-law:					
	In a R9-1 zone the permitted uses and applicable regulations shall be as specified for a R9 zone except that the following uses /regulations shall apply:						
Regulations	Regulations						
4.4.3.1.1	4.4.3.1.1 Minimum lot frontage - interior lot 16.5 m						
4.4.3.1.2	Minimum front yard - inte	rior lot	15.0 m				

4.4.3.2	Exception: R9-2	Map # 44W	By-law:			
In a R9-2 zone the permitted uses and applicable regulations shall be as specified for a R9 zone except that the following uses /regulations shall apply:						
Regulation						
4.4.3.2.1	Minimum rear yard abutt	ting the G2-1 zone		15.0 m		

4.4.3.3	Exception: R9-3	Map # 52E	By-law:				
In a R9-3 zone the applicable regulations shall be as specified for a R9 zone except that the following uses /regulations shall apply:							
Permitted Use	,						
4.4.3.3.1	Lands zoned R9-3 shall only	y be used for the following:					
	(1) A place of religiou	s assembly and support facil	ities				
Regulations							
4.4.3.3.2	The provisions contained in Article 2.1.9.3 and Subsection 4.4.1 of this By-law shall not apply						
4.4.3.3.3	Minimum front yard - inte	erior lot	56.0 m				
4.4.3.3.4	Minimum interior side yar	d - interior lot	23.0 m				
4.4.3.3.5	Minimum setback of all bu i all lands zoned G2-1	ildings and structures and p	arking to 5.0 m				
4.4.3.3.6	Maximum height		22.0 m				
4.4.3.3.7	Maximum height : spire		30.0 m				
4.4.3.3.8	thereof used for administrat	a building or structure or particle of particle offices, private school at to the place of religious ass	nd a				

2007 June 20 Page 4.4.3 ~ 1

4.4.3.4	Exception: R9-4	Map # 44W	By-law:			
In a R9-4 zone the permitted uses and applicable regulations shall be as specified for a R9 zone except that the following uses /regulations shall apply:						
Regulations						
4.4.3.4.1	Minimum lot area - interio	or lot	550 m^2			
4.4.3.4.2	Minimum lot area - corner	·lot	720 m^2			
4.4.3.4.3	Minimum lot frontage - int	terior lot	15.0 m			
4.4.3.4.4	Minimum lot frontage - co	rner lot	19.5 m			
4.4.3.4.5	Minimum exterior side yar	·d	6.0 m			
4.4.3.4.6	Minimum rear yard - corn	er lot	3.0 m			

2007 June 20 Page 4.4.3 ~ 2

4.4.4 R10 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules


4.4.4.1	Exce	otion: R10-1	Map # 44W, 45E, 52E, 52W	By-law: 0379-2009	
		ermitted uses and apping uses /regulations sl	licable regulations shall be as a	specified for a R10 zone	
Regulations					
4.4.4.1.1		egulations of Lines 12 By-law shall not apply	.1 to 12.3 contained in Table 4	4.4.1 of	
4.4.4.1.2	Maxi	mum lot coverage:			
	(1)	m 45%			
	(2)	where the garage do beyond the main fr the first storey ; or			
	(3)	from the outside of	the garage is 5.0 m or less, me opposite exterior walls or from or wall to the midpoint of an in	n the	
4.4.4.1.3		Maximum projection of a garage beyond the main front 7.0 m entrance			

4.4.4.2	Excep	tion: R10-2	Map # 52W	By-law: 03	79-2009			
	In a R10-2 zone the permitted uses and applicable regulations shall be as specified for a R10 zone except that the following uses /regulations shall apply:							
Regulations								
4.4.4.2.1		gulations of Lines 12 y-law shall not apply	.1 to 12.3 contained in Ta	ble 4.4.1 of				
4.4.4.2.2	Minin	num lot frontage - co	rner lot		15.8 m			
4.4.4.2.3	Maxin	num lot coverage:						
	(1)	where the garage do beyond the main en	1.0 m	45%				
	(2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or				45%			
	(3) where the width of the garage is 5.0 m or less, measured from the outside of opposite exterior walls or from the outside of an exterior wall to the midpoint of an interior wall.							
4.4.4.2.4	Minim	Minimum exterior side yard 3.0 m						
4.4.4.2.5		Maximum projection of a garage beyond the main front 7.0 m entrance						

4.4.4.3	Excep	tion: R10-3	Map # 44W	By-law: 0379-2009)
		ermitted uses and appling uses /regulations sl	licable regulations shall be a hall apply:	s specified for a R10 a	zone
Regulations					
4.4.4.3.1		egulations of Lines 12 y-law shall not apply	.1 to 12.3 contained in Table	e 4.4.1 of	
4.4.4.3.2	Maxir	num lot coverage:			
	(1)	where the garage do) m 45	5%	
	(2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or				5%
	(3)	from the outside of	the garage is 5.0 m or less, ropposite exterior walls or from wall to the midpoint of an	om the	5%
4.4.4.3.3	Minimum front yard 9.0 m				
4.4.4.3.4	Maxir entra		arage beyond the main from	7.0) m

4.4.4.4	Exception: R10-4	Map # 52W	By-law:			
		licable regulations shall be as	specified for a R10 zone			
except that the	following uses /regulations sl	hall apply:				
Regulations						
4.4.4.4.1	Minimum lot area - corner	·lot	660 m^2			
4.4.4.4.2	Minimum lot frontage - co	rner lot	18.8 m			
4.4.4.3	Minimum exterior side yar	rd	6.0 m			

4.4.4.5	Excep	otion: R10-5	Map # 45E	By-law: 03	79-2009
		ermitted uses and apping uses /regulations s	olicable regulations shall b hall apply:	e as specified for	a R10 zone
Regulations					
4.4.4.5.1		egulations of Lines 12 By-law shall not apply	2.1 to 12.3 contained in Ta	able 4.4.1 of	
4.4.4.5.2	Maxi	mum lot coverage:			
	(1)	where the garage does not project more than 1.0 m beyond the main entry feature ; or			45%
	(2)	where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or			45%
	(3)	from the outside of	the garage is 5.0 m or less opposite exterior walls of ior wall to the midpoint of	r from the	45%
4.4.4.5.3		Maximum projection of a garage beyond the main front 7.0 m entrance			
4.4.4.5.4	All site development plans shall comply with Schedule R10-5 of this Exception				



Schedule R10-5 Map 45E

4.4.4.6	Exception: R10-6	Map # 52E	By-law:				
	In a R10-6 zone the permitted uses and applicable regulations shall be as specified for a R10 zone except that the following uses /regulations shall apply:						
Regulations							
4.4.4.6.1	Minimum westerly interior	side yard - interior lot	4.5 m				
4.4.4.6.2	Minimum easterly interior	side yard - interior lot	7.5 m				
4.4.4.6.3	Minimum rear yard - inter	rior lot	1.2 m				
4.4.4.6.4	Maximum rear yard - inte	rior lot	2.4 m				

4.4.4.7	Exception: R10-7	Map # 52E	By-law:			
In a R10-7 zone the permitted uses and applicable regulations shall be as specified for a R10 zone except that the following uses /regulations shall apply:						
Regulation						
4.4.4.7.1	Minimum lot area - int	erior lot	340 m^2			

4.4.4.8	Excep	tion: R10-8	Map # 52E	By-law: 037	9-2009	
		rmitted uses and apping uses /regulations sl	licable regulations shall be hall apply:	as specified for a	a R10 zone	
Regulations						
4.4.4.8.1	4.4.4.8.1 The regulations of Lines 12.1 and 12.2 contained in Table 4.4.1 of this By-law shall not apply					
4.4.4.8.2 Maximum lot coverage:						
	(1)	where the garage does not project more than 1.0 m beyond the main entry feature ; or			45%	
	(2)	where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or			45%	
	(3)	from the outside of	the garage is 5.0 m or less, opposite exterior walls or for wall to the midpoint of a	from the	45%	
4.4.4.8.3	Maxin entrar		arage beyond the main fro	ont	7.5 m	

4.4.4.9	Exce	ption: R10-9	Map # 52E	By-law: 03	379-2009	
	_	permitted uses and a ving uses /regulation	applicable regulations s	shall be as specified fo	r a R10 zone	
Regulations						
4.4.4.9.1	.4.4.9.1 The regulations of Lines 12.1 to 12.3 contained in Table 4.4.1 of this By-law shall not apply					
4.4.4.9.2	Mini	mum lot frontage	- corner lot		15.4 m	
4.4.4.9.3	Maximum lot coverage:					
	 (1) where the garage does not project more than 1.0 m beyond the main entry feature; or (2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey; or 				45%	
					45%	
	(3) where the width of the garage is 5.0 m or less, measured from the outside of opposite exterior walls or from the outside of an exterior wall to the midpoint of an interior wall.				45%	
4.4.4.9.4	Maximum projection of a garage beyond the main front 7.0 m entrance				7.0 m	

4.4.4.10	Except	ion: R10-10	Map # 52E	By-law: 0379-2	009		
except that the	In a R10-10 zone the permitted uses and applicable regulations shall be as specified for a R10 zone except that the following uses /regulations shall apply:						
Regulations							
4.4.4.10.1		gulations of Lines 12 y-law shall not apply	.1 to 12.3 contained in Table	4.4.1 of			
4.4.4.10.2	Maxim	num lot coverage:					
	(1)	where the garage does not project more than 1.0 m 45% beyond the main entry feature ; or					
	(2)	2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or					
	(3)	from the outside of	the garage is 5.0 m or less, more opposite exterior walls or from or wall to the midpoint of an in	n the	45%		
4.4.4.10.3	Minimum setback of a detached dwelling to all lands 7.0 m zoned G2-1						
4.4.4.10.4	Maximum projection of a garage beyond the main front entrance 7.0 m						

4.4.4.11	Exception: R10-11	Map #44W	By-law: OLT Order 2022 July 25				
	In a R10-11 zone the permitted uses and applicable regulations shall be as specified for a R10 zone except that the following uses /regulations shall apply:						
Regulations							
4.4.4.11.1	Minimum lot area - interio	345 m^2					
4.4.4.11.2	Maximum lot coverage	48%					
4.4.4.11.3	Minimum setback to garag	e face - interior lot	5.3 m				
4.4.4.11.4	Minimum interior side yar	rd - interior lot	1.2 m on one side of the lot and 0.6 m on the other side				

Revised: 2023 March 31 Page 4.4.4 ~ 6

4.4.5 R11 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.4.5.1	Excep	otion: R11-1	Map # 44W, 52E, 52W	By-law: 0379-2009	
		ermitted uses and apping uses /regulations sl	licable regulations shall be as hall apply:	specified for a R11 zone	
Regulations					
4.4.5.1.1 The regulations of Lines 12.1 to 12.3 contained in Table 4.4.1 of this By-law shall not apply					
4.4.5.1.2	.2 Maximum lot coverage:				
	(1) where the garage does not project more than 1.0 m beyond the main entry feature ; or				
	(2)	where the garage debeyond the main from the first storey; or			
(3) where the width of the garage is 5.0 m or less, measured from the outside of opposite exterior walls or from the outside of an exterior wall to the midpoint of an interior wall.					
4.4.5.1.3	Maximum projection of a garage beyond the main front 7.0 m entrance				

4.4.5.2	Exception: R11-2	Map # 52W	By-law:			
In a R11-2 zone the permitted uses and applicable regulations shall be as specified for a R11 zone except that the following uses /regulations shall apply:						
Regulations	Regulations					
4.4.5.2.1	Minimum lot frontage - interior lot 13					
4.4.5.2.2	Minimum lot frontage - corner lot 16.7 m					
4.4.5.2.3	Minimum exterior side yard 3.0 m					
A one storey portion of the detached dwelling , up to a maximum gross floor area - residential of 8 m ² , shall be permitted to encroach into the required rear yard to within 6.0 m of the rear lot line						

Revised: 2017 November 30 Page 4.4.5~1

4.4.5.3	Exception: R11-3	Map # 52W	By-law:			
In a R11-3 zone the permitted uses and applicable regulations shall be as specified for a R11 zone except that the following uses /regulations shall apply:						
Regulations						
4.4.5.3.1	Minimum lot frontage - int	terior lot	13.6 m			
4.4.5.3.2	Minimum lot frontage - co	rner lot	16.7 m			
4.4.5.3.3	Minimum exterior side yard 3.					
4.4.5.3.4	4.4.5.3.4 A one storey portion of the detached dwelling , up to a maximum gross floor area - residential of 8.0 m ² , shall be permitted to encroach into the required rear yard to within 6.0 m of the rear lot line					
4.4.5.3.5	The lot line abutting a stree shall be deemed to be the fr	et with a width of 20.0 m or gront lot line	reater			
4.4.5.3.6	A garage shall only be loca	ted in a rear yard				
4.4.5.3.7		of the exterior wall on one sid or midpoint of the interior wa	O .			

4.4.5.4	Exce	ption: R11-4	Map # 52E	By-law:	0379-2009	
		ermitted uses and a ing uses /regulations	pplicable regulations s s shall apply:	hall be as specified	for a R11 zone	
Regulations						
4.4.5.4.1	The regulations of Lines 12.1 to 12.3 contained in Table 4.4.1 of this By-law shall not apply					
4.4.5.4.2	Maxi	mum lot coverage:				
	(1)	0 0	e does not project more entry feature; or	e than 1.0 m	45%	
	(2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or				45%	
	(3)	where the width of from the outside of an external.	45%			
4.4.5.4.3	Minii	num lot area - inte	rior lot		340 m ²	
4.4.5.4.4	Minii	num lot area - cor ı	ner lot		450 m^2	
4.4.5.4.5	Minii	Minimum lot frontage - interior lot 11.0 m				
4.4.5.4.6	Minii	num lot frontage -	corner lot		14.5 m	
4.4.5.4.7		Maximum projection of a garage beyond the main front 7.0 m entrance				

Revised: 2017 November 30 Page 4.4.5 ~ 2

4.4.5.5	Except	tion: R11-5	Map # 52E	By-law: 0379-2	009	
In a R11-5 zone the permitted uses and applicable regulations shall be as specified for a R11 zone except that the following uses /regulations shall apply:						
Regulations						
4.4.5.5.1	4.4.5.5.1 The regulations of Lines 12.1 to 12.3 contained in Table 4.4.1 of this By-law shall not apply					
4.4.5.5.2	Maximum lot coverage:					
	(1) where the garage does not project more than 1.0 m beyond the main entry feature ; or				45%	
	(2)	where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or			45%	
	(3)	from the outside of	the garage is 6.0 m or less, mopposite exterior walls or from the midpoint of an i	m the	45%	
4.4.5.5.3	Maxim entran		arage beyond the main front	t	7.5 m	

4.4.5.6	Exception: R11-6	Map # 44W	By-law: 0379-2009, 0181-2018/LPAT Order 2019 February 15				
	zone the permitted uses and the following uses /regulatio		all be as specified for a R11 zone				
Regulations	s						
4.4.5.6.1	_	The regulations of Lines 12.1 and 12.2 contained in Table 4.4.1 of this By-law shall not apply					
4.4.5.6.2	Maximum lot coverage):					
	(1) where the gara ; beyond the mai	than 1.0 m 45%					
	beyond the mai	(2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or					
		where the maximum garage width measured from the inside face of the garage side walls is 5.0 m.					
4.4.5.6.3	Minimum interior side	yard - interior lot	1.2 m				
4.4.5.6.4	Minimum setback to ga	rage face	7.0 m				
4.4.5.6.5	Minimum setback to a	sight triangle	0.0 m				
4.4.5.6.6	Maximum projection or entrance	f a garage beyond the ma	nin front 7.0 m				
4.4.5.6.7	A detached garage sha	ll not be permitted					
4.3.5.6.8	Maximum driveway w	idth	5.0 m				

Revised: 2019 February 28 Page 4.4.5 ~ 3

4.4.5.7	Exception: R11-7	Map # 52W	By-law: 0379-2009					
	e the permitted uses and a following uses /regulation	pplicable regulations shall be as s shall apply:	specified for a R11 zone					
Regulations	Regulations							
4.4.5.7.1		ne regulations of Lines 12.1 and 12.2 contained in Table 4.4.1 This By-law shall not apply						
4.4.5.7.2	Maximum lot coverage:							
		(1) where the garage does not project more than 1.0 m beyond the main entry feature ; or						
		e does not project more than 2.5 front entrance or a habitable por						
		num garage width measured from garage side walls is 5.0 m.	n the 45%					
4.4.5.7.3	Minimum lot area - inte	rior lot	400 m^2					
4.4.5.7.4	Minimum lot area - corr	ner lot	480 m^2					
4.4.5.7.5	Minimum lot frontage -	interior lot	11.5 m					
4.4.5.7.6	Minimum lot frontage -	corner lot	15.0 m					
4.4.5.7.7		t of a porch and/or a balcony , up 8 m ² , into the required front ya						
4.4.5.7.8		t of a porch and/or balcony , up to 5 m ² , into the required front and ner lot						
4.4.5.7.9	The floor area of a porch or balcony , up to a maximum of 18 m ² on an interior lot and a maximum of 25 m ² on a corner lot shall be excluded from the calculation of lot coverage							
4.4.5.7.10	a foundation, bay window	Maximum encroachment of a window projection with or without a foundation, bay window, box window, chimney , media niche, bilaster or corbel into a required yard						
4.4.5.7.11	Maximum projection of a entrance	a garage beyond the main front	7.0 m					

Revised: 2010 January 01 Page 4.4.5 ~ 4

4.4.5.8	Excepti	ion: R11-8	Map # 52W	By-law: 0181-2018 Order 2019 Februa	
except that the		mitted uses and appage uses /regulations sl	licable regulations shall be as a	specified for a R11 a	zone
Regulations					
4.4.5.8.1	Minim	um lot area - interi o	or lot	350) m ²
4.4.5.8.2	Minimu	ım lot area - corner	· lot	460) m ²
4.4.5.8.3	Minim	um lot frontage - in	terior lot	13.	6 m
4.4.5.8.4	Minimu	um lot frontage - co	rner lot	16.	7 m
4.4.5.8.5	Minimu	ım front yard		4.0) m
4.4.5.8.6	Minim	um exterior side yaı	rd	3.0) m
4.4.5.8.7	Maxim	um encroachment of	f a porch into the required from	nt yard 2.5	5 m
4.4.5.8.8	Minimu	um setback to garag	e face	5.2	2 m
4.4.5.8.9	garage	is located in the rea	one storey detached or attach ar or interior side yard and wide closer than 15.0 m to the fro	nere no	
	(1)		n ² of the gross floor area of the cluded from the calculation of	e	
	(2)	3.0 m and the other by 0.6 m, except the	ard shall be a minimum width interior side yard may be re- at the attached garage may en m into the 3.0 m interior side	duced croach	
	(3)	minimum front yar reduced to 3.5 m	rd of the detached dwelling n	nay be	
	(4)	the first storey of the	n ² gross floor area - residenti ne detached dwelling may pro- into the required rear yard		

Revised: 2019 February 28 Page 4.4.5~5

4.4.5.9	Except	tion: R11-9	Map # 52E	By-law: 0379-	2009		
	In a R11-9 zone the permitted uses and applicable regulations shall be as specified for a R11 zone except that the following uses /regulations shall apply:						
Regulations							
4.4.5.9.1	The regulations of Lines 12.1 to 12.3 contained in Table 4.4.1 of this By-law shall not apply						
4.4.5.9.2	Maxim	num lot coverage:					
	(1)	(1) where the garage does not project more than 1.0 m beyond the main entry feature ; or					
	(2)	(2) where the garage does not project more than 2.5 m beyond the main front entrance or a habitable room on the first storey ; or					
	(3)	from the outside of	the garage is 5.0 m or less, nopposite exterior walls or from the wall to the midpoint of an	om the	45%		
4.4.5.9.3	Minim	um lot area - interio	or lot		326 m ²		
4.4.5.9.4	Minim	um lot area - corner	· lot		450 m ²		
4.4.5.9.5	Minim	um lot frontage - in	terior lot		9.75 m		
4.4.5.9.6	Minim	um lot frontage - co	rner lot		14.5 m		
4.4.5.9.7	Maxim entran		arage beyond the main from	t	7.0 m		

Revised: 2017 November 30 Page 4.4.5~6

4.5 R12 TO R14 ZONES (DETACHED DWELLINGS - MODULAR LOTS)

4.5.1 R12 to R14 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.5.1 - R12 to R14 Permitted Uses and Zone Regulations and in compliance with Figure 4.5.1 - Diagrammatic Illustration for R12 to R14 Zones.

Table 4.5.1 - R12 to R14 Permitted Uses and Zone Regulations (0325-2008), (0208-2022)

Colum	nn A		В	C	D
Line 1.0	ZONES		R12	R13	R14
PERM	HITTED USES				
2.0	RESIDENTIAL				
2.1	Detached Dwelling		√ (1)	√ (1)	√ (1)
ZONE	REGULATIONS				
3.0	MINIMUM MODULAR LO	T AREA			
3.1		LOT TYPE A	580 m ²	450 m ²	365 m ²
3.2	Lot Type Illustrated on Figure 4.5.1 of this By-law	LOT TYPE B	555 m ²	425 m ²	335 m ²
3.3	I iguic 4.5.1 of this by-law	LOT TYPE C	590 m ²	450 m ²	355 m ²
4.0	MINIMUM SF (STREET F	RONTAGE)			
4.1		LOT TYPE A	16.0 m	13.0 m	11.0 m ⁽⁹⁾
4.2	Lot Type Illustrated on Figure 4.5.1 of this By-law	LOT TYPE B	24.0 m	22.0 m	19.0 m ⁽⁹⁾
4.3	Tigate 4.5.1 of this by law	LOT TYPE C	14.5 m	14.5 m	14.5 m
5.0	MINIMUM ½ MODULE AF	REA	1 930 m ²	1 480 m ²	1 180 m ²
6.0	MAXIMUM LOT COVER	AGE	32%	35%	35%
7.0	MINIMUM LOT DIMENSI	ONS			
7.1		A	0.4 m	0.4 m	0.4 m
7.2		В	1.0 m	1.0 m	1.0 m
7.3		С	3.0 m	2.5 m	2.0 m
7.4	Dimensions A to I are	D	1.5 m	1.0 m	1.0 m
7.5	Graphically Illustrated on	E	2.5 m ^{(2) (3)}	2.0 m ^{(2) (3)}	1.5 m ⁽²⁾⁽³⁾
7.6	Figure 4.5.1 of this By-law	F	2.0 m ⁽³⁾	2.0 m ⁽³⁾	1.5 m ⁽³⁾
7.7		G	3.0 m	2.0 m	1.0 m
7.8		Н	12.4 m	11.6 m	9.2 m
7.9		Ι	7.2 m	6.2 m	5.6 m
8.0	MAXIMUM LOT DIMENS	IONS			
8.1	Dimensions J and K are	J	5.2 m	2.5 m	1.5 m
8.2	Graphically Illustrated on Figure 4.5.1 of this By-law	K	3.0 m	2.4 m	4.6 m

Table 4.5.1 continued on next page

Revised: 2023 January 31 Page 4.5.1~1

Colum	n A		В	C	D
Line 1.0	ZONES		R12	R13	R14
Table 4	4.5.1 continued from previou	s page			
9.0	MINIMUM LANDSCAPED	AREA			
9.1	Areas 1 2 3 A and As are	AREA 1	9%	10%	11%
9.2	Areas 1, 2, 3, 4 and 4a are Graphically Illustrated on Figure 4.5.1 of this By-law	AREAS 2, 3	25% (5)	25% (5)	25% (5)
		AREAS 4, 4a	25% (4)(5)	25% (4)(5)	25% (4)(5)
10.0	MAXIMUM HEIGHT		10.7 m	10.7 m	10.7 m
11.0	ENCROACHMENTS, PROJ SETBACKS	ECTIONS AND			
11.1	Maximum projection of bay greenhouse windows and po t building area	0.45 m	0.45 m	0.45 m	
12.0	ATTACHED GARAGE, PA DRIVEWAY	RKING AND			
12.1	Attached garage		Required (6)	Required (6)	Required (6)
12.2	Minimum parking spaces		(7) (8)	(7) (8)	(7) (8)
12.3	Minimum parking spaces w	ithin a garage	2	2	2
12.4	Maximum driveway width		Lesser of 8.5 m or 50% of the lot frontage (7)	Lesser of 8.5 m or 50% of the lot frontage (7)	Lesser of 8.5 m or 50% of the lot frontage (7)
13.0	ACCESSORY BUILDINGS STRUCTURES	S AND			
13.1	Maximum gross floor area of an accessory structure shall not exceed 10% of the lot area and must be located in the buildable area identified on Figure 4.5.1 of this By-law and only to the rear of the dwelling and/or garage		√	√	√
13.2	Accessory buildings and str gross floor area of 10 m² or of 4.6 m or less may be locat buildable area identified on this By-law provided that the the rear of the dwelling and/o closer than 1.0 m from a lot l	less and a height ed outside the Figure 4.5.1 of y are located to or garage and not	✓	√	√

NOTES: (1)

- (1) See also Subsections 4.1.1, 4.1.16 and 4.1.17 of this By-law.
- (2) Where E is measured from a **street line** other than Tenth Line West, the minimum dimension shall be increased by 2.0 m.
- (3) Where E and F are measured from the **street line** of Tenth Line West, minimum dimensions shall be increased by 6.0 m and 5.0 m, respectively.
- (4) The lesser of Area 4 or Area 4a shall be a minimum of 40% of the minimum landscaped area.
- (5) "Minimum Landscaped Area" means open, unobstructed space, suitable for the growth and maintenance of grass, flowers, bushes and other landscaping, and may contain fences, trellises, patios, patio decks, **swimming pool** facilities, **play equipment** and an **accessory building** or **structure** not exceeding 10 m².
- (6) See also Subsection 4.1.12 of this By-law.
- (7) See also Subsection 4.1.9 of this By-law.
- (8) See also Part 3 of this By-law.
- (9) A portion of the side **lot line** between LOT A and LOT B in an R14 zone may be established perpendicular to the **street line**, provided that portion does not exceed a dimension of 1.75 m measured from the said **street line**, and the 45° angle is maintained for the remainder of the side **lot line**.




Figure 4.5.1 - Diagrammatic Illustration for R12 to R14 Zones

NOTES: (1) Site development standards applicable to lots on both sides of the street and its centreline projection.

- SF indicates **street** frontage.
- Minimum **street** frontage shall be measured along **street line** as shown. LOT A **street** frontage includes ½ of corner arc. (3)
- (4)
- (5) Landscaped area shaded 1, 2, 3, 4 and 4a shall be provided outside of a buildable area.

2007 June 20 Page 4.5.1 ~ 4

4.5.2 R12 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.5.2.1	Exception: R12-1	Map # 56	By-law:				
In a R12-1 zone the permitted uses and applicable regulations shall be as specified for a R12 zone except that the following uses /regulations shall apply:							
Regulation							
4.5.2.1.1	Minimum setback of a deta	ched dwelling to all lands zon	ned U-3 15	5.0 m			

4.5.2.2	Exception: R12-2	Map # 56	By-law:				
	In a R12-2 zone the permitted uses and applicable regulations shall be as specified for a R12 zone except that the following uses /regulations shall apply:						
Regulation							
4.5.2.2.1	Minimum setback of a deta transmission easement locate	ched dwelling to gas line ted within the abutting G1 zon	15.0 m				

4.5.2.3	Exception: R12-3	Map # 56	By-law:			
In a R12-3 zone the permitted uses and applicable regulations shall be as specified for a R12 zone except that the following uses /regulations shall apply:						
Additional Per	mitted Use					
4.5.2.3.1	4.5.2.3.1 (1) Place of Religious Assembly					
Regulation						
4.5.2.3.2	A place of religious assembly shall comply with the R3 zone regulations contained in Subsection 4.2.1 of this By-law					

2007 June 20 Page 4.5.2 ~ 1

2007 June 20 Page 4.5.2 ~ 2

4.5.3 R13 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.5.3.1	Exception: R13-1	Map # 56	By-law:				
	In a R13-1 zone the permitted uses and applicable regulations shall be as specified for a R13 zone except that the following uses /regulations shall apply:						
Regulation							
4.5.3.1.1	Minimum landscaped area on Figure 4.5.1 of this By-la	a 2 for each modular Lot A, ideaw	entified 21%				

4.5.3.2	Exception: R13-2	Map # 56	By-law:			
	In a R13-2 zone the permitted uses and applicable regulations shall be as specified for a R13 zone except that the following uses /regulations shall apply:					
Regulation						
4.5.3.2.1	Minimum setback to To	enth Line West	4.5 m			

4.5.3.3	Exception: R13-3	Map # 56	By-law:				
	In a R13-3 zone the permitted uses and applicable regulations shall be as specified for a R13 zone except that the following uses /regulations shall apply:						
Regulation							
4.5.3.3.1	Minimum setback of a det a	ached dwelling to all lands z	coned U-3	15.0 m			

2007 June 20 Page 4.5.3 ~ 1

2007 June 20 Page 4.5.3 ~ 2

4.5.4 R14 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.5.4.1	Exception: R14-1	Map # 56	By-law:				
	In a R14-1 zone the permitted uses and applicable regulations shall be as specified for a R14 zone except that the following uses /regulations shall apply:						
Regulation							
4.5.4.1.1	Minimum landscaped area on Figure 4.5.1 of this By-la	2 for each modular Lot A, ideaw	entified 21%				

2007 June 20 Page 4.5.4 ~ 1

2007 June 20 Page 4.5.4 ~ 2

4.6 R15 ZONE (DETACHED DWELLINGS - PORT CREDIT)

4.6.1 R15 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.6.1 - R15 Permitted Uses and Zone Regulations.

Table 4.6.1 - R15 Permitted Uses and Zone Regulations

Colum	n A	В
Line 1.0	ZONES	R15
PERM	ITTED USES	
2.0	RESIDENTIAL	
2.1	Detached Dwelling	√ (1)
ZONE	REGULATIONS	
3.0	MINIMUM LOT AREA	460 m ²
4.0	MINIMUM LOT FRONTAGE	12.0 m
5.0	MAXIMUM LOT COVERAGE	40%
6.0	MINIMUM FRONT YARD	6.0 m ⁽²⁾
7.0	MINIMUM EXTERIOR SIDE YARD	4.5 m ⁽²⁾
8.0	MINIMUM INTERIOR SIDE YARD	
8.1	Detached dwelling with an attached garage	1.2 m ⁽²⁾
8.2	Detached dwelling without an attached garage	3.0 m on one side of the lot and 1.2 m on the other side ⁽²⁾
9.0	MINIMUM REAR YARD	7.5 m ⁽²⁾
10.0	MAXIMUM HEIGHT	
10.1	Maximum height (0171-2015/OMB Order 2016 April 04, 0193-2016/OMB Order 2017 May 30)	9.5 m
10.2	Maximum height: flat roof (0171-2015/OMB Order 2016 April 04)	7.5 m
10.3	Maximum height of eaves: from average grade to lower edge of eaves (0193-2016/OMB Order 2017 May 30)	6.4 m
11.0	MAXIMUM DWELLING UNIT DEPTH (0193-2016/OMB Order 2017 May 30)	20.0 m
12.0	ATTACHED GARAGE , PARKING AND DRIVEWAY (0193-2016/OMB Order 2017 May 30)	
12.1	Attached garage	Permitted (3)
12.2	Minimum parking spaces	√ (4) (5)
12.3	Maximum driveway width	Lesser of 8.5 m or 50% of lot frontage (4)
13.0	ACCESSORY BUILDINGS AND STRUCTURES (0193-2016/OMB Order 2017 May 30)	√ (6)

NOTES:

- (1) See Subsections 4.1.1, 4.1.16 and 4.1.17 of this By-law.
- (2) See also Subsections 4.1.7 and 4.1.8 of this By-law.
- (3) See also Subsection 4.1.12 of this By-law.
- (4) See also Subsection 4.1.9 of this By-law.
- (5) See also Part 3 of this By-law.
- (6) See Subsection 4.1.2 of this By-law.

Revised: 2017 May 31

2007 June 20 Page 4.6.1 ~ 2

4.6.2 R15 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.6.2.1	Exception: R15-1	Map # 08	By-law: 0308-2011, 0181-2018/LPAT Order 2019 February 15
	e the permitted uses and apple following uses /regulations sl	licable regulations shall be as hall apply:	specified for a R15 zone
Regulations			
4.6.2.1.1	The regulations of Line 5.0 By-law shall not apply	contained in Table 4.6.1 of th	is
4.6.2.1.2	Maximum gross floor area	- infill residential	169 m ² plus 0.20 times the lot area to a maximum of 305 m ²
4.6.2.1.3	Minimum landscaped area	1	40% of the lot area
4.6.2.1.4	Minimum front yard		5.0 m
4.6.2.1.5	Minimum interior and exte	erior side yards	3.0 m on one side of the lot and 1.2 m on the other side
4.6.2.1.6	Maximum height - highest sloped roof	ridge:	9.0 m and 2 storeys
4.6.2.1.7	Maximum height of eaves: from average grade to low	6.8 m	
4.6.2.1.8	Flat roofs and mansard roo	fs shall not be permitted	
4.6.2.1.9	Maximum encroachment of front, exterior and interior	a covered porch into a require side yard	red 1.8 m but not closer than 0.2 m to a lot line
4.6.2.1.10	Minimum setback of a gara detached dwelling	of a 3.0 m	
4.6.2.1.11	Maximum gross floor area	30 m^2	
4.6.2.1.12		erior wall containing the door access point into the detached	
4.6.2.1.13	the <i>Ontario Heritage Act</i> she reconstruction, alteration an	Number 0272-2004 made pursuall not apply so as to require and/or enlargement of any build sterior faces or the exterior wastructure	any ling or

Revised: 2019 February 28 Page 4.6.2~1

4.6.2.2	Exception: R15-2	Map # 02, 08	By-law: <i>deleted by 0359-2009</i> , 0059-2016					
	In a R15-2 zone the permitted uses and applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:							
Regulations								
4.6.2.2.1	Maximum height - highest sloped roof	9.5 m						
4.6.2.2.2	Maximum height of eaves: from average grade to low	6.4 m						
4.6.2.2.3	6.6.2.2.3 Garage projection: maximum projection of a garage beyond the front wall or exterior side wall of the second storey							
4.6.2.2.4	Maximum dwelling unit de	20.0 m						

4.6.2.3	Except	ion: R15-3	Map # 08	0174-20	0308-2011, 017, 0181-2018/LPAT 019 February 15				
	In a R15-3 zone the permitted uses and applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:								
Additional Per	mitted	Use							
4.6.2.3.1	(1)	Duplex							
Regulations									
4.6.2.3.2	R15 zo		luplex shall comply with the ined in Subsection 4.6.1 of thi	S					
	(1)	the regulations of L this By-law shall no	tine 5.0 contained in Table 4.6 ot apply	5.1 of					
	(2)	maximum gross flo	maximum gross floor area - infill residential						
	(3)	minimum landscap	oed area		40% of the lot area				
	(4)	minimum front yan	rd		5.0 m				
	(5)	minimum interior	and exterior side yards		3.0 m on one side of the lot and 1.2 m on the other side				
	(6)	maximum height - sloped roof	highest ridge:		9.0 m and 2 storeys				
	(7)	maximum height of from average grad	f eaves: le to lower edge of the eaves		6.8 m				
	(8)	flat roofs and mans	sard roofs shall not be permitte	ed					
	(9)		nment of a covered porch into erior and interior side yard	a	1.8 m but not closer than 0.2 m to a lot line				
	(10)	minimum setback of a detached dwe l	of a garage face behind the fro	ont wall	3.0 m				

Exception R15-3 continued on next page

Revised: 2019 February 28 Page 4.6.2 ~ 2

4.6.2.3	Except	ion: R15-3	Map # 08	By-law: 0308-2011, 0174-2017, 0181-2018/LPAT Order 2019 February 15
Exception R15	-3 conti	inued from previous	s page	
4.6.2.3.2 (continued)	(11)	maximum gross flo	or area of a detached garage	$30~\mathrm{m}^2$
	(12)	"Front Wall" means the exterior wall containing the door which is designed as the primary access point into the detached dwelling		
	(13)	the provisions of By-law Number 0272-2004 made pursuant to the <i>Ontario Heritage Act</i> shall not apply so as to require any reconstruction, alteration and/or enlargement of any building or structure to replicate the exterior faces or the exterior wall features of the building or structure		ply so

4.6.2.4	Exception: R15-4	Map # 08	By-law:				
	In a R15-4 zone the applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:						
Permitted Use	Permitted Use						
4.6.2.4.1	4.6.2.4.1 Lands zoned R15-4 shall only be used for the following:						
	(1) Detached Dwellin (2) Private Club	g or					

4.6.2.5	Exception: R15-5	Map # 08	By-law: 0308-2011, 0181-2018/LPAT Order 2019 February 15, 0111-2019/LPAT Order 2021 March 09		
	cone the permitted uses and the following uses /regulation	11	l be as specified for a R15 zone		
Additional	Permitted Uses				
4.6.2.5.1	4.6.2.5.1 (1) Service Establishment (2) Restaurant (3) Office (4) Medical Office - Restricted (5) Dwelling unit located above the first storey, accessory to a permitted use contained in Sentence 4.6.2.5.1 of this Exception				
Regulations	S				
4.6.2.5.2	The regulations of Line By-law shall not apply	5.0 contained in Table 4.6	.1 of this		
4.6.2.5.3	Maximum gross floor a	area - infill residential	169 m ² plus 0.20 times the lot area to a maximum of 305 m ²		
4.6.2.5.4	Minimum landscaped	area	40% of the lot area		
4.6.2.5.5	Minimum front yard		5.0 m		

Exception R15-5 continued on next page

Revised: 2024 February 29 Page 4.6.2 ~ 3


4.6.2.5	Exception: R15-5	Map # 08	0181-201 2019 Feb	0308-2011, 8/LPAT Order ruary 15, 9/LPAT Order rch 09
Exception R1	5-5 continued from previous	s page		
4.6.2.5.6	Minimum interior and exte	erior side yards	t	3.0 m on one side of he lot and 1.2 m on he other side
4.6.2.5.7	Maximum height - highest sloped roof	ridge:		9.0 m and 2 storeys
4.6.2.5.8	Maximum height of eaves: from average grade to low	er edge of the eaves		6.8 m
4.6.2.5.9	Flat roofs and mansard roo	fs shall not be permitted		
4.6.2.5.10	Maximum encroachment of a covered porch into a required front, exterior and interior side yard			1.8 m but not closer than 0.2 m to a lot line
4.6.2.5.11	Minimum setback of a garage face behind the front wall of a detached dwelling			3.0 m
4.6.2.5.12	Maximum gross floor area	of a detached garage		30 m^2
4.6.2.5.13	"Front Wall" means the exterior wall containing the door which is designed as the primary access point into the detached dwelling			
4.6.2.5.14	the <i>Ontario Heritage Act</i> she reconstruction, alteration an	Tumber 0272-2004 made pursuall not apply so as to require and/or enlargement of any build sterior faces or the exterior wastructure	any ling or	

4.6.2.6	Exception: R15-6	Map # 08	By-law: 0059-2016, 0174-2017					
	In a R15-6 zone the permitted uses and applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:							
Additional Pe	rmitted Use							
4.6.2.6.1	(1) Duplex legally exis By-law; or	sting on the date of passing of	this					
	(2) Triplex legally exi By-law	sting on the date of passing of	fthis					
Regulations								
4.6.2.6.2	Maximum height - highest sloped roof	ridge:	9.5 m					
4.6.2.6.3	Maximum height of eaves: from average grade to low	er edge of the eaves	6.4 m					
4.6.2.6.4	Garage projection: maximum projection of a garage exterior side wall of the se	arage beyond the front wall c	0.0 m					
4.6.2.6.5	Maximum dwelling unit de	epth	20.0 m					

Revised: 2024 February 29 Page 4.6.2 ~ 4

4.6.2.7	Excep	otion: R15-7	Map # 08	By-law: 0308-2011, 0059-2016, 0174-2017,
				0208-2022
In a R15-7 zo uses/regulatio			hall be as specified for a R15	zone except that the following
Permitted Us	se			
4.6.2.7.1	Lands	s zoned R15-7 shall on	aly be used for the following:	
	(1) (2)	Detached Dwelling Triplex	g; or	
Regulations				
4.6.2.7.2	_	blex shall comply with osection 4.13.1 of this	the RM7 zone regulations co By-law except that:	ontained
	(1)	maximum gross flo	or area - residential	280 m^2
	(2)	minimum landscap	ed area	24% of the lot area
	(3)	no floor level of any below average grad	y habitable room may be loca de	ated
	(4)	maximum height		9.2 m and 2 storeys
	(5)	outside the buildab	n of a porch and external stain le area identified on Schedule to the required front yard	
	(6)	minimum aisle widt	th	5.0 m
	(7)	all site development Schedule R15-7 of t	t plans shall comply with this Exception	
4.6.2.7.3			comply with the R15 zone reg .1 of this By-law except that:	gulations
	(1)	maximum height - I sloped roof	highest ridge:	9.5 m
	(2)	maximum height of from average grade	e to lower edge of the eaves	6.4 m
	(3)	1 3	n of a garage beyond the from	0.0 m nt wall
	(4)	maximum dwelling	unit depth	20.0 m

Revised: 2023 January 31 Page 4.6.2 ~ 5



Schedule R15-7 Map 08

4.6.2.8	Exception: R15-8	Map # 07	By-law: 0203-2013/OMB Order 2014 March 26, 0190-2014					
	In a R15-8 zone the permitted uses and applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:							
Regulations								
4.6.2.8.1	Maximum height - highest sloped roof	ridge:	9.5 m					
4.6.2.8.2	Maximum height: flat roof	7.5 m						
4.6.2.8.3	Maximum height of eaves: from average grade to low		6.4 m					
4.6.2.8.4	Garage projection: maximum projection of a g or exterior side wall of the	.	0.0 m					
4.6.2.8.5	Maximum dwelling unit d	epth	20.0 m					

4.6.2.9	Exception: R15-9	Map # 07	By-law: 02 Order 2014 0190-2014	03-2013/OMB March 26,				
	In a R15-9 zone the permitted uses and applicable regulations shall be as specified for a R15 zone except that the following uses /regulations shall apply:							
Regulations								
4.6.2.9.1	Maximum lot coverage			30%				
4.6.2.9.2	Minimum front yard			9.0 m				
4.6.2.9.3	Minimum front yard where front yard of 12.0 m or mo		existing	12.0 m				
4.6.2.9.4	Maximum height - highest sloped roof	ridge:		9.5 m				
4.6.2.9.5	Maximum height: flat roof			7.5 m				
4.6.2.9.6	Maximum height of eaves: from average grade to low	er edge of the eaves		6.4 m				
4.6.2.9.7	Garage projection: maximum projection of a greaterior side wall of the se	.	vall or	0.0 m				

Revised: 2016 April 30 Page 4.6.2 ~ 7

Revised: 2016 April 30 Page 4.6.2 ~ 8

4.7 R16 ZONE (DETACHED DWELLINGS ON A CEC - ROAD)

4.7.1 R16 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.7.1 - R16 Permitted Uses and Zone Regulations.

Table 4.7.1 - R16 Permitted Use and Zone Regulations

 $(0325-2008), (0379-2009), (0297-2013), (0190-2014), (0144-2016), (0181-2018/LPAT\ Order\ 2019\ February\ 15), (0018-2021)$

Colum	n A	В
Line 1.0	ZONES	R16
PERM	ITTED USES	
2.0	RESIDENTIAL	
2.1	Detached dwelling on a CEC - road	✓
ZONE	REGULATIONS	
3.0	MINIMUM LOT AREA	
3.1	Interior lot	550 m ²
3.2	CEC - corner lot	720 m^2
4.0	MINIMUM LOT FRONTAGE	
4.1	Interior lot	15.0 m
4.2	CEC - corner lot	19.5 m
5.0	MAXIMUM LOT COVERAGE	35%
6.0	MINIMUM FRONT YARD	
6.1	Interior lot/CEC - corner lot	7.5 m ⁽²⁾
6.2	Minimum setback from a garage face to a street , CEC - road or CEC - sidewalk	7.5 m
7.0	MINIMUM EXTERIOR SIDE YARD	
7.1	Lot with an exterior side lot line abutting a street	6.0 m ⁽²⁾
7.2	Lot with an exterior side lot line abutting a CEC - road	6.0 m ⁽²⁾
7.3	Lot with an exterior side lot line abutting a CEC - sidewalk	3.3 m ⁽²⁾
7.4	Minimum setback from a garage face to a street , CEC - road or CEC - sidewalk	6.0 m
8.0	MINIMUM INTERIOR SIDE YARD	
8.1	Interior lot/corner lot	1.2 m plus 0.61 m for each additional storey or portion thereof above one storey (2)
8.2	Where interior side lot line is the rear lot line of abutting parcel	2.5 m ⁽²⁾
9.0	MINIMUM REAR YARD	
9.1	Interior lot/CEC - corner lot	7.5 m ⁽²⁾
10.0	MAXIMUM HEIGHT	10.7 m

Table 4.7.1 continued on next page

Revised: 2021 February 28 Page 4.7.1 ~ 1

Colum	nn A	В
Line 1.0	ZONES	R16
Table	4.7.1 continued from previous page	
11.0	ENCROACHMENTS, PROJECTIONS AND SETBACKS	
11.1	Maximum encroachment of a porch or deck inclusive of stairs located at and accessible from the first storey or below the first storey into the required front and exterior side yards	1.5 m ⁽²⁾
11.2	Maximum encroachment of an awning, window, chimney , pilaster or corbel, window well, and stairs with a maximum of three risers, into the required front and exterior side yards	$0.6~\mathrm{m}$ $^{(2)}$
11.3	Maximum encroachment of a porch or deck inclusive of stairs located at and accessible from the first storey or below the first storey , or awning into the required rear yard	5.0 m ⁽²⁾
11.4	Maximum encroachment of a balcony , window, chimney , pilaster or corbel, window well, and stairs with a maximum of three risers, into the required rear yard	1.0 m ⁽²⁾
11.5	Minimum setback of a detached dwelling to a CEC - visitor parking space	3.3 m
11.6	Minimum setback of a detached dwelling to a CEC - amenity area	1.5 m
12.0	ATTACHED GARAGE, PARKING AND DRIVEWAY	
12.1	Attached garage	Permitted (3)
12.2	deleted by 0379-2009	
12.3	Minimum parking spaces	√ (4)
12.4	Minimum visitor parking spaces	√ (4)(5)
12.5	Maximum driveway width	Lesser of 8.5 m or 50% of the lot frontage (6)
13.0	CEC - ROAD, AISLES AND SIDEWALKS	
13.1	Minimum width of a CEC - road	7.0 m ⁽⁷⁾
13.2	Minimum width of a CEC - road with an abutting parallel common visitor parking space	6.0 m ⁽⁷⁾
13.3	CEC - roads and aisles are permitted to be shared with abutting lands with the same R16 Base Zone and/or R16 Exception Zone	✓
13.4	Minimum width of a sidewalk	2.0 m
14.0	ACCESSORY BUILDINGS AND STRUCTURES	√ (8)

- NOTES: (1) deleted by 0018-2021.
 (2) See Subsections 4.1.7 and 4.1.8 of this By-law.
 (3) See Subsection 4.1.12 of this By-law.
 (4) See also Part 3 of this By-law.
 (5) See Article 4.1.14.1 of this By-law.
 (6) See Article 4.1.9.1 of this By-law.
 (7) See also Article 4.1.14.2 of this By-law.
 (8) See Subsection 4.1.2 of this By-law.


Page 4.7.1 ~ 2 Revised: 2021 February 28

4.7.2 R16 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.7.2.1	Exception: R16-1	Map # 15	By-law: 0379-2	009			
	In a R16-1 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:						
Regulations							
4.7.2.1.1	Maximum number of dwelli	ing units on all lands zoned R	216-1	14			
4.7.2.1.2	Minimum lot area			750 m ²			
4.7.2.1.3	Minimum lot frontage - int	erior lot		22.5 m			
4.7.2.1.4	Minimum exterior side yar	d		7.5 m			
4.7.2.1.5	Minimum interior side yar	d		1.8 m			
4.7.2.1.6	Trailer and recreational vehi a common element	icle parking shall not be perm	itted in				
4.7.2.1.7	An attached garage shall be	provided on each lot					
4.7.2.1.8	All site development plans s this Exception	shall comply with Schedule R	16-1 of				

Revised: 2010 January 01 Page 4.7.2 ~ 1




Schedule R16-1 Map 15

2007 June 20 Page 4.7.2 ~ 2

4.7.2.2	Exception: R16-2	Map # 44W	By-law: 0253-20 0181-2018/LPA7 2019 February 1:	Γ Order
	e the permitted uses and appl following uses /regulations sh	•	specified for a R1	6 zone
Regulations				
4.7.2.2.1	*	Article 4.1.9.5 and the regul 4.1.8.1 of this By-law shall r		
4.7.2.2.2	Maximum number of dwell	ing units on all lands zoned	R16-2	7
4.7.2.2.3	Minimum lot area - interio	or lot	4	150 m ²
4.7.2.2.4	Minimum lot area - corner	·lot	2	000 m^2
4.7.2.2.5	Minimum lot frontage of a 1 200 m ² and less than 1 30	lot with a lot area greater th 0 m ²	an	8.1 m
4.7.2.2.6	Minimum front yard			4.5 m
4.7.2.2.7		1.7.2.2.6 of this Exception, the existing detached dwelling		2.4 m
4.7.2.2.8		1.7.2.2.6 of this Exception, the ot with a lot area greater that 0 m^2	-	19.0 m
4.7.2.2.9	Minimum rear yard - corn	er lot		7.0 m
4.7.2.2.10	Minimum setback from a ga CEC - sidewalk	arage face to a CEC - road o	or	6.0 m
4.7.2.2.11	Minimum parking spaces p	per dwelling unit		3
4.7.2.2.12	Minimum visitor parking s	paces per dwelling unit		0.0
4.7.2.2.13	"Front Lot Line - Corner Lot lot from the CEC - road	ot" means the lot line that div	ides the	

4.7.2.3	Exception: R16-3	Map # 45E	By-law: 0395-2009				
	In a R16-3 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:						
Regulations							
4.7.2.3.1	Minimum lot area		860 m ²				
4.7.2.3.2	Minimum lot frontage		22.5 m				
4.7.2.3.3	Maximum lot coverage		30%				
4.7.2.3.4	Minimum interior side yar	d - interior lot	1.8 m on one side of the lot and 4.2 m on the other side				
4.7.2.3.5	Minimum parking spaces p	per unit	3				
4.7.2.3.6	Minimum visitor parking s	paces per unit	0				
4.7.2.3.7	All site development plans s this Exception	shall comply with Schedule R	16-3 of				

Revised: 2019 February 28 Page 4.7.2~3




Schedule R16-3 Map 45E

4.7.2.4	Exception: R16-4	Map # 45E	By-law: 0395-2009				
	In a R16-4 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:						
Regulations							
4.7.2.4.1	Minimum lot area - interio	r lot	680 m^2				
4.7.2.4.2	7.2.4.2 Minimum lot frontage - interior lot						
4.7.2.4.3	Minimum interior side yar	d - interior lot abutting a R2-	-10 zone 3.0 m				
4.7.2.4.4	Minimum parking spaces p	per unit	3				
4.7.2.4.5	Minimum visitor parking s	paces per unit	0				

4.7.2.5	Exception: R16-5	Map # 14	By-law: 0077-201 0181-2018/LPAT 2019 February 15				
	In a R16-5 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:						
Regulations							
4.7.2.5.1	•	.1, 11.2, 11.3 and 11.4 in Tab .1 of this By-law shall apply	le 4.7.1				
4.7.2.5.2	Maximum number of dwell	ing units on all lands zoned F	216-5	10			
4.7.2.5.3	Minimum lot area - corner	lot	68	0 m^2			
4.7.2.5.4	Minimum lot frontage - con	rner lot	18	3.5 m			
4.7.2.5.5	Maximum height - highest sloped roof	ridge:	9.	.5 m			
4.7.2.5.6	Maximum height: flat roof		7.	.5 m			
4.7.2.5.7	Maximum height of eaves: from average grade to lower	er edge of the eaves	7.	.5 m			
4.7.2.5.8	Minimum setback from a ga CEC - sidewalk for Lots 1 a on Schedule R16-5 of this E		road or				
	(1) minimum setback to	o garage face - Lot 1	6.	.0 m			
	(2) minimum setback to	o garage face - Lots 5 to 8	6.	.5 m			
4.7.2.5.9		f a dwelling unit located on I e R16-5 of this Exception, sha					
4.7.2.5.10	All site development plans s this Exception	shall comply with Schedule R	16-5 of				

Revised: 2019 February 28 Page 4.7.2~5




Schedule R16-5 Map 14

Revised: 2011 June 30 Page 4.7.2 ~ 6

4.7.2.6	Exception: R16-6 Ma	ap # 13	By-law: 0079-2011, deleted by 0076-2017, 0198-2019, 0208-2022
	one the permitted uses and applicate following uses /regulations shall		as specified for a R16 zone
Regulations			
4.7.2.6.1	The provisions contained in Sushall not apply	bsection 2.1.14 of this E	3y-law
4.7.2.6.2	Maximum number of dwelling	units on all lands zoned	d R16-6 18
4.7.2.6.3	Minimum lot area - interior lo	t	245 m^2
4.7.2.6.4	Minimum lot area - CEC - cor	ner lot	285 m^2
4.7.2.6.5	Minimum lot frontage - interio	or lot	9.0 m
4.7.2.6.6	Minimum lot frontage - CEC	- corner lot	11.0 m
4.7.2.6.7	Maximum lot coverage		41%
4.7.2.6.8	Minimum front yard		4.5 m
4.7.2.6.9	Minimum setback from a garaş or CEC - sidewalk	ge face to a street, CEC	C - road 6.0 m
4.7.2.6.10	Minimum interior side yard -	interior lot/corner lot	1.2 m
4.7.2.6.11	Maximum height - highest rid sloped roof	ge:	11.2 m
4.7.2.6.12	Maximum dwelling unit depth	1	16.0 m
4.7.2.6.13	Maximum projection of a porc identified on Schedule R16-6 o		area 1.5 m
4.7.2.6.14	Maximum projection of an awn window well, and stairs with a the required front and exterior outside the buildable area identhis Exception	maximum of three risers side yards of the dwell	s, into ling,
4.7.2.6.15	Maximum projection of a balco or corbel, window well, and sta risers, into the required rear ya buildable area identified on So	irs with a maximum of ard of the dwelling, outs	three ide the
4.7.2.6.16	Maximum driveway width who	ere accessing a single ca	ar garage 3.0 m
4.7.2.6.17	Maximum driveway width who	ere accessing a double c	ar garage 6.0 m
4.7.2.6.18	All site development plans shal of this Exception	l comply with Schedule	R16-6


Revised: 2023 January 31 Page 4.7.2 ~ 7



Schedule R16-6 Map 13


4.7.2.7	Exception: R16-7	Map # 44W	By-law: 0199 0181-2018/LI 2019 February	PAT Order		
	In a R16-7 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations						
4.7.2.7.1	Minimum lot area - interio	or lot		660 m^2		
4.7.2.7.2	Minimum lot area - corner	· lot		750 m^2		
4.7.2.7.3	Minimum lot area of Lots A and B identified on Schedule R16-7 of this Exception			660 m ²		
4.7.2.7.4	Minimum lot frontage - interior lot			18.0 m		
4.7.2.7.5	Minimum lot frontage - corner lot			21.0 m		
4.7.2.7.6	Maximum lot coverage			30%		
4.7.2.7.7	Minimum front yard - inte	rior lot		6.0 m		
4.7.2.7.8	Minimum front yard - corr	ner lot		6.0 m		
4.7.2.7.9	Minimum exterior side yar	d abutting a street or a CI	EC - road	4.5 m		
4.7.2.7.10	Minimum parking spaces p	per unit		3		
4.7.2.7.11	Minimum visitor parking s	paces per unit		0		
4.7.2.7.12	The rear yard for Lot C ide Exception, shall be as identi Exception					

Revised: 2019 December 31 Page 4.7.2~9



Schedule R16-7 Map 44W


4.7.2.8	Exception: R16-8	Map # 05	By-law: 006 0181-2018/I 2019 Februa	LPAT Order		
	In a R16-8 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations						
4.7.2.8.1	Minimum lot area - interio	r lot		345 m^2		
4.7.2.8.2	Minimum lot area - corner	lot		397 m^2		
4.7.2.8.3	Minimum lot frontage - interior lot			14.0 m		
4.7.2.8.4	Minimum lot frontage - corner lot			16.3 m		
4.7.2.8.5	Minimum front yard - interior lot/corner lot , unless otherwise identified on Schedule R16-8 of this Exception			4.5 m		
4.7.2.8.6	Minimum setback from a garage face to a CEC - road		ad	6.0 m		
4.7.2.8.7	Minimum exterior side yard , unless otherwise identified on Schedule R16-8 of this Exception		ified on	4.5 m		
4.7.2.8.8	Minimum interior side yard - interior lot/corner lot		t	1.8 m		
4.7.2.8.9	All site development plans s this Exception	shall comply with Schedu	le R16-8 of			



Schedule R16-8 Map 05


4.7.2.9	Exception: R16-9	Map # 31	By-law: 0191-20 0212-2015, 0181 Order 2019 Febr	-2018/LPAT		
	In a R16-9 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations						
4.7.2.9.1		Article 1.1.4.1, Lines 2.0, 4.0 and Line 1.0 contained in w shall not apply) and			
4.7.2.9.2	Maximum number of dwell	ing units on all lands zoned F	R16-9	11		
4.7.2.9.3	Minimum lot area - interio	r lot	4	175 m ²		
4.7.2.9.4	Minimum lot area - corner Schedule R16-9 of this Exce	lot unless otherwise identifie eption	d on 6	570 m ²		
4.7.2.9.5	Minimum lot frontage - con	rner lot	2	22.0 m		
4.7.2.9.6	Maximum lot coverage			45%		
4.7.2.9.7	Minimum front yard			6.0 m		
4.7.2.9.8	Minimum setback from a ga or CEC - sidewalk	arage face to a CEC - road	,	6.0 m		
4.7.2.9.9	Minimum interior side yar	d - interior lot		1.8 m		
4.7.2.9.10	Minimum exterior side yar	d abutting a street		7.5 m		
4.7.2.9.11	Minimum number of parking	ng spaces per dwelling unit		3		
4.7.2.9.12	Maximum number of dwell	ing units with two attached g	arages	5		
4.7.2.9.13	Maximum driveway width attached garages	for each driveway on a lot w	ith two	3.5 m		
4.7.2.9.14	Minimum setback from the swimming pool to all lands			1.5 m		
4.7.2.9.15	All site development plans s this Exception	shall comply with Schedule R	16-9 of			

Revised: 2024 February 29 Page 4.7.2 ~ 12



Schedule R16-9 Map 31


4.7.2.10	Exception: R16-10	Map # 15	By-law: OMB Order 2017 May 31, 0181-2018/ LPAT Order 2019 February 15, 0208-2022			
	In a R16-10 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations						
4.7.2.10.1	4.7.2.10.1 The regulations of Line 12.4 contained in Table 4.7.1 of this By-law shall not apply					
4.7.2.10.2	Maximum number of dwe	lling units	7			
4.7.2.10.3	Minimum lot area	826 m^2				
4.7.2.10.4	Minimum lot frontage - in	18.0 m				
4.7.2.10.5	Minimum front yard	6.5 m				
4.7.2.10.6	Minimum setback from a	6.0 m				
4.7.2.10.7	Minimum interior side yard		3.0 m			
4.7.2.10.8	Minimum interior side yard to a CEC - walkway		1.5 m			
4.7.2.10.9	An attached garage shall be provided on each lot					
4.7.2.10.10		permitted outside the builda 5, identified on Schedule R16				
4.7.2.10.11	All site development plans of this Exception	shall comply with Schedule	R16-10			



Schedule R16-10 Map 15

4.7.2.11	Exception: R16-11	Map # 05	By-law: 0162-2022, 0208-2022			
except that the	In a R16-11 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations	Minimum later and destant		250 m^2			
4.7.2.11.1	Minimum lot area - inter					
4.7.2.11.2	Minimum lot area - CEC	- corner lot	275 m ²			
4.7.2.11.3	Minimum lot frontage - i	nterior lot	11.0 m			
4.7.2.11.4	Minimum lot frontage - (CEC - corner lot	12.0 m			
4.7.2.11.5	Maximum lot coverage		45%			
4.7.2.11.6	Minimum front yard		4.5 m			
4.7.2.11.7	Minimum setback from a or CEC - sidewalk	garage face to a street, CEC	C - road 6.0 m			
4.7.2.11.8	Minimum exterior side ya abutting a CEC - road	ard - lot with an exterior sid	le lot line 4.5 m			
4.7.2.11.9	Minimum interior side ya	nrd	1.2 m on one side of the lot and 0.6 m on the other side			
4.7.2.11.10	Maximum height		11.2 m			
4.7.2.11.11	Maximum encroachment or rear yard	of a balcony into the required	d 1.5 m			
4.7.2.11.12	development located with	1.1.2.3.2 of this By-law, only in Areas 'A', 'B', 'C', and 'D' io is Exception shall be subject t	dentified			


Revised: 2023 January 31 Page 4.7.2 ~ 15



Schedule R16-11 Map 05

4.7.2.12	Exception: R16-12	Map # 14	By-law: C 2023 Mar		
In a R16-12 zone the permitted uses and applicable regulations shall be as specified for a R16 zone except that the following uses /regulations shall apply:					
Regulations					
4.7.2.12.1	The regulations contained shall not apply	in Table 3.1.3.1 of this By-la	ıw		
4.7.2.12.2	Minimum lot area - inter	ior lot		230 m^2	
4.7.2.12.3	Minimum lot area - CEC	- corner lot		239 m^2	
4.7.2.12.4	Minimum lot frontage			10.0 m	
4.7.2.12.5	Maximum lot coverage			46%	
4.7.2.12.6	Minimum front yard - int	terior lot/CEC - corner lot		4.5 m	
4.7.2.12.7	Minimum front yard setb CEC - road or CEC - side	ack from a garage face to a sewalk	street,	6.0 m	
4.7.2.12.8	Minimum exterior side ya abutting a CEC - road	ard - lot with an exterior sid	e lot line	3.0 m	
4.7.2.12.9	Minimum interior side ya	nrd - interior lot		1.2 m on one side, 0.61 m on the other side	
4.7.2.12.10	Minimum interior side ya	ard - corner lot		0.65 m	
4.7.2.12.11	Minimum interior side ya rear lot line of abutting pa	ard where interior side lot li arcel	ne is the	3.0 m	
4.7.2.12.12	Minimum rear yard - into	erior lot/CEC - corner lot		6.0 m	
4.7.2.12.13	Maximum height			11.0 m	
4.7.2.12.14	stairs, located at and acces	of a porch or deck , inclusive ssible from the first storey or elling into the required rear y	below	3.5 m	
4.7.2.12.15	Minimum setback of a det parking space	tached dwelling to a CEC - v	visitor	1.7 m	
4.7.2.12.16	Maximum driveway widt	h		5.2 m	
4.7.2.12.17	All site development plans of this Exception	s shall comply with Schedule	R16-12		

Revised: 2023 March 31 Page 4.7.2 ~ 17



Schedule R16-12 Map 14

Revised: 2023 March 31 Page 4.7.2 ~ 18