

Ontario Ministry of the Environment, Conservation and Parks  
Record of Site Condition # B-403-3379300641

---



Record of Site Condition  
Under Part XV.1 of the *Environmental Protection Act*

## Summary

Record of site condition number	B-403-3379300641
Date filed to environmental site registry (YYYY/MM/DD)	2025/10/07
Certification date (YYYY/MM/DD)	2025/03/13
Current property use	Commercial
Intended property use	Commercial
Certificate of property use number	No CPU
Applicable site condition standards	Full depth generic site conditions standard, Potable ground water, for Commercial property use
Property legal description	<b>See attached lawyer's letter</b>
Property municipal address(es)	NO MUNICIPAL ADDRESS, MISSISSAUGA, ONTARIO

## Notice to readers concerning due diligence

This record of site condition (RSC) has been filed in the Environmental Site Registry to which the public has access and which contains a notice advising users of the Environmental Site Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Environmental Site Registry.

## Contents of this record of site condition

This RSC consists of this document which is available to be printed directly from the

Environmental Site Registry as well as all supporting documentation indicated in this RSC to have been submitted in electronic format to the Ministry of the Environment, Conservation and Parks.

## Part 1: Property Ownership, Property Information and Owner's Certifications

### Information about the owner who is submitting or authorizing the submission of the RSC

Owner name	1105239 ONTARIO INC
Ownership type	Firm, corporation or partnership
Authorized person	MARTIN TONG
Mailing address	4890 Tomken roadMississauga Ontario
Postal Code	L4W 1J8
Phone	(416) 677-2154
Fax	
Email address	<a href="mailto:martin@dezenrealty.com">martin@dezenrealty.com</a>

## Record of site condition property location information

Municipal address(es)	NO MUNICIPAL ADDRESS, MISSISSAUGA, ONTARIO
Municipality	MISSISSAUGA
Legal description	See attached lawyer's letter
Assessment roll number	0504009688100000009
Property identifier number(s)	14080-2039(LT)
Horizontal severance	

## Record of site condition property geographical references

Coordinate system	UTM
Datum	NAD 83
Zone	Zone 17
Easting	603455
Northing	4833516

## Record of site condition property use information

The following types of property uses are defined by the Regulation: Agricultural or other use, Commercial use, Community use, Industrial use, Institutional use, Parkland use, and Residential use.

Current property use	Commercial
Intended property use	Commercial
Certificate of property use has been issued under section 168.6 of the <i>Environmental Protection Act</i>	No

As an owner:

<input checked="" type="checkbox"/>	I acknowledge that the RSC will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
<input checked="" type="checkbox"/>	I have conducted reasonable inquiries to obtain all information relevant to this RSC, including information from the other current owners of the RSC property named in this part of the RSC and I have obtained all information relevant to this RSC of which I am aware.
<input checked="" type="checkbox"/>	I have disclosed all information referred to in paragraph 2 to any qualified person named in this RSC.
<input checked="" type="checkbox"/>	To my knowledge, the statements made in this part of the RSC are true as of 2025/09/26.
<input checked="" type="checkbox"/>	I have ensured that access to the entire property, including the phase one property, any phase two property and the RSC property, has been afforded to the qualified person and to persons supervised by the qualified person, for purposes of conducting the site reconnaissance.

By checking the box above, I, MARTIN TONG am on 2025/09/26,

a.	signing this RSC as an owner;
b.	making all certifications required of the owner of the RSC property for this RSC; and
c.	confirming that I have the authority to bind, and hereby do bind 1105239 ONTARIO INC.
<input checked="" type="checkbox"/> I Agree	

## Part 2: List of reports, summary of site conditions and qualified person's statements and certifications

### Qualified person's information

Name	Arshad Shaikh
Type of licence under <i>Professional Engineers Act</i>	Licence
Licence number	100196680
Qualified person's employer name	Soil Engineers Ltd.
Mailing address	90 West Beaver Creek RDRichmond Hill Ontario
Phone	(416) 754-8515
Fax	
Email address	<a href="mailto:arshad.shaikh@soilengineersltd.com">arshad.shaikh@soilengineersltd.com</a>

### Municipal information

Local or single-tier municipality	CITY OF MISSISSAUGA
Upper-tier municipality	REGIONAL MUNICIPALITY OF PEEL

### Ministry of the Environment Conservation and Parks District Office

District office	Halton-Peel
District office address	Suite 300, 4145 North Service Road, Burlington ON .....

## Phase one environmental site assessment report

### Document used as the phase one environmental site assessment report and updates in submitting the RSC for filing

The date the last work on all of the records review, interviews and site reconnaissance components of the phase one environmental site assessment was done (refer to clause 28(1)(a) of Ontario Regulation (O. Reg.) 153/04)	2025/01/31
--	------------

Type of Report	Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
Phase One environmental site assessment	Phase One Environmental Site Assessment, Proposed Commercial/Industrial Development, West of Derrycrest Drive and Vicksburgh Drive, City of Mississauga (1810-E183-1)	2019/01/11	Eleni Girma Beyene, QPESA; Kathryn Miles; Mohammadreza Moslemi	Soil Engineers Ltd.
Update to Phase One environmental site assessment report	Phase One Environmental Site Assessment Update, Proposed Commercial/Industrial Development, West of Derrycrest Drive and Vicksburgh Drive, City of Mississauga (1810-E183-1)	2025/01/31	Arshad Shaikh, QPESA; Eleni Girma Beyene, QPESA; Madan K. Suwal	Soil Engineers Ltd.

### Reports and other documents related to the phase one environmental site assessment

### Reports and other documents relied upon in certifying the information set out in section 10 of Schedule A or otherwise used in conducting the phase one environmental site assessment

Report Title	Date of Report	Author of	Name of Consulting
--------------	----------------	-----------	--------------------

	(yyyy/mm/dd)	Report	Company
--	--------------	--------	---------



## Phase two environmental site assessment report

### Document used as the phase two environmental site assessment report and updates in submitting the RSC for filing

The date the last work on all of the planning of the site investigation and conducting the site investigation components of the phase two environmental site assessment was done (refer to clause 33.5(1)(a) of O. Reg. 153/04)	2025/03/31
---	------------

Type of Report	Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
Phase Two environmental site assessment	Phase Two Environmental Site Assessment, Proposed Commercial/Industrial Development, West of Derrycrest Drive and Vicksburgh Drive, City of Mississauga (1810-E183-1)	2025/04/14	Arshad Shaikh, QPESA; Simon Xian, QPESA; Madan K. Suwal	Soil Engineers Ltd.

### Reports and other documents related to the phase two environmental site assessment

#### Reports and other documents relied upon in making any certifications in the RSC for the purposes of Part IV of Schedule A or otherwise used in conducting the phase two environmental site assessment

Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
--------------	-----------------------------	------------------	----------------------------

## Environmental condition

Section 41 applies?	No
Section 43.1 applies?	Yes

## Site condition information

Certification date (YYYY/MM/DD)	2025/03/13
Total area of RSC property (in hectares)	6.97
Number of any previously filed RSC that applies to any part of the RSC property	
Number of any previously filed transition notice that applies to any part of the RSC property	
Soil texture	
Assessment/restoration approach	Full Depth Generic
Is there soil present that is sufficient to investigate, sample and analyze soil on, in or under the property in accordance with s. 6, Schedule E of O. Reg. 153/04?	Yes
Was investigation, sampling and analysis of soil on, in or under the property already undertaken in such a way that it can be used as part of the phase two environmental site assessment?	Yes
Site investigation includes the investigation, sampling and analysis of ground water?	Yes
Name of the laboratory used to analyze any samples collected of soil, ground water or sediment	Bureau Veritas Laboratories
Ground water condition (potable, non-potable)	Potable
Applicable site condition standard	TABLE 8

**Table 1 - Maximum contaminant concentrations compared to applicable site condition standards**

**Measured concentration for contaminants in soil**

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Acenaphthene	<	0.005	0.072	µg/g
2	Acenaphthylene	<	0.005	0.093	µg/g
3	Acetone	<	0.002	0.5	µg/g
4	Aldrin	<	0.002	0.05	µg/g
5	Anthracene	<	0.005	0.22	µg/g
6	Antimony		<b>0.21</b>	1.3	µg/g
7	Arsenic		<b>5.8</b>	18	µg/g
8	Barium		<b>120</b>	220	µg/g
9	Benz[a]anthracene	<	0.005	0.36	µg/g
10	Benzene	<	0.02	0.02	µg/g
11	Benzo[a]pyrene		<b>0.0057</b>	0.3	µg/g
12	Benzo[b]fluoranthene		<b>0.009</b>	0.47	µg/g
13	Benzo[ghi]perylene	<	0.005	0.68	µg/g
14	Benzo[k]fluoranthene	<	0.005	0.48	µg/g
15	Beryllium		<b>1.1</b>	2.5	µg/g
16	Boron (Hot Water Soluble)*		<b>0.42</b>	1.5	µg/g
17	Boron (total)		<b>11</b>	36	µg/g
18	Bromodichloromethane	<	0.04	0.05	µg/g
19	Bromoform	<	0.04	0.05	µg/g
20	Bromomethane	<	0.04	0.05	µg/g
21	Cadmium		<b>0.18</b>	1.2	µg/g
22	Carbon Tetrachloride	<	0.04	0.05	µg/g
23	Chlordane	<	0.002	0.05	µg/g

24	Chlorobenzene	<	0.04	0.05	µg/g
25	Chloroform	<	0.04	0.05	µg/g
26	Chromium Total		<b>31</b>	70	µg/g
27	Chromium VI	<	0.2	0.66	µg/g
28	Chrysene		<b>0.0057</b>	2.8	µg/g
29	Cobalt		<b>17</b>	22	µg/g
30	Copper		<b>41</b>	92	µg/g
31	Cyanide (CN-)	<	0.01	0.051	µg/g
32	DDD	<	0.002	0.05	µg/g
33	DDE	<	0.002	0.05	µg/g
34	DDT	<	0.002	1.4	µg/g
35	Dibenz[a h]anthracene	<	0.005	0.1	µg/g
36	Dibromochloromethane	<	0.04	0.05	µg/g
37	Dichlorobenzene, 1,2-	<	0.04	0.05	µg/g
38	Dichlorobenzene, 1,3-	<	0.04	0.05	µg/g
39	Dichlorobenzene, 1,4-	<	0.04	0.05	µg/g
40	Dichlorodifluoromethane	<	0.04	0.05	µg/g
41	Dichloroethane, 1,1-	<	0.04	0.05	µg/g
42	Dichloroethane, 1,2-	<	0.049	0.05	µg/g
43	Dichloroethylene, 1,1-	<	0.04	0.05	µg/g
44	Dichloroethylene, 1,2-cis-	<	0.04	0.05	µg/g
45	Dichloroethylene, 1,2-trans-	<	0.04	0.05	µg/g
46	Dichloropropane, 1,2-	<	0.04	0.05	µg/g
47	Dichloropropene, 1,3-	<	0.05	0.05	µg/g
48	Dieldrin	<	0.002	0.05	µg/g
49	Electrical Conductivity (mS/cm)		<b>0.29</b>	0.7	mS/cm
50	Endosulfan	<	0.002	0.04	µg/g
51	Endrin	<	0.002	0.04	µg/g
52	Ethylbenzene	<	0.02	0.05	µg/g

53	Ethylene dibromide	<	0.04	0.05	µg/g
54	Fluoranthene		<b>0.01</b>	0.69	µg/g
55	Fluorene	<	0.005	0.19	µg/g
56	Heptachlor	<	0.002	0.05	µg/g
57	Heptachlor Epoxide	<	0.002	0.05	µg/g
58	Hexachlorobenzene	<	0.002	0.02	µg/g
59	Hexachlorobutadiene	<	0.002	0.01	µg/g
60	Hexachlorocyclohexane Gamma-	<	0.002	0.01	µg/g
61	Hexachloroethane	<	0.002	0.01	µg/g
62	Hexane (n)	<	0.04	0.05	µg/g
63	Indeno[1 2 3-cd]pyrene	<	0.005	0.23	µg/g
64	Lead		<b>21</b>	120	µg/g
65	Mercury	<	0.05	0.27	µg/g
66	Methoxychlor	<	0.005	0.05	µg/g
67	Methyl Ethyl Ketone	<	0.4	0.5	µg/g
68	Methyl Isobutyl Ketone	<	0.4	0.5	µg/g
69	Methyl tert-Butyl Ether (MTBE)	<	0.04	0.05	µg/g
70	Methylene Chloride	<	0.049	0.05	µg/g
71	Methylnaphthalene, 2-(1-) ***	<	0.0071	0.59	µg/g
72	Molybdenum		<b>0.58</b>	2	µg/g
73	Naphthalene	<	0.005	0.09	µg/g
74	Nickel		<b>34</b>	82	µg/g
75	Petroleum Hydrocarbons F1****	<	10	25	µg/g
76	Petroleum Hydrocarbons F2	<	10	10	µg/g
77	Petroleum Hydrocarbons F3	<	50	240	µg/g
78	Petroleum Hydrocarbons F4	<	50	120	µg/g
79	Phenanthrene	<	0.005	0.69	µg/g
80	Polychlorinated Biphenyls	<	0.01	0.3	µg/g
81	Pyrene		<b>0.0087</b>	1	µg/g

82	Selenium	<	0.5	1.5	µg/g
83	Silver	<	0.2	0.5	µg/g
84	Sodium Adsorption Ratio		<b>0.37</b>	5	unitless
85	Styrene	<	0.04	0.05	µg/g
86	Tetrachloroethane, 1,1,1,2-	<	0.04	0.05	µg/g
87	Tetrachloroethane, 1,1,2,2-	<	0.04	0.05	µg/g
88	Tetrachloroethylene	<	0.04	0.05	µg/g
89	Thallium		<b>0.2</b>	1	µg/g
90	Toluene	<	0.02	0.2	µg/g
91	Trichloroethane, 1,1,1-	<	0.04	0.05	µg/g
92	Trichloroethane, 1,1,2-	<	0.04	0.05	µg/g
93	Trichloroethylene	<	0.01	0.05	µg/g
94	Trichlorofluoromethane	<	0.04	0.25	µg/g
95	Uranium		<b>0.8</b>	2.5	µg/g
96	Vanadium		<b>42</b>	86	µg/g
97	Vinyl Chloride	<	0.019	0.02	µg/g
98	Xylene Mixture	<	0.04	0.05	µg/g
99	Zinc		<b>82</b>	290	µg/g

**Table 1 - Maximum contaminant concentrations compared to applicable site condition standards**

**Measured concentration for contaminants in ground water**

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Acenaphthene	<	0.05	4.1	µg/L
2	Acenaphthylene	<	0.05	1	µg/L
3	Acetone	<	10	2700	µg/L
4	Anthracene	<	0.05	1	µg/L
5	Antimony		<b>0.87</b>	6	µg/L
6	Arsenic		<b>5.3</b>	25	µg/L
7	Barium		<b>140</b>	1000	µg/L
8	Benz[a]anthracene	<	0.05	1	µg/L
9	Benzene	<	0.2	5	µg/L
10	Benzo[a]pyrene	<	0.009	0.01	µg/L
11	Benzo[b]fluoranthene	<	0.05	0.1	µg/L
12	Benzo[ghi]perylene	<	0.05	0.2	µg/L
13	Benzo[k]fluoranthene	<	0.05	0.1	µg/L
14	Beryllium	<	0.5	4	µg/L
15	Boron (total)		<b>120</b>	5000	µg/L
16	Bromodichloromethane	<	0.5	16	µg/L
17	Bromoform	<	1	25	µg/L
18	Bromomethane	<	0.5	0.89	µg/L
19	Cadmium	<	0.1	2.1	µg/L
20	Carbon Tetrachloride	<	0.2	0.79	µg/L
21	Chlorobenzene	<	0.2	30	µg/L
22	Chloroform	<	0.2	2.4	µg/L
23	Chromium Total		<b>6.4</b>	50	µg/L

24	Chromium VI	<	0.5	25	µg/L
25	Chrysene	<	0.05	0.1	µg/L
26	Cobalt		<b>0.53</b>	3.8	µg/L
27	Copper		<b>4.2</b>	69	µg/L
28	Cyanide (CN-)	<	1	52	µg/L
29	Dibenz[a h]anthracene	<	0.05	0.2	µg/L
30	Dibromochloromethane	<	0.5	25	µg/L
31	Dichlorobenzene, 1,2-	<	0.5	3	µg/L
32	Dichlorobenzene, 1,3-	<	0.5	59	µg/L
33	Dichlorobenzene, 1,4-	<	0.5	1	µg/L
34	Dichlorodifluoromethane	<	1	590	µg/L
35	Dichloroethane, 1,1-	<	0.2	5	µg/L
36	Dichloroethane, 1,2-	<	0.5	1.6	µg/L
37	Dichloroethylene, 1,1-	<	0.2	1.6	µg/L
38	Dichloroethylene, 1,2-cis-	<	0.5	1.6	µg/L
39	Dichloroethylene, 1,2-trans-	<	0.5	1.6	µg/L
40	Dichloropropane, 1,2-	<	0.2	5	µg/L
41	Dichloropropene, 1,3-	<	0.5	0.5	µg/L
42	Ethylbenzene	<	0.2	2.4	µg/L
43	Ethylene dibromide	<	0.2	0.2	µg/L
44	Fluoranthene	<	0.05	0.41	µg/L
45	Fluorene	<	0.05	120	µg/L
46	Hexane (n)	<	1	51	µg/L
47	Indeno[1 2 3-cd]pyrene	<	0.05	0.2	µg/L
48	Lead	<	0.5	10	µg/L
49	Mercury	<	0.1	0.29	µg/L
50	Methyl Ethyl Ketone	<	10	1800	µg/L
51	Methyl Isobutyl Ketone	<	5	640	µg/L
52	Methyl tert-Butyl Ether (MTBE)	<	0.5	15	µg/L



53	Methylene Chloride	<	2	50	µg/L
54	Methylnaphthalene, 2-(1-) ***		<b>0.17</b>	3.2	µg/L
55	Molybdenum		<b>15</b>	70	µg/L
56	Naphthalene	<	0.05	11	µg/L
57	Nickel		<b>2.3</b>	100	µg/L
58	Petroleum Hydrocarbons F1****	<	25	420	µg/L
59	Petroleum Hydrocarbons F2	<	100	150	µg/L
60	Petroleum Hydrocarbons F3	<	200	500	µg/L
61	Petroleum Hydrocarbons F4	<	200	500	µg/L
62	Phenanthrene		<b>0.042</b>	1	µg/L
63	Polychlorinated Biphenyls	<	0.05	0.2	µg/L
64	Pyrene	<	0.05	4.1	µg/L
65	Selenium		<b>4.4</b>	10	µg/L
66	Silver	<	0.1	1.2	µg/L
67	Styrene	<	0.5	5.4	µg/L
68	Tetrachloroethane, 1,1,1,2-	<	0.5	1.1	µg/L
69	Tetrachloroethane, 1,1,2,2-	<	0.5	1	µg/L
70	Tetrachloroethylene	<	0.2	1.6	µg/L
71	Thallium	<	0.05	2	µg/L
72	Toluene	<	0.2	22	µg/L
73	Trichloroethane, 1,1,1-	<	0.2	200	µg/L
74	Trichloroethane, 1,1,2-	<	0.5	4.7	µg/L
75	Trichloroethylene	<	0.2	1.6	µg/L
76	Trichlorofluoromethane	<	0.5	150	µg/L
77	Uranium		<b>10</b>	20	µg/L
78	Vanadium		<b>1</b>	6.2	µg/L
79	Vinyl Chloride	<	0.2	0.5	µg/L
80	Xylene Mixture	<	0.4	300	µg/L
81	Zinc		<b>5.9</b>	890	µg/L

## Remedial action and mitigation

### Remediated soils

Estimated quantities of the soil, if any, originating at and remaining on the RSC property that have been remediated, at a location either on or off the property, to reduce the concentration of contaminants in the soil. Indicate the remediation process or processes used and the estimated amount of soil remediated by each identified process.

Soil remediation process	Estimated quantity of soil (in ground-volume in cubic metres)

### Description of remediation

Description of any action taken to reduce the concentration of contaminants (including soil removals) on, in or under the <u>RSC</u> property.

### Soil or sediment removed and not returned

Estimated quantities of soil or sediment, if any, removed from and not returned to the RSC property.

Estimated quantity of soil (in ground-volume in cubic metres)	
Estimated quantity of sediment (in ground-volume in cubic metres)	

### Excess soil deposited at the property

Estimated quantity of excess soil, if any, being deposited at the RSC property, not including any soil that may have originated at but been remediated off the record of site condition property and that is identified in section 28 of Schedule A

Estimated quantity of soil brought to the property (in ground-volume in cubic metres)	
---	--

**Ground water control or treatment measures**

Ground water control or treatment measures that were required for the RSC property prior to the certification date for the purpose of submitting the RSC for filing.
Ground water control or treatment measures that are required for the RSC property after the certification date.

Estimated volume of ground water, if any, removed from and not returned to the RSC property.

Estimated volume of ground water (in litres)	
--	--

## Other activities including risk management measures

Constructed works that prior to the certification date for the purpose of submitting the RSC for filing, were required to control or otherwise mitigate the release or movement of known existing contaminants at the RSC property.

Constructed works that after the certification date, are required to control or otherwise mitigate the release or movement of known existing contaminants at the RSC property.

## Monitoring or Maintenance

### Soil Management Measures

Soil monitoring requirements or any requirements for care, maintenance or replacement or any monitoring or control works for known existing contaminants, if any, on the RSC property, after the certification date.

## Ground water management measures

Ground water monitoring requirements or requirements for care, maintenance or replacement of any monitoring or control works or known existing contaminants, if any, on the RSC property, after the certification date.

## Remediated or removed soil, sediment or ground water from near property boundary

Has any soil, sediment or ground water at the RSC property that is or was located within 3 metres of the RSC property boundary been remediated or removed for the purpose of remediation?

No

## Qualified person's statements and certifications

As the qualified person, I certify that:

<input checked="" type="checkbox"/>	A phase one environmental site assessment of the <u>RSC</u> property, which includes the evaluation of the information gathered from a records review, site reconnaissance, interviews, a report and any updates as required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.
<input checked="" type="checkbox"/>	A phase two environmental site assessment of the <u>RSC</u> property, which includes the evaluation of the information gathered from planning and conducting a site investigation, a report, and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.
<input checked="" type="checkbox"/>	The information represents the site conditions at the sampling points at the time of sampling only and the conditions between and beyond the sampling points may vary.
<input checked="" type="checkbox"/>	As of 2025/03/13, in my opinion, based on the phase one environmental site assessment and the phase two environmental site assessment, and any confirmatory sampling, there is no evidence of any contaminants in the soil, ground water or sediment on, in or under the <u>RSC</u> property that would interfere with the type of property use to which the <u>RSC</u> property will be put, as specified in the <u>RSC</u> .
<input checked="" type="checkbox"/>	Ground water sampling has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.
<input checked="" type="checkbox"/>	As of 2025/03/13, in my opinion, based on the phase one and phase two environmental site assessments and any confirmatory sampling, the <u>RSC</u> property meets the applicable full depth generic site condition standards prescribed by section 36 of the regulation for all contaminants prescribed by the regulation in relation to the type of property use for which this <u>RSC</u> is filed, except for those contaminants (if any) specified in this <u>RSC</u> at Table 2, Maximum Contaminant Concentrations Compared to Standards Specified in a Risk Assessment.
<input checked="" type="checkbox"/>	As of 2025/03/13, the maximum known concentration of each contaminant in soil, sediment and ground water at the <u>RSC</u> property for which sampling and analysis has been performed is specified in this <u>RSC</u> at Table 1, Maximum Contaminant Concentrations Compared to Applicable Site Condition Standards.
<input checked="" type="checkbox"/>	I am a qualified person and have the qualifications required by section 5 of the regulation.
<input checked="" type="checkbox"/>	I have in place an insurance policy that satisfies the requirements of section 7 of the regulation.
<input checked="" type="checkbox"/>	I acknowledge that the <u>RSC</u> will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by

	the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
<input checked="" type="checkbox"/>	The opinions expressed in this RSC are engineering or scientific opinions made in accordance with generally accepted principles and practices as recognized by members of the environmental engineering or science profession or discipline practicing at the same time and in the same or similar location.
<input checked="" type="checkbox"/>	I do not hold and have not held and my employer, if any, does not hold and has not held a direct or indirect interest in the RSC property or any property which includes the RSC property and was the subject of a phase one or two environmental site assessment or risk assessment upon which this RSC is based.
<input checked="" type="checkbox"/>	To the best of my knowledge, the certifications and statements in this part of the RSC are true as of 2025/03/13.
<input checked="" type="checkbox"/>	By signing this RSC, I make no express or implied warranties or guarantees.

By checking the boxes above, and entering my membership/licence number in this submission, I, Arshad Shaikh, a qualified person under section 5 of O. Reg. 153/04 am, on ,

a.	signing this RSC submission as a qualified person; and
b.	making all certifications required as a qualified person for this RSC
<input checked="" type="checkbox"/> I Agree	

## **Additional documentation provided by property owner or agent**

The following documents have been submitted to the Ministry of the Environment, Conservation and Parks as part of the RSC

A current plan of survey
Certificate of Status or equivalent for the owner
Copy of any deed(s), transfer(s) or other document(s) by which the record of site condition property was acquired
Lawyer's letter consisting of a legal description of the property
Phase Two conceptual site model
Table of Area(s) of potential environmental concern
Table of current and past uses of the Phase One property