



Phase One Environmental Site Assessment

1970 & 1980 Fowler Drive, Mississauga, Ontario

Client:

IMH 1970 & 1980 Fowler Drive Ltd.
1400 - 3280 Bloor Street West
Centre Tower
Toronto, Ontario; M8X 2X3

Attention:

Mr. Matthew Cesta

Type of Document:

FINAL

Project Name:

Phase One Environmental Site Assessment

Project Number:

GTR-22022660-A0

EXP Services Inc.

1595 Clark Boulevard
Brampton, ON, L6T 4V1
t: 905.793.9800
f: 905.793.0641

Date Submitted:

July 4, 2025

Table of Contents

1	Executive Summary	4
2	Introduction	6
2.1	Site Information	6
3	Scope of Investigation.....	8
4	Record Review	9
4.1	General	9
4.1.1	Phase One Study Area Determination	9
4.1.2	First Developed Use Determination	9
4.1.3	Fire Insurance Plans	9
4.1.4	Chain of Title	9
4.1.5	Environmental Reports	10
4.2	Environmental Source Information	12
4.2.1	Federal and Provincial Database Search.....	12
4.2.2	Municipal Records	21
4.2.3	Ontario Ministry of the Environment Records	23
4.2.4	Technical Standards and Safety Authority	24
4.2.5	Record of Site Condition	24
4.3	Physical Setting Sources.....	24
4.3.1	Aerial Photographs	24
4.3.2	Topography, Hydrology and Geology	26
4.3.3	Fill Materials	27
4.3.4	Areas of Natural Significance	27
4.3.5	Well Records	27
4.4	Site Operating Records	27
5.	Interviews	29
6.	Site Reconnaissance.....	30
6.1	General Requirements.....	30

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

6.2	Specific Observations at Phase One ESA Property	30
6.2.1	Site Description and Buildings	30
6.2.2	Heating and Cooling Systems.....	30
6.2.3	Site Utilities and Services.....	31
6.2.4	Sewage and Wastewater Disposal.....	31
6.2.5	Potable Water Sources	31
6.2.6	Abandoned and Existing Wells.....	31
6.2.7	Site Production and Manufacturing.....	31
6.2.8	Drains, Pits and Sumps.....	31
6.2.9	Storage Tanks.....	32
6.2.10	Water Wells.....	32
6.2.11	Site Housekeeping.....	32
6.2.12	Chemical Storage and Handling and Floor Condition.....	32
6.2.13	Areas of Stained Soil, Pavement or Stressed Vegetation.....	32
6.2.14	Fill and Debris.....	32
6.2.15	Air Emissions	32
6.2.16	Polychlorinated Biphenyls (PCBs).....	32
6.3	Enhanced Investigation Property Observations	33
6.4	Adjacent and Surrounding Properties	33
6.5	Written Description of Investigation	33
7.	Review and Evaluation of Information	34
7.1	Current and Past Uses.....	34
7.2	Potentially Contaminating Activities (PCAs)	34
7.3	Areas of Potential Environmental Concern (APECs)	34
8.	Conclusions	35
8.1	Whether Phase Two ESA Required Before RSC Submitted.....	35
8.2	RSC Based on Phase One ESA Alone	36
9	Closure	37
10	References	38

Appendices

Tables

Appendix A – Liability

Appendix B – Survey Plan

Appendix C – Qualifications

Appendix D – Chain of Title

Appendix E – ERIS Report

Appendix F – City Directories

Appendix G– Regulatory Requests

Appendix H – Aerial Photographs

Appendix I – Site Photographs

Appendix J – Phase One Conceptual Site Model

1 Executive Summary

EXP Services Inc. (EXP) was retained by IMH 1970 & 1980 Fowler Drive Ltd. (the 'Client'), to complete a Phase I Environmental Site Assessment (ESA) for a property located at 1970 & 1980 Fowler Drive in the city of Mississauga, Ontario. This parcel of land is hereinafter referred to as the "Site" (as shown on Figures 1 and 2).

For this assessment, Fowler Drive considered to be in a north-south configuration and Fowler Drive in the east-west configuration.

It is EXP's understanding that the Site is planned for redevelopment into a high-rise residential building comprising 24 storeys, with up to 3.5 levels of underground parking, along with associated surface parking and an access road. The proposed development is expected to occupy the landscaped area currently situated between the parking lots of 1970 and 1980 Fowler Drive and a Record of Site Condition (RSC) may not be required as there is no change in the land use. As such, the objective of the investigation was to prepare a Phase One ESA in accordance with Ontario Regulation (O.Reg.) 153/04 (as amended).

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a Site based on its historical and current uses. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Appendix A.

It is noted that general environmental management and housekeeping practices were reviewed as part of this assessment insofar as they could impact the environmental condition of the property. However, a detailed review of regulatory compliance issues was beyond the scope of our investigation. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions, or identify geologic hazards.

The Site encompasses approximately 26,925.69 square meters (6.66 acres) and is developed with two (2) residential apartment buildings, each featuring a penthouse mechanical room and a single-level basement that includes laundry rooms, mechanical rooms, and locker areas for storage purposes. Each building includes a single-level underground parking garage, which extends beyond the footprint of the structures.

- The Site building at 1970 Fowler Drive (Building A) has an estimated footprint of 1,062 m² (11,434 ft²) and was constructed circa 1969.
- The Site building at 1980 Fowler Drive (Building B) has an estimated footprint of 1,034 m² (11,126 ft²) and was constructed circa 1970.

Both Site buildings collectively contain 336 residential suites (a mix of one-, two-, and three-bedroom units), with approximately 168 units per building. Additional features include aboveground visitor parking, basketball court east of parking lot of Building B and landscaped areas surrounding the buildings. A small children's playground was located northeast of both the Site buildings respectively.

The Site is situated on the east side of Fowler Drive, approximately 130 metres east of Erin Mills Parkway, in the City of Mississauga, Ontario.

According to a review of historical records, aerial photographs, and an interview with the Site representative, the Site was first developed for residential purposes since its development circa 1969.

Based on the Phase One ESA findings, the following information is provided in Table 1-1 in support of the Phase One Qualified Person's (QP's) conclusion:

Table 1-1: Areas of Potential Environmental Concern

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA) ¹	Location of PCA (on-Site or off-Site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC 1: Location of the former swimming pool	Northeast exterior portion of the Site Building B at the Site (1980 Fowler Drive)	PCA#30-Importation of Fill Materials of Unknown Quality. (PCA-1)	On-Site	PHCs, BTEX, PAHs, Metals, As, Sb, Se, Hg, Cr VI, CN-, pH, EC, SAR and B-HWS	Soil
APEC 2A: Application of de-icing agents during winter season	East exterior of Building A (1970 Fowler Drive)	PCA# "Other"- Application of de-icing agents (PCA-2A)	On-Site	EC, SAR	Soil
APEC 2B: Application of de-icing agents during winter season	North, East and West exterior of Building B (1980 Fowler Drive)	PCA# "Other"- Application of de-icing agents (PCA-2B)	On-Site	EC, SAR	Soil
APEC 3: Former presence of Spring bank Road Dump operated as a Sanitary landfill.	Eastern Portion of the Site	PCA#58-Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners (PCA-3)	Off-Site	PHCs, BTEX, VOCs, PAHs, Metals, As, Sb, Se, Hg	Groundwater
APEC 4: Presence of an RFO – Shell Gas service station and storage of USTs	Southern boundary of the Site	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks (PCA-4A, 4B, and 4C)	Off-Site	PHCs, BTEX, VOCs	Groundwater

(1) Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D (O.Reg.153/04, as amended) that is occurring or has occurred in a phase one Study area.

Based on the findings of the Phase One ESA and conclusions, a Phase Two ESA is required to assess the soil and groundwater conditions at the Site prior to submitting an RSC.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.

2 Introduction

EXP Services Inc. (EXP) was retained by IMH 1970 & 1980 Fowler Drive Ltd. (the 'Client'), to complete a Phase I Environmental Site Assessment (ESA) for a property located at 1970 & 1980 Fowler Drive in the city of Mississauga, Ontario. This parcel of land is hereinafter referred to as the "Site" (as shown on Figures 1 and 2).

For this assessment, Fowler Drive considered to be in a north-south configuration and Fowler Drive in the east-west configuration.

It is EXP's understanding that the Site is planned for redevelopment into a high-rise residential building comprising 24 storeys, with up to 3.5 levels of underground parking, along with associated surface parking and an access road. The proposed development is expected to occupy the landscaped area currently situated between the parking lots of 1970 and 1980 Fowler Drive and a Record of Site Condition (RSC) may not be required as there is no change in the land use. As such, the objective of the investigation was to prepare a Phase One ESA in accordance with Ontario Regulation (O.Reg.) 153/04 (as amended).

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a Site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by O.Reg. 153/04, and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Appendix A.

It should be noted that the objective of this review was to identify any environmental concerns associated with the Site.

2.1 Site Information

The Site encompasses approximately 26,925.69 square meters (6.66 acres) and is developed with two (2) residential apartment buildings, each featuring a penthouse mechanical room and a single-level basement that includes laundry rooms, mechanical rooms, and locker areas for storage purposes. Each building includes a single-level underground parking garage, which extends beyond the footprint of the structures.

- The Site building at 1970 Fowler Drive (Building A) has an estimated footprint of 1,062 m² (11,434 ft²) and was constructed circa 1969.
- The Site building at 1980 Fowler Drive (Building B) has an estimated footprint of 1,034 m² (11,126 ft²) and was constructed circa 1970.

Both Site buildings collectively contain 336 residential suites (a mix of one-, two-, and three-bedroom units), with approximately 168 units per building. Additional features include aboveground visitor parking, basketball court east of Parking lot of Building B and landscaped areas surrounding the buildings. A small children's playground was located northeast of both the Site buildings respectively.

The Site is situated on the east side of Fowler Drive, approximately 130 metres east of Erin Mills Parkway, in the City of Mississauga, Ontario.

According to a review of historical records, aerial photographs, and an interview with the Site representative, the Site was first developed for residential purposes since its development circa 1969.

Further details of the Site are as follows:

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Municipal Address	1970 & 1980 Fowler Drive, Mississauga, Ontario
Current Land Use	Residential use
Proposed Land Use	Residential Use
Legal Description	1970 Fowler Drive - PT BLK A PL 842 DES PTS 3, 4 PL 43R-11814; S/T EASEMENT IN FAVOUR OF CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT 3 PL 43R-11814; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLKA PL 842 DES PTS 3, 4 PL 43R-11814, AS IN PR5100; MISSISSAUGA. 1980 Fowler Drive - PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814; S/T EASEMENT IN FAVOUR OF THE CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT1 PL 43R-11814, AS IN VS17870; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814, AS IN PR5100; MISSISSAUGA.
Property Identification Number (PIN)	1970 Fowler Drive – 13441 -1205 (LT) 1980 Fowler Drive – 13441 - 1204 (LT)
Approximate Universal Transverse Mercator (UTM) coordinates	NAD83 17T 609063.01 m E 4820501.52 m N
Accuracy Estimate of UTM	10-15 m
Measurement Method	Global Positioning System
Site Area	2.69 hectares (6.66 acres)
Property Owners, Owner Contact and Address	IMH 1970 & 1980 Fowler Drive Ltd. 1400 - 3280 Bloor Street West Centre Tower Toronto, Ontario; M8X 2X3 Mr. Mathew Cesta

3 Scope of Investigation

The scope of work for the Phase One ESA consisted of the following activities:

- Reviewing the historical occupancy of the Site through the use of available archived and relevant municipal and business directories, fire insurance plans (FIPs), topographical maps, and aerial photographs;
- Contacting municipal and provincial agencies to determine the existence of records of environmental regulatory non-compliance, if any, and reviewing such records where available;
- Obtaining an Environmental Risk Information Services Ltd. (ERIS) report for the Site and surrounding properties 250 metres (m) from the Site boundaries;
- Reviewing available geological maps, well records and utility maps for the vicinity of the Site;
- Obtaining and reviewing a chain of title and assessment rolls for the Site;
- Reviewing available reports previously completed at the Site;
- Conducting interviews with designated Site representative(s) as a resource for current and historical Site information, as well as to provide EXP staff with unrestricted access to all areas of the Site and Site buildings (as required by O.Reg. 153/04, as amended);
- Conducting a Site reconnaissance in order to identify any land use practices that may have impacted the environmental condition of the Site;
- Conducting a reconnaissance of the surrounding properties from the Site and publicly accessible areas in order to identify any land use practices that may have impacted the environmental condition of the Site; and,
- Preparing a report to document the findings.

The following sections summarize the information gathered by EXP during the Phase One ESA and identifies Potentially Contaminating Activities (PCAs) on the Phase One property and in the Phase One study area, and Areas of Potential Environmental Concern (APECs) associated with the Site. APECs and PCAs are defined in the O. Reg 153/04, as amended.

In completing the scope of work, EXP did not conduct any intrusive investigations, including sampling, analyses or monitoring.

EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or any of the statements made by others.

EXP personnel who conducted assessment work for this project included Mr. Omar Jaffer, Mr. Alessandro Girardo, C.E.T., Mr. Samuel Lee, P.Geo. An outline of their qualifications is provided in Appendix C.

4 Record Review

4.1 General

4.1.1 Phase One Study Area Determination

The Phase One Study Area consists of properties within a distance of approximately 250 m from the Site boundaries. The Phase One Study Area is developed primarily for residential and commercial use. Majority of the commercial development was concentrated west of Fowler Drive that includes Sheridan Mall. Residential use properties were observed in the portion of the Phase One Study Area East, north and South of Fowler Drive. The Phase One Study Area is bounded by residential dwellings to the north across North Sheridan Way, Roche Court to the south followed by a residential apartment building, residential apartments to the east and a large commercial / retail shopping mall (Sheridan Mall) to the west.

The Phase One Study Area and a Surrounding Land Use Plan are shown in Figure 2.

4.1.2 First Developed Use Determination

According to the records review, the Site was Crown land in 1853.

Based on a review of historical aerial photographs, historical maps, and other records, the Site was first used for residential purposes since its development in 1969 and 1970. Prior to this, the Site was vacant land and/or used for agricultural purposes.

4.1.3 Fire Insurance Plans

No FIPs were available to review for EXP.

However, the following insurance reports were reviewed in previous 2019 Risk check Phase I ESA report:

- Inspection Report, 1970 Fowler Drive, 2003; and
- All Risk Report, 1980 Fowler Drive, 2003. (See section 4.1.5)

Based on the 2019 Risk check Phase I ESA report, no PCA was identified based on the information in the 2003 Inspection Report for 1970 Fowler Drive and 2003 All Risk Report for 1980 Fowler Drive.

4.1.4 Chain of Title

The search for the historic chain of titles was completed by an independent title searcher, Mr. Dominic Bertucci, on June 27, 2025. The completed chain of title is provided in Appendix D.

According to the search results, the Site was Crown land until 1853. The Site was owned by various individuals and numbered/private companies between 1828 and 2023. The Site was purchased by the current owner Computershare Trust Company of Canada.

Based on the names of the previous owners, no issues were identified that would be associated with a PCA.

A list of previous owners of the Site has been summarized in Table II (Building A - 1970 Fowler Drive) and Table III (Building B - 1980 Fowler Drive).

4.1.5 Environmental Reports

At the time of this Phase One ESA, the following previous environmental reports are available for review.

1. Report entitled *"Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario"*, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd. (RiskCheck).
 - Riskcheck conducted this Phase I ESA in general accordance with CSA Standard Z768-01, 'Phase I Environmental Site Assessment'. It was Riskcheck's understanding that the Phase I ESA was required for due diligence purposes.
 - The Site consisted of two fourteen-storey apartment buildings with a penthouse mechanical room and a single-level basement in each of the building (subject buildings). A single-level underground parking garage was observed to be associated with each of the subject buildings and the underground parking garages were reported to extend beyond the footprint of the subject buildings. The subject buildings were reported with a total of 336 residential suites (including one- two- and three-bedroom suites), approximately 168 residential suites in each. The subject building with the municipal address of 1970 Fowler Drive (hereafter referred to as Building 1970) was estimated to have an approximate total footprint area of 1,062 m² (11,434 ft²) and was constructed in approximately 1969, while the apartment building with the municipal address of 1980 Fowler Drive (hereafter referred to as Building 1980) was estimated to have an approximate total footprint area of 1,034 m² (11,126 ft²) and was constructed in approximately 1970.
 - As part of the previous report's review by RiskCheck, EXP reviewed the following in RiskCheck's (2019 Phase I ESA) Report:
 - "Phase I Environmental Audit of 1970 Fowler Drive, City of Mississauga, Ontario", prepared by Raven Beck Environmental Ltd. (Raven Beck) for Barney River Investments Limited (BRIL), dated January 4, 1996;
 - "Phase I Environmental Site Assessment Update - 1970 Fowler Drive, Mississauga, Ontario", prepared by Intera Engineering Ltd. {Intera} for BRIL, dated April 27, 2006;
 - "Phase I Environmental Site Assessment Update - 1980 Fowler Drive, Mississauga, Ontario", prepared by Intera Engineering Ltd. {Intera} for Barney River Investments Limited (BRIL), dated May 11, 2006;
 - "Phase I Environmental Site Assessment, 1970 and 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Conundrum Residential Property Fund II and Conundrum Capital Corporation, dated March 11, 2011;
 - "Phase I Environmental Site Assessment Update, 1970 and 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Conundrum Capital Corporation, dated June 28, 2012;
 - "Hazardous Building Materials Assessment, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated July 23, 2012;
 - "Designated Substance Survey, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated December 30, 2014;
 - "Limited Designated Substance Survey, Basement Prayer Room (Former Storage Room 101-209), 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated January 28, 2015;
 - "Mould Assessment and Abatement Program, Suite 611, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated May 7, 2015;
 - "Phase I Environmental Site Assessment, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated October 14, 2016;
 - "Phase I Environmental Site Assessment, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated October 14, 2016;

- "2017 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 28, 2017;
 - "Designated Substance Survey, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 28, 2017;
 - "2018 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated April 30, 2018;
 - "2018 Annual Asbestos Containing Material Reassessment, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated April 30, 2018;
 - "Phase I Environmental Site Assessment, Fowler Place and Sheridan Manor, 1970 & 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for QREIT Sub LP c/o Q Residential dated April 10, 2019;
 - "Asbestos Containing Materials Abatement Program, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019;
 - "Asbestos Containing Materials Abatement Program, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019;
 - "2019 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019; and
 - "2019 Annual Asbestos Containing Material Reassessment, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019.
- Visually suspected mould growth was identified in Building 1980 located on the ceiling within the washroom of Suite 1004 and on the pipe insulation located in the basement sprinkler room; and on the ceiling tiles in the hallway on the fifteenth floor of Building 1970. In addition, the previous 2016 RiskCheck Phase I ESA as noted in the Previous Environmental Reports section indicated visually suspected mould growth was noted on a plastered wall within the closet of the master bedroom and on the ceiling (above the bathtub) within the washroom of Suite 711 of Building 1980. Under these conditions, there may be the potential for further mould growth.
 - In addition, Riskcheck also reviewed the following insurance reports:
 - **Inspection Report, 1970 Fowler Drive, 2003**
 - A single-level underground parking garage, approximately 5,000 m² in size, located at the rear of the subject building, was undergoing demolition and replacement during that time.
 - According to the property underwriters' reports: Building 1970 (Building A) was heated using natural gas-fired hot water/steam boilers.
 - **All Risk Report, 1980 Fowler Drive, 2003**
 - In 2002, the single-level underground parking garage was in the process of being replaced.
 - According to various property underwriters' reports, including: 2008 All Risk Report, 2003 Inspection Report, and 1986 COPE Report for Building 1970, and 1986 COPE Report, 2008 All Risk Report, and 2003 All Risk Report for Building 1980: Building 1980 (Building B) was heated by natural gas-fired hot water/steam boilers.
 - The 1986 MultiPak Inspection Report and the 2008 All Risk Report also noted: An inground swimming pool was located on the northeast exterior side of Building 1980 at that time. However, the exact location of the pool was not specified in the reports. The inground swimming pool was reported to be shared between Building 1970 (Building A) and Building 1980 (Building B).
 - Based on the results of the Phase I ESA completed by RiskCheck in August 2019, including a Site inspection, discussions with on-Site personnel, a review of Site history, and pending information from the MECP, ERIS database, City Directories, Aerials, EXP identified the following potential environmental concerns for the Site and from surrounding properties:

- RiskCheck recommends that a comprehensive mould assessment to be conducted to confirm the presence of mould and/or the exact quantities prior to completing an abatement. If mould is confirmed to be present, abatement work should be performed primarily in accordance to the Canadian Construction Association's Mould Guidelines for the Canadian Construction Industry (2004) in conjunction with the Environmental Abatement Council of Ontario (EACO) Mould Abatement Guidelines Edition 3 (2015) for compliance with the Ontario Occupational Health and Safety Act (OHSA).
 - A Hazardous Building Materials Survey should be completed prior to any renovations and/or building demolition activities.
2. Report entitled *Environmental Desk Top Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario*, dated November 1, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.
 - Riskcheck conducted a peer review of *"Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario"*, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd.
 - The Site is developed with two, fourteen-storey multi-tenant residential buildings (Site Buildings).
 - Pinchin was advised by the Client that the purpose of the EPR was to assess potential issues of environmental concern in relation to the potential acquisition and financing of the Site.
 - As part of this review, Pinchin also submitted a new FOI to Ministry of the Environment, Conservation and Parks (MECP) and TSSA search of the Site to review any relevant records. However, no responses were received at the time of this investigation.
 - Based on the results of the EPR completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.
 3. Report entitled *Environmental Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario*, dated November 7, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.
 - Riskcheck conducted a peer review of *"Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario"*, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd.
 - The Site is developed with two, fourteen-storey multi-tenant residential buildings (Site Buildings).
 - Pinchin was advised by the Client that the purpose of the EPR was to assess potential issues of environmental concern in relation to the potential acquisition and financing of the Site.
 - As part of this review, Pinchin also submitted a new FOI to Ministry of the Environment, Conservation and Parks (MECP) and TSSA search of the Site to review any relevant records. However, no responses were received at the time of this investigation.
 - Based on the results of the EPR completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.

4.2 Environmental Source Information

4.2.1 Federal and Provincial Database Search

A search of provincial, federal and private environmental databases for records pertaining to the Site and properties within the Phase One Study Area was completed by Environmental Risk Information Services (ERIS) on May 23, 2025. EXP has confirmed neither the completeness nor the accuracy of the records that were provided. The ERIS Report is provided in Appendix E.

A summary of the significant findings is provided below. **It is noted that only the relevant activities at the Site and surrounding properties that contribute towards an PCA are summarized below.** Please note that small quantities of spills, listings affecting air quality, and businesses not deemed to be significant sources of environmental impacts/associated with a PCA are not included in the summary below:

Address	Description	Database	Associated PCA(s)
Site			
No records were identified for the Site that would be associated with a PCA			
Surrounding Properties			
Toronto Tp Con 1 SDS Lot 12 pt – (~30 m east)	The Springbank Road Dump on a large area of 2.56 Hectares, located in Mississauga “W of Springbank Rd Park, N & E of North Sheridan Way” near Credit River, began as a gravel pit operated by Sherman Sand & Gravel (Berrill & Trustrum). By 1965, aerial photographs showed active dumping within the pit. The site was listed as an active landfill in the 1967 James F. MacLaren report and was used to dispose of municipal solid waste (MSW) from Long Branch, Toronto Township, and the Town of Streetsville during the mid-1960s. Throughout the 1970s, the site continued to operate as a sanitary landfill. In 1973, Mississauga ordered the operators to improve fencing around the pit. Aerial and topographic maps from 1974 to 1985 show the transformation of the gravel pit into a large, filled mound, indicating significant landfill activity. By 1980, the site had become a hill, and by 1994, it was situated near Spring bank Road Park and North Sheridan Way. Environmental and health concerns emerged in the early 1970s. The Halliday family, whose home was surrounded on three sides by the dump, reported methane gas leaks, small explosions, groundwater contamination, and infestations of rats and flies. Methane concentrations in the soil reached up to 60%, far exceeding safe limits. The family’s well was fouled by leachate, and vegetation on their property died due to toxic soil conditions. Despite these issues, the Supreme Court of	ANDR	PCA#58-Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners

Address	Description	Database	Associated PCA(s)
	Ontario denied their request to shut down the dump. In response to the methane hazard, vertical vents and fans were installed in 1973. Reports also indicated illegal dumping of hazardous liquids, with workers seen wearing gas masks. The site was not municipally owned but operated under contract, and it held a Certificate of Approval from the Ministry of the Environment. Eventually, the site was scheduled for conversion into a green recreational space.		
2225 Erin Mills Pkwy (~30 m west)	The property was listed as occupied Consumers Distribution, and a generator of photo processing wastes from 1995 to 2001. The property was listed as occupied Black Photo Corporation, and a generator of photo processing wastes from 1990 to 2001. The property was listed as occupied Lens Crafters #964, and a generator of aliphatic solvents from 2009 to 2016. The property was listed as occupied Essilor Luxottica of Canada, and a generator of aliphatic solvents from 2022 to 2024. The property was listed as occupied Target Canada Co., and a generator of alkaline wastes, other metals, aliphatic solvents, waste oils and lubricants, paint/pigment/coating residues, pathological wastes, halogenated pesticides and herbicides, petroleum distillates, other specified inorganics, detergents and soaps, waste compressed gases, pharmaceuticals, acid wastes - heavy metals, inorganic laboratory chemicals, and organic laboratory chemicals from 2014 to 2015.	GEN	PCA# "other"- chemical wastes

Address	Description	Database	Associated PCA(s)
	The property was listed as occupied Bentall Kennedy Canada LP PCM Sheridan, and a generator of waste oils and lubricants from 2015 to 2016. The property was listed as occupied Shoppers Drug Mart, and a generator of pharmaceuticals from 1992 to 2001 and pathological wastes from 2000 to 2001. The property was listed as occupied Zellers Canada Inc., and a generator of aliphatic solvents in 2006. The property was listed as occupied 2420109 Ontario Inc., and a generator of pathological wastes and pharmaceuticals from 2015 to June 2021. The property was listed as occupied Mayada Al-Omary Pharmacy Ltd., and a generator of pathological wastes and pharmaceuticals from 2015 to 2021. The property was listed as occupied Heart and Stroke Foundation, and a generator of pathological wastes in 2015. The property was listed as occupied Metro Ontario Pharmacies Limited, and a generator of pathological wastes from 2014 to 2022 and other inorganic acid wastes; alkaline wastes - other metals; paint/pigment/coating residues; graphic art wastes; pathological wastes from 2024. The property was listed as occupied Dr. Hadipranoto and Dr. Huang DPC, and a generator of pathological wastes and pharmaceuticals from 2018 to 2021.		
	The property occupied by The Great Atlantic & Pacific Company of Canada and Zellers was	NPRI	N/A - based on the media of the releases (airborne)

Address	Description	Database	Associated PCA(s)
	registered in National Pollutant Release Inventory in 2004.		
	K Mart Stores was registered as a retail vendor of pesticides.	PES	PCA#40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications.
	Metro Ontario Inc O/A Metro/Food Basics was registered as a limited vendor of pesticides.		
	Shoppers Drug Mart was registered as a limited vendor of pesticides.		
	Target Canada Co. O/A Target Store was registered as a limited vendor of pesticides.		
	Zellers Store was registered as a limited vendor of pesticides.		
	The property was registered as being occupied by Air-Draulics Supply Limited in 1984. They were listed for metal valve manufacturing, all other general-purpose machinery manufacturing and industrial machinery, equipment and supplies wholesaler-distributors.	SCT	Based on the use of the property (retail shopping mall - Sheridan Mall), it is unlikely that manufacturing activities were carried for this business. It is not considered as PCA.
	A spill of 100 Kg of freon was released / spilled into air (Air Spills - Gases and Vapours) due to equipment failure in 2011.	SPL	N/A - based on the media of the spill (airborne)
2121 Roche Court (~100 m southeast)	Waswaro was registered as a pesticide operator. YAA Pesticides Control Inc was registered as an operator of pesticides.	PES	PCA#40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications.
2200 Roche Court (101 m southeast)	An unknown quantity of sewage surcharged to ground in 2021 and a water main break in 2015 leaked. According to the record no environmental impact was anticipated.	SPL	N/A - Based on the information in the record, this spill is not associated with a PCA.
2185 Erin Mills Pkwy (~110 m southwest)	Kheriba Holding had three (3) records of 27280 L, and one (1) 22730 L liquid fuel tanks that were listed in expired fuels safety facilities in 1991.	EXP	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks

Address	Description	Database	Associated PCA(s)
	The property, occupied by Petro Canada, was registered for generation of oil skimmings & sludges and light fuels in 2005.	GEN	PCA# "Other" - petroleum based wastes
	Kheriba Holding had one (1) record of an expired FS piping and two (2) records of FS facility up to 2012.	DTNK	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	Southwestern Ontario Propane had one record of Private and Retail Fuel Storage Tanks in 1995 of unknown capacity.	PRT	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	Mervet Zaia had one (1) record of 104570 L Private and Retail Fuel Storage Tanks in 1996.		
	Myers Self-Serve had one (1) record of 25372 L Private and Retail Fuel Storage Tanks in 1994.		
	A spill of 30 L of gasoline causing soil contamination was recorded in 2003.	SPL	PCA# "Other" - spills
2165 Erin Mills Parkway (~85 m southwest)	An RSC (No. 223011) was filed on behalf of Vandyk-Vanmills Plaza Inc. in 2009 by TRY Environmental Services Inc., based on Phase One ESA and Two ESAs.	RSC	N/A
	According to the CA, approval was received for the Shell Canada OP Inc. and Shell Canada Products Limited in 2004 (1243-65SNFH-) for industrial sewage works.	CA ECA	N/A - based on the nature of the approval.
	972129 Ontario Limited O/A Shell Canada Gas Station had one (1) record of an expired FS facility in 2013 and one (1) record of FS Piping in 2012.	DTNK	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	972129 Ontario Limited O/A Shell Canada Gas Station had two (2) records of 35000 L, and one (1) 22700 L liquid fuel tanks that were listed in expired fuels safety facilities installed in 1970.	EXP	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	Shell Canada Products was registered for having three (3) 35000 L capacity double wall liquid fuel UST in 1999, one (1) 25000 L double wall liquid fuel UST in 2004 and one (1) 130000 L tank installed in 1995 and 1996.	FST FSTH PRT	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks

Phase One Environmental Site Assessment
 1970 & 1980 Fowler Drive, Mississauga, Ontario
 GTR-22022660-A0
 July 4, 2025

Address	Description	Database	Associated PCA(s)
	Rourkes Don Shell Centre and Sam Asaad Shell Gas Bar was registered for Service Stations - Gasoline, Oil & Natural Gas at this property.	RST	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	A spill of 1.5 L of gasoline causing soil contamination was recorded in 2006. A spill of 125 L of gasoline causing soil contamination was recorded in 1990. A spill of 40 L of gasoline to storm sewer and creek causing soil and water contamination was recorded in 1997. A spill of unknown quantity of gasoline was observed in the monitoring wells due to pipe leak causing groundwater contamination was recorded in 1998 and 1999 A spill of 1 L of gasoline causing soil contamination was recorded in 2004.	SPL	PCA# "Other" - spills
	The property was listed as occupied Shell Canada. and Shell Canada c/o Minotaur Guardian Service Ltd., and a generator of other specified inorganic sludges, light fuels and Waste oils/sludges (petroleum based) from 2006 to 2022.	GEN	PCA# "other"- petroleum based wastes
1910 Fowler Drive (~135 m south)	The property was listed as occupied RBC and a generator of other aliphatic solvents in 2024. The property was listed as occupied Sherwin Williams Company., and a generator of polymeric resin, organic laboratory chemicals, paint/pigment/coating residues, waste compressed gases, Misc. waste organic chemicals, wastes from the use of pigments, coatings and paints, waste compressed gases including cylinders from 2017 to 2024.	GEN	PCA# "other"- chemical wastes
2215 Erin Mills Parkway & Fowler (~135 m southwest)	A spill of 1200 L water\diesel from UST to ground was reported to MOE in 2010.	SPL	PCA# "Other" - spills

Address	Description	Database	Associated PCA(s)
1900 Fowler Drive (~145 m south)	The property was listed as occupied Dr. B. Demarchi DPC and a generator of pathological wastes from 2015 to 2022.	GEN	N/A Based on the information in the record there is nothing to suggest a PCA at this time
	The property was listed as occupied Van Mills Medical Clinic and a generator of pathological wastes from 2014 to 2022.		
	A spill of 4500 L of sewage, raw unchlorinated due to overflow to ground and catch basin was reported to MOE in 2017.	SPL	
Erin Mills Parkway & Fowler Drive (~165 m southwest)	An incident of a spill of 100 L of fuel oil was recorded due to fuel tank being stuck by a backhoe at the construction Site in 2010.	INC	PCA# "Other" - spills
Knights Court/Robin Drive (~160 m northeast)	According to the CA, approval was received for the J.D.S. Investments Ltd. Residential Subd in 1989 (1243-65SNFH-) for Municipal water (7-0573-89-) and Municipal sewage (3-0642-89-).	CA	N/A - based on the nature of the approval.
2203 Robin Dr (~165 m northeast)	The property was registered as being occupied by J.D. Pettigrew Sales Ltd. in 1984 with one (1) employee and they were listed for other printing, all other plastic product manufacturing and other wholesale agents and brokers.	SCT	Based on review of aerial photographs, the property was residential property throughout the years. It is likely that the municipal address of this property was used as the mailing address of the business. It is not considered as PCA
2095 Roche Court (~175 m southeast)	The property was listed as occupied by Peel Condominium Corporation, and a generator of oil skimming's & sludges and inert inorganic wastes from 2014 to 2016.	GEN	N/A Based on the information in the record (condo building), it is likely that the waste generator was registered for management and general building maintenance purposes. Therefore, there is nothing to suggest a PCA at this time.
2055 Fowler Crescent (~215 m southwest)	The property was listed in Automobile Wrecking & Supplies registry and as occupied Artia Scrap Metals, for scrap metals.	AUWR	PCA#49- Salvage Yard, including automobile wrecking
2185 Leanne Blvd (~225 m southwest)	1239973 Ontario Inc. O/A Esso Generation had two (2) records of an expired FS piping in 2012.	DTNK	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	1239973 Ontario Inc. O/A Esso Generation had three (3) records of 45400 L gasoline, and one	EXP	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks

Address	Description	Database	Associated PCA(s)
	(1) 22700 L diesel fuel tanks that were listed in expired fuels safety facilities installed in 1981.		
	Mac's Convenience Stores Inc. was registered for having one (1) 205000 L capacity active tank, one (1) 50000 L double wall liquid fuel UST installed in 2007, one (1) 25000 L double wall liquid fuel UST installed in 2007, two (2) 65000 L double wall liquid fuel UST installed in 2007.	FST FSTH	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	1239973 Ontario Inc O/A ESSO Generation was registered for having one (1) 50000 L double wall liquid fuel UST (gasoline) installed in 2007, one (1) 25000 L double wall liquid fuel UST (diesel) installed in 2007, two (2) 65000 L double wall liquid fuel UST (gasoline) installed in 2007.		
	1239973 Ontario Inc O/A ESSO Generation was registered for having removed three (3) 45400 L double wall liquid fuel UST (gasoline) in 1981, one (1) 22700 L double wall liquid fuel UST (diesel) in 1981.		
	1085399 Ontario Ltd Attn: Jim Mazerolle was registered for having one (1) 40000 L private and retail fuel storage tanks that expired in 1996.	PRT	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	Erin Mills ESSO was registered for having one (1) 40000 L private and retail fuel storage tanks that expired in 1995.		
	ESSO Generation was registered for Service Stations - Gasoline, Oil & Natural Gas at this property.	RST	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks
	A spill of 200 L gasoline to the lot was recorded in 1999.	SPL	PCA# "Other" - spills
Parts 3 and 4, Reference Plan: 256 York or 300 York (~230 m southeast)	The property was issued an environmental compliance approval for industrial sewage works in 2012.	ECA	N/A Based on the information in the record (construction permits) there is nothing to suggest a PCA at this time.

Address	Description	Database	Associated PCA(s)
Various locations in the Phase One Study Area	Thirty-eight (38) monitoring well records, that includes three (3) unlisted, seven (7) observation wells, one (1) water supply well, twenty-three (23) monitoring test holes, and five (5) abandoned with no listed use (assumed to be monitoring wells based on the installation dates – 1956 to 2022) were within the Phase One Study Area. In addition, five (5) boreholes were listed for geotechnical/geological investigation. Based on the nearest well to the Site, stratigraphy consists of fill, sand, silt, clay, sandstone, loose and brown in colour.	BORE WWIS	Various locations within the Phase One Study Area

Databases:

ANDR – Anderson's Waste Disposal Sites
 AUWR – Automobile Wrecking & Supplies
 BORE – Borehole
 CA – Certificates of Approval
 DTNK – Delisted Fuel Tanks
 ECA – Environmental Compliance Approval
 EXP – List of Expired Fuels Safety Facilities
 FST – Fuel Storage Tank
 FSTH – Fuel Storage Tank – Historic
 GEN – O. Reg. 347 Waste Generators Summary

INC – Fuel Oil Spills and Leaks
 NPRI – National Pollutant Release Inventory
 PES – Pesticide Register
 PRT – Private and Retail Fuel Storage Tanks
 RSC – Record of Site Condition
 RST – Retail Fuel Storage Tanks
 SCT – Scotts Manufacturing Directory
 SPL – Ontario Spills
 TANK – Anderson's Storage Tanks
 WWIS – Water Well Information System

4.2.2 Municipal Records

4.2.2.1 Municipal Directories

EXP retained the services of ERIS to complete a review of the city directories available for the Site and properties in the Phase One Study Area.

ERIS reviewed Mights/Polks/Cole city directories between 1958 and 2008 in approximately five (5) year intervals and digital business directories dated 2012, 2017, 2021 and 2023 in order to identify the occupancy history of the Site and adjacent properties. The following table lists the tenants in the Phase One Study that were identified as having operations that are associated with a PCA based on the names of the tenants:

Location and Proximity to Site	Summary	Year	Potential Environmental Issues (Yes/No)
Site			
1970 Fowler Drive	Multi-Tenant Residential	1970	There are no PCA's associated with on-Site activities
1980 Fowler Drive			

Location and Proximity to Site	Summary	Year	Potential Environmental Issues (Yes/No)
Properties in the Phase One Study Area associated with PCA			
2225 Erin Mills Parkway (~30 m west)	Embassy Cleaners	1975 - 1985	Based on ERIS Database Report, no waste generator record was found for these businesses. Therefore, it is likely that the dry cleaners were drop-off depots, and it is not considered as PCA.
	Sheridan Custom Cleaners	2008, 2012 - 2017	
	Sketchley Cleaners	1991-2001	
1900 Fowler Drive (~135 m south)	Dry clean 4U	2017	Based on ERIS Database Report, no waste generator record was found for this business. Therefore, it is likely that the dry cleaner was a drop-off depot, and it is not considered as PCA.
1910 Fowler Drive (~135 m south)	Sherwin-Williams	2017, 2021 - 2023	PCA#39- Paints Manufacturing, Processing and Bulk Storage
1925 Fowler Drive (~110 m southwest)	Dulux Paints	2017, 2021 - 2023	PCA#39- Paints Manufacturing, Processing and Bulk Storage

A copy of the search results is provided in Appendix F.

4.2.3 Ontario Ministry of the Environment Records

4.2.3.1 Ministry of the Environment, Conservation and Parks (MECP)

The MECP was contacted through the Freedom of Information and Protection of Privacy Act (FOI), Protection of Privacy Office for information in their files regarding the Site that pertain to any environmental concerns, orders, and spills or any records, they had pertaining to the Site on June 2nd, 2025.

A written response from the MECP typically requires several months. Upon receipt of the response from the MECP, any significant environmental issues identified will be summarized in the report.

A copy of the request is provided in Appendix G.

4.2.3.2 Ministry of the Environment, Conservation and Parks Databases

The ERIS report summarized in the Federal and Provincial Database Search section of the report included a summary of MECP databases (see section 4.2.1).

4.2.4 Technical Standards and Safety Authority

A request was made to the TSSA by email on February 5, 2025, for information regarding fuel storage at the Site and adjacent properties. It should be noted that the Fuels Safety Division of the TSSA did not license or register private fuel underground/aboveground storage tanks prior to January 1990 or furnace oil tanks prior to May 1, 2002. Also note that the Fuel safety Division does not register waste oil tanks in apartments, office buildings, residences or aboveground gasoline or diesel tanks for no-retail fuel outlets.

A written response for the TSSA was received on June 3rd, 2025. According to a search of their database The following records were found for the surrounding properties:

- One (1) active FS gasoline station listing, four (4) active FS liquid fuel tanks listings, one (1) FS cylinder exchange listing, one (1) expired FS gasoline station listing and three (3) expired FS liquid fuel tanks were found at 2165 Erin Mills Parkway (approximately 85 metre southwest of the Site); (**PCA#28-Gasoline and Associated Products Storage in Fixed Tanks**)

The presence of any cylinder exchange related tanks or facilities or appliances are inferred to be for propane and are not considered to be environmental concerns. The gasoline service station and associated tanks at 2165 Erin Mills Parkway are located at a considerable distance from the Site at approximately 85 metre southwest of the Site.

A copy of the e-mail correspondence with the TSSA is provided in Appendix G.

4.2.5 Record of Site Condition

A Record of Site Condition (RSC) summarizes the environmental conditions of a property as determined by a qualified person (QP) by conducting a Phase One ESA, and where necessary, a Phase Two ESA, confirmatory sampling and risk assessment. Upon completion of the necessary environmental Site assessments, an RSC for an assessed property can be filed with the MECP and added to the Environmental Brownfields Site Registry database. This online, publicly available database can be searched to identify properties which may have potential environmental concerns.

Based on a search of the Environmental Brownfields Site Registry database and ERIS Report, no RSCs have been filed for the Site. The following RSCs have been filed for lands within the Phase One Study Area.

- An RSC (No. 223011) was filed on behalf of Vandyk-Vanmills Plaza Inc. in 2009 by TRY Environmental Services Inc., based on Phase One ESA and Two ESAs located on 2185 Erin Mills Parkway (~110 m southwest). The PCAs affecting this property have been incorporated in our Phase One CSM for the Site, where relevant.

4.3 Physical Setting Sources

4.3.1 Aerial Photographs

Aerial photographs for the Site dated 1954, 1966, 1975, 1985, 1995, 2005, 2015 and 2025 were obtained in order to review the land use history of the Site as well as determine major developments at, and in the immediate vicinity of the Site.

The aerial photograph for the Site dated 1954, 1966, 1975, 1985, 1995, 2005 were obtained from the open databases by city of Mississauga web map services. The 2005 and 2015 aerial photograph was obtained from Peel Region archives and 2025 was from google earth.

The development and land use history of the Site and adjacent properties as depicted on the reviewed aerial photography is summarized in the table below. Copies of the aerial photographs are included in Appendix H.

Aerial Photograph	Details
1954	<u>Site</u> - The Site appeared to be vacant and / or formerly occupied with orchards. <u>Phase I Study Area</u> - The surrounding properties in the Phase I Study Area appeared to be vacant and / or used for agricultural purposes.
1966	<u>Site</u> - The Site and Phase I Study Area appeared similar to that observed in the 1954 aerial photograph. <u>Phase I Study Area</u> - The surrounding properties appeared to be vacant and / or used for agricultural purposes with the exception of disturbed soil located to the north and east of the Site in the Phase I study area.
1975	<u>Site</u> - The Site appeared to feature two (2) residential apartment buildings similar to the current Site Buildings (Building A and Building B) as observed during the Site visit. (see also section 7.1) <u>Phase I Study Area</u> - Fowler Drive and Roche Court roadway appeared to be constructed. - There appeared to be some development of some buildings south of Roche Court and east of the Site in the Phase I Study area. - The Sheridan Mall appeared to be developed in the western portion of the Phase I study area, consistent with current observations made during the Site visit (see section 7.1).
1985	<u>Site</u> - The Site appeared similar to that observed in the 1975 aerial photograph. <u>Phase I Study Area</u> - There appeared to be development of some residential dwellings' underway north of the Site in the Phase I Study area. - The remaining portions of the Phase I Study Area appeared similar to that observed in the 1975 aerial photograph.
1995	<u>Site</u> - The Site appeared similar to that observed in the 1985 aerial photograph. <u>Phase I Study Area</u> - There appeared to be more development of commercial and residential structures in the Phase I Study Area.
2005	<u>Site</u> - The Site appeared similar to that observed in the 1995 aerial photograph. <u>Phase I Study Area</u> - The Phase I Study Area appeared similar to that observed in the 1995 aerial photograph.

Aerial Photograph	Details
2015	<u>Site</u> - The Site appeared similar to that observed in the 2005 aerial photograph. <u>Phase I Study Area</u> - The Phase I Study Area appeared similar to that observed in the 2005 aerial photograph.
2025	<u>Site</u> - The Site appeared similar to that observed in the 2015 aerial photograph. <u>Phase I Study Area</u> - The Phase I Study Area appeared similar to that observed in the 2015 aerial photograph.

The review of the aerial photographs did not identify any PCAs for the Site.

4.3.2 Topography, Hydrology and Geology

The following physiographic, geological and soil maps were reviewed:

- “Toporama”; Natural Resources Canada. Map 030M11. Scale 1:15,000. 2008.
- Quaternary Geology of Ontario - geology_11.shp [computer file], Ontario: Ontario Geological Survey, 2000.
- Bedrock Geology of Ontario - geology_11.shp [computer file], Ontario: Ontario Geological Survey, 2000.
- Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006.
- 1859 Historical County Map of Peel County, Ont., Digital Library of Tremaine.

Based on the review of the above maps, the following information was obtained:

- A review of the topographic map indicated that the Site is generally flat with an elevation of approximately 124 m above sea level (asl) north of the Site and 131 m above sea level (asl) south of the Site and that the Phase I Study Area gently slopes to the north towards Loyalist creek, located approximately 0.1 km north of the Site draining in Credit River. Based on the information provided on the topographic map, regional groundwater is expected to flow north towards Loyalist creek.
- The Site is located within the broad physiographic region known as the beaches and surficial geology is dominated by coarse textured (foreshore-basinal) glaciolacustrine deposits consisting of sand, gravel, minor silt and clay in Paleozoic bedrock deposits.
- The bedrock in the general area of the Site is part of a group belonging to the Georgian Bay Formation, Blue Mountain Formation, Billings Formation, Collingwood Member, and Eastview Member, primarily consisting of shale, limestone, dolostone and siltstone.
- Based on a review of “Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006,” the bedrock in the vicinity of the Site is anticipated to be encountered between depths of approximately 16 to 23 metres below ground surface (m bgs).

- According to the historical map, the Site was located within the property owned by Charles Cameron in 1859 and was likely used for agricultural purposes.

The above information is also summarized in Table I.

4.3.3 Fill Materials

Fill material is typically brought to a property as a base for buildings and pavement areas. Fill can also be used to re-grade a property, and to backfill excavations.

Based on the Site visit and the previous 2019 Risk check Phase I ESA report, a former swimming pool was located on the northeast side of Building B (1980 Fowler Drive). The swimming pool was reportedly filled in with unknown soil quality and covered with interlocking brick.

The presence of fill materials of unknown quality is associated with **PCA#30-Importation of Fill Materials of Unknown Quality**.

4.3.4 Areas of Natural Significance

Based on the review of available resources from the Ministry of Natural Resources and Forestry website February 5, 2025, no areas of natural significance were identified at the Site or within 30 m of the Site.

4.3.5 Well Records

4.3.5.1 Water Wells

A search of the water well database was conducted by ERIS of the surrounding Phase One Study Area and Ontario Well Records Database to identify water wells within the Phase One Study Area.

The ERIS search identified no wells that are on-Site. However, based on the previous 2023 EXP Geotechnical investigation 2025 EXP Hydrogeological investigation, eleven (11) monitoring/test wells were observed on-Site.

According to ERIS, thirty-eight (38) monitoring well records, that includes three (3) unlisted, seven (7) observation wells, one (1) water supply well, twenty-three (23) monitoring test holes, and five (5) abandoned with no listed use (assumed to be monitoring wells based on the installation dates – 1956 to 2022) were within the Phase One Study Area. In addition, five (5) boreholes were listed for geotechnical/geological investigation.

Based on the nearest well to the Site, stratigraphy consists of fill, sand, silt, clay, sandstone, loose and brown in colour.

4.3.5.2 Oil, Gas, and Salt Wells

A search of the Oil, Gas & Salt Resources Library (2014) was completed by ERIS. According to the findings of ERIS's search, no oil, gas or salt wells are located on-Site or within the Phase One Study Area.

4.4 Site Operating Records

In general, a request is usually made to the property representative for copies of any operating records pertaining to the environmental conditions at the Site. Records would include: regulatory permits; Material Safety Data Sheets (MSDS) for all chemicals that were handled on-Site; underground utility drawings; inventories of chemicals, chemical usage, and chemical storage areas; inventory of aboveground storage tanks (ASTs) and underground storage tanks (USTs); environmental monitoring data; correspondence pertaining to an order or request by the MECP or TSSA; waste management records; process, production, and maintenance documents; records of spills and records of discharges of chemicals; emergency response and contingency

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

plans, including spill prevention and contingency plans; environmental audit reports; and Site plans of the facility showing areas of production and manufacturing

There were no records of environmental significance available for review at the time of this Phase One ESA.

5. Interviews

Interviews were conducted by EXP staff with the individuals identified to be the most knowledgeable with respect to both the current and historical Site uses. The interviews were conducted during the Site reconnaissance in order to obtain information to assist in identifying details of potentially contaminating activities, potential contaminant pathways in, on, or below the Site, and areas of potential environmental concern.

During the completion of this Phase One ESA, the following individual was interviewed:

4. Ms. Hira Fayyaz, the Site Administer of the Site, was interviewed at the time of the Site visit. Ms. Fayyaz has worked for Greenwin for the past two years at the Site since 2023.

Information collected from Ms. Hira Fayyaz, (herein after referred to as "Site representative") was used in the completion of Section 6.0.

6. Site Reconnaissance

6.1 General Requirements

The Phase One Site reconnaissance was conducted on May 28, 2025, between 10:00 - 12:00 pm by Mr. Omar Jaffer, under the supervision of Mr. Samuel Lee, QP_{ESA}, a Qualified Person as defined by O.Reg. 153/04, as amended. On the day of the Site reconnaissance, the weather was noted to be slightly rainy and the temperature was approximately 17°C.

The Site and the adjoining properties were observed from the Site and/or publicly accessible areas. Photographs documenting the Site visit are included in Appendix I.

6.2 Specific Observations at Phase One ESA Property

6.2.1 Site Description and Buildings

The Site encompasses approximately 26,925.69 square meters (6.66 acres) and is developed with two residential apartment buildings, each featuring a penthouse mechanical room and a single-level basement that includes laundry rooms, mechanical rooms, and locker areas for storage purposes. Each building includes a single-level underground parking garage, which extends beyond the footprint of the structures.

- The Site building at 1970 Fowler Drive (Building A) has an estimated footprint of 1,062 m² (11,434 ft²) and was constructed circa 1969.
- The Site building at 1980 Fowler Drive (Building B) has an estimated footprint of 1,034 m² (11,126 ft²) and was constructed circa 1970.

The main characteristics of the Site buildings are included in the following table:

Building Surface	Building Material Description
Floor Surfaces	• Concrete, vinyl laminate flooring, carpet, tiles
Ceilings	• Concrete, drywall, steel deck
Interior Walls	• Concrete, tiles, drywall
Exterior Walls	• Concrete

Both Site buildings collectively contain 336 residential suites (a mix of one-, two-, and three-bedroom units), with approximately 168 units per building. Additional features include above-ground visitor parking, basketball court east of Parking lot of Building B (1980 Fowler Drive) and landscaped areas surrounding the buildings. A small children's playground was located northeast of both the Site buildings respectively.

The Site is situated on the east side of Fowler Drive, approximately 130 metres east of Erin Mills Parkway, in the City of Mississauga, Ontario.

The Site is zoned for residential use.

6.2.2 Heating and Cooling Systems

The Site buildings (Building A and Building B) were heated by natural gas-fired hot water boilers. Window mounted Air conditioners were noted on both the Site buildings for cooling the apartments.

No other evidence of the historic heating systems was observed at the time of the Site visit.

6.2.3 Site Utilities and Services

The Site utilities and services were identified at the Site based on information provided in environmental records, relevant utility infrastructure observed during the Site reconnaissance. The Site utilities are summarized in the table below and noted on Figure 3, where available. It is to be noted that the precise underground location of the utilities cannot be determined without professional locate services.

Utility	Source	Location	Site Entry
Natural Gas	Enbridge Gas	Underground	One (1) natural gas pipeline was observed on the north wall of Building B (1980 Fowler Drive). However, the natural gas pipeline was not visible at Building A (1970 Fowler Drive) at the time of Site visit. The natural gas is expected to enter the Site from Fowler Drive.
Sanitary Sewer	City of Mississauga	Underground	Unknown
Storm Sewer	City of Mississauga	Underground	Unknown
Water	City of Mississauga	Underground	Unknown
Electricity	Alectra	Underground	Unknown The electric panels are located in the basement of the Site buildings.
Telecommunications	Unknown	Underground	Unknown

6.2.4 Sewage and Wastewater Disposal

The Site building is connected to the municipal sanitary and storm sewer systems.

6.2.5 Potable Water Sources

The Site is connected to the municipal water source.

6.2.6 Abandoned and Existing Wells

No potable wells were observed at the time of the Site visit.

Eleven (11) monitoring wells were observed in the eastern portion of the Site at the time of the Site visit (see Figure 3).

6.2.7 Site Production and Manufacturing

There are no on-Site production or manufacturing activities.

6.2.8 Drains, Pits and Sumps

No pits, or sumps were observed on the Site at the time of the Site visit.

The floor drains in the Site buildings are connected to the municipal sewer system.

6.2.9 Storage Tanks

The presence/absence and condition (if present) of underground storage tanks (USTs) and aboveground storage tanks (ASTs) at the Site were assessed during the Site visit.

At the time of the Site visit, no vent or fill pipes or other evidence of ASTs / USTs were observed in the accessed areas of the Site.

6.2.10 Water Wells

No potable water wells were observed at the time of the Site visit.

6.2.11 Site Housekeeping

No evidence of misplaced/excessive waste or spills being observed at the time of the Site visit. No issues were identified with regards to current house keeping practices that would be associated with a PCA.

6.2.12 Chemical Storage and Handling and Floor Condition

According to the Site representative, no liquid waste is generated on-site or disposed of on Site.

No other evidence of chemical use or storage was observed at the time of the Site visit.

6.2.13 Areas of Stained Soil, Pavement or Stressed Vegetation

No evidence of staining or stressed vegetation was observed during the Site visit.

6.2.14 Fill and Debris

Fill material is typically brought to a property as a base for buildings and pavement areas. Fill can also be used to re-grade a property and to backfill excavations.

According to the Site representative, a former swimming pool was also located on the northeast side of Building B (1980 Fowler Drive). The swimming pool was reportedly filled in with unknown soil quality and covered with interlocking brick.

6.2.15 Air Emissions

Air emissions in Ontario are regulated under the Environmental Protection Act (EPA) and its Regulations (O. Reg. 419/05, O. Reg. 245/11, O. Reg. 1/17). Owners and operators of activities that may discharge a contaminant into the natural environment must seek permissions from the Ministry of Environment, Conservation and Parks (MECP) to carry out these activities. As of October 31, 2011, amendments to the EPA resulted in a two-path environmental approval process, the Environmental Compliance Approval (ECA) and Environmental Activity and Sector Registry (EASR). The EASR allows businesses to register certain activities with the ministry, rather than apply for approvals. The EASR is for common systems and processes, initially for heating systems, standby power systems and automotive refinishing, to which preset rules of operation can be applied. Effective January 3, 2017 additional activities were allowed through the EASR process based on the facility's North American Industry Classification System (NAICS) code but required full assessment for compliance of emissions under O. Reg. 419/05. Unless explicitly exempted, most industrial processes or modification to industrial processes and equipment require an ECA, formerly a Certificate of Approval (Air and Noise).

Based on the Site visit, there were no on-Site operations that would require MECP approval for air emissions.

6.2.16 Polychlorinated Biphenyls (PCBs)

No evidence of PCB-oil containing equipment was observed on-Site at the time of the Site visit.

6.3 Enhanced Investigation Property Observations

An Enhanced Investigation Property is “(i) a property used, or has ever been used, in whole or part, for an industrial purpose, or (ii) a commercial property used as a garage, a bulk liquid dispensing facility, including a gasoline outlet or for the operation of dry-cleaning equipment” (O.Reg. 153/04).

Based on the information reviewed on the historical and current uses of the Site, it is not classified as an Enhanced Investigation Property.

6.4 Adjacent and Surrounding Properties

A visual reconnaissance of the adjacent properties, and properties within the Phase One Study Area was conducted from publicly accessible areas to identify the occupants; and document any PCAs that may be contributing to an APEC at the Site.

At the time of the Site visit, majority of the commercial development was concentrated west of Fowler Drive, with the remainder of the Phase One Study Area developed for residential use.

Based on the visual reconnaissance of adjacent and surrounding properties within the Phase One Study Area, properties within the Phase One Study Area were identified as having operations that contribute towards a PCA as defined in Table 2 of Schedule D of O. reg. 153/04 are listed as follows.

- The property, 2165 Erin Mills Parkway, located approximately 85 m southwest, is occupied by Shell Gas Service Station. The presence of this RFO is associated with **PCA#28-Gasoline and Associated Products Storage in Fixed Tanks**.

6.5 Written Description of Investigation

A reconnaissance of the Site was conducted by EXP to examine the exterior of the Site. Access was provided to the entirety of the Phase One Property. The exterior portions of the Site were examined for evidence of utilities and related infrastructure; water wells; Site drainage and related infrastructure; stained areas; stressed vegetation; and, evidence of fill material.

The reconnaissance of the Site included an examination of all properties within the Phase One Study Area from public access ways to document and characterize PCAs, water bodies and areas of natural significance.

7. Review and Evaluation of Information

7.1 Current and Past Uses

According to the records review, the Site was Crown land in 1853. Based on a review of historical aerial photographs, historical maps, and other records, the Site was first used for residential purposes since its development in 1969. Prior to this, the Site was vacant land and/or used for agricultural purposes.

It is EXP's understanding that the Site is planned for redevelopment into a high-rise residential building comprising 24 storeys, with up to 3.5 levels of underground parking, along with associated surface parking and an access road. The proposed development is expected to occupy the landscaped area currently situated between the parking lots of 1970 and 1980 Fowler Drive.

The current and past ownership of the Site is summarized in Table II.

7.2 Potentially Contaminating Activities (PCAs)

A list of all the PCAs identified at the Site and within the Phase One Study Area are listed in the Conceptual Site Model (CSM) in Appendix J and are shown on Figure 2.

7.3 Areas of Potential Environmental Concern (APECs)

Since the inferred groundwater flow direction is inferred to be to the northeast, the properties within the Phase One Study Area south and southeast of the Site were considered to be hydraulically up-gradient of the Site; properties to the north and northwest are down-gradient, and, the properties to the east and west of the Site were considered to be hydraulically trans-gradient to the Site. Furthermore, any PCAs located significantly far away from the Site (>100 m) were considered to be too distant to be contributing to an APEC on the Site.

The following PCAs were considered to contribute to an APEC:

- PCAs identified at the Site; and
- PCAs located on immediately adjacent properties (off-Site) or situated up-gradient to the Site with respect to the anticipated groundwater flow direction.

Based on the review of the PCAs identified during this Phase One ESA (see Appendix J) APECs were identified for the Site.

8. Conclusions

8.1 Whether Phase Two ESA Required Before RSC Submitted

Based on the results and findings of the Phase One ESA, a Phase Two ESA is required before an RSC may be submitted to investigate the following APECs identified at the Site:

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA) ¹	Location of PCA (on-Site or off-Site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC 1: Location of the former swimming pool	Northeast exterior portion of the Site Building B at the Site (1980 Fowler Drive)	PCA#30-Importation of Fill Materials of Unknown Quality. (PCA-1)	On-Site	PHCs, BTEX, PAHs, Metals, As, Sb, Se, Hg, Cr VI, CN-, pH, EC, SAR and B-HWS	Soil
APEC 2A: Application of de-icing agents during winter season	East exterior of Building A (1970 Fowler Drive)	PCA# "Other"-Application of de-icing agents (PCA-2A)	On-Site	EC, SAR	Soil
APEC 2B: Application of de-icing agents during winter season	North, East and West exterior of Building B (1980 Fowler Drive)	PCA# "Other"-Application of de-icing agents (PCA-2B)	On-Site	EC, SAR	Soil
APEC 3: Former presence of Spring bank Road Dump operated as a Sanitary landfill.	Eastern Portion of the Site	PCA#58-Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners (PCA-3)	Off-Site	PHCs, BTEX, VOCs, PAHs, Metals, As, Sb, Se, Hg	Groundwater

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA) ¹	Location of PCA (on-Site or off-Site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC 4: Presence of an RFO – Shell Gas service station and storage of USTs	Southern boundary of the Site	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks (PCA-4A, 4B, and 4C)	Off-Site	PHCs, BTEX, VOCs	Groundwater

- (1) Potentially contaminating activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D (O. Reg. 153/04, as amended) that is occurring or has occurred in a Phase One Study Area.
- (2) PHC – petroleum hydrocarbons; BTEX – benzene, toluene, ethylbenzene, xylenes; VOC – volatile organic compounds, PAHs – polycyclic aromatic hydrocarbons, PCBs – polychlorinated biphenyls, As – arsenic; Sb – antimony; Se – selenium, B-HWS – hot water-soluble boron, Hg – mercury; EC – electrical conductivity; SAR – sodium adsorption ratio; CrVI – hexavalent chromium, CN⁻ - cyanide.

8.2 RSC Based on Phase One ESA Alone

An RSC cannot be filed based on the Phase One ESA alone.

A Phase Two ESA is required to investigate the APECs identified in this Phase One ESA, prior to filing an RSC, if required.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

9 Closure

We trust this report is satisfactory for your purposes. Should you have any questions, please do not hesitate to contact this office.

Yours truly,

EXP Services Inc.



Omar Jaffer
Environmental Scientist
Environmental Services




Samuel Lee, P. Geo
Senior Project Manager
Environmental Services

10 References

- Occupational Health and Safety Act - Ministry of Labour (MOL)
- "Toporama"; Natural Resources Canada. Map 030M14. Scale 1:6,000. 2008.
- Quaternary Geology of Ontario - geology_II.shp [computer file], Ontario: Ontario Geological Survey, 2000.
- Bedrock Geology of Ontario - geology_II.shp [computer file], Ontario: Ontario Geological Survey, 2000.
- Inventory of Coal Gasification Plant Waste Sites in Ontario. Ontario Ministry of the Environment, April 1987.
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario. Ontario Ministry of the Environment, November 1988.
- Waste Disposal Site Inventory. Waste Management Branch Ontario Ministry of the Environment, June 1991.
- Ontario Inventory of PCB Storage Sites. Ontario Ministry of the Environment, 1993- 2003-2004.
- Catalogue of Canadian Fire Insurance Plans 1875 – 1975
- Ontario Ministry of the Environment, Brownfields Registry website (www.ene.gov.on.ca/environet/BESR/index.htm)
- Ontario Ministry of the Environment, Environmental Registry website (www.ene.gov.on.ca/envision/env_reg/ebr/english/index.htm)
- Ontario Ministry of Natural Resources, Natural Heritage website (www.mnr.gov.on.ca/MNR/nhic/areas.cfm)
- Oil, Gas & Salt Resources Library website (www.ogsrlibrary.com)
- Technical Standards and Safety Authority, Environmental Management Protocol for Fuel Handling Sites in Ontario, May 2007.
- Database Report, Phase One ESA - 1970, 1980 Fowler Drive, Mississauga ON L5K 1B5. Environmental Risk Information Services Ltd. (ERIS Ltd.) Order Number 25052300379 dated May 23, 2025.
- "Phase I Environmental Site Assessment 1970, & 1980 Fowler Drive, Mississauga, Ontario", dated August 2, 2019 for QREIT SUB LP c/o Q Residential., by RiskCheck Environmental Ltd.
- "Environmental Desk Top Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario", dated November 1, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.
- "Environmental Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario", dated November 7, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.

Figures



EXP Services Inc.

t: +1.905.573.4000

1266 South Service Road Suite C1-1

Stoney Creek, ON L8E 5R9

Canada

www.exp.com

• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •

• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:


SITE LOCATION PLAN

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

170 & 180 FOWLER DRIVE

MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHKD:	AG
DATE:	JUNE 2025	FIG. NO.:	1



EXP Services Inc.

t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



BUILDINGS

EARTH & ENVIRONMENT

ENERGY

INDUSTRIAL

INFRASTRUCTURE

SUSTAINABILITY

● PCA CONTRIBUTING TO AN APEC

● PCA NOT CONTRIBUTING TO AN APEC

▬ PHASE ONE STUDY AREA

▬ APPROXIMATE SITE BOUNDARY

LANDUSE

AGRICULTURAL OR OTHER USE

COMMERCIAL

PARKLAND

RESIDENTIAL

TITLE AND LOCATION:

PHASE ONE STUDY AREA, LAND USE PLAN
AND POTENTIALLY CONTAMINATING
ACTIVITIES (PCAs)
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO.:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHRD:	AG
DATE:	JUNE 2025	FIG. NO.:	2



EXP Services Inc.
t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com

• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •

• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

BOREHOLE / MONITORING WELL (EXP, 2023)

BOREHOLE / MONITORING WELL (EXP, 2025)

FORMER SWIMMING POOL


APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

SITE PLAN

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHRD:	AG
DATE:	JUNE 2025	FIG. NO.:	3



EXP Services Inc.

t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



BUILDINGS

EARTH & ENVIRONMENT

ENERGY

INDUSTRIAL

INFRASTRUCTURE

SUSTAINABILITY

LEGEND:

APEC 1

APEC 2A

APEC 2B

APEC 3

APEC 4

APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

AREA OF POTENTIAL ENVIRONMENTAL CONCERNS (APECs)

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

1970 & 1980 FOWLER DRIVE

MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHRD:	AG
DATE:	JUNE 2025	FIG. NO.:	4

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Tables

TABLE I

SITE ENVIRONMENTAL SETTING DATA

1970 & 1980 Fowler Drive, Mississauga, Ontario

NATIVE SOIL AND BEDROCK

Type: Coarse textured (foreshore-basinal) glaciolacustrine deposits consisting of sand, gravel, minor silt and clay in Paleozoic bedrock deposits

Hydraulic Conductivity: Unknown

Percent Sand: Unknown

Depth to Bedrock: Unknown

Bedrock Type: Georgian Bay Formation, Blue Mountain Formation, Billings Formation, Collingwood Member, and Eastview Member, primarily consisting of shale, limestone, dolostone and siltstone.

GROUND WATER

Depth to Water Table: 5.48 - 8.68 m bgs

Estimated or Measured: Measured (EXP, 2023)

Direction of Flow: Northeast

Estimated or Measured: Estimated (based on topomaps)

POTABLE WATER AND SEWERS

Potable Water Source: City of Mississauga

Municipal Water Source: City of Mississauga

Distance to Nearest Municipal Water Well: Unknown

Distance to Nearest Private Water Well: Unknown

Sanitary Sewage System: City of Mississauga

Storm Water System: City of Mississauga

SURFACE WATER

Name of Nearest Water Body: Loyalist Creek

Distance/Direction from Site: 100 m north

Elevation Drop from Site: Unknown

Direct Drainage from Site: Run off and infiltration

TABLE OF CURRENT AND PAST USES OF THE PHASE ONE PROPERTY					TABLE II
(Refer to clause 16(2)(b), Schedule D, O.Reg. 153/04) 1970 Fowler Drive, Mississauga, ON					
Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.	
1853	Crown	Undeveloped land	Agricultural or other use	No record was found pertaining to the property in this time period. Based on the names of the owner, it is likely that the property is undeveloped land.	
1853 - 1854	Frederick L. Box				
1854 - 1855	Philip L. Box				
1855 - 1855	Frederick L. Box				
1855 - 1875	Charles Cameron				
1875 - 1877	Charles Cordingly				
1877 - 1880	John T. Shewell				
1880 - 1881	John T. Shewell				
1881 - 1901	James Adamson				
1901 - 1911	David M. Shook				
1911 - 1913	John W. Henderson				
1913 - 1930	Ellen Curran				
1930 - 1950	Joachin Guiman exor for Mary Ellen Gulmane - Estate				
1950 - 1950	Gordon F. Oughtred				
1950 - 1950	Gordon F. Oughtred, et. al				
1950 - 1963	John Curran				
1963 - 1965	Gordon F. Oughtred & Wallace Oughtred				
1965 - 1966	Oughtred Brothers Limited				
1966 - 1968	Oughtred Brothers Limited & Wyndholme Company Limited				
1968 - 1969	Southdown Square Holdings Limited				
1969 - 1971	Roche Developments Limited	Residential building	Residential Use	The reviewed previous reports, showed the Site building was developed from vacant land between 1969 and 1970. According to the reviewed city directories and observations made during the Site visit, the Site building has been occupied by residential tenants for Residential use.	
1971 - 1973	Third Lehdorff (Canada) Limited, Trustee				
1973 - 1979	Geran Holdings (Peel) Limited				
1979 - 2006	Barney River Investments Limited				
2006 - 2019	Conres II GP Number One Inc.				
2019 - 2023	IMH 1970 & 1980 Fowler Ltd.				
2023 - Present	Computershare Trust Company of Canada				

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

- Agriculture or other use
- Commercial use
- Community use
- Industrial use
- Institutional use
- Parkland use
- Residential use

TABLE OF CURRENT AND PAST USES OF THE PHASE ONE PROPERTY					TABLE III
(Refer to clause 16(2)(b), Schedule D, O.Reg. 153/04) 1980 Fowler Drive, Mississauga, ON					
Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.	
1853	Crown	Undeveloped land	Agricultural or other use	No record was found pertaining to the property in this time period. Based on the names of the owner, it is likely that the property is undeveloped land.	
1853 - 1854	Frederick L. Box				
1854 - 1855	Philip L. Box				
1855 - 1855	Frederick L. Box				
1855 - 1875	Charles Cameron				
1875 - 1877	Charles Cordingly				
1877 - 1880	John T. Shewell				
1880 - 1881	John T. Shewell				
1881 - 1901	James Adamson				
1901 - 1911	David M. Shook				
1911 - 1913	John W. Henderson				
1913 - 1930	Ellen Curran				
1930 - 1950	Jochain Guiman exor for Mary Ellen Gulmane - Estate				
1950 - 1950	Gordon F. Oughtred				
1950 - 1950	Gordon F. Oughtred, et. al				
1950 - 1963	John Curran				
1963 - 1965	Gordon F. Oughtred & Wallace Oughtred				
1965 - 1966	Oughtred Brothers Limited				
1966 - 1968	Oughtred Brothers Limited & Wyndholme Company Limited				
1968 - 1969	Southdown Square Holdings Limited				
1969 - 1971	Roche Developments Limited	Residential building	Residential Use	The reviewed previous reports, showed the Site building was developed from vacant land between 1969 and 1970. According to the reviewed city directories and observations made during the Site visit, the Site building has been occupied by residential tenants for Residential use.	
1971 - 1973	Third Lehndorff (Canada) Limited, Trustee				
1973 - 1979	Geran Holdings (Peel) Limited				
1979 - 2006	Barney River Investments Limited				
2006 - 2019	Conres II GP Number One Inc.				
2019 - 2023	IMH 1970 & 1980 Fowler Ltd.				
2023 - Present	Computershare Trust Company of Canada				

EXP Services Inc.

GTR-22022660-A0

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

- Agriculture or other use
- Commercial use
- Community use
- Industrial use
- Institutional use
- Parkland use
- Residential use

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix A – Liability



LIMITATIONS AND USE OF REPORT

BASIS OF REPORT

The Report is based on site conditions known or inferred by the investigation undertaken as of the date of the Report. Should changes occur which potentially impact the condition of the site the recommendations of EXP may require re-evaluation. Where special concerns exist, or the Client has special considerations or requirements, these should be disclosed to EXP to allow for additional or special investigations to be undertaken not otherwise within the scope of investigation conducted for the purpose of the Report.

Where applicable, recommended field services are the minimum necessary to ascertain that construction is being carried out in general conformity with building code guidelines, generally accepted practices and EXP's recommendations. Any reduction in the level of services recommended will result in EXP providing qualified opinions regarding the adequacy of the work. EXP can assist design professionals or contractors retained by the Client to review applicable plans, drawings, and specifications as they relate to the Report or to conduct field reviews during construction.

RELIANCE ON INFORMATION PROVIDED

The evaluation and conclusions contained in the Report are based on conditions in evidence at the time of site inspections and information provided to EXP by the Client and others. The Report has been prepared for the specific site, development, building, design or building assessment objectives and purpose as communicated by the Client. EXP has relied in good faith upon such representations, information and instructions and accepts no responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of any misstatements, omissions, misrepresentation or fraudulent acts of persons providing information. Unless specifically stated otherwise, the applicability and reliability of the findings, recommendations, suggestions or opinions expressed in the Report are only valid to the extent that there has been no material alteration to or variation from any of the information provided to EXP.

STANDARD OF CARE

This report ("Report") has been prepared in a manner consistent with the degree of care and skill exercised by engineering consultants currently practicing under similar circumstances and locale. No other warranty, expressed or implied, is made. Unless specifically stated otherwise, the Report does not contain environmental consulting advice.

COMPLETE REPORT

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment form part of the Report. This material includes, but is not limited to, the terms of reference given to EXP by the Client, communications between EXP and the Client, other reports, proposals or documents prepared by EXP for the Client in connection with the site described in the Report. In order to properly understand the suggestions, recommendations and opinions expressed in the Report, reference must be made to the Report in its entirety. EXP is not responsible for use by any party of portions of the Report.



USE OF REPORT

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. No other party may use or rely upon the Report in whole or in part without the written consent of EXP. Any use of the Report, or any portion of the Report, by a third party are the sole responsibility of such third party. EXP is not responsible for damages suffered by any third party resulting from unauthorised use of the Report.

REPORT FORMAT

Where EXP has submitted both electronic file and a hard copy of the Report, or any document forming part of the Report, only the signed and sealed hard copy shall be the original documents for record and working purposes. In the event of a dispute or discrepancy, the hard copy shall govern. Electronic files transmitted by EXP utilize specific software and hardware systems. EXP makes no representation about the compatibility of these files with the Client's current or future software and hardware systems. Regardless of format, the documents described herein are EXP's instruments of professional service and shall not be altered without the written consent of EXP.

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix B – Survey Plan

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix C – Qualifications

Qualifications of Assessors

The records review and Site visit were conducted by Ms. Ramila Senanayake, M.E.S., who has over ten (10) years of experience conducting Phase I environmental site assessments in accordance with applicable CSA Standards and O.Reg. 153/04. Ramila completed a Bachelor of Environmental Science Degree from University of Toronto at Mississauga, Master of Environmental Studies at York University and post graduate program in Environmental Control at Sheridan College.

This report was reviewed by Mr. Samuel Lee, P.Geo who is a Senior Project Manager at EXP with over fifteen (15) years of environmental consulting experience in Canada. Mr. Lee has managed and conducted numerous Phase I and Phase II Environmental Site Assessments and Record of Site Condition as well as other due diligence projects and is a Qualified Person for Environmental Site Assessment.

EXP Services Inc. is a full-service consulting and engineering firm and provides a full range of environmental services through the Environmental Services Group. EXP's Environmental Services Group has developed a strong working relationship with clients in both the private and public sectors and has developed a positive relationship with the Ontario Ministry of the Environment. Personnel in the numerous branch offices form part of a large network of full-time dedicated environmental professionals in the EXP organization.

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix D – Chain of Title

CHAIN OF TITLE REPORT

Project #: GTR-220226602-AO
 Address: 1970 Fowler Drive, Mississauga
 Legal Part Block A Plan 842
 Description: Parts 3 & 4, 43R11814

Searched at: Brampton
 LRO #: 43

Page 1

PIN #: 13441-1205 (LT)

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent (99.26 Acres)	22 11 1853	Crown	Frederick L. BOX
770	Deed	12 06 1854	Frederick L. Box	Phillip L. BOX
1803	Deed	27 06 1855	Phillip L. Box	Frederick L. BOX
1804	Deed	27 06 1855	Frederick L. Box	Charles CAMERON
1578	Deed	29 01 1875	Charles Cameron	Charles CORDINGLY
2316	Deed	12 12 1877	Charles Cordingly	John T. SHEWELL
3139	Deed (Chain 1)	03 08 1880	John T. Shewell	David M. SHOOK
3327	Deed (Chain 2)	31 03 1881	John T. Shewell	James ADAMSON
10555	Deed	11 07 1901	James Adamson	Mary Ellen GUIMANE

Cont'd on Page 2

CHAIN OF TITLE REPORT

Project #: GTR-22022660-AO
 Address: 1970 Fowler Drive, Mississauga
 Legal: Part Block A Plan 842
 Description: Parts 3 & 4, 43R11814

Searched at: Brampton
 LRO #: 43

Page 2

PIN #: 13441-1205 (LT)

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
14318	Deed (Chain 1)	28 02 1911	David M. Shook	John W. HENDERSON
15471	Deed	03 03 1913	John W. Henderson	Ellen CURRAN
32563	Deed	15 03 1930	Ellen Curran	John CURRAN
58161	Deed (Chain 2)	27 03 1950	Joachin Guimane exor for Mary Eilen Gulmane - Estate	Gordon F. OUGHTRED
58162	Deed	27 03 1950	Gordon F. Oughtred	Gordon F. OUGHTRED - 1/4% Wallace OUGHTRED - 1/4% Arthur OUGHTRED - 1/2%
60722	Deed	02 11 1950	Gordon F. Oughtred, et al	Oughtred Brothers Limited
155280	Deed	17 01 1963	John Curran	Gordon F. OUGHTRED Wallace OUGHTRED
175973	Deed	21 01 1965	Gordon F. Oughtred Wallace Oughtred	Wyndholme Company Limited
VS17870	Easement	17 08 1966	Oughtred Brothers Limited	The Corporation of the Twsp of Toronto

Cont'd on Page 3

CHAIN OF TITLE REPORT

Project #: GTR-22022660-AO
 Address: 1970 Fowler Drive, Mississauga
 Legal: Part Block A Plan 842
 Description: Parts 3 & 4, 43R11814

 PIN #: 13441-1205 (LT)

Searched at: Brampton
 LRO #: 43

Page 3

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
VS74188	Deed	31 05 1968	Oughtred Brothers Limited & Wyndholme Company Limited	Southdown Square Holdings Limited
VS97019	Deed	28 01 1969	Southdown Square Holdings Limited	Roche Developments Limited
VS185718	Deed	30 09 1971	Roche Developments Limited	Third Lehndorff (Canada) Limited, Trustee
VS293596	Deed	07 12 1973	Third Lehndorff (Canada) Limited, Trustee	Geran Holdings (Peel) Limited
RO508019	Deed	09 03 1979	Geran Holdings (Peel) Limited	Barney River Investments Limited
PR1186266	Deed	15 12 2006	Barney River Investments Limited	Conres II GP Number One Inc.
PR3587928	Deed (Present Owner)	16 12 2019	Conres II GP Number One Inc.	IMH 1970 & 1980 Fowler Ltd.

CHAIN OF TITLE REPORT

Project #: GTR-22022660-AO
 Address: 1980 Fowler Drive, Mississauga
 Legal: Part Block A Plan 842
 Description: Parts 1 & 2, 43R11814

Searched at: Brampton
 LRO #: 43

Page 1

PIN #: 13441-1204 (LT)

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent (99.25 Acres)	22 11 1853	Crown	Frederick L. BOX
770	Deed	12 06 1854	Frederick L. Box	Phillip L. BOX
1803	Deed	27 06 1855	Phillip L. Box	Frederick L. BOX
1804	Deed	27 06 1855	Frederick L. Box	Charles CAMERON
1578	Deed	29 01 1875	Charles Cameron	Charles CORDINGLY
2316	Deed	12 12 1877	Charles Cordingly	John T. SHEWELL
3139	Deed (Chain 1)	03 08 1880	John T. Shewell	David M. SHOOK
3327	Deed (Chain 2)	31 03 1881	John T. Shewell	James ADAMSON
10555	Deed	11 07 1901	James Adamson	Mary Ellen GUIMANE

Cont'd on Page 2

CHAIN OF TITLE REPORT

Project #: GTR-22022660-AO
 Address: 1980 Fowler Drive, Mississauga
 Legal: Part Block A Plan 842
 Description: Parts 1 & 2, 43R11814

Searched at: Brampton
 LRO #: 43

Page 2

PIN #: 13441-1204 (LT)

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
14318	Deed (Chain 1)	28 02 1911	David M. Shook	John W. HENDERSON
15471	Deed	03 03 1913	John W. Henderson	Ellen CURRAN
32563	Deed	15 03 1930	Ellen Curran	John CURRAN
58161	Deed (Chain 2)	27 03 1950	Joachin Guimane exor for Mary Ellen Guimane - Estate	Gordon F. OUGHTRED
58162	Deed	27 03 1950	Gordon F. Oughtred	Gordon F. OUGHTRED - 1/4% Wallace OUGHTRED - 1/4% Arthur OUGHTRED - 1/2%
60722	Deed	02 11 1950	Gordon F. Oughtred, et al	Oughtred Brothers Limited
155280	Deed	17 01 1963	John Curran	Gordon F. OUGHTRED Wallace OUGHTRED
175973	Deed	21 01 1965	Gordon F. Oughtred Wallace Oughtred	Wyndholme Company Limited
VS17870	Easement	17 08 1966	Oughtred Brothers Limited	The Corporation of the Twsp of Toronto

Cont'd on Page 3

CHAIN OF TITLE REPORT

Project #: GTR-22022660-AO
 Address: 1980 Fowler Drive, Mississauga
 Legal: Part Block A Plan 842
 Description: Parts 1 & 2, 43R11814

Searched at: Brampton
 LRO #: 43

Page 3

PIN #: 13441-1204 (LT)

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
VS74188	Deed	31 05 1968	Oughtred Brothers Limited & Wyndholme Company Limited	Southdown Square Holdings Limited
VS97019	Deed	28 01 1969	Southdown Square Holdings Limited	Roche Developments Limited
VS185718	Deed	30 09 1971	Roche Developments Limited	Third Lehndorff (Canada) Limited, Trustee
VS293596	Deed	07 12 1973	Third Lehndorff (Canada) Limited, Trustee	Geran Holdings (Peel) Limited
RO508019	Deed	09 03 1979	Geran Holdings (Peel) Limited	Barney River Investments Limited
PR1186266	Deed	15 12 2006	Barney River Investments Limited	Conres II GP Number One Inc.
PR3587928	Deed (Present Owner)	16 12 2019	Conres II GP Number One Inc.	IMH 1970 & 1980 Fowler Ltd.

PROPERTY DESCRIPTION:

PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814; S/T EASEMENT IN FAVOUR OF THE CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT1 PL 43R-11814, AS IN VS17870; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814, AS IN PR5100; MISSISSAUGA.

PROPERTY REMARKS:

CONSENT OF THE COMMITTEE OF ADJUSTMENT OF THE CITY OF MISSISSAUGA IS ATTACHED TO PR420287.

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

DIVISION FROM 13441-0009

PIN CREATION DATE:

2003/04/29

OWNERS' NAMES

IMH 1970 & 1980 FOWLER LTD.

CAPACITY

SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2003/04/29 **						
**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:						
** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *						
** AND ESCHEATS OR FORFEITURE TO THE CROWN.						
** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF						
** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY						
** CONVENTION.						
** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.						
**DATE OF CONVERSION TO LAND TITLES: 1999/03/26 **						
VS17870	1966/08/17	TRANSFER EASEMENT			CORPORATION OF THE TOWNSHIP OF TORONTO	C
REMARKS: SKETCH ATTACHED; ADDED 99/0323 BY LAND REGISTRAR #1						
CORRECTIONS: 'DATE OF REGN.' CHANGED FROM '1964/08/19' TO '1966/08/17' ON 1999/03/23 BY LAND REGISTRAR # 1.						
VS95125	1969/01/06	AGREEMENT		*** DELETED AGAINST THIS PROPERTY ***	THE CORPORATION OF THE TOWN OF MISSISSAUGA	C
VS96613	1969/01/22	BYLAW				
VS97628	1969/01/31	CHARGE		*** DELETED AGAINST THIS PROPERTY ***		
VS144822	1970/07/10	RELEASE		*** DELETED AGAINST THIS PROPERTY ***	SUN LIFE ASSURANCE COMPANY OF CANADA	
REMARKS: VS95125						
VS201438	1972/02/24	RELEASE		*** DELETED AGAINST THIS PROPERTY ***		
REMARKS: VS95125						

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
43R2372	1974/08/20	PLAN REFERENCE				C
43R11814	1984/08/08	PLAN REFERENCE				C
RO911375	1989/09/27	CHARGE		*** DELETED AGAINST THIS PROPERTY ***	AETNA LIFE INSURANCE COMPANY OF CANADA	
RO911376	1989/09/27	ASSIGNMENT GENERAL		*** DELETED AGAINST THIS PROPERTY ***		
		REMARKS: RENTS, RO911375				
RO1116470	1996/06/11	NOTICE OF LEASE		*** DELETED AGAINST THIS PROPERTY ***	CLEARNET INC.	
LT2057105	2000/03/24	NOTICE OF SUBLEASE		*** DELETED AGAINST THIS PROPERTY *** CLEARNET INC.	CLEARNET PCS INC.	
PR5100	2000/11/02	TRANSFER EASEMENT		1180113 ONTARIO LIMITED BARNEY RIVER INVESTMENTS LIMITED	ROGERS CABLE INC.	C
PR283123	2002/07/24	CHARGE		*** DELETED AGAINST THIS PROPERTY *** BARNEY RIVER INVESTMENTS LIMITED	CANADIAN IMPERIAL BANK OF COMMERCE	
PR283124	2002/07/24	NO ASSGN RENT GEN		*** DELETED AGAINST THIS PROPERTY *** BARNEY RIVER INVESTMENTS LIMITED	CANADIAN IMPERIAL BANK OF COMMERCE	
		REMARKS: PR283123				
PR290526	2002/08/01	NO ASSG LESSEE INT		*** DELETED AGAINST THIS PROPERTY *** CLEARNET INC.	TM MOBILE INC.	
		REMARKS: RO116470				
PR420287	2003/04/16	TRANSFER		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED	BARNEY RIVER INVESTMENTS LIMITED	
PR425712	2003/04/29	DISCH OF CHARGE		*** DELETED AGAINST THIS PROPERTY *** CANADIAN IMPERIAL BANK OF COMMERCE		
		REMARKS: RE: PR283123				
PR574467	2004/01/14	DISCH OF CHARGE		*** COMPLETELY DELETED *** SUN LIFE ASSURANCE COMPANY OF CANADA		
		REMARKS: RE: VS97628				
PR855290	2005/05/25	TRANSFER OF CHARGE		*** COMPLETELY DELETED *** OLD MARITIME CORPORATION	THE MANUFACTURERS LIFE INSURANCE COMPANY	
		REMARKS: MULTI				

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1204 (LT)

PAGE 3 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:19:38

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
PR855291	2005/05/25	NO ASSGN RENT GEN	VS201438	*** COMPLETELY DELETED *** OLD MARITIME CORPORATION	THE MANUFACTURERS LIFE INSURANCE COMPANY	C
REMARKS: MULTI						
PR1016009	2006/02/17	NOTICE		ROGERS CABLE INC.		
PR1062843	2006/05/18	APL (GENERAL)		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED		
REMARKS: DELETES VS95125, VS144822,						
PR1186266	2006/12/15	TRANSFER		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED	CONRES II GP NUMBER ONE INC.	
REMARKS: PLANNING ACT STATEMENTS						
PR1186267	2006/12/15	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR1186268	2006/12/15	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR1186267						
PR1202618	2007/01/25	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE MANUFACTURERS LIFE INSURANCE COMPANY		
REMARKS: RE: RO911375						
PR1996498	2011/05/02	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR1996499	2011/05/02	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR1996498.						
PR2466944	2013/11/25	NOTICE		THE REGIONAL MUNICIPALITY OF PEEL		C
REMARKS: VS17870						
PR2906671	2016/05/02	NO DET/SURR LEASE		*** COMPLETELY DELETED *** TM MOBILE INC.	COMRES II GP NUMBER ONE INC.	
REMARKS: RO1116470.						
PR3098502	2017/03/23	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
REMARKS: PR1186267.						

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
PR3098503	2017/03/23	DISCH OF CHARGE	\$34,630,520	*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK	THE TORONTO-DOMINION BANK	C
REMARKS: PR1996498.						
PR3206020	2017/09/22	CHARGE		CONRES II GP NUMBER ONE INC.		
PR3206021	2017/09/22	NO ASSGN RENT GEN		CONRES II GP NUMBER ONE INC.		
REMARKS: PR3206020						
PR3253908	2017/12/14	CHARGE	\$2	*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	C
PR3253909	2017/12/14	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3253908						
PR3253910	2017/12/14	NOTICE		CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3206020						
PR3448081	2019/02/20	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR3448082	2019/02/20	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3448081.						
PR3587927	2019/12/16	APL (GENERAL)		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.		
REMARKS: TO DELETE LT2057105						
PR3587928	2019/12/16	TRANSFER	\$101,900,000	CONRES II GP NUMBER ONE INC.	IMH 1970 & 1980 FOWLER LTD.	C
REMARKS: PLANNING ACT STATEMENTS.						
PR3587930	2019/12/16	CHARGE		*** COMPLETELY DELETED *** IMH 1301 DUNDAS LTD. IMH 1970 & 1980 FOWLER LTD.	CANADIAN IMPERIAL BANK OF COMMERCE	
PR3612424	2020/02/10	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
REMARKS: PR3448081.						
PR4197506	2023/05/08	CHARGE		\$45,639,629	IMH 1970 & 1980 FOWLER LTD.	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1204 (LT)

PAGE 5 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:19:38

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
PR4197507 <i>REMARKS: PR4197506</i>	2023/05/08	NO ASSGN RENT GEN		IMH 1970 & 1980 FOWLER LTD.	COMPUTERSHARE TRUST COMPANY OF CANADA	C
PR4209822 <i>REMARKS: PR3253908.</i>	2023/06/08	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
PR4213902 <i>REMARKS: PR3587930.</i>	2023/06/20	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1205 (LT)

PAGE 1 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:22:19

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION:

PT BLK A PL 842 DES PTS 3, 4 PL 43R-11814; S/T EASEMENT IN FAVOUR OF CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT 3 PL 43R-11814; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLKA PL 842 DES PTS 3, 4 PL 43R-11814, AS IN PR5100; MISSISSAUGA.

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

DIVISION FROM 13441-0009

PIN CREATION DATE:

2003/04/29

OWNERS' NAMES

IMH 1970 & 1980 FOWLER LTD.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD																																																																																				
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2003/04/29 ** **SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO: ** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * ** AND ESCHEATS OR FORFEITURE TO THE CROWN. ** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF ** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY ** CONVENTION. ** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES. **DATE OF CONVERSION TO LAND TITLES: 1999/03/26 ** <tr><td>VS17870</td><td>1966/08/17</td><td>TRANSFER EASEMENT</td><td></td><td></td><td>CORPORATION OF THE TOWNSHIP OF TORONTO</td><td>C</td></tr> <tr><td colspan="4">REMARKS: SKETCH ATTACHED; ADDED 99/0323 BY LAND REGISTRAR #1</td><td colspan="3"></td></tr> <tr><td colspan="4">CORRECTIONS: 'DATE OF REGN.' CHANGED FROM '1964/08/19' TO '1966/08/17' ON 1999/03/23 BY LAND REGISTRAR # 1.</td><td colspan="3"></td></tr> <tr><td>VS95125</td><td>1969/01/06</td><td>AGREEMENT</td><td></td><td>*** DELETED AGAINST THIS PROPERTY ***</td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>THE CORPORATION OF THE TOWN OF MISSISSAUGA</td><td></td></tr> <tr><td>VS96613</td><td>1969/01/22</td><td>BYLAW</td><td></td><td></td><td></td><td>C</td></tr> <tr><td>VS97628</td><td>1969/01/31</td><td>CHARGE</td><td></td><td>*** DELETED AGAINST THIS PROPERTY ***</td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>SUN LIFE ASSURANCE COMPANY OF CANADA</td><td></td></tr> <tr><td>VS144822</td><td>1970/07/10</td><td>RELEASE</td><td></td><td>*** DELETED AGAINST THIS PROPERTY ***</td><td></td><td></td></tr> <tr><td colspan="4">REMARKS: VS95125</td><td colspan="3"></td></tr> <tr><td>VS201438</td><td>1972/02/24</td><td>RELEASE</td><td></td><td>*** DELETED AGAINST THIS PROPERTY ***</td><td></td><td></td></tr> <tr><td colspan="4">REMARKS: VS95125</td><td colspan="3"></td></tr>							VS17870	1966/08/17	TRANSFER EASEMENT			CORPORATION OF THE TOWNSHIP OF TORONTO	C	REMARKS: SKETCH ATTACHED; ADDED 99/0323 BY LAND REGISTRAR #1							CORRECTIONS: 'DATE OF REGN.' CHANGED FROM '1964/08/19' TO '1966/08/17' ON 1999/03/23 BY LAND REGISTRAR # 1.							VS95125	1969/01/06	AGREEMENT		*** DELETED AGAINST THIS PROPERTY ***								THE CORPORATION OF THE TOWN OF MISSISSAUGA		VS96613	1969/01/22	BYLAW				C	VS97628	1969/01/31	CHARGE		*** DELETED AGAINST THIS PROPERTY ***								SUN LIFE ASSURANCE COMPANY OF CANADA		VS144822	1970/07/10	RELEASE		*** DELETED AGAINST THIS PROPERTY ***			REMARKS: VS95125							VS201438	1972/02/24	RELEASE		*** DELETED AGAINST THIS PROPERTY ***			REMARKS: VS95125						
VS17870	1966/08/17	TRANSFER EASEMENT			CORPORATION OF THE TOWNSHIP OF TORONTO	C																																																																																				
REMARKS: SKETCH ATTACHED; ADDED 99/0323 BY LAND REGISTRAR #1																																																																																										
CORRECTIONS: 'DATE OF REGN.' CHANGED FROM '1964/08/19' TO '1966/08/17' ON 1999/03/23 BY LAND REGISTRAR # 1.																																																																																										
VS95125	1969/01/06	AGREEMENT		*** DELETED AGAINST THIS PROPERTY ***																																																																																						
					THE CORPORATION OF THE TOWN OF MISSISSAUGA																																																																																					
VS96613	1969/01/22	BYLAW				C																																																																																				
VS97628	1969/01/31	CHARGE		*** DELETED AGAINST THIS PROPERTY ***																																																																																						
					SUN LIFE ASSURANCE COMPANY OF CANADA																																																																																					
VS144822	1970/07/10	RELEASE		*** DELETED AGAINST THIS PROPERTY ***																																																																																						
REMARKS: VS95125																																																																																										
VS201438	1972/02/24	RELEASE		*** DELETED AGAINST THIS PROPERTY ***																																																																																						
REMARKS: VS95125																																																																																										

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1205 (LT)

PAGE 2 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:22:19

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
43R2372	1974/08/20	PLAN REFERENCE				C
RO508019	1979/03/09	TRANSFER		*** DELETED AGAINST THIS PROPERTY ***	BARNEY RIVER INVESTMENTS LIMITED	
43R11814	1984/08/08	PLAN REFERENCE				C
RO1116470	1996/06/11	NOTICE OF LEASE		*** DELETED AGAINST THIS PROPERTY ***	CLEARNET INC.	
RO1120427	1996/07/31	TRANSFER		*** DELETED AGAINST THIS PROPERTY ***	1180113 ONTARIO LIMITED	
LT2057105	2000/03/24	NOTICE OF SUBLEASE		*** DELETED AGAINST THIS PROPERTY *** CLEARNET INC.	CLEARNET PCS INC.	
PR5100	2000/11/02	TRANSFER EASEMENT		1180113 ONTARIO LIMITED BARNEY RIVER INVESTMENTS LIMITED	ROGERS CABLE INC.	C
PR142063	2001/09/21	APL CH NAME OWNER		*** DELETED AGAINST THIS PROPERTY *** 1180113 ONTARIO LIMITED	BARNEY RIVER INVESTMENTS LIMITED	
PR283123	2002/07/24	CHARGE		*** DELETED AGAINST THIS PROPERTY *** BARNEY RIVER INVESTMENTS LIMITED	CANADIAN IMPERIAL BANK OF COMMERCE	
PR283124	2002/07/24	NO ASSGN RENT GEN		*** DELETED AGAINST THIS PROPERTY *** BARNEY RIVER INVESTMENTS LIMITED	CANADIAN IMPERIAL BANK OF COMMERCE	
REMARKS: PR283123						
PR290526	2002/08/01	NO ASSG LESSEE INT		*** DELETED AGAINST THIS PROPERTY *** CLEARNET INC.	TM MOBILE INC.	
REMARKS: RO116470						
PR569213	2003/12/31	CHARGE		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED	CIBC MORTGAGES INC.	
PR569214	2003/12/31	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED	CIBC MORTGAGES INC.	
REMARKS: PR569213						
PR569430	2004/01/02	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
REMARKS: RE: PR283123						
PR574467	2004/01/14	DISCH OF CHARGE		*** COMPLETELY DELETED ***		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1205 (LT)

PAGE 3 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:22:19

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
		REMARKS: RE: VS97628		SUN LIFE ASSURANCE COMPANY OF CANADA		
PR1016009	2006/02/17	NOTICE		ROGERS CABLE INC.		C
PR1062843	2006/05/18	APL (GENERAL)		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED		
		REMARKS: DELETES VS95125, VS144822, VS201438				
PR1186266	2006/12/15	TRANSFER		*** COMPLETELY DELETED *** BARNEY RIVER INVESTMENTS LIMITED	CONRES II GP NUMBER ONE INC.	
		REMARKS: PLANNING ACT STATEMENTS				
PR1186267	2006/12/15	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR1186268	2006/12/15	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
		REMARKS: PR1186267				
PR1188913	2006/12/21	DISCH OF CHARGE		*** COMPLETELY DELETED *** CIBC MORTGAGES INC.		
		REMARKS: RE: PR569213				
PR1996498	2011/05/02	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR1996499	2011/05/02	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
		REMARKS: PR1996498.				
PR2466944	2013/11/25	NOTICE		THE REGIONAL MUNICIPALITY OF PEEL		C
		REMARKS: VS17870				
PR2906671	2016/05/02	NO DET/SURR LEASE		*** COMPLETELY DELETED *** TM MOBILE INC.	COMRES II GP NUMBER ONE INC.	
		REMARKS: RO1116470.				
PR2961310	2016/08/03	NOTICE OF LEASE		CONRES II GP NUMBER ONE INC.	ROGERS COMMUNICATIONS INC.	C
PR3098502	2017/03/23	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
		REMARKS: PR1186267.				

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #43

13441-1205 (LT)

PAGE 4 OF 5
PREPARED FOR bertucci
ON 2025/06/22 AT 14:22:19

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *


REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
PR3098503	2017/03/23	DISCH OF CHARGE	\$34,630,520	*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK	THE TORONTO-DOMINION BANK	C
REMARKS: PR1996498.						
PR3206020	2017/09/22	CHARGE		CONRES II GP NUMBER ONE INC.		
PR3206021	2017/09/22	NO ASSGN RENT GEN		CONRES II GP NUMBER ONE INC.		
REMARKS: PR3206020						
PR3253908	2017/12/14	CHARGE	\$2	*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	C
PR3253909	2017/12/14	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3253908						
PR3253910	2017/12/14	NOTICE		CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3206020						
PR3448081	2019/02/20	CHARGE		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
PR3448082	2019/02/20	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.	THE TORONTO-DOMINION BANK	
REMARKS: PR3448081.						
PR3587927	2019/12/16	APL (GENERAL)		*** COMPLETELY DELETED *** CONRES II GP NUMBER ONE INC.		
REMARKS: TO DELETE LT2057105						
PR3587928	2019/12/16	TRANSFER	\$101,900,000	CONRES II GP NUMBER ONE INC.	IMH 1970 & 1980 FOWLER LTD.	C
REMARKS: PLANNING ACT STATEMENTS.						
PR3587930	2019/12/16	CHARGE		*** COMPLETELY DELETED *** IMH 1301 DUNDAS LTD. IMH 1970 & 1980 FOWLER LTD.	CANADIAN IMPERIAL BANK OF COMMERCE	
PR3612424	2020/02/10	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
REMARKS: PR3448081.						
PR4197506	2023/05/08	CHARGE		\$45,639,629	IMH 1970 & 1980 FOWLER LTD.	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.


REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
PR4197507	2023/05/08	NO ASSGN RENT GEN		IMH 1970 & 1980 FOWLER LTD.	COMPUTERSHARE TRUST COMPANY OF CANADA	C
		REMARKS: PR4197506				
PR4209822	2023/06/08	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
		REMARKS: PR3253908.				
PR4213902	2023/06/20	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
		REMARKS: PR3587930.				

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



PRINTED ON 22 JUN, 2025 AT 14:23:58
FOR BERTUCCI



PROPERTY INDEX MAP
PEEL(No. 43)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS


THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS


ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





PRINTED ON 22 JUN, 2025 AT 14:21:34
FOR BERTUCCI



PROPERTY INDEX MAP
PEEL(No. 43)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE
PROPERTY INFORMATION AS THIS MAP MAY
NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND
DOCUMENTS RECORDED IN THE LAND
REGISTRATION SYSTEM AND HAS BEEN PREPARED
FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE
RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT
REFERENCE PLANS ARE NOT ILLUSTRATED



EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix E – ERIS Report



DATABASE REPORT

Project Property:	<i>Phase One ESA - 1970, 1980 Fowler Drive Phase One ESA - 1970, 1980 Fowler Drive Mississauga ON L5K 1B5</i>
Project No:	<i>GTR-22022660</i>
Report Type:	<i>RSC Report - Quote</i>
Order No:	<i>25052300379</i>
Requested by:	<i>exp Services Inc.</i>
Date Completed:	<i>May 23, 2025</i>

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	29
Map.....	56
Aerial.....	57
Topographic Map.....	58
Detail Report.....	59
Unplottable Summary.....	291
Unplottable Report.....	293
Appendix: Database Descriptions.....	309
Definitions.....	319

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase One ESA - 1970, 1980 Fowler Drive
Phase One ESA - 1970, 1980 Fowler Drive Mississauga ON L5K 1B5*

Project No: *GTR-22022660*

Order Information:

Order No: *25052300379*
Date Requested: *May 23, 2025*
Requested by: *exp Services Inc.*
Report Type: *RSC Report - Quote*

Historical/Products:

City Directory Search *Smart CD Search*
ERIS Xplorer *[ERIS Xplorer](#)*
Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*
Topographic Map *RSC Maps*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	1	1
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	1	1
BORE	Borehole	Y	1	4	5
CA	Certificates of Approval	Y	0	5	5
CDRY	Dry Cleaning Facilities	Y	0	1	1
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	7	7
EASR	Environmental Activity and Sector Registry	Y	0	5	5
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	3	17	20
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	11	11
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	10	10
FSTH	Fuel Storage Tank - Historic	Y	0	4	4
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	104	104
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPR2	National Pollutant Release Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	2	2
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	16	16
PFAS	Ontario PFAS Spills	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	2	2
PPHA	Potential PFAS Handlers from EASR	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	7	7
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	1	1
RST	Retail Fuel Storage Tanks	Y	0	4	4
SCT	Scott's Manufacturing Directory	Y	0	4	4
SPL	Ontario Spills	Y	0	16	16
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.30km</i>	<i>Total</i>
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	39	39
Total:			4	264	268

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<u>1</u>	EHS		1970 and 1980 Fowler Drive Mississauga ON	S/0.0	0.76	<u>59</u>
<u>1</u>	EHS		1970 and 1980 Fowler Dr Mississauga ON L5K1B5	S/0.0	0.76	<u>59</u>
<u>1</u>	EHS		1970 & 1980 Fowler Drive Mississauga ON L5K 1B5	S/0.0	0.76	<u>59</u>
<u>2</u>	BORE		ON	SSW/0.0	2.93	<u>59</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
3	BORE		ON	NW/1.0	0.18	61
4	BORE		ON	SSE/8.1	1.81	62
5	EHS		2200 Roche Court Mississauga ON L5K	SW/17.3	4.67	64
6	EHS		2111 Roche Ct Mississauga ON L5K 1T4	ESE/24.1	-0.83	64
7	EHS		2150 Roche Court Mississauga ON L5K 1T5	S/40.8	2.80	64
7	EHS		2150 Roche Court Mississauga ON L5K 1T5	S/40.8	2.80	64
8	BORE		ON	SSE/60.9	1.82	64
9	WWIS		2165 ERIN MILLS PKWY MISSISSAUGA ON Well ID: 4909673	SW/85.0	5.77	66
9	WWIS		2165 ERIN MILLS PRWY PEEL Mississauga ON Well ID: 7150023	SW/85.0	5.77	68
10	SPL	The Regional Municipality of Peel	across from 2200 Roche Court Mississauga ON	SSE/85.5	3.21	72
10	SPL	The Regional Municipality of Peel	2200 Roche Court Mississauga ON	SSE/85.5	3.21	73
11	WWIS		KNIGHT'S COURT CVL DE SAC MISSISSAUGA ON	NNW/90.6	-3.59	74

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 4910175			
12	WWIS		2208 ROCH CT Mississauga ON Well ID: 7258645	SE/93.7	2.21	78
12	WWIS		2208 ROCH CT Mississauga ON Well ID: 7258646	SE/93.7	2.21	81
13	PES	WASWARO	2121 ROCHE COURT, UNIT 304 MISSISSAUGA ON L5K 2C7	ESE/103.4	-0.90	84
13	PES	YAA PESTICIDES CONTROL INC.	2121 Roche CRT SW MISSISSAUGA ON L5K 2C7	ESE/103.4	-0.90	84
14	WWIS		ROCHE COURT MISSISSAUGA ON Well ID: 7312389	SE/110.6	2.32	85
15	PRT	MYERS SELF SERVE	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	SW/112.3	7.58	87
15	PRT	SOUTH WESTERN ONTARIO PROPANE DIV 998131 ONTARIO L	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	SW/112.3	7.58	87
15	PRT	MERVET ZAIA	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K1T8	SW/112.3	7.58	87
15	GEN	Petro Canada	2185 Erin Mills Parkway Mississauga ON L5K 1T8	SW/112.3	7.58	87
15	SPL	Petro-Canada	2185 Erin Mills Pkwy Mississauga ON L5K 1T8	SW/112.3	7.58	88
15	RSC	VANDYK-VANMILLS PLAZA INC.	2185 ERIN MILLS PKY ON MISSISSAUGA ON	SW/112.3	7.58	89
15	DTNK	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	SW/112.3	7.58	89
15	DTNK	SIMCOE ENERGY & TECHNICAL SERVICES INC *	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	90

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>15</u>	DTNK	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	<u>91</u>
<u>15</u>	EXP	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	<u>91</u>
<u>15</u>	EXP	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	<u>91</u>
<u>15</u>	EXP	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	<u>92</u>
<u>15</u>	EXP	KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	SW/112.3	7.58	<u>92</u>
<u>16</u>	SPL	SHELL CANADA PRODUCTS LTD.	2165 ERIN MILLS (& FOWLER) SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SSW/117.1	5.75	<u>92</u>
<u>16</u>	PRT	B K LAKEVIEW SERVICE LTD	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	SSW/117.1	5.75	<u>93</u>
<u>16</u>	PRT	1109289 ONTARIO INC	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K1T7	SSW/117.1	5.75	<u>93</u>
<u>16</u>	SPL	SHELL CANADA PRODUCTS LTD.	2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SSW/117.1	5.75	<u>93</u>
<u>16</u>	SPL	SHELL CANADA PRODUCTS LTD.	AT SHELL SERVICE STATION AT 2165 ERIN MILLS PKWY. AT FOWLER RD. SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SSW/117.1	5.75	<u>94</u>
<u>16</u>	SPL	SHELL CANADA PRODUCTS LTD.	SHELL GAS STATION AT 2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SSW/117.1	5.75	<u>95</u>
<u>16</u>	RST	ROURKES DON SHELL CENTRE	2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	SSW/117.1	5.75	<u>96</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>16</u>	RST	SAM ASAAD SHELL GAS BAR	2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	SSW/117.1	5.75	<u>96</u>
<u>16</u>	EHS		2165 Erin Mills Pky Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>96</u>
<u>16</u>	FSTH	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	SSW/117.1	5.75	<u>97</u>
<u>16</u>	SPL	Shell Canada OP Inc.	2165 Erin Mills Parkway Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>97</u>
<u>16</u>	SPL	Shell Canada Limited	2165 Erin Mills Pkwy Toronto ON	SSW/117.1	5.75	<u>98</u>
<u>16</u>	SPL	2165 Erin Mills Parkway	2165 Erin Mills Pky Mississauga ON	SSW/117.1	5.75	<u>99</u>
<u>16</u>	GEN	Shall Canada	2165 Erin Mills Parkway Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>100</u>
<u>16</u>	GEN	Shell Canada	2165 Erin Mills Parkway Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>100</u>
<u>16</u>	FSTH	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	SSW/117.1	5.75	<u>100</u>
<u>16</u>	CA	Shell Canada OP Inc. and Shell Canada Products Limited	2165 Erin Mills Parkway Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>101</u>
<u>16</u>	DTNK	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	SSW/117.1	5.75	<u>101</u>
<u>16</u>	DTNK	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	SSW/117.1	5.75	<u>102</u>
<u>16</u>	FST	SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	SSW/117.1	5.75	<u>102</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>16</u>	FST	SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	SSW/117.1	5.75	<u>103</u>
<u>16</u>	FST	SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	SSW/117.1	5.75	<u>103</u>
<u>16</u>	FST	SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	SSW/117.1	5.75	<u>103</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON	SSW/117.1	5.75	<u>103</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON	SSW/117.1	5.75	<u>104</u>
<u>16</u>	ECA	Shell Canada OP Inc. and Shell Canada Products Limited	2165 Erin Mills Parkway Mississauga ON M2N 6Y2	SSW/117.1	5.75	<u>104</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>104</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>105</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>105</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>106</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>106</u>
<u>16</u>	GEN	Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	SSW/117.1	5.75	<u>106</u>
<u>16</u>	GEN	Shell Canada	2165 Erin Mills Mississauga ON	SSW/117.1	5.75	<u>107</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>16</u>	EXP	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	SSW/117.1	5.75	<u>109</u>
<u>16</u>	EXP	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	SSW/117.1	5.75	<u>109</u>
<u>16</u>	EXP	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	SSW/117.1	5.75	<u>110</u>
<u>16</u>	FST	SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	SSW/117.1	5.75	<u>110</u>
<u>17</u>	WWIS		ON Well ID: 7189084	SSW/123.3	5.69	<u>110</u>
<u>18</u>	WWIS		2165 ERIN MILLS PKWY lot 30 con 1 MISSISSAUGA ON Well ID: 4910029	SW/130.6	7.10	<u>111</u>
<u>19</u>	EHS		1910 Fowler Drive Suite A104 Mississauga ON L5K 0A1	SSW/132.0	5.42	<u>114</u>
<u>19</u>	GEN	Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	SSW/132.0	5.42	<u>114</u>
<u>19</u>	GEN	Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	SSW/132.0	5.42	<u>115</u>
<u>19</u>	GEN	Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	SSW/132.0	5.42	<u>116</u>
<u>19</u>	GEN	Sherwin Williams Company	1910 Fowler Dr, Suite A104 Mississauga ON	SSW/132.0	5.42	<u>117</u>
<u>19</u>	GEN	RBC	1910 FOWLER DR. UNIT A 100 MISSISSAUGA ON	SSW/132.0	5.42	<u>120</u>
<u>20</u>	SPL	Dom-Meridian Construction Ltd.	2215 Erin Mills Parkway & Fowler Mississauga ON	WSW/133.0	7.95	<u>120</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>21</u>	WWIS		1401 KING ST E COURTICE ON Well ID: 7191831	SSW/136.5	6.72	<u>121</u>
<u>22</u>	BORE		ON	SSE/136.9	4.33	<u>124</u>
<u>23</u>	SPL	The Corporation of the City of Mississauga	1900 Fowler Drive Mississauga ON	S/139.0	4.35	<u>125</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>126</u>
<u>23</u>	GEN	Dr. B. Demarchi DPC	1900 Fowler Drive unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>126</u>
<u>23</u>	GEN	Dr. B. Demarchi Dental Office	1900 Fowler Drive unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>127</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>127</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>128</u>
<u>23</u>	GEN	Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>128</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>128</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>129</u>
<u>23</u>	GEN	Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>129</u>
<u>23</u>	GEN	Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	S/139.0	4.35	<u>129</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>23</u>	GEN	Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>130</u>
<u>23</u>	GEN	Van Mills Medical Centre	1900 Fowler Dr Mississauga ON	S/139.0	4.35	<u>130</u>
<u>23</u>	GEN	Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	S/139.0	4.35	<u>133</u>
<u>23</u>	EHS		1900, 1910, 1930, and 1944 Fowler Drive Mississauga ON L5K 1T7	S/139.0	4.35	<u>136</u>
<u>24</u>	INC		Erin Mills Parkway & Fowler Drive, Mississauga ON	SW/157.7	7.79	<u>136</u>
<u>25</u>	WWIS		ON Well ID: 7383918	SSW/164.3	5.80	<u>137</u>
<u>26</u>	CA	J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD	KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	NNE/165.3	-8.26	<u>138</u>
<u>26</u>	CA	J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD	KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	NNE/165.3	-8.26	<u>138</u>
<u>27</u>	PES	ZELLERS STORE #327	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1V1	WNW/167.7	3.72	<u>139</u>
<u>27</u>	GEN	CONSUMERS DISTRIBUTING	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>139</u>
<u>27</u>	GEN	CONSUMERS DISTRIBUTING CO. INC.	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>139</u>
<u>27</u>	GEN	BLACK PHOTO CORPORATION	2225 ERIN MILLS PKWY., MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	WNW/167.7	3.72	<u>140</u>
<u>27</u>	GEN	BLACK PHOTO CORPORATION	2225 ERIN MILLS PKWY. SHERIDAN MALL MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>140</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	GEN	SHOPPERS DRUG MART	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>140</u>
<u>27</u>	GEN	BLACK PHOTO CORPORATION 05-456	2225 ERIN MILLS PKWY. - MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	WNW/167.7	3.72	<u>141</u>
<u>27</u>	GEN	SHOPPERS DRUG MART 34- 733	HARVEY L COHEN DRUGS 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>141</u>
<u>27</u>	GEN	BLACK PHOTO CORPORATION	SHERIDAN MALL 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>142</u>
<u>27</u>	GEN	GREAT ATLANTIC & PACIFIC CO. OF CDA.LTD.	DOMINION STORE 717 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5N 2R5	WNW/167.7	3.72	<u>142</u>
<u>27</u>	GEN	PHARMACY #39, THE	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>142</u>
<u>27</u>	GEN	SHOPPERS DRUG MART	2225 ERIN MILLS PARKWAY SHERIDAN MALL MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>143</u>
<u>27</u>	GEN	PHARMACY, THE	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>143</u>
<u>27</u>	GEN	THE GREAT ATLANTIC & PACIFIC CO. OF CANADA, LTD.	2225 ERIN MILL PARKWAY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>144</u>
<u>27</u>	SCT	Air-Draulics Supply Limited	2225 Erin Mills Pky Mississauga ON L5K 1T8	WNW/167.7	3.72	<u>144</u>
<u>27</u>	PES	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	<u>144</u>
<u>27</u>	PES	ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	WNW/167.7	3.72	<u>145</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	GEN	ZELLERS CANADA INC	2225 ERIN MILLS PARKWAY CLARKSON ON	WNW/167.7	3.72	145
27	PES	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	145
27	PES	ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	146
27	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	WNW/167.7	3.72	146
27	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	147
27	SPL	Metro Store 717<UNOFFICIAL>	2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	147
27	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	WNW/167.7	3.72	148
27	EHS		2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	148
27	EHS		2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	148
27	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	WNW/167.7	3.72	149
27	GEN	LensCrafters #964	Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	WNW/167.7	3.72	149
27	PES	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	149
27	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	150

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	GEN	LensCrafters #964	Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	WNW/167.7	3.72	150
27	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	WNW/167.7	3.72	150
27	EASR	TARGET CANADA CO.	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	WNW/167.7	3.72	151
27	EASR	TARGET CANADA CO.	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	WNW/167.7	3.72	151
27	NPRI	THE GREAT ATLANTIC & PACIFIC COMPANY OF CANAD	2225 ERIN MILLS Parkway MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	151
27	NPRI	ZELLERS	2225 ERIN MILLS Parkway MISSISSAUGA ON L5K7V1	WNW/167.7	3.72	154
27	PES	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	156
27	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	WNW/167.7	3.72	156
27	GEN	2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	WNW/167.7	3.72	157
27	GEN	Bentall Kennedy Canada LP	2225 Erin Mills Parkway Mississauga ON L5K1T9	WNW/167.7	3.72	157
27	GEN	Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	WNW/167.7	3.72	158
27	GEN	2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	WNW/167.7	3.72	158
27	GEN	Heart and Stroke Foundation	2225 Erin Mills Parkway Mississauga ON L5K1T7	WNW/167.7	3.72	159

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	GEN	Target Canada Co.	2225 Erin Mills Pkwy. Mississauga ON L5M 4Z5	WNW/167.7	3.72	<u>159</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>160</u>
<u>27</u>	GEN	Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>161</u>
<u>27</u>	GEN	Bentall Kennedy Canada LP	2225 Erin Mills Parkway Mississauga ON L5K1T9	WNW/167.7	3.72	<u>161</u>
<u>27</u>	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>162</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>162</u>
<u>27</u>	GEN	Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>163</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>163</u>
<u>27</u>	GEN	Target Canada Co.	2225 Erin Mills Pkwy. Mississauga ON L5M 4Z5	WNW/167.7	3.72	<u>163</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>165</u>
<u>27</u>	GEN	Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>165</u>
<u>27</u>	GEN	2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>166</u>
<u>27</u>	GEN	Dr. Hadipranoto and Dr. Huang DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>166</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	PES	TARGET CANADA CO. O/A TARGET STORE T3669	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	WNW/167.7	3.72	<u>167</u>
<u>27</u>	EASR	THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>167</u>
<u>27</u>	EHS		2225 Erin Mills Pky Mississauga ON L5K1T8	WNW/167.7	3.72	<u>167</u>
<u>27</u>	PES	K MART STORES 5428 STORE #5428	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	WNW/167.7	3.72	<u>168</u>
<u>27</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	<u>168</u>
<u>27</u>	PES	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	WNW/167.7	3.72	<u>168</u>
<u>27</u>	PES	ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	WNW/167.7	3.72	<u>169</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>169</u>
<u>27</u>	GEN	Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>170</u>
<u>27</u>	GEN	Dr. Hadipranoto and Dr. Lam DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>170</u>
<u>27</u>	GEN	2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>170</u>
<u>27</u>	EASR	THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>171</u>
<u>27</u>	EASR	THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	WNW/167.7	3.72	<u>171</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	GEN	2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>171</u>
<u>27</u>	GEN	Dr. Hadipranoto and Dr. Lam DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>172</u>
<u>27</u>	GEN	LensCrafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	WNW/167.7	3.72	<u>172</u>
<u>27</u>	GEN	Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>173</u>
<u>27</u>	GEN	Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>173</u>
<u>27</u>	GEN	Region of Peel Public Health Covid Vaccination	2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>174</u>
<u>27</u>	GEN	Metro Pharmacy # 527	2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	<u>174</u>
<u>27</u>	GEN	Shoppers Drug Mart #775	2225 ERIN MILLS PKWY. Mississauga ON	WNW/167.7	3.72	<u>177</u>
<u>27</u>	GEN	EssilorLuxottica of Canada	2225 Erin Mills Pkwy, Unit B1 Mississauga ON	WNW/167.7	3.72	<u>180</u>
<u>27</u>	GEN	Region of Peel	Sheridan Centre, 2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	<u>182</u>
<u>27</u>	GEN	Sheridan Dental	2225 Erin Mills Pkwy Unit 44C Mississauga ON	WNW/167.7	3.72	<u>183</u>
<u>27</u>	EHS		2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/167.7	3.72	<u>187</u>
<u>27</u>	GEN	Metro Ontario Inc.	2225 Erin Mills Parkway Mississauga ON	WNW/167.7	3.72	<u>187</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>28</u>	EHS		2225 Erin Mills Parkway Mississauga ON L5K 1T9	WNW/172.3	3.27	<u>188</u>
<u>29</u>	SCT	J.D. Pettigrew Sales Ltd.	2203 Robin Dr Mississauga ON L5K 2L5	NNE/178.3	-8.22	<u>188</u>
<u>29</u>	SCT	JDP Sales Ltd.	2203 Robin Dr Mississauga ON L5K 2L5	NNE/178.3	-8.22	<u>188</u>
<u>30</u>	GEN	Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	SE/178.8	1.13	<u>188</u>
<u>30</u>	GEN	Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	SE/178.8	1.13	<u>189</u>
<u>30</u>	GEN	Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	SE/178.8	1.13	<u>189</u>
<u>31</u>	SPL	Enbridge Gas Distribution Inc.	1930 Fowler Drive, unit 100C Mississauga ON	S/191.1	5.57	<u>190</u>
<u>31</u>	PINC	PIPELINE HIT - 1"	1930 FOWLER DRIVE UNIT#100T,, MISSISSAUGA,ON,L5K 0A1,CA ON	S/191.1	5.57	<u>190</u>
<u>32</u>	WWIS		2155 LEANNE BLVD MISSISSAUGA ON Well ID: 7190000	SSW/201.6	7.79	<u>191</u>
<u>33</u>	WWIS		lot 12 con 3 ON Well ID: 4907543	SSE/203.3	6.08	<u>194</u>
<u>34</u>	AUWR	ARTIA SCRAP METALS	2055 FOWLER CRT MISSISSAUGA ON L5K 1B7	SW/214.0	8.82	<u>198</u>
<u>35</u>	PRT	ERIN MILLS ESSO	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	SW/219.1	7.79	<u>198</u>
<u>35</u>	PRT	1085399 ONTARIO LTD ATT JIM MAZEROLLE	2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	SW/219.1	7.79	<u>198</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>35</u>	SPL	TRIMAC TRANSPORTATION SERVICES	ESSO PETROLEUM SERVICE STN # 401027 2185 LEANNE BLVD TANK TRUCK (CARGO) MISSISSAUGA CITY ON L5K 2L6	SW/219.1	7.79	<u>198</u>
<u>35</u>	RST	ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	SW/219.1	7.79	<u>199</u>
<u>35</u>	FSTH	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	SW/219.1	7.79	<u>199</u>
<u>35</u>	EHS		2185 Leanne Boulevard Mississauga ON L5K 2L6	SW/219.1	7.79	<u>200</u>
<u>35</u>	FSTH	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	SW/219.1	7.79	<u>200</u>
<u>35</u>	DTNK	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>201</u>
<u>35</u>	DTNK	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>201</u>
<u>35</u>	FST	MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>202</u>
<u>35</u>	FST	MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>202</u>
<u>35</u>	FST	MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>202</u>
<u>35</u>	FST	MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>203</u>
<u>35</u>	RST	ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	SW/219.1	7.79	<u>203</u>
<u>35</u>	EHS		2185 Leanne Blvd Mississauga ON L5K2L6	SW/219.1	7.79	<u>203</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>35</u>	EXP	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>203</u>
<u>35</u>	EXP	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>204</u>
<u>35</u>	EXP	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>204</u>
<u>35</u>	EXP	1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>204</u>
<u>35</u>	FST	MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	SW/219.1	7.79	<u>204</u>
<u>36</u>	ECA	951930 Ontario Limited	Parts 3 and 4, Reference Plan: 256 York or 300 York Toronto ON M6N 4T7	SE/223.2	4.06	<u>205</u>
<u>37</u>	WWIS		2155 LEANNE BOULEVARD MISSISSAUGA ON Well ID: 7263528	SW/224.7	7.79	<u>205</u>
<u>38</u>	WWIS		NORTH SHENDAM LANDFILL SITE MISSISSAUGA ON Well ID: 4910174	E/226.1	-2.21	<u>208</u>
<u>39</u>	WWIS		2155 LEANNE BLVD MISSISSAUGA ON Well ID: 7267409	SSW/240.6	8.01	<u>211</u>
<u>40</u>	WWIS		2185 LEANNE BLVD MISSISSAUGA ON Well ID: 7042139	SW/242.1	8.20	<u>214</u>
<u>41</u>	WWIS		2155 LEANNE BLVD MISSISSAUGA ON Well ID: 7267400	SSW/246.1	7.40	<u>218</u>
<u>42</u>	WWIS		2155 LEANNE BLVD MISSISSAUGA ON Well ID: 7267410	SSW/246.9	8.64	<u>221</u>
<u>43</u>	WWIS		2155 LEANNE BOULEVARD Mississauga ON	SSW/250.2	8.82	<u>224</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7263527			
44	WWIS		215 LEANNE BLVD MISSISSAUGA ON	SSW/260.4	7.79	227
			Well ID: 7267489			
45	SCT	Associated Mktg Agency Links	2155 Leanne Blvd Suite 204 Mississauga ON L5K 2K8	SSW/261.2	7.79	231
45	GEN	BRIDLEWOOD CLEANERS	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	231
45	GEN	BRIDLEWOOD (SEE & USE ON0434300)	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	231
45	GEN	BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	232
45	GEN	BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	232
45	GEN	BRIDLEWOOD CLEANERS INC. 06-078	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	232
45	EHS		2155 Leanne Boulevard Mississauga ON L5K 2K8	SSW/261.2	7.79	233
45	GEN	BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	233
45	EHS		2155 Leanne Boulevard Mississauga ON L5K 2K8	SSW/261.2	7.79	233
45	GEN	BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	234
45	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	234
45	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	234

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>45</u>	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON	SSW/261.2	7.79	<u>235</u>
<u>45</u>	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	<u>235</u>
<u>45</u>	GEN	8989613	2155 Leanne blvd suite 115 mississauga ON L5K 2K8	SSW/261.2	7.79	<u>235</u>
<u>45</u>	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	<u>236</u>
<u>45</u>	GEN	BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	SSW/261.2	7.79	<u>236</u>
<u>45</u>	CDRY	BRIDLEWOOD CLEANERS INC	2155 LEANNE BLVD UNIT 1-2 MISSISSAUGA ON L5K2K8	SSW/261.2	7.79	<u>236</u>
<u>45</u>	GEN	Atlas Fin-Quest Inc.	2155 Leanne Blvd Mississauga ON L5K2K8	SSW/261.2	7.79	<u>237</u>
<u>45</u>	GEN	Prime Real Estate Group Inc.	2155 Leanne Blvd. Mississauga ON L5K 2K8	SSW/261.2	7.79	<u>238</u>
<u>46</u>	WWIS		NORTH SERVICE RD AND QEW MISSISSAUGA ON Well ID: 7312390	SE/264.5	1.67	<u>239</u>
<u>47</u>	WWIS		2155 LEANNE BOULEVARD Mississauga ON Well ID: 7263525	SW/267.0	8.75	<u>241</u>
<u>48</u>	WWIS		2155 LEANNE BLVD Mississauga ON Well ID: 7263529	SSW/267.1	8.86	<u>244</u>
<u>49</u>	ANDR	Spingbank Rd Dump 1965	Mississauga ON L5K	ENE/269.8	-1.21	<u>247</u>
<u>50</u>	WWIS		2155 LEANNE BLVD Mississauga ON	SSW/271.5	8.84	<u>248</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7263531			
51	WWIS		2155 LEANNE BLVD Mississauga ON Well ID: 7263530	SSW/271.8	8.86	251
52	WWIS		2155 LEANNE BLVD CLARKSON ON Well ID: 7220258	SSW/276.6	8.76	254
53	WWIS		2155 LEANNE BLVD. Mississauga ON Well ID: 7269908	SSW/279.1	8.81	257
54	WWIS		2155 LEANNE BLVD. Mississauga ON Well ID: 7269911	SSW/279.4	8.81	259
55	WWIS		2155 LEANNE BLVD. Mississauga ON Well ID: 7269910	SSW/280.3	8.81	262
56	WWIS		2155 LEANNE BLVD. Mississauga ON Well ID: 7269907	SSW/280.3	8.81	264
57	WWIS		2155 LEANNE BLVD. Mississauga ON Well ID: 7269909	SSW/281.9	8.81	266
58	WWIS		ON Well ID: 7253066	SSW/281.9	8.81	269
59	WWIS		ON Well ID: 7256325	SSW/283.8	8.81	270
60	WWIS		2155 LEANNE BOULEVARD Mississauga ON Well ID: 7263526	SSW/284.2	8.86	270
61	WWIS		lot 13 con 3 ON Well ID: 4902204	NNW/284.8	-6.69	273
62	WWIS		2155 LEANNE BOULEVARD Mississauga ON Well ID: 7263524	SSW/286.3	8.80	277
63	WWIS		2155 LEANNE BLVD MISSISSAUGA ON	SSW/286.9	8.77	280

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7190001			
<u>64</u>	CA	R.M. OF PEEL	ERIN MILLS PKWY/N.SHERIDAN WAY MISSISSAUGA CITY ON	S/294.7	6.75	<u>282</u>
<u>64</u>	CA	R.M. OF PEEL	ERIN MILLS PKWY/N.SHERIDAN WAY MISSISSAUGA CITY ON	S/294.7	6.75	<u>283</u>
<u>65</u>	WWIS		2225 Erin Mills Pkwy Mississauga ON Well ID: 7393411	WNW/295.1	2.42	<u>283</u>
<u>66</u>	WWIS		2155 LEANNE BLVD MISSISSAUGA ON Well ID: 7267398	SSW/297.3	7.79	<u>285</u>
<u>67</u>	EHS		Leanne Boulevard Mississauga ON	SSW/298.0	8.86	<u>288</u>
<u>68</u>	SPL	Enbridge Gas Distribution Inc.	1852 friar tuck court Mississauga ON	N/298.2	-11.75	<u>288</u>
<u>68</u>	PINC	THE GREENS KEEPER	1852 FRIAR TUCK CRT,,MISSISSAUGA, ON,L5K 2L4,CA ON	N/298.2	-11.75	<u>289</u>

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 1 ANDR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Spingbank Rd Dump 1965	Mississauga ON L5K	269.8	<u>49</u>

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 1999-Apr 30, 2024 has found that there are 1 AUWR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARTIA SCRAP METALS	2055 FOWLER CRT MISSISSAUGA ON L5K 1B7	214.0	<u>34</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 5 BORE site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	0.0	<u>2</u>
	ON	1.0	<u>3</u>
	ON	8.1	<u>4</u>
	ON	60.9	<u>8</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	136.9	22

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 5 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada OP Inc. and Shell Canada Products Limited	2165 Erin Mills Parkway Mississauga ON L5K 1T7	117.1	16
J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD	KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	165.3	26
J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD	KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	165.3	26
R.M. OF PEEL	ERIN MILLS PKWY/N.SHERIDAN WAY MISSISSAUGA CITY ON	294.7	64
R.M. OF PEEL	ERIN MILLS PKWY/N.SHERIDAN WAY MISSISSAUGA CITY ON	294.7	64

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2022 has found that there are 1 CDRY site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BRIDLEWOOD CLEANERS INC	2155 LEANNE BLVD UNIT 1-2 MISSISSAUGA ON L5K2K8	261.2	45

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Oct 2023 has found that there are 7 DTNK site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	112.3	<u>15</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>
SIMCOE ENERGY & TECHNICAL SERVICES INC *	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	117.1	<u>16</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	117.1	<u>16</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Mar 31, 2025 has found that there are 5 EASR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
TARGET CANADA CO.	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TARGET CANADA CO.	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	167.7	27
THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	167.7	27
THE REGIONAL MUNICIPALITY OF PEEL	2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	167.7	27

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Mar 31, 2025 has found that there are 2 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada OP Inc. and Shell Canada Products Limited	2165 Erin Mills Parkway Mississauga ON M2N 6Y2	117.1	16
951930 Ontario Limited	Parts 3 and 4, Reference Plan: 256 York or 300 York Toronto ON M6N 4T7	223.2	36

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 20 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1970 and 1980 Fowler Drive Mississauga ON	0.0	1
	1970 and 1980 Fowler Dr Mississauga ON L5K1B5	0.0	1
	1970 & 1980 Fowler Drive Mississauga ON L5K 1B5	0.0	1

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2200 Roche Court Mississauga ON L5K	17.3	<u>5</u>
	2111 Roche Ct Mississauga ON L5K 1T4	24.1	<u>6</u>
	2150 Roche Court Mississauga ON L5K 1T5	40.8	<u>7</u>
	2150 Roche Court Mississauga ON L5K 1T5	40.8	<u>7</u>
	2165 Erin Mills Pky Mississauga ON L5K 1T7	117.1	<u>16</u>
	1910 Fowler Drive Suite A104 Mississauga ON L5K 0A1	132.0	<u>19</u>
	1900, 1910, 1930, and 1944 Fowler Drive Mississauga ON L5K 1T7	139.0	<u>23</u>
	2225 Erin Mills Pky Mississauga ON L5K1T8	167.7	<u>27</u>
	2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
	2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2225 Erin Mills Parkway Mississauga ON L5K 1T9	172.3	<u>28</u>
	2185 Leanne Boulevard Mississauga ON L5K 2L6	219.1	<u>35</u>
	2185 Leanne Blvd Mississauga ON L5K2L6	219.1	<u>35</u>
	2155 Leanne Boulevard Mississauga ON L5K 2K8	261.2	<u>45</u>
	2155 Leanne Boulevard Mississauga ON L5K 2K8	261.2	<u>45</u>
	Leanne Boulevard Mississauga ON	298.0	<u>67</u>

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Oct 2023 has found that there are 11 EXP site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>
KHERIBA HOLDING	2185 ERIN MILLS PKWY MISSISSAUGA ON	112.3	<u>15</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	117.1	<u>16</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	117.1	<u>16</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON	117.1	<u>16</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>

FST - Fuel Storage Tank

A search of the FST database, dated Oct 2023 has found that there are 10 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	117.1	<u>16</u>
SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	117.1	<u>16</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	117.1	<u>16</u>
SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	117.1	<u>16</u>
SHELL CANADA PRODUCTS	2165 ERIN MILLS PARKWAY MISSISSAUGA ON	117.1	<u>16</u>
MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>
MAC'S CONVENIENCE STORES INC.	2185 LEANNE BLVD MISSISSAUGA ON	219.1	<u>35</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	117.1	<u>16</u>
972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	117.1	<u>16</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	219.1	35
1239973 ONTARIO INC O/A ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	219.1	35

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Dec 31, 2024 has found that there are 104 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Petro Canada	2185 Erin Mills Parkway Mississauga ON L5K 1T8	112.3	15
Shall Canada	2165 Erin Mills Parkway Mississauga ON L5K 1T7	117.1	16
Shell Canada	2165 Erin Mills Parkway Mississauga ON L5K 1T7	117.1	16
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON	117.1	16
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON	117.1	16
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	16
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	16

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	<u>16</u>
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	<u>16</u>
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	<u>16</u>
Shell Canada c/o Minotaur Guardian Service Ltd.	2165 Erin Mills Mississauga ON L5K 1T7	117.1	<u>16</u>
Shell Canada	2165 Erin Mills Mississauga ON	117.1	<u>16</u>
Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	132.0	<u>19</u>
Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	132.0	<u>19</u>
Sherwin Williams Company	1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	132.0	<u>19</u>
Sherwin Williams Company	1910 Fowler Dr, Suite A104 Mississauga ON	132.0	<u>19</u>
RBC	1910 FOWLER DR. UNIT A 100 MISSISSAUGA ON	132.0	<u>19</u>
Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Dr. B. Demarchi DPC	1900 Fowler Drive unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Dr. B. Demarchi Dental Office	1900 Fowler Drive unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>
Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>
Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Vanmills Medical Clinic	1900 Fowler Dr Mississauga ON L5K 0A1	139.0	<u>23</u>
Dr. B. Demarchi DPC	1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	139.0	<u>23</u>
Van Mills Medical Centre	1900 Fowler Dr Mississauga ON	139.0	<u>23</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CONSUMERS DISTRIBUTING	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
CONSUMERS DISTRIBUTING CO. INC.	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
BLACK PHOTO CORPORATION	2225 ERIN MILLS PKWY., MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	167.7	<u>27</u>
BLACK PHOTO CORPORATION	2225 ERIN MILLS PKWY. SHERIDAN MALL MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
SHOPPERS DRUG MART	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
BLACK PHOTO CORPORATION 05- 456	2225 ERIN MILLS PKWY. - MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	167.7	<u>27</u>
SHOPPERS DRUG MART 34-733	HARVEY L COHEN DRUGS 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
BLACK PHOTO CORPORATION	SHERIDAN MALL 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
GREAT ATLANTIC & PACIFIC CO. OF CDA.LTD.	DOMINION STORE 717 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5N 2R5	167.7	<u>27</u>
PHARMACY #39, THE	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
SHOPPERS DRUG MART	2225 ERIN MILLS PARKWAY SHERIDAN MALL MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
PHARMACY, THE	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THE GREAT ATLANTIC & PACIFIC CO. OF CANADA, LTD.	2225 ERIN MILL PARKWAY MISSISSAUGA ON L5K 1T9	167.7	<u>27</u>
ZELLERS CANADA INC	2225 ERIN MILLS PARKWAY CLARKSON ON	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	167.7	<u>27</u>
LensCrafters #964	Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	167.7	<u>27</u>
LensCrafters #964	Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	167.7	<u>27</u>
2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Bentall Kennedy Canada LP	2225 Erin Mills Parkway Mississauga ON L5K1T9	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	167.7	<u>27</u>
2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Heart and Stroke Foundation	2225 Erin Mills Parkway Mississauga ON L5K1T7	167.7	<u>27</u>
Target Canada Co.	2225 Erin Mills Pkwy. Mississauga ON L5M 4Z5	167.7	<u>27</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	167.7	<u>27</u>
Bentall Kennedy Canada LP	2225 Erin Mills Parkway Mississauga ON L5K1T9	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Lens Crafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Target Canada Co.	2225 Erin Mills Pkwy. Mississauga ON L5M 4Z5	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	167.7	<u>27</u>
2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Dr. Hadipranoto and Dr. Huang DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	167.7	<u>27</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	167.7	<u>27</u>
Dr. Hadipranoto and Dr. Lam DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	167.7	<u>27</u>
2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	167.7	<u>27</u>
2420109 Ontario Inc	2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	167.7	<u>27</u>
Dr. Hadipranoto and Dr. Lam DPC	2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	167.7	<u>27</u>
LensCrafters # 964	2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Metro Ontario Pharmacies Limited	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Mayada Al-Omary Pharmacy Ltd.	2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	167.7	<u>27</u>
Region of Peel Public Health Covid Vaccination	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	<u>27</u>
Metro Pharmacy # 527	2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
Shoppers Drug Mart #775	2225 ERIN MILLS PKWY. Mississauga ON	167.7	<u>27</u>
EssilorLuxottica of Canada	2225 Erin Mills Pkwy, Unit B1 Mississauga ON	167.7	<u>27</u>
Region of Peel	Sheridan Centre, 2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
Sheridan Dental	2225 Erin Mills Pkwy Unit 44C Mississauga ON	167.7	<u>27</u>
Metro Ontario Inc.	2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	178.8	<u>30</u>
Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	178.8	<u>30</u>
Peel Condominium Corporation 57	Site Office 2095 Roche Court Mississauga ON L5K2C8	178.8	<u>30</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BRIDLEWOOD CLEANERS	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD (SEE & USE ON0434300)	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD CLEANERS INC. 06- 078	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD CLEANERS INC.	2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>
8989613	2155 Leanne blvd suite 115 mississauga ON L5K 2K8	261.2	<u>45</u>
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	261.2	<u>45</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	261.2	45
Atlas Fin-Quest Inc.	2155 Leanne Blvd Mississauga ON L5K2K8	261.2	45
Prime Real Estate Group Inc.	2155 Leanne Blvd. Mississauga ON L5K 2K8	261.2	45
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	261.2	45
BRIDLEWOOD DRY CLEANERS INC.	1-2155 LEANNE BLVD MISSISSAUGA ON	261.2	45

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated 31 Oct, 2023 has found that there are 1 INC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Erin Mills Parkway & Fowler Drive, Mississauga ON	157.7	24

NPRI - National Pollutant Release Inventory - Historic

A search of the NPRI database, dated 1993-May 2017 has found that there are 2 NPRI site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ZELLERS	2225 ERIN MILLS Parkway MISSISSAUGA ON L5K7V1	167.7	27
THE GREAT ATLANTIC & PACIFIC COMPANY OF CANAD	2225 ERIN MILLS Parkway MISSISSAUGA ON L5K1T9	167.7	27

PES - Pesticide Register

A search of the PES database, dated Oct 2011-Mar 31, 2025 has found that there are 16 PES site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
YAA PESTICIDES CONTROL INC.	2121 Roche CRT SW MISSISSAUGA ON L5K 2C7	103.4	<u>13</u>
WASWARO	2121 ROCHE COURT, UNIT 304 MISSISSAUGA ON L5K 2C7	103.4	<u>13</u>
ZELLERS STORE #327	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1V1	167.7	<u>27</u>
SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	167.7	<u>27</u>
ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	167.7	<u>27</u>
SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	167.7	<u>27</u>
METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	167.7	<u>27</u>
K MART STORES 5428 STORE #5428	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	167.7	<u>27</u>
TARGET CANADA CO. O/A TARGET STORE T3669	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	167.7	<u>27</u>
SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	167.7	<u>27</u>
ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	167.7	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	167.7	27
ZELLERS STORE #327	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	167.7	27
METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	167.7	27
SHOPPERS DRUG MART #775 (SHERIDAN CENTRE)	2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	167.7	27
METRO ONTARIO INC O/A METRO/FOOD BASICS # 717	2225 Erin Mills Parkway Mississauga ON L5K 1T9	167.7	27

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 2 PINC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIPELINE HIT - 1"	1930 FOWLER DRIVE UNIT#100T,, MISSISSAUGA,ON,L5K 0A1,CA ON	191.1	31
THE GREENS KEEPER	1852 FRIAR TUCK CRT,,MISSISSAUGA,ON, L5K 2L4,CA ON	298.2	68

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 7 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SOUTH WESTERN ONTARIO PROPANE DIV 998131 ONTARIO L	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	112.3	15

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MYERS SELF SERVE	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	112.3	15
MERVET ZAIA	2185 ERIN MILLS PKWY MISSISSAUGA ON L5K1T8	112.3	15
1109289 ONTARIO INC	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K1T7	117.1	16
B K LAKEVIEW SERVICE LTD	2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	117.1	16
ERIN MILLS ESSO	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	219.1	35
1085399 ONTARIO LTD ATT JIM MAZEROLLE	2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	219.1	35

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Apr 2025 has found that there are 1 RSC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
VANDYK-VANMILLS PLAZA INC.	2185 ERIN MILLS PKY ON MISSISSAUGA ON	112.3	15

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Apr 30, 2024 has found that there are 4 RST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SAM ASAAD SHELL GAS BAR	2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	117.1	16

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROURKES DON SHELL CENTRE	2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	117.1	16
ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	219.1	35
ESSO GENERATION	2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	219.1	35

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 4 SCT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Air-Draulics Supply Limited	2225 Erin Mills Pky Mississauga ON L5K 1T8	167.7	27
JDP Sales Ltd.	2203 Robin Dr Mississauga ON L5K 2L5	178.3	29
J.D. Pettigrew Sales Ltd.	2203 Robin Dr Mississauga ON L5K 2L5	178.3	29
Associated Mktg Agency Links	2155 Leanne Blvd Suite 204 Mississauga ON L5K 2K8	261.2	45

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug-Feb 2025 has found that there are 16 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Regional Municipality of Peel	2200 Roche Court Mississauga ON	85.5	10

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Regional Municipality of Peel	across from 2200 Roche Court Mississauga ON	85.5	<u>10</u>
Petro-Canada	2185 Erin Mills Pkwy Mississauga ON L5K 1T8	112.3	<u>15</u>
SHELL CANADA PRODUCTS LTD.	2165 ERIN MILLS (& FOWLER) SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	117.1	<u>16</u>
SHELL CANADA PRODUCTS LTD.	2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	117.1	<u>16</u>
SHELL CANADA PRODUCTS LTD.	AT SHELL SERVICE STATION AT 2165 ERIN MILLS PKWY. AT FOWLER RD. SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	117.1	<u>16</u>
SHELL CANADA PRODUCTS LTD.	SHELL GAS STATION AT 2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	117.1	<u>16</u>
Shell Canada OP Inc.	2165 Erin Mills Parkway Mississauga ON L5K 1T7	117.1	<u>16</u>
Shell Canada Limited	2165 Erin Mills Pkwy Toronto ON	117.1	<u>16</u>
2165 Erin Mills Parkway	2165 Erin Mills Pky Mississauga ON	117.1	<u>16</u>
Dom-Meridian Construction Ltd.	2215 Erin Mills Parkway & Fowler Mississauga ON	133.0	<u>20</u>
The Corporation of the City of Mississauga	1900 Fowler Drive Mississauga ON	139.0	<u>23</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Metro Store 717<UNOFFICIAL>	2225 Erin Mills Parkway Mississauga ON	167.7	<u>27</u>
Enbridge Gas Distribution Inc.	1930 Fowler Drive, unit 100C Mississauga ON	191.1	<u>31</u>
TRIMAC TRANSPORTATION SERVICES	ESSO PETROLEUM SERVICE STN # 401027 2185 LEANNE BLVD TANK TRUCK (CARGO) MISSISSAUGA CITY ON L5K 2L6	219.1	<u>35</u>
Enbridge Gas Distribution Inc.	1852 friar tuck court Mississauga ON	298.2	<u>68</u>

WWIS - Water Well Information System


A search of the WWIS database, dated Dec 31 2023 has found that there are 39 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2165 ERIN MILLS PKWY MISSISSAUGA ON <i>Well ID:</i> 4909673	85.0	<u>9</u>
	2165 ERIN MILLS PRWY PEEL Mississauga ON <i>Well ID:</i> 7150023	85.0	<u>9</u>
	KNIGHT'S COURT CVL DE SAC MISSISSAUGA ON <i>Well ID:</i> 4910175	90.6	<u>11</u>
	2208 ROCH CT Mississauga ON <i>Well ID:</i> 7258645	93.7	<u>12</u>
	2208 ROCH CT Mississauga ON <i>Well ID:</i> 7258646	93.7	<u>12</u>
	ROCHE COURT MISSISSAUGA ON	110.6	<u>14</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7312389		
	ON	123.3	<u>17</u>
	Well ID: 7189084		
	2165 ERIN MILLS PKWY lot 30 con 1 MISSISSAUGA ON	130.6	<u>18</u>
	Well ID: 4910029		
	1401 KING ST E COURTICE ON	136.5	<u>21</u>
	Well ID: 7191831		
	ON	164.3	<u>25</u>
	Well ID: 7383918		
	2155 LEANNE BLVD MISSISSAUGA ON	201.6	<u>32</u>
	Well ID: 7190000		
	lot 12 con 3 ON	203.3	<u>33</u>
	Well ID: 4907543		
	2155 LEANNE BOULEVARD MISSISSAUGA ON	224.7	<u>37</u>
	Well ID: 7263528		
	NORTH SHENDAM LANDFILL SITE MISSISSAUGA ON	226.1	<u>38</u>
	Well ID: 4910174		
	2155 LEANNE BLVD MISSISSAUGA ON	240.6	<u>39</u>
	Well ID: 7267409		
	2185 LEANNE BLVD MISSISSAUGA ON	242.1	<u>40</u>
	Well ID: 7042139		
	2155 LEANNE BLVD MISSISSAUGA ON	246.1	<u>41</u>
	Well ID: 7267400		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2155 LEANNE BLVD MISSISSAUGA ON <i>Well ID: 7267410</i>	246.9	<u>42</u>
	2155 LEANNE BOULEVARD Mississauga ON <i>Well ID: 7263527</i>	250.2	<u>43</u>
	215 LEANNE BLVD MISSISSAUGA ON <i>Well ID: 7267489</i>	260.4	<u>44</u>
	NORTH SERVICE RD AND QEW MISSISSAUGA ON <i>Well ID: 7312390</i>	264.5	<u>46</u>
	2155 LEANNE BOULEVARD Mississauga ON <i>Well ID: 7263525</i>	267.0	<u>47</u>
	2155 LEANNE BLVD Mississauga ON <i>Well ID: 7263529</i>	267.1	<u>48</u>
	2155 LEANNE BLVD Mississauga ON <i>Well ID: 7263531</i>	271.5	<u>50</u>
	2155 LEANNE BLVD Mississauga ON <i>Well ID: 7263530</i>	271.8	<u>51</u>
	2155 LEANNE BLVD CLARKSON ON <i>Well ID: 7220258</i>	276.6	<u>52</u>
	2155 LEANNE BLVD. Mississauga ON <i>Well ID: 7269908</i>	279.1	<u>53</u>
	2155 LEANNE BLVD. Mississauga ON <i>Well ID: 7269911</i>	279.4	<u>54</u>
	2155 LEANNE BLVD. Mississauga ON	280.3	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7269910		
	2155 LEANNE BLVD. Mississauga ON	280.3	<u>56</u>
	Well ID: 7269907		
	2155 LEANNE BLVD. Mississauga ON	281.9	<u>57</u>
	Well ID: 7269909		
	ON	281.9	<u>58</u>
	Well ID: 7253066		
	ON	283.8	<u>59</u>
	Well ID: 7256325		
	2155 LEANNE BOULEVARD Mississauga ON	284.2	<u>60</u>
	Well ID: 7263526		
	lot 13 con 3 ON	284.8	<u>61</u>
	Well ID: 4902204		
	2155 LEANNE BOULEVARD Mississauga ON	286.3	<u>62</u>
	Well ID: 7263524		
	2155 LEANNE BLVD MISSISSAUGA ON	286.9	<u>63</u>
	Well ID: 7190001		
	2225 Erin Mills Pkwy Mississauga ON	295.1	<u>65</u>
	Well ID: 7393411		
	2155 LEANNE BLVD MISSISSAUGA ON	297.3	<u>66</u>
	Well ID: 7267398		



Map: 0.3 Kilometer Radius

Order Number: 25052300379

Address: Phase One ESA - 1770, 1980 Fowler Drive, Mississauga, ON




Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	Hospital

79°39'W

43°31'30"N

43°31'30"N



Aerial

Year: 2022

Order Number: 25052300379

Address: Phase One ESA - 1970, 1980 Fowler Drive, Mississauga, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

79°37'30"W



ERIS 

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 3	S/0.0	122.8 / 0.76	1970 and 1980 Fowler Drive Mississauga ON	EHS
Order No: 20110207022 Status: C Report Type: Standard Report Report Date: 2/16/2011 Date Received: 2/7/2011 1:37:46 PM Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Fowler Drive and North Sheridan Way Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.650569 Y: 43.529535			
1	2 of 3	S/0.0	122.8 / 0.76	1970 and 1980 Fowler Dr Mississauga ON L5K1B5	EHS
Order No: 20160831022 Status: C Report Type: Custom Report Report Date: 16-SEP-16 Date Received: 31-AUG-16 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .4 X: -79.650507 Y: 43.529451			
1	3 of 3	S/0.0	122.8 / 0.76	1970 & 1980 Fowler Drive Mississauga ON L5K 1B5	EHS
Order No: 20190114065 Status: C Report Type: Standard Report Report Date: 18-JAN-19 Date Received: 14-JAN-19 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.650507 Y: 43.529451			
2	1 of 1	SSW/0.0	125.0 / 2.93	ON	BORE
Borehole ID: 645730 OGF ID: 215546113 Status: Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: MAY-1968 Static Water Level: Primary Water Use: Not Used Sec. Water Use: Total Depth m: 2.4 Depth Ref: Ground Surface		Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 43.528613 Longitude DD: -79.651104 UTM Zone: 17			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev: Drill Method: Power auger Orig Ground Elev m: 127 Elev Reliabil Note: DEM Ground Elev m: 126 Concession: Location D: Survey D: Comments:				Easting: 609000 Northing: 4820403 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218512292 Top Depth: .1 Bottom Depth: .9 Material Color: Brown Material 1: Silt Material 2: Clay Material 3: Material 4: Gsc Material Description: Stratum Description: SILT,CLAY. BROWN,LACUSTRINE,AGE GLACIAL.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: lacustrine	
Geology Stratum ID: 218512294 Top Depth: 1.2 Bottom Depth: 2.4 Material Color: Brown Material 1: Silt Material 2: Sand Material 3: Shale Material 4: Gsc Material Description: Stratum Description: SILT,SAND,SHALE. BROWN,LACUSTRINE,AGE GLACIAL. 025 032 0000300800040006 00 **Note: Many records provided by the department have a truncated [Stratum Description] field.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: lacustrine	
Geology Stratum ID: 218512291 Top Depth: 0 Bottom Depth: .1 Material Color: Brown Material 1: Soil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: SOIL. BROWN.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218512293 Top Depth: .9 Bottom Depth: 1.2 Material Color: Grey Material 1: Silt Material 2: Clay Material 3: Material 4: Gsc Material Description: Stratum Description: SILT,CLAY. GREY,LACUSTRINE,AGE GLACIAL.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: lacustrine	
<u>Source</u>					
Source Type: Data Survey Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: M Observatio:				Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level	

<u>3</u>	1 of 1	NW/1.0	122.2 / 0.18	ON	BORE
Borehole ID:	645729			Inclin FLG:	No
OGF ID:	215546112			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	MAY-1968			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.530237
Total Depth m:	6.2			Longitude DD:	-79.651377
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	608975
Drill Method:	Power auger			Northing:	4820583
Orig Ground Elev m:	125			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	124				
Concession:					
Location D:					
Survey D:					
Comments:					

Geology Stratum ID:	218512289	Mat Consistency:	
Top Depth:	2.1	Material Moisture:	
Bottom Depth:	2.4	Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Silt	Geologic Formation:	
Material 2:	Sand	Geologic Group:	
Material 3:	Shale	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILT,SAND,SHALE. BROWN,LACUSTRINE,AGE GLACIAL.		

Geology Stratum ID:	218512290	Mat Consistency:	Hard
Top Depth:	2.4	Material Moisture:	
Bottom Depth:	6.2	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Shale	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	Ordovician
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SHALE. GREY,WEATHERED,HARD, AGE ORDOVICIAN. 015 020 0000803800080050SILT,CL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

61

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	.2			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	lacustrine
Gsc Material Description:					
Stratum Description:		SILT,CLAY,SHALE. GREY,LACUSTRINE,AGE GLACIAL.			
Geology Stratum ID:	218512287			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SOIL,SILT,SHALE. BLACK.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: TOR2.txt RecordID: 137510 NTS_Sheet: 30M12B			
Confiden 1:		Reliable information but incomplete.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			
4	1 of 1	SSE/8.1	123.9 / 1.81	ON	BORE
Borehole ID:	654529			Inclin FLG:	No
OGF ID:	215554874			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JUN-1967			Municipality:	
Static Water Level:	0.1			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.528329
Total Depth m:	16.5			Longitude DD:	-79.649935
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	609095
Drill Method:	Power auger			Northing:	4820373
Orig Ground Elev m:	127			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	125				
Concession:					
Location D:					
Survey D:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218543761			Mat Consistency:	
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT. BROWN, WATER STABLE AT 417.9 FEET.				
Geology Stratum ID:	218543762			Mat Consistency:	
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	7.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT. GREY.				
Geology Stratum ID:	218543763			Mat Consistency:	
Top Depth:	7.9			Material Moisture:	Wet
Bottom Depth:	16.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILT. BROWN,WET.				
Geology Stratum ID:	218543760			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOIL.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR3.txt RecordID: 251940 NTS_Sheet: 30M12B				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Date: 1956-1972 Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS) Source Originators: Geological Survey of Canada				Projection Name: Universal Transverse Mercator	
<u>5</u>	1 of 1	SW/17.3	126.7 / 4.67	2200 Roche Court Mississauga ON L5K	EHS
Order No: 22072600155 Status: C Report Type: Standard Report Report Date: 29-JUL-22 Date Received: 26-JUL-22 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory				Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.6513907 Y: 43.5284874	
<u>6</u>	1 of 1	ESE/24.1	121.2 / -0.83	2111 Roche Ct Mississauga ON L5K 1T4	EHS
Order No: 23032700287 Status: C Report Type: Standard Report Report Date: 30-MAR-23 Date Received: 27-MAR-23 Previous Site Name: Lot/Building Size: Additional Info Ordered:				Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.6492998 Y: 43.5290029	
<u>7</u>	1 of 2	S/40.8	124.9 / 2.80	2150 Roche Court Mississauga ON L5K 1T5	EHS
Order No: 20090924021 Status: C Report Type: Standard Report Report Date: 9/28/2009 Date Received: 9/24/2009 Previous Site Name: Lot/Building Size: Additional Info Ordered:				Nearest Intersection: Erin Mills Pkwy/QEW Municipality: Peel Client Prov/State: ON Search Radius (km): 0.25 X: -79.650746 Y: 43.528146	
<u>7</u>	2 of 2	S/40.8	124.9 / 2.80	2150 Roche Court Mississauga ON L5K 1T5	EHS
Order No: 21040700053 Status: C Report Type: Standard Report Report Date: 12-APR-21 Date Received: 07-APR-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans				Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.6505175 Y: 43.5281461	
<u>8</u>	1 of 1	SSE/60.9	123.9 / 1.82	ON	BORE
Borehole ID: 645889 OGF ID: 215546272				Inclin FLG: No SP Status: Initial Entry	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	MAY-1968			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.528008
Total Depth m:	1.4			Longitude DD:	-79.649447
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	609135
Drill Method:	Power auger			Northing:	4820338
Orig Ground Elev m:	126			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	125				
Concession:					
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218512814		Mat Consistency:	
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	lacustrine
Gsc Material Description:					
Stratum Description:	SILT,SAND,SHALE. BROWN,LACUSTRINE,AGE GLACIAL.				
Geology Stratum ID:		218512813		Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	lacustrine
Gsc Material Description:					
Stratum Description:	SILT,CLAY,SHALE. GREY,LACUSTRINE,AGE GLACIAL.				
Geology Stratum ID:		218512812		Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOIL,SILT,SAND. BROWN.				
<u>Source</u>					
Source Type:		Data Survey		Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR2.txt RecordID: 139110 NTS_Sheet: 30M12B				
Confiden 1:	Reliable information but incomplete.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
9	1 of 2	SW/85.0	127.8 / 5.77	2165 ERIN MILLS PKWY MISSISSAUGA ON	WWIS
Well ID:	4909673			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	03/04/2005
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z24243			Contractor:	6607
Tag:	A015782			Form Version:	3
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY (PORT CREDIT)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/490\4909673.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	01/27/2005				
Year Completed:	2005				
Depth (m):	1.8				
Latitude:	43.5278927424982				
Longitude:	-79.6517587811659				
X:	-79.65175863112539				
Y:	43.52789273959467				
Path:	490\4909673.pdf				
Bore Hole Information					
Bore Hole ID:	11323406			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608948.00
Code OB Desc:				North83:	4820322.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	01/27/2005			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933021105			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		0.5			
Formation End Depth:		1.7999999523162842			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933021104			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		01			
Material 3 Desc:		FILL			
Formation Top Depth:		0.0			
Formation End Depth:		0.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933266623			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933266624			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.800000011920929			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964909673			
Method Construction Code:		6			
Method Construction:		Boring			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11338261			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930866474			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		0.8999999761581421			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933412158			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.8999999761581421			
Screen End Depth:		1.7999999523162842			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Hole Diameter</u>					
Hole ID:		11543298			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		1.7999999523162842			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>9</u>	2 of 2	SW/85.0	127.8 / 5.77	2165 ERIN MILLS PRWY PEEL Mississauga ON	WWIS
Well ID:	7150023			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	08/16/2010
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	M07265			Contractor:	6607
Tag:	A015782			Form Version:	5
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy:		UTM Reliability:			
Municipality:		MISSISSAUGA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7150023.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/09/2010			
Year Completed:		2010			
Depth (m):					
Latitude:		43.5278927424982			
Longitude:		-79.6517587811659			
X:		-79.65175863112539			
Y:		43.52789273959467			
Path:		715\7150023.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004571897		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608948.00
Code OB Desc:				North83:	4820329.00
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	4
Date Completed:		04/09/2010		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	WWR
Location Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004571901			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004571902			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004571900			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1004571903			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004571905			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.8999999761581421			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004571904			
Layer:		1			
Slot:					
Screen Top Depth:		0.8999999761581421			
Screen End Depth:		1.7999999523162842			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1004571906			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1004571899			
Diameter:		21.0			
Depth From:					
Depth To:		1.7999999523162842			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1003290832			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608948.00
Code OB Desc:				North83:	4820322.00
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	07/09/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004571911				
Layer:	3				
Plug From:	1.0				
Plug To:	1.7999999523162842				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004571910				
Layer:	2				
Plug From:	0.30000001192092896				
Plug To:	1.0				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004571909				
Layer:	1				
Plug From:	0.0				
Plug To:	0.30000001192092896				
Plug Depth UOM:	m				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1004571916				
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	1004571907				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		1004571912			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		0.8999999761581421			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Casing</u>					
Casing ID:		1004571913			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.8999999761581421			
Depth To:		1.7999999523162842			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1004571914			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.099999904632568			
 <u>Hole Diameter</u>					
Hole ID:		1004571908			
Diameter:		21.0			
Depth From:		0.0			
Depth To:		1.7999999523162842			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>10</u>	1 of 2	SSE/85.5	125.3 / 3.21	The Regional Municipality of Peel across from 2200 Roche Court Mississauga ON	SPL
Ref No:	5130-9XCJT9			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	6/10/2015			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	6/10/2015			Impact to Health:	
Dt Document Closed:	6/20/2015			Agency Involved:	
Site No:	NA				
MOE Response:	N				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:	watermain<UNOFFICIAL>				
Site Address:	across from 2200 Roche Court				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Region: Site Municipality: Mississauga Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: The Regional Municipality of Peel Client Type: Source Type: Incident Cause: Leak/Break Incident Preceding Spill: Incident Reason: Unknown / N/A Incident Summary: Region of Peel: watermain break, turned off Environment Impact: Health Env Consequence: Nature of Impact: Source Water Zone Contaminant Qty: 0 other - see incident description Contaminant Qty 1: 0 Contaminant Unit: other - see incident description Contaminant Code: 99 Contaminant Name: SILT Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Watercourse Spills Call Report Locatn Geodata: Time Reported: System Facility Address:					

10	2 of 2	SSE/85.5	125.3 / 3.21	The Regional Municipality of Peel 2200 Roche Court Mississauga ON	SPL
Ref No: 2803-BUVAC9 Year: Incident Dt: 10/30/2020 Dt MOE Arvl on Scn: MOE Reported Dt: 10/30/2020 Dt Document Closed: 3/18/2021 Site No: NA MOE Response: No Site County/District: Regional Municipality of Peel Site Geo Ref Meth: Site District Office: Halton-Peel Nearest Watercourse: Site Name: Residential<UNOFFICIAL> Site Address: 2200 Roche Court Site Region: Central Site Municipality: Mississauga Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: 4820322.97 Easting: 609150.41 Entity Operating Name:					
				Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: 2 - Minor Environment Agency Involved:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name: The Regional Municipality of Peel Client Type: Municipal Government Source Type: Sewer (Private or Municipal) Incident Cause: Incident Preceding Spill: Overflow/Surcharge Incident Reason: Blockage Incident Summary: Private Apartment: sewage surcharge to grnd, rd Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 0 other - see incident description Contaminant Qty 1: 0 Contaminant Unit: other - see incident description Contaminant Code: 44 Contaminant Name: GREY WATER Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: n/a Receiving Medium: Land; Source Water Zone Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Miscellaneous Communal SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					

11	1 of 1	NNW/90.6	118.5 / -3.59	KNIGHT'S COURT CVL DE SAC MISSISSAUGA ON	WWIS
Well ID: 4910175 Construction Date: Use 1st: Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z44438 Tag: A033837 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MISSISSAUGA CITY (PORT CREDIT) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 05/05/2006 Selected Flag: TRUE Abandonment Rec: Contractor: 1129 Form Version: 3 Owner: County: PEEL Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/491\4910175.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 11/15/2005 Year Completed: 2005 Depth (m): 16.76 Latitude: 43.5316419502417 Longitude: -79.6512916029753 X: -79.65129145309716 Y: 43.53164194738888					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		491\4910175.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	11555409			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608979.00
Code OB Desc:				North83:	4820739.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	11/15/2005			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933052138				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	1.2200000286102295				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933052139				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	68				
Material 3 Desc:	DRY				
Formation Top Depth:	1.2200000286102295				
Formation End Depth:	1.3700000047683716				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933052140				
Layer:	3				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		68			
Material 3 Desc:		DRY			
Formation Top Depth:		1.3700000047683716			
Formation End Depth:		2.740000009536743			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933052144			
Layer:		7			
Color:					
General Color:					
Material 1:		26			
Material 1 Desc:		ROCK			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.400000095367432			
Formation End Depth:		16.760000228881836			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933052141			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		68			
Material 3 Desc:		DRY			
Formation Top Depth:		2.740000009536743			
Formation End Depth:		4.420000076293945			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933052143			
Layer:		6			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.789999961853027			
Formation End Depth:		6.400000095367432			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		933052142			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		4.420000076293945			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292099			
Layer:		3			
Plug From:		13.100000381469727			
Plug To:		16.760000228881836			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292097			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292098			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		13.100000381469727			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964910175			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11565016			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930878732			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		13.720000267028809			
Casing Diameter:		5.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		933418327			
Layer:		1			
Slot:		010			
Screen Top Depth:		13.720000267028809			
Screen End Depth:		16.760000228881836			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.099999904632568			
 <u>Hole Diameter</u>					
Hole ID:		11687054			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		16.760000228881836			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
12	1 of 2	SE/93.7	124.3 / 2.21	2208 ROCH CT Mississauga ON	WWIS
Well ID:	7258645			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	03/02/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z227549			Contractor:	7472
Tag:	A197656			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/725\7258645.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/18/2015				
Year Completed:	2015				
Depth (m):	3.048				
Latitude:	43.5278167705581				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.6491369837669			
X:		-79.64913683413057			
Y:		43.52781676890715			
Path:		725\7258645.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1005897322			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	609160.00
Code OB Desc:				North83:	4820317.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/18/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007707				
Layer:	1				
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007708				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	2.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007709				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006007716			
Layer:		2			
Plug From:		4.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006007715			
Layer:		1			
Plug From:		0.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006007714			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006007706			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006007712			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006007713			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Slot:	10				
Screen Top Depth:					
Screen End Depth:					
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.4000000953674316				
<u>Water Details</u>					
Water ID:	1006007711				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1006007710				
Diameter:	6.0				
Depth From:	0.0				
Depth To:	10.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
12	2 of 2	SE/93.7	124.3 / 2.21	2208 ROCH CT Mississauga ON	WWIS
Well ID:	7258646			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	03/02/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z227550			Contractor:	7472
Tag:	A197566			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/725\7258646.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/18/2015				
Year Completed:	2015				
Depth (m):	2.4384				
Latitude:	43.5278167705581				
Longitude:	-79.6491369837669				
X:	-79.64913683413057				
Y:	43.52781676890715				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		725\7258646.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1005897325			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	609160.00
Code OB Desc:				North83:	4820317.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/18/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007720				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	17				
Material 1 Desc:	SHALE				
Material 2:					
Material 2 Desc:					
Material 3:	73				
Material 3 Desc:	HARD				
Formation Top Depth:	8.0				
Formation End Depth:					
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007718				
Layer:	1				
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:	79				
Material 3 Desc:	PACKED				
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006007719				
Layer:	2				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		2.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006007728			
Layer:		2			
Plug From:		2.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006007727			
Layer:		1			
Plug From:		0.0			
Plug To:		2.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006007726			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006007717			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006007723			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		3.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006007724			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth: 8.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.4000000953674316					
Water Details					
Water ID: 1006007722 Layer: 1 Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1006007721 Diameter: 6.0 Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
13	1 of 2	ESE/103.4	121.2 / -0.90	WASWARO 2121 ROCHE COURT, UNIT 304 MISSISSAUGA ON L5K 2C7	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Operator Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
13	2 of 2	ESE/103.4	121.2 / -0.90	YAA PESTICIDES CONTROL INC. 2121 Roche CRT SW MISSISSAUGA ON L5K 2C7	PES
Detail Licence No: Licence No: L-240-8302957674 Status: Active Approval Date: August 27, 2024 Report Source: PEST-Operator Licence Type: Operator Licence Type Code: Licence Class: Licence Control: Latitude: 43.52833333 Longitude: -79.64833333		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District: Halton-Peel	
County:				SWP Area Name: Credit Valley	
Trade Name:					
PDF URL:				http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=3640270	

14	1 of 1	SE/110.6	124.4 / 2.32	ROCHE COURT MISSISSAUGA ON	WWIS
Well ID:	7312389			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	06/11/2018
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z283618			Contractor:	7238
Tag:	A197566			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/731\7312389.pdf				

Additional Detail(s) (Map)

Well Completed Date:	05/29/2018
Year Completed:	2018
Depth (m):	
Latitude:	43.5276538618801
Longitude:	-79.6490663704613
X:	-79.64906622029784
Y:	43.52765385932324
Path:	731\7312389.pdf

Bore Hole Information

Bore Hole ID:	1007098784	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	609166.00
Code OB Desc:		North83:	4820299.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/29/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007192733			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007192751			
Layer:		2			
Plug From:		0.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007192739			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007192732			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007192736			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007192737			
Layer:					
Slot:					
Screen Top Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter:					
<u>Water Details</u>					
Water ID: 1007192735 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1007192734 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch					
15	1 of 13	SW/112.3	129.6 / 7.58	MYERS SELF SERVE 2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	PRT
Location ID: 9077 Type: retail Expiry Date: 1994-11-30 Capacity (L): 25372 Licence #: 0052936001					
15	2 of 13	SW/112.3	129.6 / 7.58	SOUTH WESTERN ONTARIO PROPANE DIV 998131 ONTARIO L 2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	PRT
Location ID: 9077 Type: retail Expiry Date: 1995-07-31 Capacity (L): 0 Licence #: 0076427194					
15	3 of 13	SW/112.3	129.6 / 7.58	MERVET ZAIA 2185 ERIN MILLS PKWY MISSISSAUGA ON L5K1T8	PRT
Location ID: 9077 Type: retail Expiry Date: 1996-03-31 Capacity (L): 104570 Licence #: 0076437458					
15	4 of 13	SW/112.3	129.6 / 7.58	Petro Canada 2185 Erin Mills Parkway Mississauga ON L5K 1T8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON1887316			Choice of Contact:	
Approval Years:	05			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	419120
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Petroleum Product Agents and Brokers			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
15	5 of 13	SW/112.3	129.6 / 7.58	Petro-Canada 2185 Erin Mills Pkwy Mississauga ON L5K 1T8	SPL
Ref No:	3763-5LSLWN			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	4/20/2003			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	Oil
MOE Reported Dt:	4/20/2003			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:		Halton-Peel			
Nearest Watercourse:					
Site Name:		PETROCANADA STATION - 2185 ERIN MILLS PKWY.<UNOFFICIAL>			
Site Address:					
Site Region:		Central			
Site Municipality:		Mississauga			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:		Petro-Canada			
Client Type:					
Source Type:					
Incident Cause:		Pipe Or Hose Leak			
Incident Preceding Spill:					
Incident Reason:		Negligence (Apparent) - Caused by lack of diligence			
Incident Summary:		Fuel spill to grnd @ PetroCanada Stn.			
Environment Impact:		Possible			
Health Env Consequence:					
Nature of Impact:		Soil Contamination			
Contaminant Qty:		30 L			
Contaminant Qty 1:					
Contaminant Unit:		L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Code: 12 Contaminant Name: GASOLINE Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Tank Truck SAC Action Class: Spill to Land Call Report Locatn Geodata: Time Reported: System Facility Address:					
15	6 of 13	SW/112.3	129.6 / 7.58	VANDYK-VANMILLS PLAZA INC. 2185 ERIN MILLS PKY ON MISSISSAUGA ON	RSC
RSC No: 22301 RA No: Status: FILED Filing Date: Date Ack: Date Returned: Approval Date: February 24, 2009 Cert Date: Cert Prop Use No: Curr Property Use: Intended Prop Use: Restoration Type: Soil Type: Criteria: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): CPU Issu Sect 1686: Business Name: VANDYK-VANMILLS PLAZA INC. Address: 2185 ERIN MILLS PKY ON Legal Desc: Site Pin: 134410004 Asmt Roll No: Project Type: PRE2011 Approval Type: RSC based on Phase One and Two ESAs Applicable Standards: PDF Link: https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=22301					
X: -79.6523631918713 Y: 43.527980905384325 Latitude: 43.52798091 Longitude: -79.65236319 UTM Coordinates: Latitude Longitude: Accuracy Estimate: Measurement Method: Mailing Address: Telephone: Fax: Email: Postal Code: L5K 1T8 Ministry District: MOE District: Halton-Peel SWP Area Name: Credit Valley Qual Person Name: Robert C Ostry Consultant:					
15	7 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T8	DTNK
<u>Delisted Expired Fuel Safety Facilities</u> Instance No: 9747511 Status: EXPIRED Instance ID: Instance Type: FS Facility Instance Creation Dt: Instance Install Dt:					
Expired Date: 7/1/2003 Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:		Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:			
15	8 of 13	SW/112.3	129.6 / 7.58	SIMCOE ENERGY & TECHNICAL SERVICES INC * 2185 ERIN MILLS PKWY MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:		10095883 EXPIRED 11934 FS Facility		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
		FS Propane Cylr Handling Facility EXP Up to Mar 2012			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
15	9 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No: 11330272 Status: EXPIRED Instance ID: 79090 Instance Type: FS Piping Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: FS Piping Original Source: EXP Record Date: Up to Mar 2012		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:			
15	10 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: 11330228 Inventory Status: EXPIRED Installation Year: 1991 Capacity: 27280 Capacity Unit: Tank Type: Manufacturer: Model: Description: **cnxld per Petro Canada letter june 13/03- removal of petroleum storage on june 30/03 Previous Fuel Type: Gasoline		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
15	11 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: 10855844 Inventory Status: EXPIRED Installation Year: 1991 Capacity: 22730 Capacity Unit: Tank Type:		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Manufacturer: Model: Description: **cnxld per Petro Canada letter june 13/03- removal of petroleum storage on june 30/03 Previous Fuel Type: Gasoline					
15	12 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: 11330252 Inventory Status: EXPIRED Installation Year: 1991 Capacity: 27280 Capacity Unit: Tank Type: Manufacturer: Model: Description: **cnxld per Petro Canada letter june 13/03- removal of petroleum storage on june 30/03 Previous Fuel Type: Gasoline		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
15	13 of 13	SW/112.3	129.6 / 7.58	KHERIBA HOLDING 2185 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: 11330206 Inventory Status: EXPIRED Installation Year: 1991 Capacity: 27280 Capacity Unit: Tank Type: Manufacturer: Model: Description: **cnxld per Petro Canada letter june 13/03- removal of petroleum storage on june 30/03 Previous Fuel Type: Gasoline		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
16	1 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS LTD. 2165 ERIN MILLS (& FOWLER) SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SPL
Ref No: 30754 Year: Incident Dt: 2/9/1990 Dt MOE Arvl on Scn: MOE Reported Dt: 2/9/1990 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: MISSISSAUGA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum:		Municipality No: 21102 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved: MCCR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nothing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: VALVE/FITTING LEAK OR FAILURE Incident Preceding Spill: Incident Reason: WELD/SEAM FAILURE Incident Summary: SHELL- LESS THAN 125 LTR GASOLINE SPILLED TO GROUND AT SERVICE STATION Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
16	2 of 37	SSW/117.1	127.8 / 5.75	B K LAKEVIEW SERVICE LTD 2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		9076 retail 1995-01-31 113650 0010411001			
16	3 of 37	SSW/117.1	127.8 / 5.75	1109289 ONTARIO INC 2165 ERIN MILLS PKWY MISSISSAUGA ON L5K1T7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		9076 retail 1996-03-31 113650 0076440981			
16	4 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS LTD. 2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SPL
Ref No: Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt:		150273 12/13/1997 12/13/1997		Municipality No: 21102 Nature of Damage: Discharger Report: Material Group: Impact to Health:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: MISSISSAUGA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northings: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: PIPE/HOSE LEAK Incident Preceding Spill: Incident Reason: ERROR Incident Summary: SHELL CANADA PRODUCTS- MAX 40 L GASOLINE TO STORM SEWER AND CREEK. Environment Impact: POSSIBLE Health Env Consequence: Nature of Impact: Water course or lake Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: WATER Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
				Agency Involved: FD, WORKS	
16	5 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS LTD. AT SHELL SERVICE STATION AT 2165 ERIN MILLS PKWY. AT FOWLER RD. SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SPL
Ref No: 162135 Year: Incident Dt: // Dt MOE Arvl on Scn: MOE Reported Dt: 11/17/1998 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse:					
				Municipality No: 21102 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Name: Site Address: Site Region: Site Municipality: MISSISSAUGA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: PIPE/HOSE LEAK Incident Preceding Spill: Incident Reason: MATERIAL FAILURE Incident Summary: SHELL CANADA - GASOLINE IN MONITORING WELL DUE TO PIPE LEAK. Environment Impact: POSSIBLE Health Env Consequence: Nature of Impact: Groundwater pollution Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND / WATER Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
16	6 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS LTD. SHELL GAS STATION AT 2165 ERIN MILLS PARKWAY SERVICE STATION MISSISSAUGA CITY ON L5K 1T7	SPL
Ref No: 174496 Year: Incident Dt: // Dt MOE Arvl on Scn: MOE Reported Dt: 11/3/1999 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: MISSISSAUGA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum:					
Municipality No: 21102 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Northings: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: OTHER CONTAINER LEAK Incident Preceding Spill: Incident Reason: UNKNOWN Incident Summary: SHELL SERVICE STN- LPH FOUND IN 2 MINITORING WELLS. Environment Impact: POSSIBLE Health Env Consequence: Nature of Impact: Multi Media Pollution Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
16	7 of 37	SSW/117.1	127.8 / 5.75	ROURKES DON SHELL CENTRE 2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 9058558345 List Name: Description:					
16	8 of 37	SSW/117.1	127.8 / 5.75	SAM ASAAD SHELL GAS BAR 2165 ERIN MILLS PKY MISSISSAUGA ON L5K1T7	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 9058552393 List Name: Description:					
16	9 of 37	SSW/117.1	127.8 / 5.75	2165 Erin Mills Pky Mississauga ON L5K 1T7	EHS
Order No: 20040216011 Status: C Report Type: Complete Report Report Date: 2/20/04 Date Received: 2/16/04 Previous Site Name:					
Nearest Intersection: Erin Mills Parkway and Fowler Drive Municipality: Peel Client Prov/State: ON Search Radius (km): 0.25 X: -79.652061 Y: 43.527595					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Lot = 56 m x 48 m Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Aerials Photos and/or Topographical Maps					
16	10 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	FSTH
License Issue Date: 5/30/2005 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status: Active Year of Installation: 2004 Corrosion Protection: Capacity: 25000 Tank Fuel Type: Liquid Fuel Double Wall UST - Diesel					
16	11 of 37	SSW/117.1	127.8 / 5.75	Shell Canada OP Inc. 2165 Erin Mills Parkway Mississauga ON L5K 1T7	SPL
Ref No: 3146-65QTMB Year: Incident Dt: 10/13/2004 Dt MOE Arvl on Scn: MOE Reported Dt: 10/13/2004 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Halton-Peel Nearest Watercourse: Site Name: 2165 ERIN MILLS PARKWAY Site Address: Site Region: Central Site Municipality: Mississauga Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: NA Easting: NA Entity Operating Name: Client Name: Shell Canada OP Inc. Client Type: Source Type: Incident Cause: Unknown Incident Preceding Spill: Incident Reason: Unknown - Reason not determined Incident Summary: Shell Retail: Product found in ground, redevelop Environment Impact: Confirmed Health Env Consequence: Nature of Impact: Groundwater Pollution; Soil Contamination Contaminant Qty: Contaminant Qty 1: Contaminant Unit:					
Municipality No: Nature of Damage: Discharger Report: Material Group: Oil Impact to Health: Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Code: 12 Contaminant Name: GASOLINE Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land & Water Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Service Station SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
16	12 of 37	SSW/117.1	127.8 / 5.75	Shell Canada Limited 2165 Erin Mills Pkwy Toronto ON	SPL
Ref No: 7408-5V3FZN Year: Incident Dt: 1/10/2004 Dt MOE Arvl on Scn: MOE Reported Dt: 1/10/2004 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Toronto Nearest Watercourse: Site Name: SHELL SERVICE STATION<UNOFFICIAL> Site Address: Site Region: Central Site Municipality: Toronto Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Shell Canada Limited Client Type: Source Type: Incident Cause: Pipe Or Hose Leak Incident Preceding Spill: Incident Reason: Unknown - Reason not determined Incident Summary: Shell, 1 L gasoline to ground, cleaned Environment Impact: Not Anticipated Health Env Consequence: Nature of Impact: Soil Contamination Contaminant Qty: 1 L Contaminant Qty 1: Contaminant Unit: L Contaminant Code: 12 Contaminant Name: GASOLINE Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed:					
Municipality No: Nature of Damage: Discharger Report: Material Group: Oil Impact to Health: Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sector Type:		Service Station			
SAC Action Class:		Spill to Land			
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
16	13 of 37	SSW/117.1	127.8 / 5.75	2165 Erin Mills Parkway 2165 Erin Mills Pky Mississauga ON	SPL
Ref No:		2407-6W2LEX		Municipality No:	
Year:				Nature of Damage:	
Incident Dt:		11/30/2006		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		11/30/2006		Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:		Halton-Peel			
Nearest Watercourse:					
Site Name:		2165 Erin Mills Parkway			
Site Address:		2165 Erin Mills Pky			
Site Region:					
Site Municipality:		Mississauga			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:		NA			
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:		Other Motor Vehicle			
Incident Cause:					
Incident Preceding Spill:					
Incident Reason:					
Incident Summary:		Shell Stn: 1.5L fuel spilled some to CB, clng			
Environment Impact:		Confirmed			
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:		1.5 L			
Contaminant Qty 1:		1.5			
Contaminant Unit:		L			
Contaminant Code:		12			
Contaminant Name:		GASOLINE			
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:					
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	14 of 37	SSW/117.1	127.8 / 5.75	Shell Canada 2165 Erin Mills Parkway Mississauga ON L5K 1T7	GEN
<u>Generator Info</u>					
Generator No:	ON4518306			Choice of Contact:	
Approval Years:	06			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	447190
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Other Gasoline Stations			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
16	15 of 37	SSW/117.1	127.8 / 5.75	Shell Canada 2165 Erin Mills Parkway Mississauga ON L5K 1T7	GEN
<u>Generator Info</u>					
Generator No:	ON8999762			Choice of Contact:	
Approval Years:	06			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	447110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Gasoline Stations with Convenience Stores			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
16	16 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	FSTH
License Issue Date:		5/30/2005 1:38:00 PM			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
<u>--Details--</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:		Active			
Year of Installation:		2004			
Corrosion Protection:					
Capacity:		25000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Diesel			
Status:		Active			
Year of Installation:		1999			
Corrosion Protection:					
Capacity:		36300			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1999			
Corrosion Protection:					
Capacity:		36300			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1999			
Corrosion Protection:					
Capacity:		36300			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			

16	17 of 37	SSW/117.1	127.8 / 5.75	Shell Canada OP Inc. and Shell Canada Products Limited 2165 Erin Mills Parkway Mississauga ON L5K 1T7	CA
Certificate #:		1243-65SNFH			
Application Year:		2004			
Issue Date:		10/22/2004			
Approval Type:		Industrial Sewage Works			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

16	18 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T7	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	9456990		Expired Date:	8/28/1998	
Status:	EXPIRED		Max Hazard Rank:		
Instance ID:			Facility Location:		
Instance Type:	FS Facility		Facility Type:		
Instance Creation Dt:			Fuel Type 2:		
Instance Install Dt:			Fuel Type 3:		
Item Description:			Panam Related:		
Manufacturer:			Panam Venue Nm:		
Model:			External Identifier:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date: EXP Up to May 2013 Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:					
16	19 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No: 11561508 Status: EXPIRED Instance ID: 90618 Instance Type: FS Piping Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date: FS Piping EXP Up to Mar 2012 Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:					
16	20 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS 2165 ERIN MILLS PARKWAY MISSISSAUGA ON	FST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	11582283 active 1999 35000 L 2009VBS 2008V	Double Wall UST		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank
16	21 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS 2165 ERIN MILLS PARKWAY MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	11582278 active 1999 35000 L 2009VBS 2008V VeederRoot	Double Wall UST		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank
16	22 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS 2165 ERIN MILLS PARKWAY MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	11582267 active 1999 35000 L 2009VBS 2008V Veeder Root	Double Wall UST		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank
16	23 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS 2165 ERIN MILLS PARKWAY MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	30892664 active 2004 25000 L 2009VBS 2008V	Double Wall UST		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank
16	24 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mississauga ON					
Generator Info					
Generator No:	ON4952286			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	447110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Gasoline Stations with Convenience Stores				
16	25 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON	GEN
Generator Info					
Generator No:	ON4952286			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	447110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
16	26 of 37	SSW/117.1	127.8 / 5.75	Shell Canada OP Inc. and Shell Canada Products Limited 2165 Erin Mills Parkway Mississauga ON M2N 6Y2	ECA
Approval No:	1243-65SNFH			MOE District:	Halton-Peel
Approval Date:	2004-10-22			City:	
Status:	Approved			Longitude:	-79.65158
Record Type:	ECA			Latitude:	43.52755
Link Source:	IDS			Geometry X:	
SWP Area Name:	Credit Valley			Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	Shell Canada OP Inc. and Shell Canada Products Limited				
Address:	2165 Erin Mills Parkway				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1864-62AJAM-14.pdf				
PDF Site Location:					
16	27 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON4952286			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	447110
Country:	Canada				
Co Admin:	Ken Bouchard				
Phone No Admin:	6042176413 Ext.				
SIC Description:	447110				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
16	28 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN
<u>Generator Info</u>					
Generator No:	ON4952286			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	447110
Country:	Canada				
Co Admin:	Ken Bouchard				
Phone No Admin:	6042176413 Ext.				
SIC Description:	447110				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
16	29 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN
<u>Generator Info</u>					
Generator No:	ON4952286			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	447110
Country:	Canada				
Co Admin:	Kelly West				
Phone No Admin:	519-647-3729 Ext.				
SIC Description:	447110				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	30 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN

Generator Info

Generator No:	ON4952286	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	Waste oils/sludges (petroleum based)

16	31 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN

Generator Info

Generator No:	ON4952286	Choice of Contact:
Approval Years:	As of Jul 2020	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	Waste oils/sludges (petroleum based)

16	32 of 37	SSW/117.1	127.8 / 5.75	Shell Canada c/o Minotaur Guardian Service Ltd. 2165 Erin Mills Mississauga ON L5K 1T7	GEN

Generator Info

Generator No:	ON4952286	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		251 L Waste oils/sludges (petroleum based)			

16	33 of 37	SSW/117.1	127.8 / 5.75	Shell Canada 2165 Erin Mills Mississauga ON	GEN

Generator Info

Generator No:	ON4952286	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	OIL SKIMMINGS & SLUDGES

Generator Info as of Dec 2024

Generator No:	ON4952286
Generator Company Name:	Shell Canada
Street:	2165 Erin Mills
City:	Mississauga
Province State:	Ontario
Country:	Canada
Postal Code:	L5K1T7
Waste Class:	251 L

Waste Class Decoded:

251 - OIL SKIMMINGS & SLUDGES

2017 Generator Info

Gen No:	ON4952286	Choice of Contact:	CO_ADMIN
ID:	19635	Phone No Official:	6042176413 Ext.
Contaminated Fac:	N	Phone No Admin:	6042176413 Ext.
MHSW Facility:	N	County Ont:	PEEL (R. M.)
NAICS Code1:	447110	County Out:	
NAICS Code2:		District:	305
NAICS Code3:			
Gen Name:	Shell Canada c/o Minotaur Guardian Service Ltd.		
Gen Div:			
Gen Op Name:	Shell Canada c/o Minotaur Guardian Service Ltd.		
Gen Op Div:			
Site Adrs1:	2165 Erin Mills		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Mississauga		
Province Out:			
Site Postal Code:	L5K 1T7		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Country:		Canada			
Co Official:		Ken Bouchard			
Co Admin:		Ken Bouchard			
<u>2018 Generator Info</u>					
Gen No:	ON4952286			Choice of Contact:	CO_ADMIN
ID:	19742			Phone No Official:	6042176413 Ext.
Contaminated Fac:	N			Phone No Admin:	6042176413 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	447110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Shell Canada c/o Minotaur Guardian Service Ltd.				
Gen Div:					
Gen Op Name:	Shell Canada c/o Minotaur Guardian Service Ltd.				
Gen Op Div:					
Site Adrs1:	2165 Erin Mills				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T7				
Site Country:	Canada				
Co Official:	Ken Bouchard				
Co Admin:	Ken Bouchard				
<u>2019 Generator Info</u>					
Gen No:	ON4952286			Choice of Contact:	CO_ADMIN
ID:	19754			Phone No Official:	6042176413 Ext.
Contaminated Fac:	N			Phone No Admin:	6042176413 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	447110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Shell Canada c/o Minotaur Guardian Service Ltd.				
Gen Div:					
Gen Op Name:	Shell Canada c/o Minotaur Guardian Service Ltd.				
Gen Op Div:					
Site Adrs1:	2165 Erin Mills				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T7				
Site Country:	Canada				
Co Official:	Ken Bouchard				
Co Admin:	Ken Bouchard				
<u>2020 Generator Info</u>					
Gen No:	ON4952286			Choice of Contact:	CO_ADMIN
ID:	19468			Phone No Official:	6042176413 Ext.
Contaminated Fac:	N			Phone No Admin:	6042176413 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	447110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Name: Shell Canada c/o Minotaur Guardian Service Ltd. Gen Div: Gen Op Name: Shell Canada c/o Minotaur Guardian Service Ltd. Gen Op Div: Site Adrs1: 2165 Erin Mills Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Mississauga Province Out: Site Postal Code: L5K 1T7 Site Country: Canada Co Official: Ken Bouchard Co Admin: Ken Bouchard					
<u>2021 Generator Info</u>					
Gen No: ON4952286 ID: 19605 Contaminated Fac: N MHSW Facility: N NAICS Code1: 447110 NAICS Code2: NAICS Code3: Gen Name: Shell Canada c/o Minotaur Guardian Service Ltd. Gen Div: Gen Op Name: Shell Canada c/o Minotaur Guardian Service Ltd. Gen Op Div: Site Adrs1: 2165 Erin Mills Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Mississauga Province Out: Site Postal Code: L5K 1T7 Site Country: Canada Co Official: Ken Bouchard Co Admin: Ken Bouchard					
Choice of Contact: CO_ADMIN Phone No Official: 6042176413 Ext. Phone No Admin: 6042176413 Ext. County Ont: PEEL (R. M.) County Out: District: 305					
16	34 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: 10855838 Inventory Status: EXPIRED Installation Year: 1970 Capacity: 45400 Capacity Unit: Tank Type: Manufacturer: Model: Description: Previous Fuel Type: Gasoline					
Tank Material: Steel Corrosion Protect: Sacrificial anode Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK					
16	35 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description: Previous Fuel Type:	10855820 EXPIRED 1970 45400 Gasoline			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Steel Sacrificial anode FS Liquid Fuel Tank FS LIQUID FUEL TANK
16	36 of 37	SSW/117.1	127.8 / 5.75	972129 ONTARIO LIMITED O/A SHELL CANADA GAS STN 2165 ERIN MILLS PKWY MISSISSAUGA ON	EXP
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description: Previous Fuel Type:	10855829 EXPIRED 1970 22700 Gasoline			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Steel Sacrificial anode FS Liquid Fuel Tank FS LIQUID FUEL TANK
16	37 of 37	SSW/117.1	127.8 / 5.75	SHELL CANADA PRODUCTS 2165 ERIN MILLS PARKWAY MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	30746755 Active 130000 L 			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Liquid Fuels FS Gasoline Station - Self Serve
17	1 of 1	SSW/123.3	127.7 / 5.69	ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:	7189084 C19351 			Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:	Yes 09/27/2012 TRUE 7215 8 PEEL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Clear/Cloudy: Municipality: Site Info:				Zone: UTM Reliability:	
MISSISSAUGA CITY					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1004215165			Tag No:	
Depth M:				Contractor:	7215
Year Completed:	2012			Latitude:	43.5274385685607
Well Completed Dt:	07/16/2012			Longitude:	-79.6514224023272
Audit No:	C19351			Y:	43.52743856649557
Path:				X:	-79.65142225262267
<u>Bore Hole Information</u>					
Bore Hole ID:	1004215165			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608976.00
Code OB Desc:				North83:	4820272.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	07/16/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
18	1 of 1	SW/130.6	129.2 / 7.10	2165 ERIN MILLS PKWY lot 30 con 1 MISSISSAUGA ON	WWIS
Well ID:	4910029			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	01/18/2006
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z10227			Contractor:	6607
Tag:	A010208			Form Version:	3
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	030
Depth to Bedrock:				Concession:	01
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY (PORT CREDIT)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/491/4910029.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	03/02/2004				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2004			
Depth (m):		4			
Latitude:		43.5275912052304			
Longitude:		-79.6521491206557			
X:		-79.65214897147662			
Y:		43.52759120282079			
Path:		491\4910029.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	11555263			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608917.00
Code OB Desc:				North83:	4820288.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	03/02/2004			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933044440				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	2.799999952316284				
Formation End Depth UOM:	m				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933044441				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	17				
Material 1 Desc:	SHALE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	2.799999952316284				
Formation End Depth:	4.0				
Formation End Depth UOM:	m				
 <u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		933287454			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.8999999761581421			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933287453			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964910029			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11564870			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930875438			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933417559			
Layer:		1			
Slot:		001			
Screen Top Depth:		1.0			
Screen End Depth:		4.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Water Details</u>					
Water ID:		934072285			
Layer:		1			
Kind Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		2.799999952316284			
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		11686912			
Diameter:		10.0			
Depth From:		2.799999952316284			
Depth To:		4.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		11686911			
Diameter:		21.0			
Depth From:		0.0			
Depth To:		2.799999952316284			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>19</u>	1 of 6	SSW/132.0	127.5 / 5.42	1910 Fowler Drive Suite A104 Mississauga ON L5K 0A1	EHS
Order No:	20110616022			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Site Report			Client Prov/State:	OH
Report Date:	6/17/2011			Search Radius (km):	0.25
Date Received:	6/16/2011 1:14:17 PM			X:	-79.651567
Previous Site Name:				Y:	43.528027
Lot/Building Size:					
Additional Info Ordered:					
<u>19</u>	2 of 6	SSW/132.0	127.5 / 5.42	Sherwin Williams Company 1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	GEN
 <u>Generator Info</u>					
Generator No:	ON9160487			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
 <u>Waste Detail(s)</u>					
Waste Class:	145 I				
Waste Class Name:	Wastes from the use of pigments, coatings and paints				
 <u>Waste Detail(s)</u>					
Waste Class:	145 L				
Waste Class Name:	Wastes from the use of pigments, coatings and paints				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		232 I			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		232 L			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<u>19</u>	3 of 6	SSW/132.0	127.5 / 5.42	Sherwin Williams Company 1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	GEN
<u>Generator Info</u>					
Generator No:	ON9160487			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		145 I			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		232 L			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		232 I			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>19</u>	4 of 6	SSW/132.0	127.5 / 5.42	Sherwin Williams Company 1910 Fowler Dr Suite A104 Mississauga ON L5K 0A1	GEN
<u>Generator Info</u>					
Generator No:	ON9160487			Choice of Contact:	
Approval Years:	As of Nov 2021			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		145 I			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		232 L			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		232 I			
Waste Class Name:		Polymeric resins			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	5 of 6	SSW/132.0	127.5 / 5.42	Sherwin Williams Company 1910 Fowler Dr, Suite A104 Mississauga ON	GEN

Generator Info

Generator No:	ON9160487	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	232 L
Waste Class Name:	POLYMERIC RESINS

Waste Detail(s)

Waste Class:	263 I
Waste Class Name:	ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	145 I
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class:	145 L
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class:	232 I
Waste Class Name:	POLYMERIC RESINS

Waste Detail(s)

Waste Class:	331 I
Waste Class Name:	WASTE COMPRESSED GASES

Generator Info as of Dec 2024

Generator No:	ON9160487
Generator Company Name:	Sherwin Williams Company
Street:	1910 Fowler Dr, Suite A104
City:	Mississauga
Province State:	Ontario
Country:	Canada
Postal Code:	L5K0A1
Waste Class:	232 I,145 L,145 I,232 L,331 I,263 I

Waste Class Decoded:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
232 - POLYMERIC RESINS; 145 - PAINT/PIGMENT/COATING RESIDUES; 145 - PAINT/PIGMENT/COATING RESIDUES; 232 - POLYMERIC RESINS; 331 - WASTE COMPRESSED GASES; 263 - ORGANIC LABORATORY CHEMICALS					

2017 Generator Info

Gen No:	ON9160487	Choice of Contact:	CO_ADMIN
ID:	35765	Phone No Official:	905-507-0166 Ext.133
Contaminated Fac:	N	Phone No Admin:	905-507-0166 Ext.101
MHSW Facility:	N	County Ont:	METROPOLITAN TORONTO
NAICS Code1:	444120	County Out:	
NAICS Code2:		District:	301
NAICS Code3:			
Gen Name:	Sherwin Williams Company		
Gen Div:			
Gen Op Name:	Sherwin Williams Company		
Gen Op Div:			
Site Adrs1:	1910 Fowler Dr		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:	Suite A104		
Site City:	Mississauga		
Province Out:			
Site Postal Code:	L5K 0A1		
Site Country:	Canada		
Co Official:	Scott Mitchell		
Co Admin:	Paula Braga		

2017 Generator Manifest

ID:	64028	Sum Received Qty:	168.0
Generator No:	ON9160487	Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	203
Waste Code:	145		

2018 Generator Info

Gen No:	ON9160487	Choice of Contact:	CO_ADMIN
ID:	36459	Phone No Official:	905-507-0166 Ext.133
Contaminated Fac:	N	Phone No Admin:	905-507-0166 Ext.101
MHSW Facility:	N	County Ont:	METROPOLITAN TORONTO
NAICS Code1:	444120	County Out:	
NAICS Code2:		District:	301
NAICS Code3:			
Gen Name:	Sherwin Williams Company		
Gen Div:			
Gen Op Name:	Sherwin Williams Company		
Gen Op Div:			
Site Adrs1:	1910 Fowler Dr		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:	Suite A104		
Site City:	Mississauga		
Province Out:			
Site Postal Code:	L5K 0A1		
Site Country:	Canada		
Co Official:	Scott Mitchell		
Co Admin:	Paula Braga		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Manifest</u>					
ID:	64503			Sum Received Qty:	300.0
Generator No:	ON9160487			Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES
Receiver Type:	035			Count Manifests:	1
Waste Char:	I			District:	203
Waste Code:	145				
<u>2019 Generator Info</u>					
Gen No:	ON9160487			Choice of Contact:	CO_ADMIN
ID:	36960			Phone No Official:	905-507-0166 Ext.133
Contaminated Fac:	N			Phone No Admin:	905-507-0166 Ext.101
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	444120			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:		Sherwin Williams Company			
Gen Div:					
Gen Op Name:		Sherwin Williams Company			
Gen Op Div:					
Site Adrs1:		1910 Fowler Dr			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite A104			
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 0A1			
Site Country:		Canada			
Co Official:		Micah DePeuter			
Co Admin:		Paula Braga			
<u>2020 Generator Info</u>					
Gen No:	ON9160487			Choice of Contact:	CO_ADMIN
ID:	36707			Phone No Official:	905-507-0166 Ext.133
Contaminated Fac:	N			Phone No Admin:	905-507-0166 Ext.101
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	444120			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:		Sherwin Williams Company			
Gen Div:					
Gen Op Name:		Sherwin Williams Company			
Gen Op Div:					
Site Adrs1:		1910 Fowler Dr			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite A104			
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 0A1			
Site Country:		Canada			
Co Official:		Micah DePeuter			
Co Admin:		Paula Braga			
<u>2021 Generator Info</u>					
Gen No:	ON9160487			Choice of Contact:	CO_ADMIN
ID:	37668			Phone No Official:	905-507-0166 Ext.133
Contaminated Fac:	N			Phone No Admin:	905-507-0166 Ext.101

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	N 444120	Sherwin Williams Company Sherwin Williams Company 1910 Fowler Dr		County Ont: County Out: District: 301	METROPOLITAN TORONTO

19	6 of 6	SSW/132.0	127.5 / 5.42	RBC 1910 FOWLER DR. UNIT A 100 MISSISSAUGA ON	GEN

Generator Info as of Dec 2024

Generator No: ON001061054
 Generator Company Name: RBC
 Street: 1910 FOWLER DR. UNIT A 100
 City: MISSISSAUGA
 Province State: Ontario
 Country: Canada
 Postal Code: L5K 0A1
 Waste Class: 212 I

Waste Class Decoded:

212 - ALIPHATIC SOLVENTS

20	1 of 1	WSW/133.0	130.0 / 7.95	Dom-Meridian Construction Ltd. 2215 Erin Mills Parkway & Fowler Mississauga ON	SPL

Ref No: 8035-85LNDQ Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt: 5/19/2010 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Construction Site<UNOFFICIAL> Site Address: Site Region: Site Municipality: Site Lot: Site Conc:	Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Dom-Meridian Construction Ltd. Client Type: Source Type: Incident Cause: Incident Preceding Spill: Incident Reason: Incident Summary: Dom-Meridian: 200L Water\Diesel from UST to Grnd Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 1200 L Contaminant Qty 1: 1200 Contaminant Unit: L Contaminant Code: 14 Contaminant Name: LUBRICANT OIL(LUBE OIL) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Land Spills Call Report Locatn Geodata: Time Reported: System Facility Address:					

21	1 of 1	SSW/136.5	128.8 / 6.72	1401 KING ST E COURTICE ON	WWIS
Well ID: 7191831 Construction Date: Use 1st: Test Hole Use 2nd: Final Well Status: Test Hole Water Type: Casing Material: Audit No: Z159940 Tag: A136184 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MISSISSAUGA CITY Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191831.pdf Additional Detail(s) (Map) Well Completed Date: 10/05/2012 Year Completed: 2012					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 11/21/2012 Selected Flag: TRUE Abandonment Rec: Contractor: 7215 Form Version: 7 Owner: County: PEEL Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		4.8768			
Latitude:		43.5273889357829			
Longitude:		-79.6517947542171			
X:		-79.65179460419385			
Y:		43.527388933419495			
Path:		719\7191831.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1004208087			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608946.00
Code OB Desc:				North83:	4820266.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/05/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004535339				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	06				
Material 2 Desc:	SILT				
Material 3:	27				
Material 3 Desc:	OTHER				
Formation Top Depth:	0.0				
Formation End Depth:	16.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004535348				
Layer:	2				
Plug From:	5.0				
Plug To:	1.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004535347				
Layer:	1				
Plug From:	16.0				
Plug To:	5.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1004535349			
Layer:		3			
Plug From:		1.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004535346			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004535338			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004535343			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004535342			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		6.0			
Depth To:		0.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004535344			
Layer:		1			
Slot:		10			
Screen Top Depth:		16.0			
Screen End Depth:		6.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1004535341			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1004535340			
Diameter:		8.0			
Depth From:		16.0			
Depth To:		0.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
22	1 of 1	SSE/136.9	126.4 / 4.33	ON	BORE
Borehole ID:	654530			Inclin FLG:	No
OGF ID:	215554875			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	JUN-1967			Municipality:	
Static Water Level:	0.2			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.527159
Total Depth m:	23.8			Longitude DD:	-79.649961
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	609095
Drill Method:	Power auger			Northing:	4820243
Orig Ground Elev m:	127			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	127				
Concession:					
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218543764			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOIL.				
Geology Stratum ID:	218543765			Mat Consistency:	
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	5.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Bedrock			Geologic Period:	
Material 4:	Sandstone			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,ROCK, SANDSTONE. BROWN, WATER STABLE AT 419.1 FEET.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218543766			Mat Consistency:	
Top Depth:	5.8			Material Moisture:	
Bottom Depth:	16.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT. GREY.				
Geology Stratum ID:	218543767			Mat Consistency:	
Top Depth:	16.5			Material Moisture:	Wet
Bottom Depth:	23.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILT,SHALE. BROWN,WET.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR3.txt RecordID: 251950 NTS_Sheet: 30M12B				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
23	1 of 15	S/139.0	126.4 / 4.35	The Corporation of the City of Mississauga 1900 Fowler Drive Mississauga ON	SPL
Ref No:	4765-AK2J4R			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	3/1/2017			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	3/1/2017			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:	NA				
MOE Response:	No				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:	Sewage Spill<UNOFFICIAL>				
Site Address:	1900 Fowler Drive				
Site Region:					
Site Municipality:	Mississauga				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: 4820204 Easting: 609063 Entity Operating Name: Client Name: The Corporation of the City of Mississauga Client Type: Source Type: Incident Cause: Incident Preceding Spill: Overflow/Surcharge Incident Reason: Weather Conditions Incident Summary: RofP raw sewage spilled to ground and cb - Mississauga Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 4500 L Contaminant Qty 1: 4500 Contaminant Unit: L Contaminant Code: 44 Contaminant Name: SEWAGE,RAW UNCHLORINATED Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land; Surface Water Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Miscellaneous Communal SAC Action Class: Watercourse Spills Call Report Locatn Geodata: Time Reported: System Facility Address:					
23	2 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN
<u>Generator Info</u>					
Generator No:	ON8623871			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:	Sam Gray				
Phone No Admin:	800-263-1857 Ext.				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
23	3 of 15	S/139.0	126.4 / 4.35	Dr. B. Demarchi DPC 1900 Fowler Drive unit D107 Mississauga ON L5K0A1	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON2901884			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621210
Country:	Canada				
Co Admin:	claude demarchi				
Phone No Admin:	9058237600 Ext.				
SIC Description:	OFFICES OF DENTISTS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
23	4 of 15	S/139.0	126.4 / 4.35	Dr. B. Demarchi Dental Office 1900 Fowler Drive unit D107 Mississauga ON L5K0A1	GEN
<u>Generator Info</u>					
Generator No:	ON2901884			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621210
Country:	Canada				
Co Admin:	claude demarchi				
Phone No Admin:	9058237600 Ext.				
SIC Description:	OFFICES OF DENTISTS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
23	5 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN
<u>Generator Info</u>					
Generator No:	ON8623871			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:	Sam Gray				
Phone No Admin:	800-263-1857 Ext.				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
23	6 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN

Generator Info

Generator No:	ON8623871	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:	Sam Gray		
Phone No Admin:	800-263-1857 Ext.		
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

23	7 of 15	S/139.0	126.4 / 4.35	Dr. B. Demarchi DPC 1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	GEN

Generator Info

Generator No:	ON2901884	Choice of Contact:	
Approval Years:	As of Dec 2018	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

23	8 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN

Generator Info

Generator No:	ON8623871	Choice of Contact:	
Approval Years:	As of Dec 2018	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 312 P Waste Class Name: Pathological wastes					
23	9 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN
Generator Info Generator No: ON8623871 Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
Waste Detail(s) Waste Class: 312 P Waste Class Name: Pathological wastes					
23	10 of 15	S/139.0	126.4 / 4.35	Dr. B. Demarchi DPC 1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	GEN
Generator Info Generator No: ON2901884 Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
Waste Detail(s) Waste Class: 312 P Waste Class Name: Pathological wastes					
23	11 of 15	S/139.0	126.4 / 4.35	Vanmills Medical Clinic 1900 Fowler Dr Mississauga ON L5K 0A1	GEN
Generator Info Generator No: ON8623871 Approval Years: As of Nov 2021 Status: Registered PO Box No: Country: Canada Co Admin: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					

130 erisinfo.com | Environmental Risk Information Services Order No: 25052300379

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES					
<u>2017 Generator Info</u>					
Gen No:	ON8623871			Choice of Contact:	CO_ADMIN
ID:	33739			Phone No Official:	905 403 8200 Ext.
Contaminated Fac:	N			Phone No Admin:	800-263-1857 Ext.
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:	Vanmills Medical Clinic				
Gen Div:					
Gen Op Name:	Vanmills Medical Clinic				
Gen Op Div:					
Site Adrs1:	1900 Fowler Dr				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 0A1				
Site Country:	Canada				
Co Official:	Sadaf Ayaz				
Co Admin:	Sam Gray				
<u>2017 Generator Manifest</u>					
ID:	61539			Sum Received Qty:	32.0
Generator No:	ON8623871			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	6
Waste Char:	P			District:	302
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON8623871			Choice of Contact:	CO_ADMIN
ID:	34384			Phone No Official:	905 403 8200 Ext.
Contaminated Fac:	N			Phone No Admin:	800-263-1857 Ext.
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:	Vanmills Medical Clinic				
Gen Div:					
Gen Op Name:	Vanmills Medical Clinic				
Gen Op Div:					
Site Adrs1:	1900 Fowler Dr				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 0A1				
Site Country:	Canada				
Co Official:	Sadaf Ayaz				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin:		Sam Gray			
<u>2018 Generator Manifest</u>					
ID:	61950			Sum Received Qty:	18.5
Generator No:	ON8623871			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	3
Waste Char:	P			District:	302
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON8623871			Choice of Contact:	CO_ADMIN
ID:	34807			Phone No Official:	905 403 8200 Ext.
Contaminated Fac:	N			Phone No Admin:	800-263-1857 Ext.
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:	Vanmills Medical Clinic				
Gen Div:					
Gen Op Name:	Vanmills Medical Clinic				
Gen Op Div:					
Site Adrs1:	1900 Fowler Dr				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 0A1				
Site Country:	Canada				
Co Official:	Sadaf Ayaz				
Co Admin:	Sam Gray				
<u>2019 Generator Manifest</u>					
ID:	61805			Sum Received Qty:	36.0
Generator No:	ON8623871			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	5
Waste Char:	P			District:	302
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON8623871			Choice of Contact:	CO_ADMIN
ID:	34541			Phone No Official:	905 403 8200 Ext.
Contaminated Fac:	N			Phone No Admin:	800-263-1857 Ext.
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:	Vanmills Medical Clinic				
Gen Div:					
Gen Op Name:	Vanmills Medical Clinic				
Gen Op Div:					
Site Adrs1:	1900 Fowler Dr				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Province Out: Site Postal Code: L5K 0A1 Site Country: Canada Co Official: Sadaf Ayaz Co Admin: Sam Gray					
<u>2020 Generator Manifest</u>					
ID:	58114			Sum Received Qty:	555.0
Generator No:	ON8623871			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	4
Waste Char:	P			District:	302
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON8623871			Choice of Contact:	CO_ADMIN
ID:	35361			Phone No Official:	905 403 8200 Ext.
Contaminated Fac:	N			Phone No Admin:	800-263-1857 Ext.
MHSW Facility:	N			County Ont:	METROPOLITAN TORONTO
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	301
NAICS Code3:					
Gen Name:	Vanmills Medical Clinic				
Gen Div:					
Gen Op Name:	Vanmills Medical Clinic				
Gen Op Div:					
Site Adrs1:	1900 Fowler Dr				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 0A1				
Site Country:	Canada				
Co Official:	Sadaf Ayaz				
Co Admin:	michael M				
<u>2021 Generator Manifest</u>					
ID:	60631			Sum Received Qty:	21.0
Generator No:	ON8623871			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	3
Waste Char:	P			District:	302
Waste Code:	312				
23	14 of 15	S/139.0	126.4 / 4.35	Dr. B. Demarchi DPC 1900 Fowler Drive, unit D107 Mississauga ON L5K0A1	GEN
<u>Generator Info</u>					
Generator No:	ON2901884			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>2017 Generator Info</u>					
Gen No:	ON2901884			Choice of Contact:	CO_ADMIN
ID:	11802			Phone No Official:	9058237600 Ext.
Contaminated Fac:	N			Phone No Admin:	9058237600 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. B. Demarchi DPC			
Gen Div:					
Gen Op Name:		Dr. B. Demarchi DPC			
Gen Op Div:					
Site Adrs1:		1900 Fowler Drive, unit D107			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K0A1			
Site Country:		Canada			
Co Official:		Ban Demarchi			
Co Admin:		claud demarchi			
<u>2017 Generator Manifest</u>					
ID:	33644			Sum Received Qty:	16.0
Generator No:	ON2901884			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	306
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON2901884			Choice of Contact:	CO_ADMIN
ID:	11574			Phone No Official:	9058237600 Ext.
Contaminated Fac:	N			Phone No Admin:	9058237600 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. B. Demarchi DPC			
Gen Div:					
Gen Op Name:		Dr. B. Demarchi DPC			
Gen Op Div:					
Site Adrs1:		1900 Fowler Drive, unit D107			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K0A1			
Site Country:		Canada			
Co Official:		Ban Demarchi			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin:		claude demarchi			
<u>2018 Generator Manifest</u>					
ID:	33389			Sum Received Qty:	13.0
Generator No:	ON2901884			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON2901884			Choice of Contact:	CO_ADMIN
ID:	11282			Phone No Official:	9058237600 Ext.
Contaminated Fac:	N			Phone No Admin:	9058237600 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. B. Demarchi DPC			
Gen Div:					
Gen Op Name:		Dr. B. Demarchi DPC			
Gen Op Div:					
Site Adrs1:		1900 Fowler Drive, unit D107			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K0A1			
Site Country:		Canada			
Co Official:		Ban Demarchi			
Co Admin:		claude demarchi			
<u>2019 Generator Manifest</u>					
ID:	32605			Sum Received Qty:	9.0
Generator No:	ON2901884			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON2901884			Choice of Contact:	CO_ADMIN
ID:	10914			Phone No Official:	9058237600 Ext.
Contaminated Fac:	N			Phone No Admin:	9058237600 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. B. Demarchi DPC			
Gen Div:					
Gen Op Name:		Dr. B. Demarchi DPC			
Gen Op Div:					
Site Adrs1:		1900 Fowler Drive, unit D107			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Province Out: Site Postal Code: L5K0A1 Site Country: Canada Co Official: Ban Demarchi Co Admin: claud demarchi					
2020 Generator Manifest					
ID:	29885			Sum Received Qty:	14.0
Generator No:	ON2901884			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
2021 Generator Info					
Gen No:	ON2901884			Choice of Contact:	CO_ADMIN
ID:	10735			Phone No Official:	9058237600 Ext.
Contaminated Fac:	N			Phone No Admin:	9058237600 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Dr. B. Demarchi DPC				
Gen Div:					
Gen Op Name:	Dr. B. Demarchi DPC				
Gen Op Div:					
Site Adrs1:	1900 Fowler Drive, unit D107				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K0A1				
Site Country:	Canada				
Co Official:	Ban Demarchi				
Co Admin:	claud demarchi				
23	15 of 15	S/139.0	126.4 / 4.35	1900, 1910, 1930, and 1944 Fowler Drive Mississauga ON L5K 1T7	EHS
Order No:	24051500058			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	21-MAY-24			Search Radius (km):	.25
Date Received:	15-MAY-24			X:	-79.6502544
Previous Site Name:				Y:	43.5271553
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
24	1 of 1	SW/157.7	129.8 / 7.79	Erin Mills Parkway & Fowler Drive, Mississauga ON	INC
Incident No:	390162			Any Health Impact:	No
Incident ID:	2541792			Any Enviro Impact:	Yes
Instance No:				Service Intrap:	No
Status Code:	Causal Analysis Complete			Was Prop Damaged:	No
Incident Status:				Reside App. Type:	
Incident Severity:				Commer App. Type:	
Task No:	2898652			Indus App. Type:	
Attribute Category:	FS-Perform L1 Incident Insp			Institut App. Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Context:				Depth Ground Cover:	
Date of Occurrence:	2010/05/19 00:00:00			Operation Pressure:	
Time of Occurrence:	13:20:00			Equipment Type:	
Occr Insp Start Dt:	2010/05/20 00:00:00			Equipment Model:	
Incident Creat On:				Serial No:	
Instance Creat Dt:				Cylinder Capacity:	
Instance Install Dt:				Cylinder Cap Units:	
Approx Quant Rel:	100 LITRES			Cylinder Mat Type:	
Tank Capacity:				Pump Flow Rate Cap:	
Fuels Occur Type:	Discovery of a Petroleum Product			Contam. Migrated:	Unknown
Occur Type Rpt:				Near Body of Water:	No
Occur Category:				Drainage System:	No
Fuel Type Involved:	Fuel Oil			Sub Surface Contam:	UNKNOWN
Fuel Type Reported:				Tank Material Type:	
Enforcement Policy:	NULL			Tank Storage Type:	
Prc Escalation Req:	NULL			Tank Location Type:	
Item:					
Item Description:					
Device Installed Location:					
Venting Type:					
Vent Conn Mater:					
Vent Chimney Mater:					
Pipeline Type:					
Pipeline Involved:					
Pipe Material:					
Regulator Location:					
Regulator Type:					
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Liquid Prop Notes:					
Inventory Address:	Erin Mills Parkway & Fowler Drive, Mississauga - Discovery of Product				
Invent Postal Code:					
Notes:					
Contact Natural Env:	Yes				
Aff Prop Use Water:	No				
Occurrence Narrative:	u/g fuel tank struck by backhoe				
Operation Type Involved:	Construction Site (including excavation)				

25	1 of 1	SSW/164.3	127.8 / 5.80	ON	WWIS
Well ID:	7383918			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	03/23/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	C51195			Contractor:	7215
Tag:	A310736			Form Version:	8
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1008638101			Tag No:	A310736
Depth M:				Contractor:	7215
Year Completed:	2021			Latitude:	43.5270588892229
Well Completed Dt:	01/13/2021			Longitude:	-79.651294739691
Audit No:	C51195			Y:	43.527058886354574
Path:				X:	-79.65129459041671
<u>Bore Hole Information</u>					
Bore Hole ID:	1008638101			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608987.00
Code OB Desc:				North83:	4820230.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	01/13/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>26</u>	1 of 2	NNE/165.3	113.8 / -8.26	J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	CA
Certificate #:	3-0642-89-				
Application Year:	89				
Issue Date:	4/17/1989				
Approval Type:	Municipal sewage				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<u>26</u>	2 of 2	NNE/165.3	113.8 / -8.26	J.D.S. INVESTMENTS LTD. RESIDENTIAL SUBD KNIGHTS COURT/ROBIN DRIVE MISSISSAUGA CITY ON	CA
Certificate #:	7-0573-89-				
Application Year:	89				
Issue Date:	4/17/1989				
Approval Type:	Municipal water				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Emission Control:					
27	1 of 82	WNW/167.7	125.8 / 3.72	ZELLERS STORE #327 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1V1	PES
Detail Licence No: 23-01-11438-0 Licence No: 11438 Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 3 Operator District: 1 Operator County: 49 Op Municipality: Post Office Box: MOE District: SWP Area Name:			
27	2 of 82	WNW/167.7	125.8 / 3.72	CONSUMERS DISTRIBUTING 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN
Generator Info					
Generator No: ON0605803 Approval Years: 95,96,97,98 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: GARAGES(GEN. REPAIR)		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6351			
Waste Detail(s)					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
27	3 of 82	WNW/167.7	125.8 / 3.72	CONSUMERS DISTRIBUTING CO. INC. 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN
Generator Info					
Generator No: ON0605803 Approval Years: 99,00,01 Status: PO Box No: Country: Co Admin:		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 4799			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: SIC Description: OTHER STOR./WARE.					
Waste Detail(s)					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
27	4 of 82	WNW/167.7	125.8 / 3.72	BLACK PHOTO CORPORATION 2225 ERIN MILLS PKWY., MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	GEN
Generator Info					
Generator No: ON1338107 Approval Years: 90 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: CAMERA/PHOTO. SUPPLY					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6571					
Waste Detail(s)					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
27	5 of 82	WNW/167.7	125.8 / 3.72	BLACK PHOTO CORPORATION 2225 ERIN MILLS PKWY. SHERIDAN MALL MISSISSAUGA ON L5K 1T9	GEN
Generator Info					
Generator No: ON1338107 Approval Years: 92,93,97,98 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: CAMERA/PHOTO. SUPPLY					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6571					
Waste Detail(s)					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
27	6 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN
Generator Info					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1501545 Approval Years: 92,93,97,98,99 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: PHARMACIES Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6031 <u>Waste Detail(s)</u> Waste Class: 261 Waste Class Name: PHARMACEUTICALS					
27	7 of 82	WNW/167.7	125.8 / 3.72	BLACK PHOTO CORPORATION 05-456 2225 ERIN MILLS PKWY. - MISSISSAUGA C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	GEN
<u>Generator Info</u> Generator No: ON1338107 Approval Years: 94,95,96 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: CAMERA/PHOTO. SUPPLY Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6571 <u>Waste Detail(s)</u> Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
27	8 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART 34-733 HARVEY L COHEN DRUGS 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	GEN
<u>Generator Info</u> Generator No: ON1501545 Approval Years: 94,95,96 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: PHARMACIES Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 6031 <u>Waste Detail(s)</u> Waste Class: 261 Waste Class Name: PHARMACEUTICALS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	9 of 82	WNW/167.7	125.8 / 3.72	BLACK PHOTO CORPORATION SHERIDAN MALL 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN

Generator Info

Generator No:	ON1338107	Choice of Contact:	
Approval Years:	99,00,01	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	6571
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	CAMERA/PHOTO. SUPPLY		

Waste Detail(s)

Waste Class:	264
Waste Class Name:	PHOTOPROCESSING WASTES

27	10 of 82	WNW/167.7	125.8 / 3.72	GREAT ATLANTIC & PACIFIC CO. OF CDA.LTD. DOMINION STORE 717 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5N 2R5	GEN

Generator Info

Generator No:	ON2392246	Choice of Contact:	
Approval Years:	99,00,01	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	6571
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	CAMERA/PHOTO. SUPPLY		

Waste Detail(s)

Waste Class:	264
Waste Class Name:	PHOTOPROCESSING WASTES

27	11 of 82	WNW/167.7	125.8 / 3.72	PHARMACY #39, THE 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN

Generator Info

Generator No:	ON2427302	Choice of Contact:	
Approval Years:	99	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	6031
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	PHARMACIES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
27	12 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART 2225 ERIN MILLS PARKWAY SHERIDAN MALL MISSISSAUGA ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON1501545	Choice of Contact:		
Approval Years:		00,01	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code:		6031
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		PHARMACIES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
27	13 of 82	WNW/167.7	125.8 / 3.72	PHARMACY, THE 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON2427302	Choice of Contact:		
Approval Years:		00,01	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code:		6031
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		PHARMACIES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	14 of 82	WNW/167.7	125.8 / 3.72	THE GREAT ATLANTIC & PACIFIC CO. OF CANADA, LTD. 2225 ERIN MILL PARKWAY MISSISSAUGA ON L5K 1T9	GEN

Generator Info

Generator No: ON8509646
Approval Years: 02,03,04
Status:
PO Box No:
Country:
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

27	15 of 82	WNW/167.7	125.8 / 3.72	Air-Draulics Supply Limited 2225 Erin Mills Pky Mississauga ON L5K 1T8	SCT

Established: 1984
Plant Size (ft²):
Employment:

--Details--

Description: Metal Valve Manufacturing
SIC/NAICS Code: 332910

Description: All Other General-Purpose Machinery Manufacturing
SIC/NAICS Code: 333990

Description: Industrial Machinery, Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 417230

27	16 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE) 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	PES

Detail Licence No:
Licence No:
Status:
Approval Date:
Report Source:
Licence Type: Limited Vendor
Licence Type Code: 23
Licence Class:
Licence Control:
Latitude:

Operator Box:
Operator Class:
Operator No:
Operator Type:
Oper Area Code:
Oper Phone No:
Operator Ext:
Operator Lot:
Oper Concession:
Operator Region:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	17 of 82	WNW/167.7	125.8 / 3.72	ZELLERS STORE #327 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	18 of 82	WNW/167.7	125.8 / 3.72	ZELLERS CANADA INC 2225 ERIN MILLS PARKWAY CLARKSON ON	GEN
<u>Generator Info</u>					
Generator No: ON5199270 Approval Years: 06 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: All Other Clothing Stores					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 448199					
<u>Waste Detail(s)</u>					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
27	19 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE) 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	PES
Detail Licence No: Licence No:					
Operator Box: Operator Class:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:	Vendor			Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
27	20 of 82	WNW/167.7	125.8 / 3.72	ZELLERS STORE #327 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:	Vendor			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
27	21 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	ON9286761 2013 OPTICAL GOODS STORES			Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	 446130
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:	212 ALIPHATIC SOLVENTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	22 of 82	WNW/167.7	125.8 / 3.72	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
27	23 of 82	WNW/167.7	125.8 / 3.72	Metro Store 717<UNOFFICIAL> 2225 Erin Mills Parkway Mississauga ON	SPL
Ref No: 1880-8P6U66 Year: Incident Dt: 12/2/2011 Dt MOE Arvl on Scn: MOE Reported Dt: 12/2/2011 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Metro Store 717, Sheridan Mall<UNOFFICIAL> Site Address: 2225 Erin Mills Parkway Site Region: Site Municipality: Mississauga Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Metro Store 717<UNOFFICIAL> Client Type: Source Type: Incident Cause: Discharge or Emission to Air Incident Preceding Spill: Incident Reason: Equipment Failure Incident Summary: Metro, 100kg R404a refrigerant to atm, repaired Environment Impact: Confirmed Health Env Consequence: Nature of Impact: Air Pollution Contaminant Qty: 100 kg Contaminant Qty 1: 100		Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Unit: kg Contaminant Code: 38 Contaminant Name: FREON R-404A (CFC) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Sewage - Municipal/Private and Commercial Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Other SAC Action Class: Air Spills - Gases and Vapours Call Report Locatn Geodata: Time Reported: System Facility Address:					
27	24 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON	GEN
<u>Generator Info</u>					
Generator No: ON9286761 Approval Years: 2009 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Optical Goods Stores Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 446130					
<u>Waste Detail(s)</u>					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
27	25 of 82	WNW/167.7	125.8 / 3.72	2225 Erin Mills Parkway Mississauga ON	EHS
Order No: 20121003004 Status: C Report Type: Custom Report Report Date: 10-OCT-12 Date Received: 03-OCT-12 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.653973 Y: 43.528781					
27	26 of 82	WNW/167.7	125.8 / 3.72	2225 Erin Mills Parkway Mississauga ON	EHS
Order No: 20120803011 Status: C Report Type: Standard Report Report Date: 15-AUG-12 Date Received: 03-AUG-12 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.652232 Y: 43.529357					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	27 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON	GEN
<u>Generator Info</u>					
Generator No:	ON9286761			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	446130
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Optical Goods Stores				
<u>Waste Detail(s)</u>					
Waste Class:	212				
Waste Class Name:	ALIPHATIC SOLVENTS				
27	28 of 82	WNW/167.7	125.8 / 3.72	LensCrafters #964 Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	GEN
<u>Generator Info</u>					
Generator No:	ON4669105			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	453999
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
27	29 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE) 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K 1T9	PES
Detail Licence No:	23-01-13029-0			Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	LIMITED			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Trade Name: PDF URL:					
27	30 of 82	WNW/167.7	125.8 / 3.72	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717 2225 Erin Mills Parkway Mississauga ON L5K 1T9	PES
Detail Licence No: 23-01-15150-0 Licence No: Status: Approval Date: Report Source: Licence Type: LIMITED Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
27	31 of 82	WNW/167.7	125.8 / 3.72	LensCrafters #964 Sheridan Place Mall 2225 Erin Mills Parkway, Unit 31 Mississauga ON	GEN
Generator Info					
Generator No: ON4669105 Approval Years: 2013 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 453999			
Waste Detail(s)					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
27	32 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON	GEN
Generator Info					
Generator No: ON9286761 Approval Years: 2012 Status:		Choice of Contact: Contaminated Fac: MHSW Facility:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		Optical Goods Stores		SIC Code: 446130	
Waste Detail(s)					
Waste Class: Waste Class Name:		212 ALIPHATIC SOLVENTS			
27	33 of 82	WNW/167.7	125.8 / 3.72	TARGET CANADA CO. 2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	EASR
Approval No: R-002-7399628816 Status: REGISTERED Date: 2014-02-17 Record Type: EASR Link Source: MOFA Project Type: Standby Power System Full Address: Approval Type: EASR-Standby Power System SWP Area Name: Credit Valley PDF NAICS Code: PDF URL: PDF Site Location:				MOE District: Halton-Peel Municipality: MISSISSAUGA Latitude: 43.53027778 Longitude: -79.65388889 Geometry X: Geometry Y:	
27	34 of 82	WNW/167.7	125.8 / 3.72	TARGET CANADA CO. 2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1V1	EASR
Approval No: R-003-7399572016 Status: REGISTERED Date: 2014-02-17 Record Type: EASR Link Source: MOFA Project Type: Heating System Full Address: Approval Type: EASR-Heating System SWP Area Name: Credit Valley PDF NAICS Code: PDF URL: PDF Site Location:				MOE District: Halton-Peel Municipality: MISSISSAUGA Latitude: 43.53027778 Longitude: -79.65388889 Geometry X: Geometry Y:	
27	35 of 82	WNW/167.7	125.8 / 3.72	THE GREAT ATLANTIC & PACIFIC COMPANY OF CANAD 2225 ERIN MILLS Parkway MISSISSAUGA ON L5K1T9	NPRI
NPRI ID: 8800001677 Other ID: No Other ID: Track ID: Report ID: Report Type: Rpt Type ID: Report Year: 2004 Not-Current Rpt?: Yr of Last Filed Rpt: Fac ID:				Org ID: Submit Date: Last Modified: Contact ID: Cont Type: MED Contact Title: Mr. Cont First Name: KIRK Cont Last Name: SHIPLO Contact Position: Director Maintenance Contact Fax: Contact Ph.:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Name:		DOMINION - 2225 ERIN MILLS PKWY		Cont Area Code:	416
Fac Address1:				Contact Tel.:	2346979
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	
Facility Lat:				Contact Fax:	
Facility Long:				Contact Email:	kshiplo@aptea.com
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	20			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		53			
NAICS 2 Description:		Real Estate and Rental and Leasing			
NAICS Code (4 digit):		5311			
NAICS 4 Description:		Lessors of Real Estate			
NAICS Code (6 digit):		531120			
NAICS 6 Description:		Lessors of Non-Residential Buildings (except Mini-Warehouses)			

Substance Release Report

CAS No: 811-97-2
Report ID:
Rpt Period: 2004
Subst Released: HFC-134a Hydrofluorocarbon
Air: .015
Water:
Land:
Total Releases: .015
Units: tonnes

CAS No: 630-08-0
Report ID:
Rpt Period: 2004
Subst Released: Carbon monoxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 10024-97-2
Report ID:
Rpt Period: 2004
Subst Released: Nitrous oxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 124-38-9
Report ID:
Rpt Period: 2004
Subst Released: Carbon dioxide
Air:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M09			
Report ID:					
Rpt Period:		2004			
Subst Released:		PM10 - Particulate Matter <= 10 Microns			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		11104-93-1			
Report ID:					
Rpt Period:		2004			
Subst Released:		Nitrogen oxides (expressed as NO2)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		74-82-8			
Report ID:					
Rpt Period:		2004			
Subst Released:		Methane			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M10			
Report ID:					
Rpt Period:		2004			
Subst Released:		PM2.5 - Particulate Matter <= 2.5 Microns			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M16			
Report ID:					
Rpt Period:		2004			
Subst Released:		Volatile Organic Compounds (VOCs)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		7446-09-5			
Report ID:					
Rpt Period:		2004			
Subst Released:		Sulphur dioxide			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M08			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report ID: Rpt Period: 2004 Subst Released: PM - Total Particulate Matter Air: Water: Land: Total Releases: Units: tonnes					
27	36 of 82	WNW/167.7	125.8 / 3.72	ZELLERS 2225 ERIN MILLS Parkway MISSISSAUGA ON L5K7V1	NPRI
NPRI ID: 8800000622 Other ID: No Other ID: Track ID: Report ID: Report Type: Rpt Type ID: Report Year: 2004 Not-Current Rpt?: Yr of Last Filed Rpt: Fac ID: Fac Name: ZELLERS STORE #327, SHERIDAN MALL S. C. Fac Address1: Fac Address2: Fac Postal Zip: Facility Lat: Facility Long: DLS (Last Filed Rpt): Facility DLS: Datum: Facility Cmnts: URL: No of Empl.: 20 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 53 NAICS 2 Description: Real Estate and Rental and Leasing NAICS Code (4 digit): 5311 NAICS 4 Description: Lessors of Real Estate NAICS Code (6 digit): 531120 NAICS 6 Description: Lessors of Non-Residential Buildings (except Mini-Warehouses)					
Org ID: Submit Date: Last Modified: Contact ID: Cont Type: MED Contact Title: Mr. Cont First Name: FREDERICK Cont Last Name: WARE Contact Position: SENIOR MANAGER ENERGY ENVIRONMENT SOURCING INITIATIVES Contact Fax: Contact Ph.: Cont Area Code: 416 Contact Tel.: 8614938 Contact Ext.: Cont Fax Area Cde: 416 Contact Fax: 8616619 Contact Email: Fred.ware@hbc.com Latitude: Longitude: UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
CAS No: 10024-97-2 Report ID: Rpt Period: 2004 Subst Released: Nitrous oxide Air: Water: Land: Total Releases:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Units:		tonnes			
CAS No:		74-82-8			
Report ID:					
Rpt Period:		2004			
Subst Released:		Methane			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M16			
Report ID:					
Rpt Period:		2004			
Subst Released:		Volatile Organic Compounds (VOCs)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		124-38-9			
Report ID:					
Rpt Period:		2004			
Subst Released:		Carbon dioxide			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		7446-09-5			
Report ID:					
Rpt Period:		2004			
Subst Released:		Sulphur dioxide			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M08			
Report ID:					
Rpt Period:		2004			
Subst Released:		PM - Total Particulate Matter			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		11104-93-1			
Report ID:					
Rpt Period:		2004			
Subst Released:		Nitrogen oxides (expressed as NO2)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		630-08-0			
Report ID:					
Rpt Period:		2004			
Subst Released:		Carbon monoxide			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Air: Water: Land: Total Releases: Units: tonnes CAS No: NA - M10 Report ID: Rpt Period: 2004 Subst Released: PM2.5 - Particulate Matter <= 2.5 Microns Air: Water: Land: Total Releases: Units: tonnes CAS No: 811-97-2 Report ID: Rpt Period: 2004 Subst Released: HFC-134a Hydrofluorocarbon Air: Water: Land: Total Releases: Units: tonnes CAS No: NA - M09 Report ID: Rpt Period: 2004 Subst Released: PM10 - Particulate Matter <= 10 Microns Air: Water: Land: Total Releases: Units: tonnes					
27	37 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE) 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	PES
Detail Licence No: Licence No: 16787 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8226621 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	38 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON9286761			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	446130
Country:	Canada				
Co Admin:	National Acct Specialist				
Phone No Admin:	866-900-3762 Ext.				
SIC Description:	OPTICAL GOODS STORES				
<u>Waste Detail(s)</u>					
Waste Class:	212				
Waste Class Name:	ALIPHATIC SOLVENTS				
27	39 of 82	WNW/167.7	125.8 / 3.72	2420109 Ontario Inc 2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:	ON7933292			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621990
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:	ALL OTHER AMBULATORY HEALTH CARE SERVICES				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>Waste Detail(s)</u>					
Waste Class:	261				
Waste Class Name:	PHARMACEUTICALS				
27	40 of 82	WNW/167.7	125.8 / 3.72	Bentall Kennedy Canada LP 2225 Erin Mills Parkway Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:	ON3810805			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	452999
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:	ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
27	41 of 82	WNW/167.7	125.8 / 3.72	Mayada Al-Omary Pharmacy Ltd. 2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON7892762		Choice of Contact:	CO_ADMIN
Approval Years:		2015		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	446110
Country:		Canada			
Co Admin:		Nastran Najafi-Fard			
Phone No Admin:		416-493-1220 Ext.3218			
SIC Description:		446110			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
27	42 of 82	WNW/167.7	125.8 / 3.72	2420109 Ontario Inc 2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:		ON7933292		Choice of Contact:	CO_OFFICIAL
Approval Years:		2015		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621990
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		ALL OTHER AMBULATORY HEALTH CARE SERVICES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	43 of 82	WNW/167.7	125.8 / 3.72	Heart and Stroke Foundation 2225 Erin Mills Parkway Mississauga ON L5K1T7	GEN
<u>Generator Info</u>					
Generator No:	ON9561166			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621494
Country:	Canada				
Co Admin:	Julie Piche				
Phone No Admin:	6476889029 Ext.				
SIC Description:	621494				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
27	44 of 82	WNW/167.7	125.8 / 3.72	Target Canada Co. 2225 Erin Mills Pkwy. Mississauga ON L5M 4Z5	GEN
<u>Generator Info</u>					
Generator No:	ON4663086			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	452110
Country:	Canada				
Co Admin:	Carolyn Bue				
Phone No Admin:	800-587-2228 Ext.				
SIC Description:	DEPARTMENT STORES				
<u>Waste Detail(s)</u>					
Waste Class:	146				
Waste Class Name:	OTHER SPECIFIED INORGANICS				
<u>Waste Detail(s)</u>					
Waste Class:	331				
Waste Class Name:	WASTE COMPRESSED GASES				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>Waste Detail(s)</u>					
Waste Class:	112				
Waste Class Name:	ACID WASTE - HEAVY METALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		262			
Waste Class Name:		DETERGENTS/SOAPS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		269			
Waste Class Name:		NON-HALOGENATED PESTICIDES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		242			
Waste Class Name:		HALOGENATED PESTICIDES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
27	45 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				2225 Erin Mills Parkway Mississauga ON L5K 1T9	
<u>Generator Info</u>					
Generator No:	ON7025920			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	446110
Country:	Canada				
Co Admin:	Emil Laswardi				
Phone No Admin:	416-234-6537 Ext.				
SIC Description:	446110				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
27	46 of 82	WNW/167.7	125.8 / 3.72	Mayada Al-Omary Pharmacy Ltd. 2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:	ON7892762			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	446110
Country:	Canada				
Co Admin:	Nastran Najafi-Fard				
Phone No Admin:	416-493-1220 Ext.3218				
SIC Description:	446110				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>Waste Detail(s)</u>					
Waste Class:	261				
Waste Class Name:	PHARMACEUTICALS				
27	47 of 82	WNW/167.7	125.8 / 3.72	Bentall Kennedy Canada LP 2225 Erin Mills Parkway Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:	ON3810805			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	452999
Country:	Canada				
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES					
<u>Waste Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
<u>2017 Generator Info</u>					
Gen No: ON3810805 ID: 15240 Contaminated Fac: N MHSW Facility: N NAICS Code1: 452999 NAICS Code2: NAICS Code3: Gen Name: Bentall Kennedy Canada LP Gen Div: PCM Sheridan Gen Op Name: Bentall Kennedy Retail Gen Op Div: Site Adrs1: 2225 Erin Mills Parkway Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Mississauga Province Out: Site Postal Code: L5K1T9 Site Country: Canada Co Official: Mike JB Tripp Co Admin:					
Choice of Contact: CO_OFFICIAL Phone No Official: 905-882-0344 Ext.25 Phone No Admin: County Ont: PEEL (R. M.) County Out: District: 305					
27	48 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No: ON9286761 Approval Years: 2015 Status: PO Box No: Country: Canada Co Admin: National Acct Specialist Phone No Admin: 866-900-3762 Ext. SIC Description: OPTICAL GOODS STORES					
Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 446130					
<u>Waste Detail(s)</u>					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
27	49 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON7025920 Approval Years: 2015 Status: PO Box No: Country: Canada Co Admin: Emil Laswardi Phone No Admin: 416-234-6537 Ext. SIC Description: 446110 Choice of Contact: CO_ADMIN Contaminated Fac: No MHSW Facility: No SIC Code: 446110					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
27	50 of 82	WNW/167.7	125.8 / 3.72	Lens Crafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No: ON9286761 Approval Years: 2014 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: OPTICAL GOODS STORES Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 446130					
<u>Waste Detail(s)</u>					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
27	51 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No: ON7025920 Approval Years: 2014 Status: PO Box No: Country: Canada Co Admin: Emil Laswardi Phone No Admin: 416-234-6537 Ext. SIC Description: 446110 Choice of Contact: CO_ADMIN Contaminated Fac: No MHSW Facility: No SIC Code: 446110					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
27	52 of 82	WNW/167.7	125.8 / 3.72	Target Canada Co. 2225 Erin Mills Pkwy.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mississauga ON L5M 4Z5					
<u>Generator Info</u>					
Generator No:	ON4663086			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	452110
Country:	Canada				
Co Admin:		Carolyn Bue			
Phone No Admin:		800-587-2228 Ext.			
SIC Description:		DEPARTMENT STORES			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		262			
Waste Class Name:		DETERGENTS/SOAPS			
<u>Waste Detail(s)</u>					
Waste Class:		312			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		269			
Waste Class Name:		NON-HALOGENATED PESTICIDES			
<u>Waste Detail(s)</u>					
Waste Class:		242			
Waste Class Name:		HALOGENATED PESTICIDES			
27	53 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON7025920		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
27	54 of 82	WNW/167.7	125.8 / 3.72	Mayada Al-Omary Pharmacy Ltd. 2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON7892762			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>27</u>	55 of 82	WNW/167.7	125.8 / 3.72	2420109 Ontario Inc 2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:	ON7933292			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>27</u>	56 of 82	WNW/167.7	125.8 / 3.72	Dr. Hadipranoto and Dr. Huang DPC 2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:	ON5919414			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Waste Detail(s) Waste Class: 261 A Waste Class Name: Pharmaceuticals Waste Detail(s) Waste Class: 312 P Waste Class Name: Pathological wastes					
27	57 of 82	WNW/167.7	125.8 / 3.72	TARGET CANADA CO. O/A TARGET STORE T3669 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	PES
Detail Licence No: Licence No: 17012 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8555985 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	58 of 82	WNW/167.7	125.8 / 3.72	THE REGIONAL MUNICIPALITY OF PEEL 2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	EASR
Approval No: R-009-9110319070 Status: REGISTERED Date: 2018-01-02 Record Type: EASR Link Source: MOFA Project Type: Water Taking - Construction Dewatering Full Address: Approval Type: EASR-Water Taking - Construction Dewatering SWP Area Name: Credit Valley PDF NAICS Code: PDF URL: PDF Site Location:					
MOE District: Halton-Peel Municipality: MISSISSAUGA Latitude: 43.53027778 Longitude: -79.65333333 Geometry X: Geometry Y:					
27	59 of 82	WNW/167.7	125.8 / 3.72	2225 Erin Mills Pky Mississauga ON L5K1T8	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20170818076 Status: C Report Type: Standard Report Report Date: 24-AUG-17 Date Received: 18-AUG-17 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.653451 Y: 43.53023					
27	60 of 82	WNW/167.7	125.8 / 3.72	K MART STORES 5428 STORE #5428 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1V1	PES
Detail Licence No: Licence No: 07019 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Retail Vendor Class 03 Licence Type Code: 21 Licence Class: 03 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 8224922 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	61 of 82	WNW/167.7	125.8 / 3.72	METRO ONTARIO INC O/A METRO/FOOD BASICS # 717 2225 ERIN MILLS PARKWAY MISSISSAUGA ON L5K1T9	PES
Detail Licence No: Licence No: 15150 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8293737 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
27	62 of 82	WNW/167.7	125.8 / 3.72	SHOPPERS DRUG MART #775 (SHERIDAN CENTRE) 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1T9	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail Licence No: Licence No: 13029 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8226621 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	

27	63 of 82	WNW/167.7	125.8 / 3.72	ZELLERS STORE #327 2225 ERIN MILLS PKWY MISSISSAUGA ON L5K1V1	PES
Detail Licence No: 23-01-11438-0 Licence No: 11438 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8224922 Operator Ext: Operator Lot: Oper Concession: Operator Region: 3 Operator District: 1 Operator County: 49 Op Municipality: Post Office Box: MOE District: SWP Area Name:	

27	64 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN

Generator Info

Generator No: ON7025920 Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
27	65 of 82	WNW/167.7	125.8 / 3.72	Mayada Al-Omary Pharmacy Ltd. 2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON7892762		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
27	66 of 82	WNW/167.7	125.8 / 3.72	Dr. Hadipranoto and Dr. Lam DPC 2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON5919414		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
27	67 of 82	WNW/167.7	125.8 / 3.72	2420109 Ontario Inc 2225 Erin Mills Pkwy Unit 183 B1 Mississauga ON L5K1T9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON7933292			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
27	68 of 82	WNW/167.7	125.8 / 3.72	THE REGIONAL MUNICIPALITY OF PEEL 2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	EASR
Approval No:	R-009-9110319070			MOE District:	Halton-Peel
Status:	REGISTERED			Municipality:	MISSISSAUGA
Date:	2020-06-11			Latitude:	43.53027778
Record Type:	EASR			Longitude:	-79.65333333
Link Source:	MOFA			Geometry X:	-8866968.5067
Project Type:	Water Taking - Construction Dewatering			Geometry Y:	5393037.013899996
Full Address:					
Approval Type:	EASR-Water Taking - Construction Dewatering				
SWP Area Name:	Credit Valley				
PDF NAICS Code:					
PDF URL:					
PDF Site Location:					
27	69 of 82	WNW/167.7	125.8 / 3.72	THE REGIONAL MUNICIPALITY OF PEEL 2225 ERIN MILLS PKY MISSISSAUGA ON L5K 1T9	EASR
Approval No:	R-009-9110319070			MOE District:	Halton-Peel
Status:	REGISTERED			Municipality:	MISSISSAUGA
Date:	2020-12-23			Latitude:	43.53027778
Record Type:	EASR			Longitude:	-79.65333333
Link Source:	MOFA			Geometry X:	
Project Type:	Water Taking - Construction Dewatering			Geometry Y:	
Full Address:					
Approval Type:	EASR-Water Taking - Construction Dewatering				
SWP Area Name:	Credit Valley				
PDF NAICS Code:					
PDF URL:					
PDF Site Location:					
27	70 of 82	WNW/167.7	125.8 / 3.72	2420109 Ontario Inc 2225 Erin Mills Pkwy Unit 183 B1	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mississauga ON L5K1T9					
<u>Generator Info</u>					
Generator No:	ON7933292			Choice of Contact:	
Approval Years:	As of Nov 2021			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
27	71 of 82	WNW/167.7	125.8 / 3.72	Dr. Hadipranoto and Dr. Lam DPC 2225 Erin Mills Pkwy Unit 44C Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:	ON5919414			Choice of Contact:	
Approval Years:	As of Nov 2021			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
27	72 of 82	WNW/167.7	125.8 / 3.72	LensCrafters # 964 2225 Erin Mills Pkwy Unit B1 Mississauga ON L5K1T9	GEN
<u>Generator Info</u>					
Generator No:	ON9286761			Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		As of Nov 2021 Registered Canada		Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 L Aliphatic solvents and residues			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 I Aliphatic solvents and residues			
27	73 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Pharmacies Limited 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON7025920 As of Nov 2021 Registered Canada		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312 P Pathological wastes			
27	74 of 82	WNW/167.7	125.8 / 3.72	Mayada Al-Omary Pharmacy Ltd. 2225 ERIN MILLS PKWY. Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON7892762 As of Nov 2021 Registered Canada		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 A Pharmaceuticals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
27	75 of 82	WNW/167.7	125.8 / 3.72	Region of Peel Public Health Covid Vaccination 2225 Erin Mills Parkway Mississauga ON L5K 1T9	GEN
<u>Generator Info</u>					
Generator No:		ON8117252		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
27	76 of 82	WNW/167.7	125.8 / 3.72	Metro Pharmacy # 527 2225 Erin Mills Parkway Mississauga ON	GEN
<u>Generator Info</u>					
Generator No:		ON7025920		Choice of Contact:	
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Generator Info as of Dec 2024</u>					
Generator No:		ON7025920			
Generator Company Name:		Metro Pharmacy # 527			
Street:		2225 Erin Mills Parkway			
City:		Mississauga			
Province State:		Ontario			
Country:		Canada			
Postal Code:		L5K1T9			
Waste Class:		114 C, 122 C, 145 I, 265 I, 312 P			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class Decoded:

114 - OTHER INORGANIC ACID WASTES; 122 - ALKALINE WASTES - OTHER METALS; 145 - PAINT/PIGMENT/COATING RESIDUES; 265 - GRAPHIC ART WASTES; 312 - PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON7025920
Generator Company Name: Metro Pharmacy # 527
Street: 2225 Erin Mills Parkway
City: Mississauga
Province State: Ontario
Country: Canada
Postal Code: L5K1T9
Waste Class: 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

2017 Generator Info

Gen No:	ON7025920	Choice of Contact:	CO_ADMIN
ID:	27595	Phone No Official:	416-234-6572 Ext.
Contaminated Fac:	N	Phone No Admin:	416-234-6537 Ext.
MHSW Facility:	N	County Ont:	PEEL (R. M.)
NAICS Code1:	446110	County Out:	
NAICS Code2:		District:	305
NAICS Code3:			
Gen Name:	Metro Ontario Pharmacies Limited		
Gen Div:			
Gen Op Name:	Metro Pharmacy		
Gen Op Div:			
Site Adrs1:	2225 Erin Mills Parkway		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Mississauga		
Province Out:			
Site Postal Code:	L5K 1T9		
Site Country:	Canada		
Co Official:	Alvin Kochhar		
Co Admin:	Emil Laswardi		

2018 Generator Info

Gen No:	ON7025920	Choice of Contact:	CO_ADMIN
ID:	28024	Phone No Official:	416-234-6572 Ext.
Contaminated Fac:	N	Phone No Admin:	416-234-6537 Ext.
MHSW Facility:	N	County Ont:	PEEL (R. M.)
NAICS Code1:	446110	County Out:	
NAICS Code2:		District:	305
NAICS Code3:			
Gen Name:	Metro Ontario Pharmacies Limited		
Gen Div:			
Gen Op Name:	Metro Pharmacy		
Gen Op Div:			
Site Adrs1:	2225 Erin Mills Parkway		
Site Bldg:			
Site Pobox:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB				
Province In:		ONTARIO							
Site Adrs2:									
Site City:		Mississauga							
Province Out:									
Site Postal Code:		L5K 1T9							
Site Country:		Canada							
Co Official:		Alvin Kochhar							
Co Admin:		Emil Laswardi							
<u>2019 Generator Info</u>									
Gen No:	ON7025920			Choice of Contact:	CO_ADMIN				
ID:	28302			Phone No Official:	416-234-6572 Ext.				
Contaminated Fac:	N			Phone No Admin:	416-234-6537 Ext.				
MHSW Facility:	N			County Ont:	PEEL (R. M.)				
NAICS Code1:	446110			County Out:					
NAICS Code2:				District:	305				
NAICS Code3:									
Gen Name:	Metro Ontario Pharmacies Limited								
Gen Div:									
Gen Op Name:	Metro Pharmacy								
Gen Op Div:									
Site Adrs1:	2225 Erin Mills Parkway								
Site Bldg:									
Site Pobox:									
Province In:	ONTARIO								
Site Adrs2:									
Site City:	Mississauga								
Province Out:									
Site Postal Code:	L5K 1T9								
Site Country:	Canada								
Co Official:	Alvin Kochhar								
Co Admin:	Emil Laswardi								
<u>2020 Generator Info</u>									
Gen No:	ON7025920			Choice of Contact:	CO_ADMIN				
ID:	27994			Phone No Official:	416-234-6572 Ext.				
Contaminated Fac:	N			Phone No Admin:	416-234-6537 Ext.				
MHSW Facility:	N			County Ont:	PEEL (R. M.)				
NAICS Code1:	446110			County Out:					
NAICS Code2:				District:	305				
NAICS Code3:									
Gen Name:	Metro Ontario Pharmacies Limited								
Gen Div:									
Gen Op Name:	Metro Pharmacy								
Gen Op Div:									
Site Adrs1:	2225 Erin Mills Parkway								
Site Bldg:									
Site Pobox:									
Province In:	ONTARIO								
Site Adrs2:									
Site City:	Mississauga								
Province Out:									
Site Postal Code:	L5K 1T9								
Site Country:	Canada								
Co Official:	Alvin Kochhar								
Co Admin:	Emil Laswardi								
<u>2021 Generator Info</u>									
Gen No:	ON7025920			Choice of Contact:	CO_ADMIN				
ID:	28513			Phone No Official:	416-234-6572 Ext.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminated Fac:	N			Phone No Admin:	416-234-6537 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metro Ontario Pharmacies Limited			
Gen Div:					
Gen Op Name:		Metro Pharmacy			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Parkway			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Alvin Kochhar			
Co Admin:		Emil Laswardi			

[27](#) 77 of 82 WNW/167.7 125.8 / 3.72 Shoppers Drug Mart #775
2225 ERIN MILLS PKWY.
Mississauga ON GEN

Generator Info

Generator No:	ON7892762	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No:	ON7892762
Generator Company Name:	Shoppers Drug Mart #775
Street:	2225 ERIN MILLS PKWY.
City:	Mississauga
Province State:	Ontario
Country:	Canada
Postal Code:	L5K1T9
Waste Class:	312 P, 261 A

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2017 Generator Info</u>					
Gen No:	ON7892762			Choice of Contact:	CO_ADMIN
ID:	30838			Phone No Official:	905-822-6621 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.3218
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Mayada Al-Omary Pharmacy Ltd.				
Gen Div:					
Gen Op Name:	Shoppers Drug Mart 775				
Gen Op Div:					
Site Adrs1:	2225 ERIN MILLS PKWY.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T9				
Site Country:	Canada				
Co Official:	Mayada Al-Omary				
Co Admin:	Nastran Najafi-Fard				
<u>2017 Generator Manifest</u>					
ID:	58030			Sum Received Qty:	10.77
Generator No:	ON7892762			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON7892762			Choice of Contact:	CO_ADMIN
ID:	31424			Phone No Official:	905-822-6621 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Mayada Al-Omary Pharmacy Ltd.				
Gen Div:					
Gen Op Name:	Shoppers Drug Mart 775				
Gen Op Div:					
Site Adrs1:	2225 ERIN MILLS PKWY.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T9				
Site Country:	Canada				
Co Official:	Mayada Al-Omary				
Co Admin:	Pharmacy Operations Development				
<u>2019 Generator Info</u>					
Gen No:	ON7892762			Choice of Contact:	CO_ADMIN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	31776			Phone No Official:	905-822-6621 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Mayada Al-Omary Pharmacy Ltd.			
Gen Div:					
Gen Op Name:		Shoppers Drug Mart 775			
Gen Op Div:					
Site Adrs1:		2225 ERIN MILLS PKWY.			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Mayada Al-Omary			
Co Admin:		Pharmacy Operations Development			
<u>2019 Generator Manifest</u>					
ID:	58248			Sum Received Qty:	9.0
Generator No:	ON7892762			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2019 Generator Manifest</u>					
ID:	58247			Sum Received Qty:	2.0
Generator No:	ON7892762			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	A			District:	305
Waste Code:	261				
<u>2020 Generator Info</u>					
Gen No:	ON7892762			Choice of Contact:	CO_ADMIN
ID:	31492			Phone No Official:	905-822-6621 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Mayada Al-Omary Pharmacy Ltd.			
Gen Div:					
Gen Op Name:		Shoppers Drug Mart 775			
Gen Op Div:					
Site Adrs1:		2225 ERIN MILLS PKWY.			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Mayada Al-Omary			
Co Admin:		Pharmacy Operations Development			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2020 Generator Manifest</u>					
ID:	54462			Sum Received Qty:	21.0
Generator No:	ON7892762			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON7892762			Choice of Contact:	CO_ADMIN
ID:	32174			Phone No Official:	905-822-6621 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Mayada Al-Omary Pharmacy Ltd.				
Gen Div:					
Gen Op Name:	Shoppers Drug Mart 775				
Gen Op Div:					
Site Adrs1:	2225 ERIN MILLS PKWY.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T9				
Site Country:	Canada				
Co Official:	Mayada Al-Omary				
Co Admin:	Pharmacy Operations Development				
<u>2021 Generator Manifest</u>					
ID:	56800			Sum Received Qty:	6.25
Generator No:	ON7892762			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	2
Waste Char:	A			District:	305
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	56801			Sum Received Qty:	29.28
Generator No:	ON7892762			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>27</u>	78 of 82	WNW/167.7	125.8 / 3.72	EssilorLuxottica of Canada 2225 Erin Mills Pkwy, Unit B1 Mississauga ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin: Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		212 L			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		212 I			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Generator Info as of Dec 2024</u>					
Generator No:		ON9286761			
Generator Company Name:		EssilorLuxottica of Canada			
Street:		2225 Erin Mills Pkwy, Unit B1			
City:		Mississauga			
Province State:		Ontario			
Country:		Canada			
Postal Code:		L5K 1T9			
Waste Class:		212 L,212 I			
Waste Class Decoded:					
212 - ALIPHATIC SOLVENTS; 212 - ALIPHATIC SOLVENTS					
<u>2017 Generator Info</u>					
Gen No:	ON9286761			Choice of Contact:	CO_OFFICIAL
ID:	36268			Phone No Official:	734-521-8205 Ext.
Contaminated Fac:	N			Phone No Admin:	866-900-3762 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446130			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Lens Crafters # 964			
Gen Div:					
Gen Op Name:		Lens Crafters # 964			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Pkwy			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit B1			
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K1T9			
Site Country:		Canada			
Co Official:		Courtney Paddock			
Co Admin:		National Acct Specialist			
<u>2018 Generator Info</u>					
Gen No:	ON9286761			Choice of Contact:	CO_OFFICIAL
ID:	36985			Phone No Official:	734-521-8119 Ext.
Contaminated Fac:	N			Phone No Admin:	513-765-6239 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	446130			County Out:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		LensCrafters # 964			
Gen Div:					
Gen Op Name:		LensCrafters # 964			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Pkwy			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit B1			
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K1T9			
Site Country:		Canada			
Co Official:		Rachael Griffin			
Co Admin:		Jay McDonald			
2021 Generator Info					
Gen No:		ON9286761	Choice of Contact:		CO_OFFICIAL
ID:		38225	Phone No Official:		513-765-4311 Ext.
Contaminated Fac:		N	Phone No Admin:		513-765-6239 Ext.
MHSW Facility:		N	County Ont:		PEEL (R. M.)
NAICS Code1:		446130	County Out:		
NAICS Code2:			District:		305
NAICS Code3:					
Gen Name:		LensCrafters # 964			
Gen Div:					
Gen Op Name:		LensCrafters # 964			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Pkwy			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit B1			
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K1T9			
Site Country:		Canada			
Co Official:		Melissa Olberding			
Co Admin:		Jay McDonald			
27	79 of 82	WNW/167.7	125.8 / 3.72	Region of Peel Sheridan Centre, 2225 Erin Mills Parkway Mississauga ON	GEN

Generator Info

Generator No:	ON8117252	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Generator Info as of Dec 2024</u>					
Generator No:		ON8117252			
Generator Company Name:		Region of Peel			
Street:		Sheridan Centre, 2225 Erin Mills Parkway			
City:		Mississauga			
Province State:		Ontario			
Country:		Canada			
Postal Code:		L5K1T9			
Waste Class:		312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES					
<u>2021 Generator Info</u>					
Gen No:		ON8117252		Choice of Contact:	CO_OFFICIAL
ID:		33189		Phone No Official:	905-791-7800 Ext.2524
Contaminated Fac:		N		Phone No Admin:	905-791-7800 Ext.2838
MHSW Facility:		N		County Ont:	PEEL (R. M.)
NAICS Code1:		621494		County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Region of Peel Public Health			
Gen Div:		Covid Vaccination			
Gen Op Name:		Peel Public Health			
Gen Op Div:		Covid Vaccination			
Site Adrs1:		2225 Erin Mills Parkway			
Site Bldg:		Sheridan Centre			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Paulette Whyte			
Co Admin:		Nancy Cherrington			
<u>2021 Generator Manifest</u>					
ID:		57962		Sum Received Qty:	105.5
Generator No:		ON8117252		Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:		035		Count Manifests:	5
Waste Char:		P		District:	302
Waste Code:		312			
27	80 of 82	WNW/167.7	125.8 / 3.72	Sheridan Dental 2225 Erin Mills Pkwy Unit 44C Mississauqa ON	GEN

Generator Info

Generator No:		ON5919414		Choice of Contact:	
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada Co Admin: Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: PATHOLOGICAL WASTES					
<u>Waste Detail(s)</u>					
Waste Class: 261 A Waste Class Name: PHARMACEUTICALS					
<u>Generator Info as of Dec 2024</u>					
Generator No: ON5919414 Generator Company Name: Sheridan Dental Street: 2225 Erin Mills Pkwy Unit 44C City: Mississauga Province State: Ontario Country: Canada Postal Code: L5K1T9 Waste Class: 312 P,261 A					
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS					
<u>2017 Generator Info</u>					
Gen No: ON5919414 ID: 23351 Contaminated Fac: N MHSW Facility: N NAICS Code1: 621210 NAICS Code2: NAICS Code3: Gen Name: Dr. Hadipranoto and Dr. Huang DPC Gen Div: Gen Op Name: Sheridan Dental Gen Op Div: Site Adrs1: 2225 Erin Mills Pkwy Unit 44C Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Mississauga Province Out: Site Postal Code: L5K 1T9 Site Country: Canada Co Official: TING A HUANG Co Admin: FRANCES V HADIPRANOTO Choice of Contact: CO_OFFICIAL Phone No Official: (905) 822-8288 Ext. Phone No Admin: (905) 822-8288 Ext. County Ont: PEEL (R. M.) County Out: District: 305					
<u>2017 Generator Manifest</u>					
ID: 48389 Generator No: ON5919414 Receiver Type: 035 Waste Char: P Sum Received Qty: 6.9 Waste Class Name: PATHOLOGICAL WASTES Count Manifests: 1 District: 305					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON5919414			Choice of Contact:	CO_OFFICIAL
ID:	23595			Phone No Official:	(905) 822-8288 Ext.
Contaminated Fac:	N			Phone No Admin:	(905) 822-8288 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Dr. Hadipranoto and Dr. Huang DPC				
Gen Div:					
Gen Op Name:	Sheridan Dental				
Gen Op Div:					
Site Adrs1:	2225 Erin Mills Pkwy Unit 44C				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T9				
Site Country:	Canada				
Co Official:	TING A HUANG				
Co Admin:	FRANCES V HADIPRANOTO				
<u>2018 Generator Manifest</u>					
ID:	48262			Sum Received Qty:	25.2
Generator No:	ON5919414			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON5919414			Choice of Contact:	CO_OFFICIAL
ID:	23721			Phone No Official:	(905) 822-8288 Ext.
Contaminated Fac:	N			Phone No Admin:	(905) 822-8288 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:	Dr. Hadipranoto and Dr. Lam DPC				
Gen Div:					
Gen Op Name:	Sheridan Dental				
Gen Op Div:					
Site Adrs1:	2225 Erin Mills Pkwy Unit 44C				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Mississauga				
Province Out:					
Site Postal Code:	L5K 1T9				
Site Country:	Canada				
Co Official:	Jeffrey CF Lam				
Co Admin:	Frances V Hadipranoto				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	47999			Sum Received Qty:	23.0
Generator No:	ON5919414			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON5919414			Choice of Contact:	CO_OFFICIAL
ID:	23439			Phone No Official:	(905) 822-8288 Ext.
Contaminated Fac:	N			Phone No Admin:	(905) 822-8288 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. Hadipranoto and Dr. Lam DPC			
Gen Div:					
Gen Op Name:		Sheridan Dental			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Pkwy Unit 44C			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Jeffrey CF Lam			
Co Admin:		Frances V Hadipranoto			
<u>2020 Generator Manifest</u>					
ID:	44645			Sum Received Qty:	28.3
Generator No:	ON5919414			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON5919414			Choice of Contact:	CO_OFFICIAL
ID:	23784			Phone No Official:	(905) 822-8288 Ext.
Contaminated Fac:	N			Phone No Admin:	(905) 822-8288 Ext.
MHSW Facility:	N			County Ont:	PEEL (R. M.)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Dr. Hadipranoto and Dr. Lam DPC			
Gen Div:					
Gen Op Name:		Sheridan Dental			
Gen Op Div:					
Site Adrs1:		2225 Erin Mills Pkwy Unit 44C			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Mississauga			
Province Out:					
Site Postal Code:		L5K 1T9			
Site Country:		Canada			
Co Official:		Jeffrey CF Lam			
Co Admin:		Frances V Hadipranoto			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2021 Generator Manifest</u>					
ID:	46329			Sum Received Qty:	15.72
Generator No:	ON5919414			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>27</u>	81 of 82	WNW/167.7	125.8 / 3.72	2225 Erin Mills Parkway Mississauga ON L5K 1T9	EHS
Order No:	24082101962			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	PA
Report Date:	22-AUG-24			Search Radius (km):	.25
Date Received:	21-AUG-24			X:	-79.65461393
Previous Site Name:				Y:	43.52901916
Lot/Building Size:					
Additional Info Ordered:					
<u>27</u>	82 of 82	WNW/167.7	125.8 / 3.72	Metro Ontario Inc. 2225 Erin Mills Parkway Mississauga ON	GEN
<u>Generator Info as of Dec 2024</u>					
Generator No:	ON001059632				
Generator Company Name:	Metro Ontario Inc.				
Street:	2225 Erin Mills Parkway				
City:	Mississauga				
Province State:	Ontario				
Country:	Canada				
Postal Code:	L5K 1T9				
Waste Class:	114 C, 122 C, 145 I, 265 I, 312 P				
Waste Class Decoded:					
114 - OTHER INORGANIC ACID WASTES; 122 - ALKALINE WASTES - OTHER METALS; 145 - PAINT/PIGMENT/COATING RESIDUES; 265 - GRAPHIC ART WASTES; 312 - PATHOLOGICAL WASTES					
<u>Generator Info as of Dec 2024</u>					
Generator No:	ON001059632				
Generator Company Name:	Metro Ontario Inc.				
Street:	2225 Erin Mills Parkway				
City:	Mississauga				
Province State:	Ontario				
Country:	Canada				
Postal Code:	L5K 1T9				
Waste Class:	114 C,122 C,145 I,265 I				
Waste Class Decoded:					
114 - OTHER INORGANIC ACID WASTES; 122 - ALKALINE WASTES - OTHER METALS; 145 - PAINT/PIGMENT/COATING RESIDUES; 265 - GRAPHIC ART WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
28	1 of 1	WNW/172.3	125.3 / 3.27	2225 Erin Mills Parkway Mississauga ON L5K 1T9	EHS
Order No: 23030700114				Nearest Intersection:	
Status: C				Municipality:	
Report Type: RSC Report - Quote				Client Prov/State: ON	
Report Date: 10-MAR-23				Search Radius (km): .3	
Date Received: 07-MAR-23				X: -79.65351844	
Previous Site Name:				Y: 43.53029461	
Lot/Building Size:					
Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
29	1 of 2	NNE/178.3	113.8 / -8.22	J.D. Pettigrew Sales Ltd. 2203 Robin Dr Mississauga ON L5K 2L5	SCT
Established: 1984					
Plant Size (ft²):					
Employment: 1					
--Details--					
Description: Other Printing					
SIC/NAICS Code: 323119					
Description: All Other Plastic Product Manufacturing					
SIC/NAICS Code: 326198					
Description: Other Wholesale Agents and Brokers					
SIC/NAICS Code: 419190					
29	2 of 2	NNE/178.3	113.8 / -8.22	JDP Sales Ltd. 2203 Robin Dr Mississauga ON L5K 2L5	SCT
Established: 01-OCT-81					
Plant Size (ft²): 2000					
Employment:					
--Details--					
Description: Wholesale Trade Agents and Brokers					
SIC/NAICS Code: 419120					
Description: Wholesale Trade Agents and Brokers					
SIC/NAICS Code: 419120					
30	1 of 3	SE/178.8	123.2 / 1.13	Peel Condominium Corporation 57 Site Office 2095 Roche Court Mississauga ON L5K2C8	GEN
Generator Info					
Generator No: ON9549188		Choice of Contact: CO_OFFICIAL			
Approval Years: 2015		Contaminated Fac: No			
Status:		MHSW Facility: No			
PO Box No:		SIC Code: 811310			
Country: Canada					
Co Admin: Darryl Fulton					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:		4166301234 Ext.			
SIC Description:		COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		150			
Waste Class Name:		INERT INORGANIC WASTES			

<u>30</u>	2 of 3	SE/178.8	123.2 / 1.13	Peel Condominium Corporation 57 Site Office 2095 Roche Court Mississauga ON L5K2C8	GEN

Generator Info

Generator No:	ON9549188	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	811310
Country:	Canada		
Co Admin:	Darryl Fulton		
Phone No Admin:	4166301234 Ext.		
SIC Description:	COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE		

Waste Detail(s)

Waste Class: Waste Class Name:	251 OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: Waste Class Name:	150 INERT INORGANIC WASTES

<u>30</u>	3 of 3	SE/178.8	123.2 / 1.13	Peel Condominium Corporation 57 Site Office 2095 Roche Court Mississauga ON L5K2C8	GEN

Generator Info

Generator No:	ON9549188	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	811310
Country:	Canada		
Co Admin:	Darryl Fulton		
Phone No Admin:	4166301234 Ext.		
SIC Description:	COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Detail(s)					
Waste Class:		150			
Waste Class Name:		INERT INORGANIC WASTES			
31	1 of 2	S/191.1	127.6 / 5.57	Enbridge Gas Distribution Inc. 1930 Fowler Drive, unit 100C Mississauga ON	SPL
Ref No:	5380-9CJNK7			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	2013/10/16			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	2013/10/16			Impact to Health:	
Dt Document Closed:	2013/11/01			Agency Involved:	
Site No:					
MOE Response:	Referral to others				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:	Vandyk Vanguard<UNOFFICIAL>				
Site Address:	1930 Fowler Drive, unit 100C				
Site Region:					
Site Municipality:	Mississauga				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:	Enbridge Gas Distribution Inc.				
Client Type:					
Source Type:					
Incident Cause:	Leak/Break				
Incident Preceding Spill:					
Incident Reason:	Operator/Human Error				
Incident Summary:	TSSA: 1 inch line strike, made safe				
Environment Impact:	Confirmed				
Health Env Consequence:					
Nature of Impact:	Air Pollution				
Contaminant Qty:	0 other - see incident description				
Contaminant Qty 1:	0				
Contaminant Unit:	other - see incident description				
Contaminant Code:	35				
Contaminant Name:	NATURAL GAS (METHANE)				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:					
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Pipeline/Components				
SAC Action Class:	Air Spills - Gases and Vapours				
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
31	2 of 2	S/191.1	127.6 / 5.57	PIPELINE HIT - 1" 1930 FOWLER DRIVE UNIT#100T,, MISSISSAUGA,ON,L5K 0A1,CA	PINC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ON					
Incident Id:				Pipe Material:	
Incident No:	1263932			Fuel Category:	
Incident Reported Dt:	10/16/2013			Health Impact:	
Type:	FS-Pipeline Incident			Environment Impact:	
Status Code:				Property Damage:	
Tank Status:	Pipeline Damage Reason Est			Service Interrupt:	
Task No:				Enforce Policy:	
Spills Action Centre:				Public Relation:	
Fuel Type:				Pipeline System:	
Fuel Occurrence Tp:				PSIG:	
Date of Occurrence:				Attribute Category:	
Occurrence Start Dt:				Regulator Location:	
Depth:				Method Details:	
Customer Acct Name:	PIPELINE HIT - 1"				
Incident Address:	1930 FOWLER DRIVE UNIT#100T,,MISSISSAUGA,ON,L5K 0A1,CA				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:					
Reported By:					
Affiliation:					
Occurrence Desc:					
Damage Reason:					
Notes:					

32	1 of 1	SSW/201.6	129.8 / 7.79	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:	7190000			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Observation Wells			Date Received:	10/22/2012
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z158542			Contractor:	7241
Tag:	A138480			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-005305 A0-A03				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190000.pdf				

Additional Detail(s) (Map)

Well Completed Date:	09/25/2012
Year Completed:	2012
Depth (m):	3.048
Latitude:	43.5268337444265
Longitude:	-79.6520546166995
X:	-79.65205446700884
Y:	43.52683374134167

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		719\7190000.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1004186304			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608926.00
Code OB Desc:				North83:	4820204.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	09/25/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004507729				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	05				
Material 3 Desc:	CLAY				
Formation Top Depth:	0.0				
Formation End Depth:	8.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004507730				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	17				
Material 1 Desc:	SHALE				
Material 2:					
Material 2 Desc:					
Material 3:	92				
Material 3 Desc:	WEATHERED				
Formation Top Depth:	8.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004507739				
Layer:	2				
Plug From:	4.0				
Plug To:	1.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004507740			
Layer:		3			
Plug From:		1.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004507738			
Layer:		1			
Plug From:		10.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004507737			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1004507728			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004507733			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004507734			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		10.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1004507732			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004507731			
Diameter:		4.25			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
33	1 of 1	SSE/203.3	128.1 / 6.08	lot 12 con 3 ON	WWIS
Well ID:	4907543			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Irrigation			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/30/1991
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	79192			Contractor:	1663
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	012
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CIR R
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/490\4907543.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/07/1990			
Year Completed:		1990			
Depth (m):		29.8704			
Latitude:		43.5265800393352			
Longitude:		-79.6496311136216			
X:		-79.64963096408242			
Y:		43.526580036579176			
Path:		490\4907543.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10322102			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	609122.30
Code OB Desc:				North83:	4820179.00
Open Hole:				Org CS:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	3
Date Completed:	08/07/1990			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Location Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932059157			
Layer:		4			
Color:		3			
General Color:		BLUE			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932059155			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932059156			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932059158			
Layer:		5			
Color:		3			
General Color:		BLUE			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932059154			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933170349			
Layer:		2			
Plug From:		45.0			
Plug To:		98.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933170348			
Layer:		1			
Plug From:		0.0			
Plug To:		39.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964907543			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10870672			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930531408			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		43.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930531407			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		39.0			
Casing Diameter:		1.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933360276			
Layer:		1			
Slot:		020			
Screen Top Depth:		39.0			
Screen End Depth:		42.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		994907543			
Pump Set At:					
Static Level:		26.0			
Final Level After Pumping:		42.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934785754 Test Type: Recovery Test Duration: 45 Test Level: 26.0 Test Level UOM: ft					
Water Details					
Water ID: 933795658 Layer: 1 Kind Code: 5 Kind: Not stated Water Found Depth: 26.0 Water Found Depth UOM: ft					
34	1 of 1	SW/214.0	130.9 / 8.82	ARTIA SCRAP METALS 2055 FOWLER CRT MISSISSAUGA ON L5K 1B7	AUWR
Headcode: 1169400 Headcode Desc: Scrap Metals Phone: 9058232849 List Name: Description:					
35	1 of 20	SW/219.1	129.8 / 7.79	ERIN MILLS ESSO 2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	PRT
Location ID: 9153 Type: retail Expiry Date: 1995-06-30 Capacity (L): 40000 Licence #: 0054363001					
35	2 of 20	SW/219.1	129.8 / 7.79	1085399 ONTARIO LTD ATT JIM MAZEROLLE 2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	PRT
Location ID: 9153 Type: retail Expiry Date: 1996-04-30 Capacity (L): 40000 Licence #: 0076442433					
35	3 of 20	SW/219.1	129.8 / 7.79	TRIMAC TRANSPORTATION SERVICES ESSO PETROLEUM SERVICE STN # 401027 2185 LEANNE BLVD TANK TRUCK (CARGO) MISSISSAUGA CITY ON L5K 2L6	SPL
Ref No: 172596 Year: Incident Dt: 9/11/1999 Dt MOE Arvl on Scn: MOE Reported Dt: 9/11/1999 Dt Document Closed: Site No: MOE Response:					
Municipality No: 21102 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved: F/D REGION OF PEEL					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: MISSISSAUGA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: PIPE/HOSE LEAK Incident Preceding Spill: Incident Reason: NEGLIGENCE (APPARENT) Incident Summary: TRIMAC-200 L GASOLINE TO LOT,ELBO CONNECTION LEAK,FD,REGION,CLEANED-UP. Environment Impact: POSSIBLE Health Env Consequence: Nature of Impact: Multi Media Pollution Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND / WATER Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
35	4 of 20	SW/219.1	129.8 / 7.79	ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS Phone: List Name: Description:					
35	5 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	FSTH
License Issue Date: 9/3/2002 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Status:		Removed			
Year of Installation:		1981			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Removed			
Year of Installation:		1981			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Removed			
Year of Installation:		1981			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status:		Removed			
Year of Installation:		1981			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
35	6 of 20	SW/219.1	129.8 / 7.79	2185 Leanne Boulevard Mississauga ON L5K 2L6	EHS
Order No:	20070220013			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	2/28/2007			Search Radius (km):	0.25
Date Received:	2/20/2007			X:	-79.652754
Previous Site Name:				Y:	43.526977
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
35	7 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON L5K 2L6	FSTH
License Issue Date:	9/3/2002				
Tank Status:	Licensed				
Tank Status As Of:	December 2008				
Operation Type:	Retail Fuel Outlet				
Facility Type:	Gasoline Station - Self Serve				
--Details--					
Status:	Active				
Year of Installation:	2007				
Corrosion Protection:					
Capacity:	65000				
Tank Fuel Type:	Liquid Fuel Double Wall UST - Gasoline				
Status:	Active				
Year of Installation:	2007				
Corrosion Protection:					
Capacity:	25000				
Tank Fuel Type:	Liquid Fuel Double Wall UST - Diesel				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:		Active			
Year of Installation:		2007			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2007			
Corrosion Protection:					
Capacity:		65000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			

35	8 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11546573	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	89741	Facility Location:	
Instance Type:	FS Piping	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

35	9 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11546580	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	89914	Facility Location:	
Instance Type:	FS Piping	Facility Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date: FS Piping EXP Up to Mar 2012 Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:					
35	10 of 20	SW/219.1	129.8 / 7.79	MAC'S CONVENIENCE STORES INC. 2185 LEANNE BLVD MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description: 49498778 active 2007 65000 L Double Wall UST 2009VBS Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item: Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank					
35	11 of 20	SW/219.1	129.8 / 7.79	MAC'S CONVENIENCE STORES INC. 2185 LEANNE BLVD MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description: 49498775 active 2007 65000 L Double Wall UST 2009VBS Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item: Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank					
35	12 of 20	SW/219.1	129.8 / 7.79	MAC'S CONVENIENCE STORES INC. 2185 LEANNE BLVD MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: 49498776 active 2007 Tank Material: Corrosion Protect: Overfill Protection: Fiberglass (FRP) Fiberglass					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	25000 L	Double Wall UST		Inventory Context: Inventory Item:	FS Liquid Fuel FS Liquid Fuel Tank
		2009VBS new install by Demik			
35	13 of 20	SW/219.1	129.8 / 7.79	MAC'S CONVENIENCE STORES INC. 2185 LEANNE BLVD MISSISSAUGA ON	FST
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	49498777 active 2007 50000 L	Double Wall UST		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel FS Liquid Fuel Tank
		2009VBS installed by Demik Construction 2007			
35	14 of 20	SW/219.1	129.8 / 7.79	ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON L5K2L6	RST
Headcode: Headcode Desc: Phone: List Name: Description:	01186800 SERVICE STATIONS GASOLINE OIL & NATURAL GAS 9058234845 INFO-DIRECT(TM) BUSINESS FILE				
35	15 of 20	SW/219.1	129.8 / 7.79	2185 Leanne Blvd Mississauga ON L5K2L6	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20150429092 C Standard Report 06-MAY-15 29-APR-15			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.652556 43.526736
	City Directory				
35	16 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	EXP
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	11546532 EXPIRED 1981 45400			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Liquid Fuel Tank FS LIQUID FUEL TANK
	2009VBS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Fuel Type:		Gasoline			
35	17 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	EXP
Inventory No: 11546549 Inventory Status: EXPIRED Installation Year: 1981 Capacity: 45400 Capacity Unit: Tank Type: Manufacturer: Model: Description: 2009VBS Previous Fuel Type: Gasoline		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
35	18 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	EXP
Inventory No: 11546554 Inventory Status: EXPIRED Installation Year: 1981 Capacity: 45400 Capacity Unit: Tank Type: Manufacturer: Model: Description: 2009VBS Previous Fuel Type: Gasoline		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
35	19 of 20	SW/219.1	129.8 / 7.79	1239973 ONTARIO INC O/A ESSO GENERATION 2185 LEANNE BLVD MISSISSAUGA ON	EXP
Inventory No: 11546562 Inventory Status: EXPIRED Installation Year: 1981 Capacity: 22700 Capacity Unit: Tank Type: Manufacturer: Model: Description: 2009VBS Previous Fuel Type: Diesel		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Liquid Fuel Tank Inventory Item: FS LIQUID FUEL TANK			
35	20 of 20	SW/219.1	129.8 / 7.79	MAC'S CONVENIENCE STORES INC. 2185 LEANNE BLVD MISSISSAUGA ON	FST
Inventory No: 9792106 Inventory Status: Active Installation Year: Capacity: 205000 Capacity Unit: L Tank Type: Manufacturer: Model:		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Liquid Fuels Inventory Item: FS Gasoline Station - Self Serve			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:					
36	1 of 1	SE/223.2	126.1 / 4.06	951930 Ontario Limited Parts 3 and 4, Reference Plan: 256 York or 300 York Toronto ON M6N 4T7	ECA
Approval No:		6759-8V9S9Y	MOE District:		Halton-Peel
Approval Date:		2012-06-28	City:		
Status:		Approved	Longitude:		-79.6483
Record Type:		ECA	Latitude:		43.5268
Link Source:		IDS	Geometry X:		
SWP Area Name:		Credit Valley	Geometry Y:		
Approval Type:		ECA-INDUSTRIAL SEWAGE WORKS			
Project Type:		INDUSTRIAL SEWAGE WORKS			
Business Name:		951930 Ontario Limited			
Address:		Parts 3 and 4, Reference Plan: 256 York or 300 York			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/3513-8SQUZE-14.pdf			
PDF Site Location:					
37	1 of 1	SW/224.7	129.8 / 7.79	2155 LEANNE BOULEVARD MISSISSAUGA ON	WWIS
Well ID:		7263528	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Test Hole	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Monitoring and Test Hole	Date Received:		05/27/2016
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:		Z218139	Contractor:		7241
Tag:		A195071	Form Version:		7
Constructn Method:			Owner:		
Elevation (m):			County:		PEEL
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		MISSISSAUGA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263528.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		04/13/2016			
Year Completed:		2016			
Depth (m):		3.048			
Latitude:		43.5267209513494			
Longitude:		-79.6524159959005			
X:		-79.65241584656623			
Y:		43.52672094869661			
Path:		726\7263528.pdf			
Bore Hole Information					
Bore Hole ID:		1006012980	Elevation:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608897.00
Code OB Desc:				North83:	4820191.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/13/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120051			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		3.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120050			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006120059			
Layer:		2			
Plug From:		0.5			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1006120060			
Layer:		3			
Plug From:		3.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120058			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006120057			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006120049			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006120054			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006120055			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.0			
Screen End Depth:		10.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Water Details</u>					
Water ID:		1006120053			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006120052			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

38	1 of 1	E/226.1	119.8 / -2.21	NORTH SHENDAM LANDFILL SITE MISSISSAUGA ON	WWIS
Well ID:	4910174			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	05/05/2006
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z44436			Contractor:	1129
Tag:	A033836			Form Version:	3
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/491\4910174.pdf				

Additional Detail(s) (Map)

Well Completed Date: 11/03/2005
 Year Completed: 2005
 Depth (m): 10.97
 Latitude: 43.5289305793344
 Longitude: -79.6466247111363
 X: -79.64662456139227
 Y: 43.52893057645618
 Path: 491\4910174.pdf

Bore Hole Information

Bore Hole ID:	11555408	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	609361.00
Code OB Desc:		North83:	4820444.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	11/03/2005	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933052135			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.5199999809265137			
Formation End Depth:		10.970000267028809			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933052134			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292092			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292095			
Layer:		4			
Plug From:		7.090000152587891			
Plug To:		10.789999961853027			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292093			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0.30000001192092896			
Plug To:		0.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933292094			
Layer:		3			
Plug From:		0.5			
Plug To:		7.090000152587891			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964910174			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11565015			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930878729			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-0.30000001192092896			
Depth To:		7.739999771118164			
Casing Diameter:		5.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933418326			
Layer:		1			
Slot:		010			
Screen Top Depth:		7.739999771118164			
Screen End Depth:		10.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.099999904632568			
<u>Hole Diameter</u>					
Hole ID:		11687053			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		10.970000267028809			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 1	SSW/240.6	130.1 / 8.01	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:		7267409	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Monitoring and Test Hole	Data Entry Status:		
Use 2nd:		0	Data Src:		
Final Well Status:		Monitoring and Test Hole	Date Received: 07/21/2016		
Water Type:			Selected Flag: TRUE		
Casing Material:			Abandonment Rec:		
Audit No:		Z235003	Contractor: 7241		
Tag:		A185044	Form Version: 7		
Constructn Method:			Owner:		
Elevation (m):			County: PEEL		
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		MISSISSAUGA CITY			
Site Info:		WKQ-009099 A0-A04			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267409.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/15/2016			
Year Completed:		2016			
Depth (m):		3.6576			
Latitude:		43.5264741115593			
Longitude:		-79.6520997502619			
X:		-79.65209960018267			
Y:		43.52647410986747			
Path:		726\7267409.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006165620	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone: 17		
Code OB:			East83: 608923.00		
Code OB Desc:			North83: 4820164.00		
Open Hole:			Org CS: UTM83		
Cluster Kind:			UTMRC: 4		
Date Completed:		06/15/2016	UTMRC Desc: margin of error : 30 m - 100 m		
Remarks:			Location Method: wwr		
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006172944			
Layer:		2			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006172943			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006172945			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		92			
Material 3 Desc:		WEATHERED			
Formation Top Depth:		8.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172955			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172954			
Layer:		2			
Plug From:		4.0			
Plug To:		0.0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172953			
Layer:		1			
Plug From:		12.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006172952			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006172942			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006172948			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006172949			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					
Water ID:		1006172947			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006172946			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
40	1 of 1	SW/242.1	130.3 / 8.20	2185 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:		7042139		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	
Water Type:				03/29/2007	
Casing Material:				Selected Flag:	
Audit No:		Z46590		TRUE	
Tag:		A005284		Abandonment Rec:	
Constructn Method:				Contractor:	
Elevation (m):				6032	
Elevatn Reliability:				Form Version:	
Depth to Bedrock:				3	
Well Depth:				Owner:	
Overburden/Bedrock:				County:	
Pump Rate:				PEEL	
Static Water Level:				Lot:	
Clear/Cloudy:				Concession:	
Municipality:		MISSISSAUGA CITY		Concession Name:	
Site Info:				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7042139.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/07/2007			
Year Completed:		2007			
Depth (m):		5.18			
Latitude:		43.5266984663504			
Longitude:		-79.6528001129832			
X:		-79.65279996336659			
Y:		43.52669846362642			
Path:		704\7042139.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		11764636		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				608866.00	
Cluster Kind:				North83:	
Date Completed:		03/07/2007		4820188.00	
Remarks:				Org CS:	
Location Method Desc:		on Water Well Record		UTM83	
Elevrc Desc:				UTMRC:	
Location Source Date:				3	
Improvement Location Source:				UTMRC Desc:	
Improvement Location Method:				margin of error : 10 - 30 m	
Source Revision Comment:				Location Method:	
Supplier Comment:				wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933096122			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933096119			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:		0.0			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933096123			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933096124			
Layer:		6			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933096121			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933096120			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:		5.179999828338623			
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933096126			
Layer:		8			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933096125			
Layer:		7			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		34			
Material 3 Desc:		TILL			
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933316285			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933316286			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.6100000143051147			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933316287			
Layer:		3			
Plug From:		0.6100000143051147			
Plug To:		1.6799999475479126			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		967042139			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11772356			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930897457			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		3.049999952316284			
Casing Diameter:		5.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933423764			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.049999952316284			
Screen End Depth:		5.179999828338623			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.0			
<u>Hole Diameter</u>					
Hole ID:		11850935			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

41	1 of 1	SSW/246.1	129.5 / 7.40	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:	7267400			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z235004			Contractor:	7241
Tag:	A185135			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-009099 A0-A04				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267400.pdf				

Additional Detail(s) (Map)

Well Completed Date: 06/15/2016
 Year Completed: 2016
 Depth (m): 6.7056
 Latitude: 43.5263203070932
 Longitude: -79.6512740742583
 X: -79.6512739247452
 Y: 43.52632030482923
 Path: 726\7267400.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006165447			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608990.00
Code OB Desc:				North83:	4820148.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/15/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172798				
Layer:	1				
Color:	8				
General Color:	BLACK				
Material 1:	27				
Material 1 Desc:	OTHER				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	3.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172800				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	17				
Material 1 Desc:	SHALE				
Material 2:					
Material 2 Desc:					
Material 3:	92				
Material 3 Desc:	WEATHERED				
Formation Top Depth:	8.0				
Formation End Depth:	22.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172799				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172810			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172809			
Layer:		2			
Plug From:		4.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172808			
Layer:		1			
Plug From:		12.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006172807			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006172797			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006172803			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:	1006172804				
Layer:	1				
Slot:	.10				
Screen Top Depth:	5.0				
Screen End Depth:	12.0				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.25				
<u>Water Details</u>					
Water ID:	1006172802				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1006172801				
Diameter:	6.0				
Depth From:	0.0				
Depth To:	12.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
42	1 of 1	SSW/246.9	130.7 / 8.64	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:	7267410			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z235007			Contractor:	7241
Tag:	A185045			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-009099 A0-A04				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267410.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/15/2016				
Year Completed:	2016				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		3.6576			
Latitude:		43.5264581500857			
Longitude:		-79.6522733511786			
X:		-79.65227320135415			
Y:		43.52645814775638			
Path:		726\7267410.pdf			

Bore Hole Information

Bore Hole ID:	1006165645	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	608909.00
Code OB Desc:		North83:	4820162.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/15/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006172957
Layer:	1
Color:	8
General Color:	BLACK
Material 1:	27
Material 1 Desc:	OTHER
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	3.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1006172958
Layer:	2
Color:	6
General Color:	BROWN
Material 1:	28
Material 1 Desc:	SAND
Material 2:	05
Material 2 Desc:	CLAY
Material 3:	
Material 3 Desc:	
Formation Top Depth:	3.0
Formation End Depth:	8.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006172959			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		92			
Material 3 Desc:		WEATHERED			
Formation Top Depth:		8.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006172968			
Layer:		2			
Plug From:		4.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006172967			
Layer:		1			
Plug From:		12.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006172969			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006172966			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006172956			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006172962			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006172963			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Water Details</u>					
Water ID:		1006172961			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1006172960			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

43	1 of 1	SSW/250.2	130.9 / 8.82	2155 LEANNE BOULEVARD Mississauga ON	WWIS
Well ID:	7263527			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	05/27/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z218140			Contractor:	7241
Tag:	A195072			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263527.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	04/13/2016				
Year Completed:	2016				
Depth (m):	3.048				
Latitude:	43.5264781954026				
Longitude:	-79.6524461503187				
X:	-79.65244600032715				
Y:	43.52647819241296				
Path:	726\7263527.pdf				
Bore Hole Information					
Bore Hole ID:	1006012949	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		608895.00	
Code OB Desc:		North83:		4820164.00	
Open Hole:		Org CS:		UTM83	
Cluster Kind:		UTMRC:		4	
Date Completed:	04/13/2016	UTMRC Desc:		margin of error : 30 m - 100 m	
Remarks:		Location Method:		wwr	
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	1006119233				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	0.0				
Formation End Depth:	3.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	1006119234				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:	66				
Material 3 Desc:	DENSE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		3.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006119244			
Layer:		3			
Plug From:		3.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006119243			
Layer:		2			
Plug From:		0.5			
Plug To:		3.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006119242			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006119241			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006119232			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006119237			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1006119238			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.0			
Screen End Depth:		10.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Water Details</u>					
Water ID:		1006119236			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1006119235			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
44	1 of 1	SSW/260.4	129.8 / 7.79	215 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:	7267489			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z235093			Contractor:	7241
Tag:	A184910			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-009134 A0-A00				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267489.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/27/2016				
Year Completed:	2016				
Depth (m):	40				
Latitude:	43.5262367103851				
Longitude:	-79.6518204208178				
X:	-79.65182027095145				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Y:		43.52623670782342			
Path:		726\7267489.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006165410			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608946.00
Code OB Desc:				North83:	4820138.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/27/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006175330				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:	66				
Material 3 Desc:	DENSE				
Formation Top Depth:	5.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006175328				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	01				
Material 1 Desc:	FILL				
Material 2:					
Material 2 Desc:					
Material 3:	77				
Material 3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006175331				
Layer:	4				
Color:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		GREY			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		26			
Material 3 Desc:		ROCK			
Formation Top Depth:		10.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006175329			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006175342			
Layer:		2			
Plug From:		1.0			
Plug To:		5.0			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006175343			
Layer:		3			
Plug From:		5.0			
Plug To:		34.0			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006175341			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006175344			
Layer:		4			
Plug From:		34.0			
Plug To:		40.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006175340			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006175327			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006175336			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		35.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006175337			
Layer:		1			
Slot:		10			
Screen Top Depth:		35.0			
Screen End Depth:		40.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		2.0999999046325684			
<u>Water Details</u>					
Water ID:		1006175335			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006175333			
Diameter:		5.0			
Depth From:		10.0			
Depth To:		15.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1006175334 Diameter: 3.5 Depth From: 15.0 Depth To: 40.0 Hole Depth UOM: m Hole Diameter UOM: cm					
<u>Hole Diameter</u>					
Hole ID: 1006175332 Diameter: 6.0 Depth From: 0.0 Depth To: 10.0 Hole Depth UOM: m Hole Diameter UOM: cm					
45	1 of 20	SSW/261.2	129.8 / 7.79	Associated Mktg Agency Links 2155 Leanne Blvd Suite 204 Mississauga ON L5K 2K8	SCT
Established: 01-DEC-90 Plant Size (ft²): 330 Employment:					
<u>--Details--</u>					
Description: Wholesale Trade Agents and Brokers SIC/NAICS Code: 419120					
45	2 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
<u>Generator Info</u>					
Generator No: ON0414700 Approval Years: 86,87,88,89,90 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: *** NOT DEFINED ***					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 0000					
45	3 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD (SEE & USE ON0434300) 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
<u>Generator Info</u>					
Generator No: ON0414700 Approval Years: 92,93,94 Status: PO Box No: Country: Co Admin: Phone No Admin:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 0000					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		*** NOT DEFINED ***			
45	4 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC. 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON0434300			Choice of Contact:	
Approval Years:	86,87,88,89,90			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	POWER LAUND./CLEANERS				
Waste Detail(s)					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
45	5 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC. 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON0434300			Choice of Contact:	
Approval Years:	92,93,97,98,99,00,01,02,03,04,05,06,07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	POWER LAUND./CLEANER				
Waste Detail(s)					
Waste Class:	213				
Waste Class Name:	PETROLEUM DISTILLATES				
Waste Detail(s)					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
45	6 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC. 06-078 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON0434300			Choice of Contact:	
Approval Years:	94,95,96			Contaminated Fac:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:					
		POWER LAUND./CLEANER		MHSW Facility: SIC Code: 9721	
Waste Detail(s)					
Waste Class: Waste Class Name:		241 HALOGENATED SOLVENTS			
45	7 of 20	SSW/261.2	129.8 / 7.79	2155 Leanne Boulevard Mississauga ON L5K 2K8	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20061102030 C Custom Report 11/13/2006 11/2/2006 Fire Insur. Maps And /or Site Plans		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				ON 0.25 -79.652218 43.526038	
45	8 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC. 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON0434300 2009 Dry Cleaning and Laundry Services (except Coin-Operated)		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 812320	
Waste Detail(s)					
Waste Class: Waste Class Name:		213 PETROLEUM DISTILLATES			
Waste Detail(s)					
Waste Class: Waste Class Name:		241 HALOGENATED SOLVENTS			
45	9 of 20	SSW/261.2	129.8 / 7.79	2155 Leanne Boulevard Mississauga ON L5K 2K8	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name:		20120904012 C Custom Report 05-SEP-12 04-SEP-12		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				ON .25 -79.652125 43.526582	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
45	10 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC. 2155 LEANNE BOULEVARD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON0434300			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	812320
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
Waste Detail(s)					
Waste Class:	213				
Waste Class Name:	PETROLEUM DISTILLATES				
Waste Detail(s)					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
45	11 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON4562965			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	812320
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
45	12 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:	ON4562965			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	812320
Country:					
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated)					
45	13 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ON4562965 2013 DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 812320					
Waste Detail(s) Waste Class: Waste Class Name: 213 PETROLEUM DISTILLATES					
45	14 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ON4562965 2016 Canada DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: CO_OFFICIAL No No 812320					
Waste Detail(s) Waste Class: Waste Class Name: 213 PETROLEUM DISTILLATES					
45	15 of 20	SSW/261.2	129.8 / 7.79	8989613 2155 Leanne blvd suite 115 mississauga ON L5K 2K8	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: ON3864357 2016 Canada ATIF AQEEL 9059160300 Ext. Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: CO_OFFICIAL No No 621110					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		OFFICES OF PHYSICIANS			
Waste Detail(s)					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
45	16 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:		ON4562965		Choice of Contact:	CO_OFFICIAL
Approval Years:		2015		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	812320
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
Waste Detail(s)					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
45	17 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD DRY CLEANERS INC. 1-2155 LEANNE BLVD MISSISSAUGA ON L5K 2K8	GEN
Generator Info					
Generator No:		ON4562965		Choice of Contact:	CO_OFFICIAL
Approval Years:		2014		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	812320
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
Waste Detail(s)					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
45	18 of 20	SSW/261.2	129.8 / 7.79	BRIDLEWOOD CLEANERS INC 2155 LEANNE BLVD UNIT 1-2 MISSISSAUGA ON L5K2K8	CDRY
Legal Name of Company:					
Region:					
Type of Reporter:					
Waste Quantity by Year					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Reporting Year:		2005			
Quantity of PERC (kg):		118			
Total Waste Water (kg):		0			
Total Waste Water (L):		-			
Total Residue (kg):		90			
Total Residue (L):		-			
Total Mix (kg):		0			
Total Mix (L):		-			
Request for Confidentiality:		No			
Reason For Confidentiality:		N/A			
Reporting Year:		2004			
Quantity of PERC (kg):		325			
Total Waste Water (kg):		-			
Total Waste Water (L):		184			
Total Residue (kg):		-			
Total Residue (L):		332			
Total Mix (kg):		0			
Total Mix (L):		-			
Request for Confidentiality:		No			
Reason For Confidentiality:		N/A			

45	19 of 20	SSW/261.2	129.8 / 7.79	Atlas Fin-Quest Inc. 2155 Leanne Blvd Mississauga ON L5K2K8	GEN

Generator Info

Generator No:	ON5508407	Choice of Contact:	
Approval Years:	As of Oct 2019	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	Waste oils/sludges (petroleum based)

2019 Generator Info

Gen No:	ON5508407	Choice of Contact:	CO_OFFICIAL
ID:	22001	Phone No Official:	905-855-8889 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	PEEL (R. M.)
NAICS Code1:	532310	County Out:	
NAICS Code2:		District:	305
NAICS Code3:			
Gen Name:	Atlas Fin-Quest Inc.		
Gen Div:			
Gen Op Name:	Atlas Fin-Quest Inc.		
Gen Op Div:			
Site Adrs1:	2155 Leanne Blvd		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:		Mississauga			
		L5K2K8			
		Canada			
		Tony Sang			

[45](#)

20 of 20

SSW/261.2

129.8 / 7.79

Prime Real Estate Group Inc.
2155 Leanne Blvd.
Mississauga ON L5K 2K8

GEN

Generator Info

Generator No: ON4596723
Approval Years: As of Jan 2021
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 252 L
Waste Class Name: Waste crankcase oils and lubricants

2020 Generator Info

Gen No: ON4596723
ID: 17985
Contaminated Fac: N
MHSW Facility: N
NAICS Code1: 531310
NAICS Code2:
NAICS Code3:
Gen Name: Prime Real Estate Group Inc.
Gen Div:
Gen Op Name: Prime Real Estate Group Inc.
Gen Op Div:
Site Adrs1: 2155 Leanne Blvd.
Site Bldg:
Site Pobox:
Province In: ONTARIO
Site Adrs2:
Site City: Mississauga
Province Out:
Site Postal Code: L5K 2K8
Site Country: Canada
Co Official: Gabriela Reid
Co Admin: Kerri Constable

Choice of Contact: CO_ADMIN
Phone No Official: 4379139262 Ext.
Phone No Admin: 439139013 Ext.
County Ont: LAMBTON
County Out:
District: 103

2020 Generator Manifest

ID: 38087
Generator No: ON4596723
Receiver Type: 035
Waste Char: L
Waste Code: 252

Sum Received Qty: 900.0
Waste Class Name: WASTE OILS & LUBRICANTS
Count Manifests: 2
District: 302

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	1 of 1	SE/264.5	123.7 / 1.67	NORTH SERVICE RD AND QEW MISSISSAUGA ON	WWIS
Well ID: 7312390				Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st: Monitoring				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status: Abandoned-Other				Date Received: 06/11/2018	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec: Yes	
Audit No: Z283617				Contractor: 7238	
Tag:				Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: PEEL	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality: MISSISSAUGA CITY					
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/731\7312390.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 05/29/2018					
Year Completed: 2018					
Depth (m):					
Latitude: 43.5271009601412					
Longitude: -79.6472348660055					
X: -79.64723471596488					
Y: 43.52710095768099					
Path: 731\7312390.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007098787		Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 609315.00			
Code OB Desc:		North83: 4820240.00			
Open Hole:		Org CS: UTM83			
Cluster Kind:		UTMRC: 4			
Date Completed: 05/29/2018		UTMRC Desc: margin of error : 30 m - 100 m			
Remarks:		Location Method: wwr			
Location Method Desc: on Water Well Record					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1007192787					
Layer:					
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:					
		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:					
		1007192794			
Layer:					
		2			
Plug From:					
		0.0			
Plug To:					
		15.0			
Plug Depth UOM:					
		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
		1007192793			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		1007192786			
Casing No:					
		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		1007192790			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		1007192791			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
		ft			
Screen Diameter UOM:					
		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:					
		1007192789			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: ft inch					
47	1 of 1	SW/267.0	130.8 / 8.75	2155 LEANNE BOULEVARD Mississauga ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		7263525 Monitoring and Test Hole 0 Monitoring and Test Hole Z231600 A197681 </			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:		Location Method:			wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119150			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		4.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119149			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119151			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:		17			
Material 2 Desc:		SHALE			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		11.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID: 1006119159					
Layer: 1					
Plug From: 0.0					
Plug To: 0.5					
Plug Depth UOM: ft					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1006119160					
Layer: 2					
Plug From: 0.5					
Plug To: 3.0					
Plug Depth UOM: ft					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1006119161					
Layer: 3					
Plug From: 3.0					
Plug To: 12.0					
Plug Depth UOM: ft					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1006119158					
Method Construction Code: D					
Method Construction: Direct Push					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1006119148					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1006119154					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 4.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1006119155					
Layer: 1					
Slot: 10					
Screen Top Depth: 4.0					
Screen End Depth: 12.0					
Screen Material: 5					
Screen Depth UOM: ft					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					
Water ID:		1006119153			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006119152			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

48	1 of 1	SSW/267.1	130.9 / 8.86	2155 LEANNE BLVD Mississauga ON	WWIS
Well ID:		7263529		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring and Test Hole		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Monitoring and Test Hole		Date Received:	05/27/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		Z231406		Contractor:	7241
Tag:		A197823		Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:		WKQ-008900			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263529.pdf			

Additional Detail(s) (Map)

Well Completed Date: 04/20/2016
Year Completed: 2016
Depth (m): 5.1816
Latitude: 43.5262881375034
Longitude: -79.652363759431
X: -79.65236360958718
Y: 43.52628813565558
Path: 726\7263529.pdf

Bore Hole Information

Bore Hole ID: 1006012983
DP2BR: Elevation:
Elevrc:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	608902.00
Code OB Desc:				North83:	4820143.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		04/20/2016	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120107			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.5			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120108			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120106			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		0.5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120118			
Layer:		3			
Plug From:		6.0			
Plug To:		17.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120116			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120117			
Layer:		2			
Plug From:		0.5			
Plug To:		6.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006120115			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006120105			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006120111			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		7.0			
Casing Diameter:		1.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006120112			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		10			
Screen Top Depth:		7.0			
Screen End Depth:		17.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.75			
<u>Water Details</u>					
Water ID:		1006120110			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006120109			
Diameter:		3.5			
Depth From:		0.0			
Depth To:		17.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[49](#)

1 of 1

ENE/269.8

120.8 / -1.21

Spingbank Rd Dump 1965

ANDR

Mississauga ON L5K

Legal Description: Toronto Tp Con 1 SDS Lot 12 pt
Location Description: W of Springbank Rd Park, N & E of North Sheridan Way, on Credit R trib.
Municipality: Toronto Township
Current Municipality: Mississauga City
RM: Peel Region
Facility: Dump
Date Active: 1965
Date Begun:
Date Complete:
Area (Ha): 2.563
Landfill Type: sanitary landfill
Group Name: Credit River
Operated By: Allan Berrill & Victor Trustrum
Serial: MOEE 7071 1965
NTS: 30M12
Diameter (m):

Historical Summary:

Spingbank Rd Dump 1965 This file was created to reflect the position of active dumping within aggregate pit shown on the 1965 air photos 1965 Air Photos Active dumping marked [CTA: 1965 Air Photos] 1951 NTS Map 30M12E The datapoint plots out within apparent farmland, abutting the Credit River. 1964 NTS Map 30M12E The datapoint plots out within apparent gravel pits, abutting the Credit River. 1967 McLaren Report Listed as an active landfill site in 1967. Located north of QEW, south of Mississauga Rd, east of 5th line West. Sherman Sand & Gravel Pit, Mississauga Road (operated by Berrill & Trustrum) This site accepted all of the MSW from Long Branch in 1966-7 (James F. MacLaren Ltd [1967] Report and technical discussion on refuse disposal for Municipality of Metropolitan Toronto, May, 1967 [by] James F. MacLaren Ltd in association with Black & Veatch YUL: MUN TOR M1 W6.6 R43T: 19). It was a sanitary landfill and accepted the MSW of Toronto Township (James F. MacLaren Ltd [1967] Report and technical discussion on refuse disposal for Municipality of Metropolitan Toronto, May, 1967 [by] James F. MacLaren Ltd in association with Black & Veatch YUL: MUN TOR M1 W6.6 R43T: 30-1). The site accepted the MSW of the Town of Streetsville in 1966 (James F. MacLaren Ltd [1967] Report and technical discussion on refuse disposal for Municipality of Metropolitan Toronto, May, 1967 [by] James F. MacLaren Ltd in association with Black & Veatch YUL: MUN TOR M1 W6.6 R43T: 29-30). Sherman San & Gravel Pit Mississauga has ordered Sherman Sand & Gravel Co to provide better fencing for their gravel pit on Mississauga Rd. The deadline is June 25 for this (Toronto Star Jun 14 1973). 1974 Air Photomaps Sheet 36 The datapoint plots out within an area marked as a large open gravel pit, approximately 800m in diameter in 1974. The centroid of the gravel pit is @ UTM NAD27 609375--4820425 (YUML: [1974] Northway Air Survey Corporation Ltd., Toronto Region Air Photomaps G3524 T6 A4 4 1974). 1979 NTS Map

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
30M12 The MOEE 7071 datapoint plots out within an area of vacant ground. A gravel pit with diameter 500m approximately with centroid @UTM NAD27 609300--4820625 is visible approximately 682m southwest of the MOEE 7071 datapoint. This pit was laid out on a tributary to the Credit River. 1984 OBM The gravel pit position centroid plots out to the summit area of a mound, perhaps 10m high, on the edge of a ravine which is tributary to the Credit River. 1985 NTS Map 30M12 It is evident from the 1985 NTS map that approximately 682m southwest of the MOEE 7071 datapoint position a large gravel pit became filled to a significant extent 1976-80. 1994 NTS Map 30M12 The datapoint plots out within the summit portion of a hill, near the Credit River. 1996 MapArt The MOEE 7071 (supp) datapoint appears to plot within an area west of Springbank Road Park, and north and east of North Sheridan Way, in the Clarkson district of Mississauga ([1996] MapArt Corporation, Golden Horseshoe Atlas, 1996 Edition, ISBN 1-55198-384-2). Working conclusion: It is evident that a major episode of filling occurred in a gravel pit feature located some 682m southwest of the MOEE 7071 datapoint. The site was a gravel pit by 1960, an operational landfill site in 1967, and a hill area by 1980. During the 1973 CUPE Local 43 strike in Metro Toronto, which shut down metro's garbage dumps and incinerators Etobicoke hauled its refuse to a private site on Southdown Rd and QEW (Toronto Star April 12 1972). A Mississauga couple is suing to have a Mississauga Town dump closed over fears of methane gas. The couple claim the gas endangers their home. The Supreme Court of Ontario has reserved judgment. The couple are the Hallidays of North Sheridan Way, and their home is surrounded on 3 sides by a 96 acre dump operated under contract to Mississauga by Berrill & Trustrum. Hallidays say that 250-500 trucks access the site every day. The site is not owned by the town. The Hallidays' home has been appraised at valueless. Matches lit in the basement have caused small explosions, and there is a real fear of methane. Homes on nearby Springbank Rd were checked by the fire department twice a week for methane gas, as well as the Halliday home. Methane has been tested at 10, 20 and 50% in the soil, well above the safe limit. Seepage from the garbage has fouled the family's well and rats and flies are overrunning the property (Toronto Star Jul 13 1972). FEAR EXPLOSION IN HOME, PAIR SEEK TO CLOSE GARBAGE DUMP: Another report on the Halliday case. Dump owners are Allan Berrill and Victor Trustrum. The site is located adjacent to North Sheridan Way, near QEW and Southdown Rd. It has been used as a dump since 1966. The site began as a 30 foot deep quarry, but it is now filled in and is now 10 feet higher than the level of the land. The Halliday's property is affected by gulls, especially on Mondays and Wednesdays, the main garbage collection days in the town. Tress and other plants have been killed by leachate. Town bans the dumping of toxic or inflammable liquids at the site, but the Hallidays claim to have seen trucks dumping orange liquids into the dump, while the crews wore gas masks. The site has an MOE CofA, and a methane collection system has been proposed ([Toronto] Globe & Mail Jul 13 1972). MISSISSAUGA COUPLE FEAR METHANE GAS, SUE TO GET GARBAGE DUMP CLOSED: Another article on the Halliday case. The dump is scheduled to become a green recreational space when completed, and the operators are looking for a new site nearby (Toronto Star Jul 13 1972). The Supreme Court of Ontario has refused to grant an injunction shutting down the Southbank Rd dump in Mississauga, as requested by the Hallidays. The injunction was intended to give them an opportunity to sue for damages (Toronto Star Jul 25 1972). LANDFILL SITES CAN CAUSE DEATH OF TREES: John Nunan of Hydrology Consultants of Mississauga is reported as saying that Mississauga residents living north of the QEW between Southdown Rd and Springbank Rds were suffering from the establishment of a sanitary landfill site in that area 8 years ago. The site has now been covered over, but residents to the east and south have noticed septic water in their wells, and had to be put on municipal services. The major problem though has been the decay and loss of plants in the area. High concentrations of ethylene were found in soil samples, toxic to vegetation. There was also a very low concentration of oxygen in the soil. High concentrations of methane were found 300 feet from the site, in some cases to 60% concentration, well beyond the explosive range. Vertical vents and fans were installed as a remediation measure. The fans have been running since January 1973 (Port Hope Evening Guide May 28 1973). Waste Type: UTM X Nad 27: 609375 UTM Y Nad 27: 4820425 UTM Zone: 17					
50	1 of 1	SSW/271.5	130.9 / 8.84	2155 LEANNE BLVD Mississauga ON	WWIS
Well ID: 7263531 Construction Date: Use 1st: Monitoring and Test Hole Use 2nd: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z231167 Tag: A184919 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MISSISSAUGA CITY Site Info: WKQ-008941		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 05/27/2016 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: PEEL Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7267263531.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/28/2016			
Year Completed:		2016			
Depth (m):		3.81			
Latitude:		43.5262711548309			
Longitude:		-79.6524507600236			
X:		-79.65245061049795			
Y:		43.52627115285546			
Path:		726\7263531.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006012997			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608895.00
Code OB Desc:				North83:	4820141.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/28/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006120267				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	0.5				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006120269				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	5.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		12.5			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006120268			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.5			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120278			
Layer:		2			
Plug From:		0.5			
Plug To:		3.5			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120277			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006120279			
Layer:		3			
Plug From:		3.5			
Plug To:		12.5			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006120276			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006120266			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1006120272			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.5			
Casing Diameter:		1.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006120273			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.5			
Screen End Depth:		12.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.75			
<u>Water Details</u>					
Water ID:		1006120271			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006120270			
Diameter:		3.5			
Depth From:		0.0			
Depth To:		12.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>51</u>	1 of 1	SSW/271.8	130.9 / 8.86	2155 LEANNE BLVD Mississauga ON	WWIS
Well ID:	7263530			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	05/27/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z231404			Contractor:	7241
Tag:	A197825			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Clear/Cloudy: Municipality: Site Info:				Zone: UTM Reliability:	
		MISSISSAUGA CITY WKQ-008900			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263530.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/20/2016			
Year Completed:		2016			
Depth (m):		3.9624			
Latitude:		43.5262431286842			
Longitude:		-79.6523647615995			
X:		-79.65236461211067			
Y:		43.5262431267199			
Path:		726\7263530.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006012986		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608902.00
Code OB Desc:				North83:	4820138.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		04/20/2016		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120220			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006120221			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		01			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.5			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006120222			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006120230			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006120231			
Layer:		2			
Plug From:		0.5			
Plug To:		5.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006120232			
Layer:		3			
Plug From:		5.0			
Plug To:		13.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		1006120229			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1006120219			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006120225			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		6.0			
Casing Diameter:		1.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006120226			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.0			
Screen End Depth:		13.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.75			
<u>Water Details</u>					
Water ID:		1006120224			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006120223			
Diameter:		3.5			
Depth From:		0.0			
Depth To:		13.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
52	1 of 1	SSW/276.6	130.8 / 8.76	2155 LEANNE BLVD CLARKSON ON	WWIS
Well ID:	7220258			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	05/14/2014
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z158168			Contractor:	6032
Tag:	A138135			Form Version:	7
Constructn Method:				Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		MISSISSAUGA CITY		County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	PEEL	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7220258.pdf				
<u>Additional Detail(s) (Map)</u>						
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:		07/08/2013 2013 6.096 43.5261317528323 -79.6520826255074 -79.65208247653231 43.52613175089155 722\7220258.pdf				
<u>Bore Hole Information</u>						
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		1004753441 07/08/2013 on Water Well Record		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:		17 608925.00 4820126.00 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock Materials Interval</u>						
Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		1005148732 1 6 BROWN 05 CLAY 06 SILT 66 DENSE 0.0 10.0 ft				
<u>Overburden and Bedrock Materials Interval</u>						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1005148733			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		10.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005148740			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005148741			
Layer:		2			
Plug From:		1.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1005148739			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1005148731			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1005148736			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		1.7999999523162842			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1005148737			
Layer:		1			
Slot:					
Screen Top Depth:		5.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1005148735			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005148734			
Diameter:		8.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
53	1 of 1	SSW/279.1	130.9 / 8.81	2155 LEANNE BLVD. Mississauga ON	WWIS
Well ID:	7269908			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	08/24/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z213282			Contractor:	7241
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7269908.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/12/2016				
Year Completed:	2016				
Depth (m):					
Latitude:	43.5261804080153				
Longitude:	-79.6523909073729				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
X:		-79.65239075757424			
Y:		43.5261804054304			
Path:		726\7269908.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006225624			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608900.00
Code OB Desc:				North83:	4820131.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	07/12/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006250146				
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006250153				
Layer:	1				
Plug From:	0.0				
Plug To:	0.5				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006250154				
Layer:	2				
Plug From:	0.5				
Plug To:	15.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1006250152				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006250145			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006250149			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006250150			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:		15.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006250148			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006250147			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
54	1 of 1	SSW/279.4	130.9 / 8.81	2155 LEANNE BLVD. Mississauga ON	WWIS
Well ID:		7269911		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring and Test Hole		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Abandoned-Other		Date Received:	08/24/2016

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z235168			Contractor:	7241
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:		WKQ-009175 A0-A0			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7269911.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/12/2016			
Year Completed:		2016			
Depth (m):					
Latitude:		43.5261711145727			
Longitude:		-79.6523663650644			
X:		-79.65236621560929			
Y:		43.52617111287401			
Path:		726\7269911.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006225636		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				608902.00	
Cluster Kind:				North83:	
Date Completed:		07/12/2016		4820130.00	
Remarks:				Org CS:	
Location Method Desc:		on Water Well Record		UTM83	
Elevrc Desc:				UTMRC:	
Location Source Date:				4	
Improvement Location Source:				UTMRC Desc:	
Improvement Location Method:				margin of error : 30 m - 100 m	
Source Revision Comment:				Location Method:	
Supplier Comment:				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006250178			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006250186			
Layer:		1			
Plug From:		0.0			
Plug To:		6.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006250185			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006250177			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006250181			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		10.0			
Depth To:					
Casing Diameter:		1.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006250182			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:		6.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006250180			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006250179			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[55](#)

1 of 1

SSW/280.3

130.9 / 8.81

2155 LEANNE BLVD.
Mississauga ON

WWIS

Well ID:	7269910	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring and Test Hole	Data Entry Status:	
Use 2nd:	0	Data Src:	
Final Well Status:	Abandoned-Other	Date Received:	08/24/2016
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z235170	Contractor:	7241
Tag:		Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MISSISSAUGA CITY		
Site Info:	WKQ-009175 A0-A0		
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7269910.pdf		

Additional Detail(s) (Map)

Well Completed Date:	07/12/2016
Year Completed:	2016
Depth (m):	
Latitude:	43.526152673517
Longitude:	-79.6523296518349
X:	-79.65232950237525
Y:	43.52615267170204
Path:	726\7269910.pdf

Bore Hole Information

Bore Hole ID:	1006225633	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	608905.00
Code OB Desc:		North83:	4820128.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	07/12/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006250167			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006250176			
Layer:		2			
Plug From:		0.5			
Plug To:		16.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006250175			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006250174			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006250166			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006250170			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:					
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006250171			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:		16.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006250169			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006250168			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

56	1 of 1	SSW/280.3	130.9 / 8.81	2155 LEANNE BLVD. Mississauga ON	WWIS
Well ID:		7269907		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring and Test Hole		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Abandoned-Other		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		Z235169		Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:		WKQ-009175 A0-A0			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7269907.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/12/2016			
Year Completed:		2016			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):					
Latitude:		43.5261621128086			
Longitude:		-79.652366565497			
X:		-79.65236641503603			
Y:		43.52616211081156			
Path:		726\7269907.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006225621		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 608902.00	
Code OB Desc:				North83: 4820129.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		07/12/2016		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006250135			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006250144			
Layer:		2			
Plug From:		0.5			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006250143			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1006250142			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006250134			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006250138			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006250139			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:		19.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006250137			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006250136			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
57	1 of 1	SSW/281.9	130.9 / 8.81	2155 LEANNE BLVD. Mississauga ON	WWIS
Well ID:		7269909		Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	08/24/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z235171			Contractor:	7241
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-009175 A0-A0				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7269909.pdf				

Additional Detail(s) (Map)

Well Completed Date: 07/12/2016
Year Completed: 2016
Depth (m):
Latitude: 43.5261439634394
Longitude: -79.652354594999
X: -79.65235444499027
Y: 43.52614396078362
Path: 726\7269909.pdf

Bore Hole Information

Bore Hole ID:	1006225627	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	608903.00
Code OB Desc:		North83:	4820127.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	07/12/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006250156
Layer:
Color:
General Color:
Material 1:
Material 1 Desc:
Material 2:
Material 2 Desc:
Material 3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:					
		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1006250165			
Layer:					
		2			
Plug From:					
		0.5			
Plug To:					
		20.0			
Plug Depth UOM:					
		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1006250164			
Layer:					
		1			
Plug From:					
		0.0			
Plug To:					
		0.5			
Plug Depth UOM:					
		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
		1006250163			
Method Construction Code:					
		D			
Method Construction:					
		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		1006250155			
Casing No:					
		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		1006250159			
Layer:					
		1			
Material:					
		5			
Open Hole or Material:					
		PLASTIC			
Depth From:					
		0.0			
Depth To:					
Casing Diameter:					
		2.0			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		1006250160			
Layer:					
		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
		20.0			
Screen Material:					
Screen Depth UOM:					
		ft			
Screen Diameter UOM:					
		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006250158			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006250157			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
58	1 of 1	SSW/281.9	130.9 / 8.81	ON	WWIS
Well ID:	7253066			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	11/27/2015
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	C30543			Contractor:	7215
Tag:	A182921			Form Version:	8
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1005820095			Tag No:	A182921
Depth M:				Contractor:	7215
Year Completed:	2015			Latitude:	43.526153402723
Well Completed Dt:	04/27/2015			Longitude:	-79.6523915086599
Audit No:	C30543			Y:	43.52615340054586
Path:				X:	-79.65239135944766
<u>Bore Hole Information</u>					
Bore Hole ID:	1005820095			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608900.00
Code OB Desc:				North83:	4820128.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/27/2015			UTMRC Desc:	margin of error : 30 m - 100 m

270 erisinfo.com | Environmental Risk Information Services Order No: 25052300379

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mississauga ON					
Well ID:	7263526			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	05/27/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z231599			Contractor:	7241
Tag:	A195070			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263526.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	04/13/2016				
Year Completed:	2016				
Depth (m):	3.048				
Latitude:	43.5260977878436				
Longitude:	-79.6522566263408				
X:	-79.65225647655724				
Y:	43.526097785849814				
Path:	726\7263526.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1006012946			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608911.00
Code OB Desc:				North83:	4820122.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/13/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006119221				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	06				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		3.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119220			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006119229			
Layer:		1			
Plug From:		0.0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006119230			
Layer:		2			
Plug From:		0.5			
Plug To:		3.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006119231			
Layer:		3			
Plug From:		3.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006119228			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1006119219			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006119224			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006119225			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.0			
Screen End Depth:		10.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					
Water ID:		1006119223			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006119222			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
61	1 of 1	NNW/284.8	115.4 / -6.69	lot 13 con 3 ON	WWIS
Well ID:	4902204			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/12/1956
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1429
Tag:				Form Version:	1
Constructn Method:				Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:			County: PEEL Lot: 013 Concession: 03 Concession Name: CIR R Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
PDF URL (Map):		MISSISSAUGA CITY https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/490\4902204.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/17/1955			
Year Completed:		1955			
Depth (m):		13.716			
Latitude:		43.5332936057029			
Longitude:		-79.6523859624112			
X:		-79.65238581262206			
Y:		43.5332936035151			
Path:		490\4902204.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10317047		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 608887.60	
Code OB Desc:				North83: 4820921.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 9	
Date Completed:		10/17/1955		UTMRC Desc: unknown UTM	
Remarks:				Location Method: p9	
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932037069			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932037070			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932037071			
Layer:		4			
Color:					
General Color:					
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932037068			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		964902204			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10865617			
Casing No:		1			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930524001			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930524002			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		45.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		994902204			
Pump Set At:					
Static Level:		9.0			
Final Level After Pumping:		43.0			
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933790205			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		43.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933790204			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		31.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
62	1 of 1	SSW/286.3	130.9 / 8.80	2155 LEANNE BOULEVARD Mississauga ON	WWIS
Well ID:		7263524		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring and Test Hole		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Monitoring and Test Hole		Date Received:	05/27/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		Z231598		Contractor:	7241
Tag:		A197680		Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MISSISSAUGA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7263524.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/13/2016			
Year Completed:		2016			
Depth (m):		3.6576			
Latitude:		43.5260988087769			
Longitude:		-79.6523432258154			
X:		-79.65234307591962			
Y:		43.52609880649255			
Path:		726\7263524.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006012940		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608904.00
Code OB Desc:				North83:	4820122.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		04/13/2016		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006119095			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		3.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119094			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006119096			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		11.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006119106			
Layer:		3			
Plug From:		3.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006119104			
Layer:		1			
Plug From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006119105			
Layer:		2			
Plug From:		0.5			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006119103			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006119093			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006119099			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006119100			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.0			
Screen End Depth:		12.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					
Water ID:		1006119098			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1006119097			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
63	1 of 1	SSW/286.9	130.8 / 8.77	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID:	7190001			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Observation Wells			Date Received:	10/22/2012
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z158450			Contractor:	7241
Tag:	A120882			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	PEEL
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MISSISSAUGA CITY				
Site Info:	WKQ-005301 A0-A02				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190001.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	09/24/2012				
Year Completed:	2012				
Depth (m):	1.8288				
Latitude:	43.5261554443219				
Longitude:	-79.6525647077824				
X:	-79.65256455817244				
Y:	43.52615544182948				
Path:	719\7190001.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1004186307			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608886.00
Code OB Desc:				North83:	4820128.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	09/24/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004507743			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		3.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004507742			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004507751			
Layer:		1			
Plug From:		6.0			
Plug To:		2.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004507752			
Layer:		2			
Plug From:		2.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004507750			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Pipe Information

Pipe ID: 1004507741
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004507746
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 3.0
Depth To: 0.0
Casing Diameter: 1.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004507747
Layer: 1
Slot: 10
Screen Top Depth: 3.0
Screen End Depth: 6.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.25

Water Details

Water ID: 1004507745
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004507744
Diameter: 2.5
Depth From: 0.0
Depth To: 6.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

[64](#)

1 of 2

S/294.7

128.8 / 6.75

R.M. OF PEEL
 ERIN MILLS PKWY/N.SHERIDAN WAY
 MISSISSAUGA CITY ON

CA

Certificate #: 7-0503-97-
Application Year: 97
Issue Date: 6/23/1997
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
64	2 of 2	S/294.7	128.8 / 6.75	R.M. OF PEEL ERIN MILLS PKWY/N.SHERIDAN WAY MISSISSAUGA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3-0662-97-97 6/23/1997 Municipal sewage Approved			
65	1 of 1	WNW/295.1	124.5 / 2.42	2225 Erin Mills Pkwy Mississauga ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		7393411 Abandoned-Other G2STQ9HR A179274 MISSISSAUGA CITY (PORT CREDIT)			
		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
		07/20/2021 TRUE Yes 7609 9 PEEL			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/739\7393411.pdf			
Additional Detail(s) (Map)					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:		07/15/2021 2021 43.5311550139784 -79.6550522732999 -79.6550521231167 43.5311550115073 739\7393411.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1008721148			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608676.00
Code OB Desc:				North83:	4820680.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	07/15/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	www
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1008721484				
Layer:	1				
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:					
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1008721745				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1008721689				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Pipe Information</u>					
Pipe ID:	1008721282				
Casing No:	0				
Comment:					
Alt Name:					
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc: Pump Test ID: 1008721283 Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: LPM Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1008721647 Diameter: 20.0 Depth From: 0.0 Depth To: 2.130000114440918 Hole Depth UOM: m Hole Diameter UOM: cm					

66	1 of 1	SSW/297.3	129.8 / 7.79	2155 LEANNE BLVD MISSISSAUGA ON	WWIS
Well ID: 7267398 Construction Date: Use 1st: Monitoring and Test Hole Use 2nd: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z235006 Tag: A185000 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MISSISSAUGA CITY Site Info: WKQ-009099 A0-A04 PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7267267398.pdf					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 07/21/2016 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: PEEL Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Additional Detail(s) (Map)

Well Completed Date: 06/15/2016
Year Completed: 2016
Depth (m): 3.6576
Latitude: 43.5258620930452
Longitude: -79.6513585323452
X: -79.65135838256506
Y: 43.52586209074886

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		726\7267398.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006165430			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	608984.00
Code OB Desc:				North83:	4820097.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/15/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172767				
Layer:	1				
Color:	8				
General Color:	BLACK				
Material 1:	27				
Material 1 Desc:	OTHER				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	3.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172768				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	3.0				
Formation End Depth:	8.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006172769				
Layer:	3				
Color:	2				
General Color:	GREY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		92			
Material 3 Desc:		WEATHERED			
Formation Top Depth:		8.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172777			
Layer:		1			
Plug From:		12.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172778			
Layer:		2			
Plug From:		4.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006172779			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006172776			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006172766			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006172772			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006172773			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Water Details</u>					
Water ID:		1006172771			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006172770			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>67</u>	1 of 1	SSW/298.0	130.9 / 8.86	Leanne Boulevard Mississauga ON	EHS
Order No:		20150922011		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		RSC Premium Package (Urban)		Client Prov/State:	ON
Report Date:		28-SEP-15		Search Radius (km):	.3
Date Received:		22-SEP-15		X:	-79.652262
Previous Site Name:				Y:	43.525969
Lot/Building Size:					
Additional Info Ordered:		City Directory			
<u>68</u>	1 of 2	N/298.2	110.3 / -11.75	Enbridge Gas Distribution Inc. 1852 friar tuck court Mississauga ON	SPL
Ref No:		8006-AE2T4R		Municipality No:	
Year:				Nature of Damage:	
Incident Dt:		9/22/2016		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		9/22/2016		Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:		NA			
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Name: residence<UNOFFICIAL> Site Address: 1852 friar tuck court Site Region: Site Municipality: Mississauga Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Enbridge Gas Distribution Inc. Client Type: Source Type: Incident Cause: Incident Preceding Spill: Operator/Human error Incident Reason: Operator/Human Error Incident Summary: TSSA FSB: 1/2" damage, residential, safe Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 0 other - see incident description Contaminant Qty 1: 0 Contaminant Unit: other - see incident description Contaminant Code: 35 Contaminant Name: NATURAL GAS (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Air Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Unknown / N/A SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Call Report Locatn Geodata: Time Reported: System Facility Address:					

68	2 of 2	N/298.2	110.3 / -11.75	THE GREENS KEEPER 1852 FRIAR TUCK CRT,,MISSISSAUGA,ON,L5K 2L4,CA ON	PINC
Incident Id: Incident No: 1947978 Incident Reported Dt: 9/23/2016 Type: FS-Pipeline Incident Status Code: Tank Status: Pipeline Damage Reason Est Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: THE GREENS KEEPER Incident Address: 1852 FRIAR TUCK CRT,,MISSISSAUGA,ON,L5K 2L4,CA Operation Type: Pipeline Type: Regulator Type: Summary: Reported By:					
Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Affiliation:</i> <i>Occurrence Desc:</i> <i>Damage Reason:</i> <i>Notes:</i>					

Unplottable Summary

Total: 29 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Part of Lot 31, Conc. 1 South of Dundas St.	Mississauga ON	
CA		Part of Lot 31, Conc. 1 South of Dundas St.	Mississauga ON	
CA	1500 Diameter Streetsville Feedermain	Erin Mills Parkway	Mississauga ON	
CA	J.D.S. INVESTMENTS LTD. SHERIDAN MALL EX	LINCOLN GREEN WAY	MISSISSAUGA CITY ON	
CA	R.M. OF PEEL	ERIN MILLS PARKWAY	MISSISSAUGA CITY ON	
CA	GREYROCK COMMERCIAL	SHERIDAN MEWS LEANNE BLVD.	MISSISSAUGA CITY ON	
CA	ONTARIO CLEAN WATER AGENCY	ERIN MILLS PARKWAY	MISSISSAUGA CITY ON	
CA	GREYROCK COMMERCIAL	SHERIDAN MEWS LEANNE BLVD.	MISSISSAUGA CITY ON	
CA	FRIEDMAN GROUP	NORTH SHERIDAN WAY	MISSISSAUGA CITY ON	
CA	J.D.S. INVESTMENTS LTD.	FOWLER DR. SHERIDAN MALL EXP.	MISSISSAUGA CITY ON	
ECA	The Regional Municipality of Peel	Erin Mills Pky Lincoln Green Close, and Lincoln Green Way	Mississauga ON	L6T 4B9
ECA	The Regional Municipality of Peel	Erin Mills Pky	Mississauga ON	L6T 4B9
ECA	The Regional Municipality of Peel	Erin Mills Pky	Mississauga ON	L6T 4B9
ECA	The Regional Municipality of Peel	Erin Mills Pky	Mississauga ON	L6T 3Y3
EHS		North Sheridan Way	Mississauga ON	
SCT	Air-Draulics Supply Limited		ON	
SPL	PETRO-CANADA	CARD-LOCK BULK PLANT/TERMINAL	MISSISSAUGA CITY ON	

SPL	PETRO-CANADA	TANK TRUCK (CARGO)	MISSISSAUGA CITY ON
SPL	PETRO-CANADA	SERVICE STATION	MISSISSAUGA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	SERVICE STATION	MISSISSAUGA CITY ON
SPL	PETRO-CANADA	KEY LOCK STATION KEY LOCK STATION	MISSISSAUGA CITY ON
SPL	PETRO-CANADA	KEY LOCK STATION	MISSISSAUGA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	SERVICE STATION	MISSISSAUGA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	CAR WASH AT THIS STATION SERVICE STATION	MISSISSAUGA CITY ON
SRDS	PETRO-CANADA PRODUCTS INC.- MISSISSAUGA		MISSISSAUGA ON
WWIS		con 1	ON
WWIS		con 1	ON
WWIS		con 1	ON
WWIS		con 1	ON

Unplottable Report

Site: *Part of Lot 31, Conc. 1 South of Dundas St. Mississauga ON* **Database:** [CA](#)

Certificate #: 0851-4KDNAF
Application Year: 00
Issue Date: 5/17/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Delpark Homes Ltd.
Client Address: 4000 Steeles Ave. West, Suite 204
Client City: Woodbridge
Client Postal Code: L4L 4V9
Project Description: Storm and sanitary sewers to be constructed.
Contaminants:
Emission Control:

Site: *Part of Lot 31, Conc. 1 South of Dundas St. Mississauga ON* **Database:** [CA](#)

Certificate #: 4360-4KDLZC
Application Year: 00
Issue Date: 5/17/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Delpark Homes Ltd.
Client Address: 4000 Steeles Ave. West, Suite 204
Client City: Woodbridge
Client Postal Code: L4L 4V9
Project Description: Watermains to be constructed
Contaminants:
Emission Control:

Site: *1500 Diameter Streetsville Feedermain
Erin Mills Parkway Mississauga ON* **Database:** [CA](#)

Certificate #: 1530-4YWK9A
Application Year: 01
Issue Date: 7/31/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Peel
Client Address: 10 Peel Centre Drive
Client City: Brampton
Client Postal Code: L6T 4B9
Project Description: This application is for the construction of watermain and appurtenances to be constructed on Erin Mills Parkway.
Contaminants:
Emission Control:

Site: *J.D.S. INVESTMENTS LTD. SHERIDAN MALL EX
LINCOLN GREEN WAY MISSISSAUGA CITY ON* **Database:** [CA](#)

Certificate #: 3-2255-87-

Application Year: 87
Issue Date: 1/12/1988
Approval Type: Municipal sewage
Status: Approved in 1988
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **R.M. OF PEEL**
ERIN MILLS PARKWAY MISSISSAUGA CITY ON

Database:
CA

Certificate #: 3-0969-89-
Application Year: 89
Issue Date: 5/31/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **GREYROCK COMMERCIAL**
SHERIDAN MEWS LEANNE BLVD. MISSISSAUGA CITY ON

Database:
CA

Certificate #: 7-1482-89-
Application Year: 89
Issue Date: 9/18/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **ONTARIO CLEAN WATER AGENCY**
ERIN MILLS PARKWAY MISSISSAUGA CITY ON

Database:
CA

Certificate #: 7-1107-94-
Application Year: 94
Issue Date: 11/30/1994
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: GREYROCK COMMERCIAL
SHERIDAN MEWS LEANNE BLVD. MISSISSAUGA CITY ON

Database:
CA

Certificate #: 3-1785-89-
Application Year: 89
Issue Date: 9/18/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: FRIEDMAN GROUP
NORTH SHERIDAN WAY MISSISSAUGA CITY ON

Database:
CA

Certificate #: 3-1867-86-
Application Year: 86
Issue Date: 12/29/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: J.D.S. INVESTMENTS LTD.
FOWLER DR. SHERIDAN MALL EXP. MISSISSAUGA CITY ON

Database:
CA

Certificate #: 3-1954-86-
Application Year: 86
Issue Date: 4/15/1987
Approval Type: Municipal sewage
Status: Underwent 1st revision in 1987
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: The Regional Municipality of Peel
Erin Mills Pky Lincoln Green Close, and Lincoln Green Way Mississauga ON L6T 4B9

Database:
ECA

Approval No: 9765-9PJQ5T
Approval Date: 2014-10-07
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Business Name: The Regional Municipality of Peel
Address: Erin Mills Pky Lincoln Green Close, and Lincoln Green Way
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1871-9PBPL6-14.pdf>
PDF Site Location:

Site: *The Regional Municipality of Peel*
Erin Mills Pky Mississauga ON L6T 4B9

Database:
ECA

Approval No: 5150-9ENR22
Approval Date: 2014-01-10
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: The Regional Municipality of Peel
Address: Erin Mills Pky
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7800-9E8M8B-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Peel*
Erin Mills Pky Mississauga ON L6T 4B9

Database:
ECA

Approval No: 8247-92QSTT
Approval Date: 2012-12-11
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: The Regional Municipality of Peel
Address: Erin Mills Pky
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0770-92AT2H-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Peel*
Erin Mills Pky Mississauga ON L6T 3Y3

Database:
ECA

Approval No: 0567-7BKMD3
Approval Date: 2008-02-08
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Business Name: The Regional Municipality of Peel
Address: Erin Mills Pky
Full Address:
Full PDF Link:
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *North Sheridan Way Mississauga ON*

Database:
EHS

Order No: 20020107003
Status: C
Nearest Intersection: Erin Mills Parkway and North Sheridan Way
Municipality: Region of Peel

Report Type: Complete Report
Report Date: 1/16/02
Date Received: 1/7/02
Previous Site Name:
Lot/Building Size: Six storey hotel
Additional Info Ordered:

Client Prov/State: ON
Search Radius (km): 0.25
X: -79.65047
Y: 43.524954

Site: **Air-Draulics Supply Limited**
ON

Database:
SCT

Established: 1984
Plant Size (ft²): 3500
Employment: 7

--Details--

Description: Metal Valve Manufacturing
SIC/NAICS Code: 332910

Description: All Other General-Purpose Machinery Manufacturing
SIC/NAICS Code: 333990

Description: Industrial Machinery, Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 417230

Site: **PETRO-CANADA**
CARD-LOCK BULK PLANT/TERMINAL MISSISSAUGA CITY ON

Database:
SPL

Ref No: 70118
Year:
Incident Dt: 5/4/1992
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/4/1992
Dt Document Closed:

Municipality No: 21102
Nature of Damage:
Discharger Report:
Material Group:
Impact to Health:
Agency Involved: SHRED-IT

Site No:
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:

Site Name:
Site Address:
Site Region:
Site Municipality: MISSISSAUGA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:

Entity Operating Name:

Client Name:

Client Type:

Source Type:

Incident Cause: PIPE/HOSE LEAK

Incident Preceding Spill:

Incident Reason: WELD/SEAM FAILURE

Incident Summary: PETROCANADA - 45L DIESEL FUEL LEAK THRU SEAM ONTO ISLAND AT CARD-LOCK STN.

Environment Impact: NOT ANTICIPATED

Health Env Consequence:

Nature of Impact:

Contaminant Qty:

Contaminant Qty 1:

Contaminant Unit:

Contaminant Code:

Contaminant Name:

Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: PETRO-CANADA
TANK TRUCK (CARGO) MISSISSAUGA CITY ON

Database:
SPL

Ref No: 51137 Municipality No: 21102
Year:
Incident Dt: 5/24/1991 Nature of Damage:
Dt MOE Arvl on Scn: Discharger Report:
MOE Reported Dt: 5/24/1991 Material Group:
Dt Document Closed: Impact to Health:
Site No: Agency Involved:
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: MISSISSAUGA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: PIPE/HOSE LEAK
Incident Preceding Spill:
Incident Reason: ERROR
Incident Summary: PETRO CANADA - 50 L. OF GAS TO GROUND AT 2125 DUNDAS STREET
Environment Impact: NOT ANTICIPATED
Health Env Consequence:
Nature of Impact:
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: PETRO-CANADA
SERVICE STATION MISSISSAUGA CITY ON

Database:
SPL

Ref No:	8408	Municipality No:	21102
Year:		Nature of Damage:	
Incident Dt:	8/21/1988	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	8/21/1988	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	MISSISSAUGA CITY		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			
Entity Operating Name:			
Client Name:			
Client Type:			
Source Type:			
Incident Cause:	PIPE/HOSE LEAK		
Incident Preceding Spill:			
Incident Reason:	ERROR		
Incident Summary:	PETROCAN SERVICE CENTRE - UNKNOWN AMOUNT (SMALL) OF GASOLINE TO PAVEMENT.		
Environment Impact:			
Health Env Consequence:			
Nature of Impact:			
Contaminant Qty:			
Contaminant Qty 1:			
Contaminant Unit:			
Contaminant Code:			
Contaminant Name:			
Contaminant Limit 1:			
Contam Limit Freq 1:			
Contaminant UN No 1:			
Receiving Medium:	LAND		
Activity Preceding Spill:			
Property 2nd Watershed:			
Property Tertiary Watershed:			
Sector Type:			
SAC Action Class:			
Call Report Locatn Geodata:			
Time Reported:			
System Facility Address:			

Site: SHELL CANADA PRODUCTS LTD.
SERVICE STATION MISSISSAUGA CITY ON

Database:
SPL

Ref No:	119536	Municipality No:	21102
Year:		Nature of Damage:	
Incident Dt:	10/11/1995	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	10/11/1995	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			

Site Geo Ref Meth:
 Site District Office:
 Nearest Watercourse:
 Site Name:
 Site Address:
 Site Region:
 Site Municipality: MISSISSAUGA CITY
 Site Lot:
 Site Conc:
 Site Geo Ref Accu:
 Site Map Datum:
 Northing:
 Easting:
 Entity Operating Name:
 Client Name:
 Client Type:
 Source Type:
 Incident Cause: CONTAINER OVERFLOW
 Incident Preceding Spill:
 Incident Reason: ERROR
 Incident Summary: SHELL SERV STN-1L GAS TO PVMT, NO DRAINS OR ENV IMP. CLEANED.
 Environment Impact: NOT ANTICIPATED
 Health Env Consequence:
 Nature of Impact:
 Contaminant Qty:
 Contaminant Qty 1:
 Contaminant Unit:
 Contaminant Code:
 Contaminant Name:
 Contaminant Limit 1:
 Contam Limit Freq 1:
 Contaminant UN No 1:
 Receiving Medium: LAND
 Activity Preceding Spill:
 Property 2nd Watershed:
 Property Tertiary Watershed:
 Sector Type:
 SAC Action Class:
 Call Report Locatn Geodata:
 Time Reported:
 System Facility Address:

Site: PETRO-CANADA
 KEY LOCK STATION KEY LOCK STATION MISSISSAUGA CITY ON

Database:
 SPL

Ref No:	81754	Municipality No:	21102
Year:		Nature of Damage:	
Incident Dt:	2/11/1993	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	2/11/1993	Impact to Health:	
Dt Document Closed:		Agency Involved:	REPORT FAXED TO MCCR
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	MISSISSAUGA CITY		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			

Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: PIPE/HOSE LEAK
Incident Preceding Spill:
Incident Reason: ERROR
Incident Summary: PETRO CANADA - 25 L OF DIESEL FUEL TO ASPHALT AT KEY LOCK STATION.
Environment Impact: NOT ANTICIPATED
Health Env Consequence:
Nature of Impact:
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: PETRO-CANADA
 KEY LOCK STATION MISSISSAUGA CITY ON

Database:
 SPL

Ref No:	80676	Municipality No:	21102
Year:		Nature of Damage:	
Incident Dt:	1/7/1993	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	1/7/1993	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	MISSISSAUGA CITY		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			
Entity Operating Name:			
Client Name:			
Client Type:			
Source Type:			
Incident Cause:	OTHER CONTAINER LEAK		
Incident Preceding Spill:			
Incident Reason:	EQUIPMENT FAILURE		
Incident Summary:	PETRO CANADA-89 L DIESEL FUEL TO PAD,NOZZLE FAILEDCONTAINED,CLEANED-UP.		
Environment Impact:	NOT ANTICIPATED		
Health Env Consequence:			
Nature of Impact:			
Contaminant Qty:			
Contaminant Qty 1:			

Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: SHELL CANADA PRODUCTS LTD.
SERVICE STATION MISSISSAUGA CITY ON

Database:
SPL

Ref No: 171229 Municipality No: 21102
Year:
Incident Dt: 8/7/1999 Nature of Damage:
Dt MOE Arvl on Scn: Discharger Report:
MOE Reported Dt: 8/7/1999 Material Group:
Dt Document Closed: Impact to Health:
Site No: Agency Involved: REGION OF PEEL
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: MISSISSAUGA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: CONTAINER OVERFLOW
Incident Preceding Spill:
Incident Reason: EQUIPMENT FAILURE
Incident Summary: SHELL STATION-15 L GASOL-INE TO PVMT, SML QTY TO C-BASIN. REGION.
Environment Impact: POSSIBLE
Health Env Consequence:
Nature of Impact: Water course or lake
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND / WATER
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:

Time Reported:
System Facility Address:

Site: SHELL CANADA PRODUCTS LTD.
CAR WASH AT THIS STATION SERVICE STATION MISSISSAUGA CITY ON

Database:
SPL

Ref No: 192920 Municipality No: 21102
Year:
Incident Dt: 1/4/2001 Nature of Damage:
Dt MOE Arvl on Scn: Discharger Report:
MOE Reported Dt: 1/5/2001 Material Group:
Dt Document Closed: Impact to Health:
Site No: Agency Involved: TSSA, WORKS
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: MISSISSAUGA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: PIPE/HOSE LEAK
Incident Preceding Spill:
Incident Reason: EQUIPMENT FAILURE
Incident Summary: SHELL: SPILL OF 20 L OF HYDRAULIC FLUID IN CAR WASH - TO INTERCEPTOR.
Environment Impact: Possible
Health Env Consequence:
Nature of Impact: Other
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: Water
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: PETRO-CANADA PRODUCTS INC.- MISSISSAUGA
MISSISSAUGA ON

Database:
SRDS

Company Code: 0000130104 Sector:
Works ID: Region:
SIC: 365 District:
SIC1: 365 UTM Zone:
SIC1 Desc: UTM Easting:
SIC2: UTM Northing:

SIC2 Desc:
SIC3:
SIC3 Desc:
Body of Water:
Terminal Stream:
SIC Desc:
Mailing Address: MISSISSAUGA
Corp Address:

UTM Precision:
Minor Basin:
Major Basin:
Report Year: 1990-1994

Site:
con 1 ON

Database:
[WWIS](#)

Well ID: 4908210
Construction Date:
Use 1st: Not Used
Use 2nd:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 75172
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MISSISSAUGA CITY
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 07/08/1997
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3656
Form Version: 1
Owner:
County: PEEL
Lot:
Concession: 01
Concession Name: DS N
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10322769
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 06/30/1997
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 932062382
Layer: 1
Color:
General Color:
Material 1: 00
Material 1 Desc: UNKNOWN TYPE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth:

Formation End Depth:
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 964908210
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 10871339
Casing No: 1
Comment:
Alt Name:

Site:
con 1 ON

Database:
[WWIS](#)

Well ID: 4908322
Construction Date:
Use 1st:
Use 2nd:
Final Well Status:
Water Type:
Casing Material:
Audit No: 75175
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MISSISSAUGA CITY
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 04/17/1998
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3656
Form Version: 1
Owner:
County: PEEL
Lot:
Concession: 01
Concession Name: DS N
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10322858
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 03/06/1998
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 964908322

Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871428
Casing No: 1
Comment:
Alt Name:

Site:
con 1 ON

Database:
[WWIS](#)

Well ID: 4908323
Construction Date:
Use 1st:
Use 2nd:
Final Well Status:
Water Type:
Casing Material:
Audit No: 75174
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MISSISSAUGA CITY
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 04/17/1998
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3656
Form Version: 1
Owner:
County: PEEL
Lot:
Concession: 01
Concession Name: DS N
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10322859
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 03/27/1998
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 964908323
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871429

Casing No: 1
Comment:
Alt Name:

Site:
con 1 ON

Database:
[WWIS](#)

Well ID: 4909196
Construction Date:
Use 1st: Not Used
Use 2nd:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 253141
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MISSISSAUGA CITY
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 07/04/2003
Selected Flag: TRUE
Abandonment Rec:
Contractor: 1663
Form Version: 1
Owner:
County: PEEL
Lot:
Concession: 01
Concession Name: DS S
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10546467
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 05/29/2003
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 964909196
Method Construction Code: A
Method Construction: Digging
Other Method Construction:

Pipe Information

Pipe ID: 11095037
Casing No: 1
Comment:
Alt Name:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Feb 2025

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Apr 2025

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Apr 30, 2025

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024

Delisted Fuel Tanks:

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Mar 31, 2025

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Apr 30, 2025

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Mar 31, 2025

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022**Environmental Penalty Annual Report:**

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment, Conservation and Parks (MECP). These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2024**List of Expired Fuels Safety Facilities:**

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023**Federal Convictions:**

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007***Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Jan 2025**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021**Fuel Storage Tank:**

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. As of January 1, 2023, businesses and institutions subject to the amended Reg. 347: General – Waste Management are required to report their activities and pay fees through Resource Productivity & Recovery Authority (RPRA) online Hazardous Waste Program Registry (HWPR) rather than the Hazardous Waste Information Network (HWIN) system previously operated by the Ministry of the Environment, Conservation and Parks (MECP). Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Dec 31, 2024

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Apr 2024

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2025

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment Conservation and Parks (MECP) provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act. MECP publicly releases the Environmental Compliance Report (ECR) on the Ontario Data Catalogue. In Ontario, all facilities with regulated wastewater discharges or air emissions under the Ontario Water Resources Act and the Environmental Protection Act must monitor and report any cases where approved operating limits have been exceeded.

Government Publication Date: Dec 31, 2023

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2024

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

[NPR2](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024**National Pollutant Release Inventory - Historic:**

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2025**Ontario Oil and Gas Wells:**

Provincial

[OOGW](#)

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024**Inventory of PCB Storage Sites:**

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Apr 30, 2025

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Mar 31, 2025

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct-Nov 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Apr 30, 2025

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2025

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug-Feb 2025

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERI's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Mar 31, 2025

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERI's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.


'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.


Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



Area of Natural & Scientific Interest (ANSI) Order No. 25052300379



ANSI Report

ANSI Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 1
Order No.
25052300379



ANSI Name: Credit River at Erindale

ID: 1200808652 | **Type:** ANSI, Life Science | **Significance:** Regional | **Management Plan:** Yes | **Area (sqm):** 2474591.734 |

Comments: Information not available at insertion stage.

ANSI Name: Roy Ivors Woodlot


ID: 1200808661 | **Type:** ANSI, Life Science | **Significance:** Provincial | **Management Plan:** Yes | **Area (sqm):** 305749.935 |

Comments: Located in Erin Mills, Mississauga, Roy Ivor's upland ravine site is dissected by Sawmill Creek and Glen Erin Brook. The area abuts residential development on its south, east and north sides and is dissected by a proposed road. To the west are abandoned

ANSI Name: Credit River Georgian Bay Formation


ID: 1200808645 | **Type:** ANSI, Earth Science | **Significance:** Provincial | **Management Plan:** Yes | **Area (sqm):** 14048.927 |

Comments: This mapping is outside boundaries of the ANSI's only. For individual inventories of the ANSI's reference should be made to the individual ANSI Files in the Planning Section MNR Aurora. Less accurate Mapping is available at 1:50 000 scale on white print



Bedrock Geology of Ontario

Order No. 25052300379



Bedrock Geology Report

Bedrock Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 1
Order No.
25052300379



ID: 13249 | **Unit Name:** |
Type (All): 55b | **Type (Primary):** 55b | **Type (Secondary):** | **Type (Tertiary):** | **Rock Type (Primary):** Shale, limestone, dolostone, siltstone | **Strata (Primary):** Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member | **Super Eon (Primary):** | **Eon (Primary):** PHANEROZOIC (Present to 542.0 Ma) | **Era (Primary):** PALEOZOIC (251.0 Ma to 542.0 Ma) | **Period (Primary):** ORDOVICIAN (443.7 Ma to 488.3 Ma) | **Epoch (Primary):** UPPER ORDOVICIAN | **Province (Primary):**

ID: 13248 | **Unit Name:** |
Type (All): 55a | **Type (Primary):** 55a | **Type (Secondary):** | **Type (Tertiary):** | **Rock Type (Primary):** Shale, limestone, dolostone, siltstone | **Strata (Primary):** Queenston Formation | **Super Eon (Primary):** | **Eon (Primary):** PHANEROZOIC (Present to 542.0 Ma) | **Era (Primary):** PALEOZOIC (251.0 Ma to 542.0 Ma) | **Period (Primary):** ORDOVICIAN (443.7 Ma to 488.3 Ma) | **Epoch (Primary):** UPPER ORDOVICIAN | **Province (Primary):**

Bedrock Geology Report Metadata

Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release-Data 126
Revision1

ONTARIO MINISTRY OF NORTHERN DEVELOPMENT, MINES AND FORESTRY



ID - Unit ID **Unit Name** - Generalized geological unit classification

Type (All) - The geological unit number(s) or code(s) for all rock types present in an individual polygon.

Type (Primary) - The primary geological unit number or code for the primary rock type in an individual polygon

Type (Secondary) - The secondary geological unit number or code for the secondary rock type, if present, in an individual polygon

Type (Tertiary) - The tertiary geological unit number or code for the tertiary rock type, if present, in an individual polygon

Rock Type (Primary) - Rock type or sub-unit description

Status (Primary) - The Stratigraphic unit. Divided into:

Supergroup (two or more groups and lone formations)
Group (two or more formations)
Formation (primary unit of lithostratigraphy)
Member (named lithologic subdivision of a formation)
Bed (named distinctive layer in a member or formation)

Super Eon (Primary) - A name given to the largest defined unit of geological time, divided into Eons. Unique values which this field may contain (Domains) are:

PRECAMBRIAN (0.542 Ga to <3.85 Ga)

Eon (Primary) - A name given to a defined unit of geological time, divided into Eras. Unique values which this field may contain (Domains) are:

ARCHEAN (2.5 Ga to <3.85 Ga)
PROTEROZOIC (0.542 Ga to 2.50 Ga)
PHANEROZOIC (Present to 542.0 Ma)

Era (Primary) - A name given to a defined unit of geological time, divided into Periods. Each era on the scale is separated from the next by a major event or change. Unique values which this field may contain (Domains) are:

MESOARCHEAN (2.8 Ga to 3.2 Ga)	MESOPROTEROZOIC (1.0 Ga to 1.6 Ga)
NEO-TO MESOARCHEAN (2.5 Ga to 3.2 Ga)	EARLY PALEOZOIC TO NEOPROTEROZOIC (443.7 Ma to 1.0 Ga)
NEOARCHEAN (2.5 Ga to 2.8 Ga)	NEO-TO MESOPROTEROZOIC (0.542 Ga to 1.6 Ga)
PALEOPROTEROZOIC (1.6 Ga to 2.5 Ga)	PALEOZOIC (251.0 Ma to 542.0 Ma)
MESO-TO PALEOPROTEROZOIC (1.0 Ga to 2.5 Ga)	MESOZOIC (65.5 Ma to 251.0 Ma)

Period (Primary) - A name given to a defined unit of geological time, divided into Epochs. Unique values which this field may contain (Domains) are:


CAMBRIAN (488.3 Ma to 542.0 Ma)
ORDOVICIAN (443.7 Ma to 488.3 Ma)
SILURIAN (416.0 Ma to 443.7 Ma)
DEVONIAN (359.2 Ma to 416.0 Ma)
MISSISSIPPIAN TO DEVONIAN (318.1 Ma to 416.0 Ma)
JURASSIC (145.5 Ma to 199.6 Ma)
CRETACEOUS AND JURASSIC (65.5 Ma to 199.6 Ma)

Epoch (Primary) - A name given to a defined unit of geological time. Unique values which this field may contain (Domains) are:

LOWER ORDOVICIAN	UPPER SILURIAN
MIDDLE ORDOVICIAN	LOWER DEVONIAN
UPPER ORDOVICIAN	MIDDLE DEVONIAN
MIDDLE AND LOWER SILURIAN	UPPER DEVONIAN
UPPER SILURIAN TO LOWER DEVONIAN	LOWER CRETACEOUS AND MIDDLE JURASSIC

Province (Primary) - The Geological Province the geological unit is in. Unique values which this field may contain (Domains) are:


SUPERIOR
SOUTHERN
SUPERIOR
GRENVILLE



Ontario Base Mapping (OBM) Data


Order No. 25052300379


+	Spot Height (metre)	—	Transportation Structure	—	Contour Line	■	Wooded Area
■	Building Point	—	Utility Line	■	Pit or Quarry	■	Conservation Authority
⚡	Towers	—	Water Structure	■	Waterbody	■	Conservation Area
●	Utility Site Point	—	Drainage Line Feature	■	Wetlands	■	Municipal Park
—	Misc. Line	—	River or Stream	■	Concession	■	Provincial Park
—+—	Railroads	■	Airports	■	Lots	■	National Park
—	Roads	■	Tanks	■	Municipality	■	Nature Reserve
- - -	Trail	■	Building to Scale	■	Land Ownership		



Physiography of Southern Ontario


Order No. 25052300379





Detailed Soil Survey (ON Soils)

Order No. 25052300379



Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 1
Order No.
25052300379



Soil ID: OND024075237

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Poorly | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : Very severe limitations preclude annual cultivation; improvements feasible. | **First CLI Limitation Subclass** : Subject to occasional flooding (Inundation) from adjacent streams or waterbodies | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075319

Component No : 1 | **Components(%)** : 60 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : No significant limitations in use for Crops | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075319

Component No : 2 | **Components(%)** : 40 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Presence of adverse Topography | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 2
Order No.
25052300379



Soil ID: OND024075318

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONFOX~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils that have a low runoff potential and high infiltration rate, as the soils typically are sands and gravel. | **Soil Texture of A Horizon** : coarse sand and loamy sand | **Field Crops Capability** : moderate limitations on use for crops | **First CLI Limitation Subclass** : Low inherent soil Fertility | **Second CLI Limitation Subclass** : Low inherent Moisture holding capacity | **Depth(cm)** : 0-30 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 24 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 1.9 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.398 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 30-45 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 25 | **Total Clay(%)** : 11 | **Organic Carbon(%)** : 1.5 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.173 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 45-56 | **Horizon** : Bm | **Layer No** : 3 | **Very Fine Sand(%)** : 4 | **Total Sand(%)** : 82 | **Total Silt(%)** : 9 | **Total Clay(%)** : 9 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 3.535 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 56-100 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 8 | **Total Sand(%)** : 89 | **Total Silt(%)** : 7 | **Total Clay(%)** : 4 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 5.404 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075356

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONFOX~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils that have a low runoff potential and high infiltration rate, as the soils typically are sands and gravel. | **Soil Texture of A Horizon** : moderately coarse sandy loam | **Field Crops Capability** : moderate limitations on use for crops | **First CLI Limitation Subclass** : Low inherent soil Fertility | **Second CLI Limitation Subclass** : Low inherent Moisture holding capacity | **Depth(cm)** : 0-30 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 24 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 1.9 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.398 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 30-45 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 25 | **Total Clay(%)** : 11 | **Organic Carbon(%)** : 1.5 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.173 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 45-56 | **Horizon** : Bm | **Layer No** : 3 | **Very Fine Sand(%)** : 4 | **Total Sand(%)** : 82 | **Total Silt(%)** : 9 | **Total Clay(%)** : 9 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 3.535 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 56-100 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 8 | **Total Sand(%)** : 89 | **Total Silt(%)** : 7 | **Total Clay(%)** : 4 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 5.404 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075315

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONTFG~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-25 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 9 | **Total Silt(%)** : 50 | **Total Clay(%)** : 41 | **Organic Carbon(%)** : 3.4 | **pH in Calc Chloride** : 6.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.415 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 25-48 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 5 | **Total Silt(%)** : 48 | **Total Clay(%)** : 47 | **Organic Carbon(%)** : 1.2 | **pH in Calc Chloride** : 6.9 | **Saturated Hydraulic Conductivity(cm/h)** : 0.243 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 48-66 | **Horizon** : Bmgj | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 6 | **Total Silt(%)** : 50 | **Total Clay(%)** : 44 | **Organic Carbon(%)** : 0.6 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 0.249 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 66-100 | **Horizon** : Ckgj | **Layer No** : 4 | **Very Fine Sand(%)** : 9 | **Total Sand(%)** : 31 | **Total Silt(%)** : 45 | **Total Clay(%)** : 24 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.6 | **Saturated Hydraulic Conductivity(cm/h)** : 0.224 | **Electrical Conductivity(dS/m)** : 0 |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 3
Order No.
25052300379



Soil ID: OND024075314

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075317

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONTFG~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-25 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 9 | **Total Silt(%)** : 50 | **Total Clay(%)** : 41 | **Organic Carbon(%)** : 3.4 | **pH in Calc Chloride** : 6.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.415 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 25-48 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 5 | **Total Silt(%)** : 48 | **Total Clay(%)** : 47 | **Organic Carbon(%)** : 1.2 | **pH in Calc Chloride** : 6.9 | **Saturated Hydraulic Conductivity(cm/h)** : 0.243 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 48-66 | **Horizon** : Bmgj | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 6 | **Total Silt(%)** : 50 | **Total Clay(%)** : 44 | **Organic Carbon(%)** : 0.6 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 0.249 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 66-100 | **Horizon** : Ckgj | **Layer No** : 4 | **Very Fine Sand(%)** : 9 | **Total Sand(%)** : 31 | **Total Silt(%)** : 45 | **Total Clay(%)** : 24 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.6 | **Saturated Hydraulic Conductivity(cm/h)** : 0.224 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075316

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONTFG~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-25 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 9 | **Total Silt(%)** : 50 | **Total Clay(%)** : 41 | **Organic Carbon(%)** : 3.4 | **pH in Calc Chloride** : 6.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.415 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 25-48 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 5 | **Total Silt(%)** : 48 | **Total Clay(%)** : 47 | **Organic Carbon(%)** : 1.2 | **pH in Calc Chloride** : 6.9 | **Saturated Hydraulic Conductivity(cm/h)** : 0.243 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 48-66 | **Horizon** : Bmgj | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 6 | **Total Silt(%)** : 50 | **Total Clay(%)** : 44 | **Organic Carbon(%)** : 0.6 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 0.249 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 66-100 | **Horizon** : Ckgj | **Layer No** : 4 | **Very Fine Sand(%)** : 9 | **Total Sand(%)** : 31 | **Total Silt(%)** : 45 | **Total Clay(%)** : 24 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.6 | **Saturated Hydraulic Conductivity(cm/h)** : 0.224 | **Electrical Conductivity(dS/m)** : 0 |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 4
Order No.
25052300379



Soil ID: OND024075238

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONFOX~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils that have a low runoff potential and high infiltration rate, as the soils typically are sands and gravel. | **Soil Texture of A Horizon** : coarse sand and loamy sand | **Field Crops Capability** : moderate limitations on use for crops | **First CLI Limitation Subclass** : Low inherent soil Fertility | **Second CLI Limitation Subclass** : Low inherent Moisture holding capacity | **Depth(cm)** : 0-30 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 24 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 1.9 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.398 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 30-45 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 25 | **Total Clay(%)** : 11 | **Organic Carbon(%)** : 1.5 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.173 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 45-56 | **Horizon** : Bm | **Layer No** : 3 | **Very Fine Sand(%)** : 4 | **Total Sand(%)** : 82 | **Total Silt(%)** : 9 | **Total Clay(%)** : 9 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 3.535 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 56-100 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 8 | **Total Sand(%)** : 89 | **Total Silt(%)** : 7 | **Total Clay(%)** : 4 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 5.404 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075239

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Poorly | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : Very severe limitations preclude annual cultivation; improvements feasible. | **First CLI Limitation Subclass** : Subject to occasional flooding (Inundation) from adjacent streams or waterbodies | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075337

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONBKP~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-20 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 7 | **Total Silt(%)** : 74 | **Total Clay(%)** : 19 | **Organic Carbon(%)** : 1.4 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 0.295 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 20-40 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 3 | **Total Silt(%)** : 78 | **Total Clay(%)** : 19 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.251 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 40-60 | **Horizon** : Bt | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 2 | **Total Silt(%)** : 68 | **Total Clay(%)** : 30 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 0.203 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 60-70 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 4 | **Total Silt(%)** : 86 | **Total Clay(%)** : 10 | **Organic Carbon(%)** : 0.1 | **pH in Calc Chloride** : 7.7 | **Saturated Hydraulic Conductivity(cm/h)** : 0.206 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 70-100 | **Horizon** : R | **Layer No** : 5 | **Very Fine Sand(%)** : -9 | **Total Sand(%)** : -9 | **Total Silt(%)** : -9 | **Total Clay(%)** : -9 | **Organic Carbon(%)** : None | **pH in Calc Chloride** : None | **Saturated Hydraulic Conductivity(cm/h)** : None | **Electrical Conductivity(dS/m)** : None |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 5
Order No.
25052300379



Soil ID: OND024075330

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONBKP~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-20 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 7 | **Total Silt(%)** : 74 | **Total Clay(%)** : 19 | **Organic Carbon(%)** : 1.4 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 0.295 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 20-40 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 3 | **Total Silt(%)** : 78 | **Total Clay(%)** : 19 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.251 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 40-60 | **Horizon** : Bt | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 2 | **Total Silt(%)** : 68 | **Total Clay(%)** : 30 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 0.203 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 60-70 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 4 | **Total Silt(%)** : 86 | **Total Clay(%)** : 10 | **Organic Carbon(%)** : 0.1 | **pH in Calc Chloride** : 7.7 | **Saturated Hydraulic Conductivity(cm/h)** : 0.206 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 70-100 | **Horizon** : R | **Layer No** : 5 | **Very Fine Sand(%)** : -9 | **Total Sand(%)** : -9 | **Total Silt(%)** : -9 | **Total Clay(%)** : -9 | **Organic Carbon(%)** : None | **pH in Calc Chloride** : None | **Saturated Hydraulic Conductivity(cm/h)** : None | **Electrical Conductivity(dS/m)** : None |

Soil ID: OND024075338

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONFOX~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils that have a low runoff potential and high infiltration rate, as the soils typically are sands and gravel. | **Soil Texture of A Horizon** : moderately coarse sandy loam | **Field Crops Capability** : moderate limitations on use for crops | **First CLI Limitation Subclass** : Low inherent soil Fertility | **Second CLI Limitation Subclass** : Low inherent Moisture holding capacity | **Depth(cm)** : 0-30 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 24 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 1.9 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.398 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 30-45 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 25 | **Total Clay(%)** : 11 | **Organic Carbon(%)** : 1.5 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.173 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 45-56 | **Horizon** : Bm | **Layer No** : 3 | **Very Fine Sand(%)** : 4 | **Total Sand(%)** : 82 | **Total Silt(%)** : 9 | **Total Clay(%)** : 9 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 3.535 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 56-100 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 8 | **Total Sand(%)** : 89 | **Total Silt(%)** : 7 | **Total Clay(%)** : 4 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 5.404 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075313

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONTFG~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-25 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 9 | **Total Silt(%)** : 50 | **Total Clay(%)** : 41 | **Organic Carbon(%)** : 3.4 | **pH in Calc Chloride** : 6.5 | **Saturated Hydraulic Conductivity(cm/h)** : 0.415 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 25-48 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 5 | **Total Silt(%)** : 48 | **Total Clay(%)** : 47 | **Organic Carbon(%)** : 1.2 | **pH in Calc Chloride** : 6.9 | **Saturated Hydraulic Conductivity(cm/h)** : 0.243 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 48-66 | **Horizon** : Bmgj | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 6 | **Total Silt(%)** : 50 | **Total Clay(%)** : 44 | **Organic Carbon(%)** : 0.6 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 0.249 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 66-100 | **Horizon** : Ckgj | **Layer No** : 4 | **Very Fine Sand(%)** : 9 | **Total Sand(%)** : 31 | **Total Silt(%)** : 45 | **Total Clay(%)** : 24 | **Organic Carbon(%)** : 0.3 | **pH in Calc Chloride** : 7.6 | **Saturated Hydraulic Conductivity(cm/h)** : 0.224 | **Electrical Conductivity(dS/m)** : 0 |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 6
Order No.
25052300379



Soil ID: OND024075345

Component No : 1 | **Components(%)** : 60 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : No significant limitations in use for Crops | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075345

Component No : 2 | **Components(%)** : 40 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Presence of adverse Topography | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075342

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZZZ~~~~~N | **Surface Stoniness Class** : Not Applicable | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Not Applicable | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : None | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-100 | **Horizon** : -- | **Layer No** : 1 | **Very Fine Sand(%)** : -9 | **Total Sand(%)** : -9 | **Total Silt(%)** : -9 | **Total Clay(%)** : -9 | **Organic Carbon(%)** : None | **pH in Calc Chloride** : None | **Saturated Hydraulic Conductivity(cm/h)** : None | **Electrical Conductivity(dS/m)** : None |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 7
Order No.
25052300379



Soil ID: OND024075996

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Poorly | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : Very severe limitations preclude annual cultivation; improvements feasible. | **First CLI Limitation Subclass** : Subject to occasional flooding (Inundation) from adjacent streams or waterbodies | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075341

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075324

Component No : 2 | **Components(%)** : 40 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Presence of adverse Topography | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 8
Order No.
25052300379



Soil ID: OND024075324

Component No : 1 | **Components(%)** : 60 | **Soil Name ID** : ONOID~~~~~A | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils with slow infiltration rates when thoroughly wetted and these soils typically are silty-loam soils with an impeding layer or soils with moderately fine to fine texture. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : No significant limitations in use for Crops | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-8 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 39 | **Total Silt(%)** : 34 | **Total Clay(%)** : 27 | **Organic Carbon(%)** : 2.7 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.609 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 8-15 | **Horizon** : Ae | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 44 | **Total Clay(%)** : 26 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.348 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 15-23 | **Horizon** : Ae | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 30 | **Total Silt(%)** : 42 | **Total Clay(%)** : 28 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.336 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 23-38 | **Horizon** : Bt | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 22 | **Total Silt(%)** : 32 | **Total Clay(%)** : 46 | **Organic Carbon(%)** : 0.2 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.221 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 38-68 | **Horizon** : Bt | **Layer No** : 5 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 20 | **Total Silt(%)** : 32 | **Total Clay(%)** : 48 | **Organic Carbon(%)** : 0.4 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.216 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 68-100 | **Horizon** : Ck | **Layer No** : 6 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 21 | **Total Silt(%)** : 39 | **Total Clay(%)** : 40 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 5.0 | **Saturated Hydraulic Conductivity(cm/h)** : 0.215 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075327

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075320

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Poorly | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : Very severe limitations preclude annual cultivation; improvements feasible. | **First CLI Limitation Subclass** : Subject to occasional flooding (Inundation) from adjacent streams or waterbodies | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soils Report

Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 9
Order No.
25052300379



Soil ID: OND024075242

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONFOX~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 7.0 | **Slop Length(m)** : -9 | **Drainage** : Well | **Hydrological Soil Groups** : Soils that have a low runoff potential and high infiltration rate, as the soils typically are sands and gravel. | **Soil Texture of A Horizon** : coarse sand and loamy sand | **Field Crops Capability** : moderate limitations on use for crops | **First CLI Limitation Subclass** : Low inherent soil Fertility | **Second CLI Limitation Subclass** : Low inherent Moisture holding capacity | **Depth(cm)** : 0-30 | **Horizon** : Ap | **Layer No** : 1 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 24 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 1.9 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.398 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 30-45 | **Horizon** : Bm | **Layer No** : 2 | **Very Fine Sand(%)** : 5 | **Total Sand(%)** : 64 | **Total Silt(%)** : 25 | **Total Clay(%)** : 11 | **Organic Carbon(%)** : 1.5 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 2.173 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 45-56 | **Horizon** : Bm | **Layer No** : 3 | **Very Fine Sand(%)** : 4 | **Total Sand(%)** : 82 | **Total Silt(%)** : 9 | **Total Clay(%)** : 9 | **Organic Carbon(%)** : 0.5 | **pH in Calc Chloride** : 7.4 | **Saturated Hydraulic Conductivity(cm/h)** : 3.535 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 56-100 | **Horizon** : Ck | **Layer No** : 4 | **Very Fine Sand(%)** : 8 | **Total Sand(%)** : 89 | **Total Silt(%)** : 7 | **Total Clay(%)** : 4 | **Organic Carbon(%)** : 0.0 | **pH in Calc Chloride** : 7.5 | **Saturated Hydraulic Conductivity(cm/h)** : 5.404 | **Electrical Conductivity(dS/m)** : 0 |

Soil ID: OND024075241

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Poorly | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : Very severe limitations preclude annual cultivation; improvements feasible. | **First CLI Limitation Subclass** : Subject to occasional flooding (Inundation) from adjacent streams or waterbodies | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soil ID: OND024075323

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~~N | **Surface Stoniness Class** : Slightly stony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : clay loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : Adverse soil structure (i.e. Depth of rooting zone is restricted) | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |

Soils Report


Soil Map Units Found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 10
Order No.
25052300379



Soil ID: OND024075343

Component No : 1 | **Components(%)** : 100 | **Soil Name ID** : ONBAY~~~~~A | **Surface Stoniness Class** : Nonstony | **Slop Steepness(%)** : 3.5 | **Slop Length(m)** : -9 | **Drainage** : Imperfectly | **Hydrological Soil Groups** : Soils with moderate infiltration rates when completely wetted. Soils are sandy loam soils with moderately fine to moderately coarse textures. | **Soil Texture of A Horizon** : moderately coarse sandy loam | **Field Crops Capability** : moderately severe limitations on use for crops. | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Depth(cm)** : 0-18 | **Horizon** : Ah | **Layer No** : 1 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 61 | **Total Silt(%)** : 27 | **Total Clay(%)** : 12 | **Organic Carbon(%)** : 3.1 | **pH in Calc Chloride** : 7.0 | **Saturated Hydraulic Conductivity(cm/h)** : 3.143 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 18-28 | **Horizon** : Aegj | **Layer No** : 2 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 63 | **Total Silt(%)** : 23 | **Total Clay(%)** : 14 | **Organic Carbon(%)** : 1.0 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 1.547 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 28-41 | **Horizon** : Btjg | **Layer No** : 3 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 65 | **Total Silt(%)** : 20 | **Total Clay(%)** : 15 | **Organic Carbon(%)** : 1.1 | **pH in Calc Chloride** : 7.3 | **Saturated Hydraulic Conductivity(cm/h)** : 1.3 | **Electrical Conductivity(dS/m)** : 0 | **Depth(cm)** : 41-100 | **Horizon** : Ckgj | **Layer No** : 4 | **Very Fine Sand(%)** : 0 | **Total Sand(%)** : 62 | **Total Silt(%)** : 25 | **Total Clay(%)** : 13 | **Organic Carbon(%)** : 0.6 | **pH in Calc Chloride** : 7.7 | **Saturated Hydraulic Conductivity(cm/h)** : 1.427 | **Electrical Conductivity(dS/m)** : 0 |



The Surficial Geology of Southern Ontario Order No. 25052300379



Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 1
Order No.
25052300379



ID: 101381 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial
| **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface
| **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt,
Clay, Muck

ID: 102178 | **Unit Name:** Deltaic And Lacustrine Deposits |
Deposit Type Code: 12 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** sand | **Primary Material Modifier:** stony, silty | **Secondary Material:** | **Primary General:** glaciolacustrine |
Primary General Modifier: deltaic | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Predominantly Gravelly Sand And Silty
Sand

ID: 102223 | **Unit Name:** Halton Till |
Deposit Type Code: 5 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000
| **Primary Material:** diamicton | **Primary Material Modifier:** clayey silt to silt | **Secondary Material:** | **Primary General:** glacial |
Primary General Modifier: | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** Port Huron | **Stratus Modifier:**
Surface | **Provenance:** Ontario | **Carbon Content:** medium | **Formation:** Halton Till | **Permeability:** Low | **Material Description:** Red To
Brown Gritty Silt To Clayey Silt Till

ID: 102821 | **Unit Name:** Bedrock |
Deposit Type Code: 1 | **Deposit Age:** Paleozoic | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General
Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Exposed Or Thin Drift Covered
Shale And Dolostone

ID: 103143 | **Unit Name:** Bedrock |
Deposit Type Code: 1 | **Deposit Age:** Paleozoic | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General
Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Exposed Or Thin Drift Covered
Shale And Dolostone

Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 2
Order No.
25052300379



ID: 103428 | **Unit Name:** Halton Till |
Deposit Type Code: 5 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000
| **Primary Material:** diamicton | **Primary Material Modifier:** clayey silt to silt | **Secondary Material:** | **Primary General:** glacial |
Primary General Modifier: | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** Port Huron | **Stratus Modifier:**
Surface | **Provenance:** Ontario | **Carbon Content:** medium | **Formation:** Halton Till | **Permeability:** Low | **Material Description:** Red To
Brown Gritty Silt To Clayey Silt Till

ID: 103435 | **Unit Name:** Halton Till |
Deposit Type Code: 5 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000
| **Primary Material:** diamicton | **Primary Material Modifier:** clayey silt to silt | **Secondary Material:** | **Primary General:** glacial |
Primary General Modifier: | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** Port Huron | **Stratus Modifier:**
Surface | **Provenance:** Ontario | **Carbon Content:** medium | **Formation:** Halton Till | **Permeability:** Low | **Material Description:** Red To
Brown Gritty Silt To Clayey Silt Till

ID: 103468 | **Unit Name:** Older Terrace Alluvium |
Deposit Type Code: 14 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** sand, gravel | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** fluvial | **Primary
General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Poorly Sorted, Dirty, Sand And
Gravel

ID: 103510 | **Unit Name:** Lake Iroquois Deposits |
Deposit Type Code: 13 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** gravel | **Primary Material Modifier:** | **Secondary Material:** sand | **Primary General:** glaciolacustrine |
Primary General Modifier: littoral/foreshore | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:**
Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Beach Gravel

ID: 103515 | **Unit Name:** Glaciolacustrine Deposits |
Deposit Type Code: 10 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** clay, silt | **Primary Material Modifier:** | **Secondary Material:** diamicton | **Primary General:** glaciolacustrine |
Primary General Modifier: foreshore/basinal | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:**
Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Low | **Material Description:** Massive To Laminated Silt
And Clay, May Contain Poorly Sorted Diamicton Layers

Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 3
Order No.
25052300379



ID: 103529 | **Unit Name:** Bedrock |
Deposit Type Code: 1 | **Deposit Age:** Paleozoic | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Exposed Or Thin Drift Covered Shale And Dolostone

ID: 103541 | **Unit Name:** Lake Iroquois Deposits |
Deposit Type Code: 13 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** gravel | **Primary Material Modifier:** | **Secondary Material:** sand | **Primary General:** glaciolacustrine | **Primary General Modifier:** littoral/foreshore | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Beach Gravel

ID: 103543 | **Unit Name:** Older Terrace Alluvium |
Deposit Type Code: 14 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** sand, gravel | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Poorly Sorted, Dirty, Sand And Gravel

ID: 103557 | **Unit Name:** Organic Deposits |
Deposit Type Code: 15 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: organic deposits | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** wetland | **Primary General Modifier:** | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Peat, Muck

ID: 103558 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial | **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt, Clay, Muck

Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 4
Order No.
25052300379



ID: 103568 | **Unit Name:** Older Terrace Alluvium |
Deposit Type Code: 14 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** sand, gravel | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Poorly Sorted, Dirty, Sand And Gravel

ID: 103591 | **Unit Name:** Glaciolacustrine Deposits |
Deposit Type Code: 10 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** clay, silt | **Primary Material Modifier:** | **Secondary Material:** diamicton | **Primary General:** glaciolacustrine | **Primary General Modifier:** foreshore/basinal | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Low | **Material Description:** Massive To Laminated Silt And Clay, May Contain Poorly Sorted Diamicton Layers

ID: 103598 | **Unit Name:** Bedrock |
Deposit Type Code: 1 | **Deposit Age:** Paleozoic | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Exposed Or Thin Drift Covered Shale And Dolostone

ID: 103608 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial | **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt, Clay, Muck

ID: 103674 | **Unit Name:** Glaciolacustrine Deposits |
Deposit Type Code: 10 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 | **Primary Material:** clay, silt | **Primary Material Modifier:** | **Secondary Material:** diamicton | **Primary General:** glaciolacustrine | **Primary General Modifier:** foreshore/basinal | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Low | **Material Description:** Massive To Laminated Silt And Clay, May Contain Poorly Sorted Diamicton Layers

Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 5
Order No.
25052300379



ID: 103732 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial
| **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface
| **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt,
Clay, Muck

ID: 103746 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial
| **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface
| **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt,
Clay, Muck

ID: 103756 | **Unit Name:** Bedrock |
Deposit Type Code: 1 | **Deposit Age:** Paleozoic | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General**
Modifier: | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Exposed Or Thin Drift Covered
Shale And Dolostone

ID: 103792 | **Unit Name:** Lake Iroquois Deposits |
Deposit Type Code: 13 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** gravel | **Primary Material Modifier:** | **Secondary Material:** sand | **Primary General:** glaciolacustrine |
Primary General Modifier: littoral/foreshore | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:**
Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Beach Gravel

ID: 103910 | **Unit Name:** Modern Alluvium |
Deposit Type Code: 16 | **Deposit Age:** Recent | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50 000 |
Primary Material: clay, silt, sand, gravel | **Primary Material Modifier:** organic-bearing | **Secondary Material:** | **Primary General:** fluvial
| **Primary General Modifier:** modern floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface
| **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Undifferentiated Gravel, Sand, Silt,
Clay, Muck

Surface Geology Report

Surface Geology units found within 2000 m of
Phase One ESA - 1970, 1980 Fowler Drive

Page 6
Order No.
25052300379



ID: 103922 | **Unit Name:** Lake Iroquois Deposits |
Deposit Type Code: 13 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** gravel | **Primary Material Modifier:** | **Secondary Material:** sand | **Primary General:** glaciolacustrine |
Primary General Modifier: littoral/foreshore | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:**
Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Beach Gravel

ID: 103923 | **Unit Name:** Deltaic And Lacustrine Deposits |
Deposit Type Code: 12 | **Deposit Age:** Late Wisconsinan | **Map Number:** p3171 | **Map Name:** Brampton | **Source Map Scale:** 1:50
000 | **Primary Material:** sand | **Primary Material Modifier:** stony, silty | **Secondary Material:** | **Primary General:** glaciolacustrine |
Primary General Modifier: deltaic | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface |
Provenance: | **Carbon Content:** | **Formation:** | **Permeability:** High | **Material Description:** Predominantly Gravelly Sand And Silty
Sand

Surface Geology Report Metadata

Ontario Geological Survey 2010. Surficial geology of southern Ontario;
Ontario Geological Survey, Miscellaneous Release - Data 128 - Revised.
ONTARIO MINISTRY OF NORTHERN DEVELOPMENT, MINES AND FORESTRY



ID - ID applied to the Unit

Unit Name - Name of deposit

Deposit Type Code - The geological unit number taken from the original map legend.

Deposit Age - to show the age when the sediments were deposited, e.g., Wisconsinan, postglacial or recent.

Map Number - Original map series number, eg., 'M2402' or 'P1973'. Each sgu_point feature is tagged to its original map.

Map Name - Usually NTS area where mapping was completed, e.g., 'Golden Lake'

Source Map Scale - The scale at which the original map was captured, e.g., '1:50 000'

Primary Material - This attribute provides the user with information regarding the most prevalent material present within a given area.

Primary Material Modifier - This attribute provides the user with a more refined description of the lithological classification of the primary material.

Secondary Material - This attribute provides the user with information regarding subordinate materials present within a given area.

Primary General - This attribute provides the user with an interpretation of the depositional environment within which the primary material was deposited.

Primary General Modifier - This attribute provides the user with a refined interpretation of the primary genetic modifier.

Veneer - This attribute provides the user with information regarding the type of material that forms a thin, discontinuous veneer over the primary material.

Sub Episode - A diachronic stratigraphic unit in a lower order than Episode and the proposed sequence-stratigraphic classification, consists in descending order of Michigan, Elgin and Ontario in the eastern and northern Great Lakes area in the Wisconsin Episode (Johnson et al. 1997; Karrow et al. 2000).

Sub Episode - A diachronic stratigraphic unit in a lower order than Episode and the proposed sequence-stratigraphic classification, consists in descending order of Michigan, Elgin and Ontario in the eastern and northern Great Lakes area in the Wisconsin Episode (Johnson et al. 1997; Karrow et al. 2000).

Phase - A diachronic stratigraphic unit in a lower order than Subepisode, and the proposed sequence-stratigraphic classification is listed in the following table in the eastern and northern Great Lakes area (Karrow et al. 2000)

Stratus Modifier - This attribute provides the user information regarding the stratigraphic position of the mapped unit (i.e., whether the unit occurs primarily on the surface or in the subsurface).

Provenance - This attribute provides the user with information regarding the provenance of a particular till unit (i.e. direction or lobe from which the till is derived).

Carbon Content - This attribute provides the user with information regarding the carbonate content of till.

Formation - This attribute provides the user with information regarding the formation to which a given primary material belongs (e.g., Tavistock Till, Port Stanley Till, Scarborough Formation). This attribute is seamless and allows the user to create a map based on formation.

Permeability - This attribute provides the user with basic information about permeability of the sediments in a ranking of high, medium and low.

Material Description - Material or sediment description, e.g., 'sand and silty fine sand', 'silty sand and gravel' and 'silty till with low stone content'.

EXP Services Inc.

Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025

Appendix F – City Directories



CITY DIRECTORY

Project Property: *Phase One ESA - 1970, 1980 Fowler Drive
Phase One ESA - 1970, 1980 Fowler Drive
Mississauga, ON L5K 1B5*

Project No: *GTR-22022660*

Requested By: *exp Services Inc.*

Order No: *25052300379*

Date Completed: *May 27, 2025*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

May 27, 2025
RE: CITY DIRECTORY RESEARCH
Phase One ESA - 1970, 1980 Fowler Drive
Mississauga, ON L5K 1B5

Thank you for contacting ERIS regarding our City Directory Search services. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. When searching a range of addresses, all civic addresses within that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on highly developed areas, while newly developed areas may be covered in the more recent years, older directories tend to cover only "central" parts of the city. To complete the search, we have either utilized the Toronto Reference Library, Library & Archives Canada and multiple digitized directories. While these do not claim to be a complete collection of all reverse listing city directories produced, ERIS has made every effort to provide accurate and complete information. ERIS shall not be held liable for missing, incomplete, or inaccurate information. If you believe there are additional addresses or streets that require searching, please contact us.

Search Criteria:

2215-2285 of Erin Mills Parkway
ALL of Fowler Drive
ALL of Knights Court
1845-1900 of N Sheridan Way
ALL of Roche Court

Search Notes:

Search Results Summary

Data from 2012 to 2017 does not include residential information

Date	Source	Comment
2023	DIGITAL BUSINESS DIRECTORY	
2021	DIGITAL BUSINESS DIRECTORY	
2017	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2008	COLE	
2001	POLKS	
1996	MIGHTS	
1991	MIGHTS	
1985	MIGHTS	
1981	MIGHTS	
1975	MIGHTS	
1970-71	MIGHTS	
1966	MIGHTS	
1958	MIGHTS	

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

78 total records. Part 1 of 2

2215 TIM HORTONS...DOUGHNUTS
 2215 TIM HORTONS...COFFEE & TEA
 2225 ADERE JEWELLERS...GOLD SILVER & PLATINUM-BUYERS
 2225 ADERE JEWELLERS...JEWELERS-RETAIL
 2225 AKO GREEKO...RESTAURANTS
 2225 AT EAZE...RESIDENTIAL
 2225 AXIS VISION CARE...OPTICIANS
 2225 BABY'S PALACE...BABY ACCESSORIES
 2225 BABY'S PALACE...FURNITURE-DEALERS-RETAIL
 2225 BDSOU DNGLNG...FORMAL WEAR-RETAIL
 2225 BELL CANADA...CELLULAR TELEPHONES (SERVICES)
 2225 BELL CANADA...TELEVISION-CABLE & CATV
 2225 BENTALLGREENOAK...REAL ESTATE MANAGEMENT
 2225 BEST VALUE BOUTIQUE...WOMEN'S APPAREL-RETAIL
 2225 BLUENOTES...WOMEN'S APPAREL-RETAIL
 2225 BLUENOTES...CLOTHING-RETAIL
 2225 C EYE...RESIDENTIAL
 2225 CENTRE FOR SKILLS DEVELOPMENT...EMPLOYMENT TRAINING SERVICE
 2225 CLEO...BALLOONS-NOVELTY & TOY
 2225 DRAPERY WORKSHOP...FABRIC SHOPS
 2225 DRIVE FOR LIFE...DRIVING INSTRUCTION
 2225 FIDO...TELECOMMUNICATIONS SERVICES
 2225 FIDO...CELLULAR TELEPHONES (SERVICES)
 2225 FORTUNE WOK...FOODS-CARRY OUT
 2225 FORTUNE WOK...CATERERS
 2225 FREEDOM MOBILE...CELLULAR TELEPHONES (SERVICES)
 2225 ITAR SHOE REPAIR...SHOE & BOOT REPAIRING
 2225 KFC...FOODS-CARRY OUT
 2225 KFC...RESTAURANTS
 2225 LAURA SECORD...CHOCOLATE & COCOA (WHOLESALE)
 2225 LAURA SECORD...CANDY & CONFECTIONERY-RETAIL
 2225 LICENCE OFFICE MISSISSAUGA...LICENSE SERVICES
 2225 LIGHTSPEED PHYSIOTHERAPY...PHYSICAL THERAPISTS
 2225 LIGHTSPEED PHYSIOTHERAPY...MASSAGE THERAPISTS
 2225 MASTERCOM INC...RENTAL AGENCIES
 2225 MASTERCOM INC...RENTAL SERVICE-STORES & YARDS
 2225 METRO...GROCERS-RETAIL
 2225 MR SUB...RESTAURANTS
 2225 MR SUB...FOODS-CARRY OUT
 2225 NAILS FOR YOU...MANICURING
 2225 NORTHERN REFLECTIONS...WOMEN'S APPAREL-RETAIL
 2225 NORTHERN REFLECTIONS...CLOTHING-RETAIL
 2225 ONTARIO CLEAN WATER AGENCY...NONCLASSIFIED ESTABLISHMENTS
 2225 PERFECT BALANCE-CNC...HEALTH & DIET FOODS-RETAIL
 2225 PICTURE SHOP...ORGANIZATIONS
 2225 PICTURE SHOP...PICTURE FRAMES-DEALERS
 2225 RSA CANADA...INSURANCE
 2225 S KHAN...RESIDENTIAL
 2225 SALON VIBA...BEAUTY SALONS
 2225 SCOTIABANK...BANKS
 2225 SHERIDAN BRANCH LIBRARY...LIBRARIES-PUBLIC
 2225 SHERIDAN CENTRE...SHOPPING CENTERS & MALLS
 2225 SHERIDAN EYE EXAM CLINIC...PHYSICIANS & SURGEONS
 2225 SHERIDAN EYE EXAM CLINIC...CLINICS
 2225 SHERIDAN HEALTH...CLINICS
 2225 SHOPPERS DRUG MART...PHARMACIES
 2225 SHOPPERS DRUG MART...GROCERS-RETAIL
 2225 STITCH IT...TAILORS
 2225 SUN SHINE RUG...CARPET & RUG DEALERS-NEW
 2225 SUN SHINE RUG...CARPET & RUG-DISTRIBUTORS
 2225 TAMMY HAIR SPA...BEAUTY SALONS
 2225 TAXWIDE INC...ACCOUNTING & BOOKKEEPING GENERAL SVC
 2225 TRADE SECRETS...BEAUTY SALONS-EQUIPMENT & SUPPLS (WHOL)
 2225 TRADE SECRETS...BEAUTY SALONS
 2225 VERONESE HAIR DESIGN...BEAUTY SALONS
 2225 WALKING ON A CLOUD...SHOES-RETAIL
 2225 WEST GTA ENDOSCOPY...CLINICS
 2225 WESTERN UNION AGENT LOCATION...BILL PAYING SERVICE

Part 2 of 2

2225 WESTERN UNION AGENT LOCATION...MONEY TRANSFER SERVICE
 2225 WINE RACK...LIQUORS-RETAIL
 2225 WINE RACK...WINES-RETAIL
 2225 WIRELESS PLUS KIOSK...CELLULAR TELEPHONES-EQUIPMENT & SUPPLS
 2255 MC DONALD'S...RESTAURANTS
 2255 MC DONALD'S...FOODS-CARRY OUT
 2255 PIZZA PIZZA...PIZZA
 2255 PIZZA PIZZA...FOODS-CARRY OUT
 2285 TACO BELL...RESTAURANTS
 2285 TACO BELL...MEXICAN & LATIN AMERICAN FOOD PRODUCTS

133 total records. Part 1 of 2

1900 BEACHIN' TAN INC...TANNING SALONS
 1900 DEMARCHI B DDS...DENTISTS
 1900 DEMARCHI B DDS...DENTURISTS
 1900 DEMARCHI BAN DDS...DENTURISTS
 1900 DEMARCHI BAN DDS...DENTISTS
 1900 EMILIAN JEWELLERY...DIAMONDS
 1900 EMILIAN JEWELLERY...JEWELERS-RETAIL
 1900 EYE CU OPTICAL...OPTICIANS
 1900 MOON SUSHI...RESTAURANTS
 1900 PHYSIOMED VAN MILLS...REHABILITATION SERVICES
 1900 SELLOFFVACATIONS.COM...TRAVEL AGENCIES & BUREAUS
 1900 VAN MILLS DENTAL...DENTURISTS
 1900 VAN MILLS DENTAL...DENTISTS
 1900 VAN MILLS IDA PHARMACY...PHARMACIES
 1910 SHERWIN-WILLIAMS...PAINT-RETAIL
 1910 SHERWIN-WILLIAMS...SPRAY PAINTING & FINISHING
 1910 U BREAK I FIX...CELLULAR TELEPHONES (SERVICES)
 1910 U BREAK I FIX...ELECTRONIC EQUIPMENT & SUPPLIES-REPAIR
 1925 CAA NORTH EAST ONTARIO...AUTOMOBILE CLUBS
 1925 CAA NORTH EAST ONTARIO...TRAVEL AGENCIES & BUREAUS
 1925 CASH SHOP FINANCIAL SVC...FINANCIAL ADVISORY SERVICES
 1925 CASH SHOP FINANCIAL SVC...LOANS
 1925 DULUX PAINTS...PAINT-RETAIL
 1925 WESTERN UNION AGENT LOCATION...BILL PAYING SERVICE
 1925 WESTERN UNION AGENT LOCATION...MONEY TRANSFER SERVICE
 1930 EGGSMART...RESTAURANTS
 1930 STARBUCKS...COFFEE SHOPS
 1930 STARBUCKS...RESTAURANTS
 1930 VANMILLS MEDICAL CLINIC...PHYSICIANS & SURGEONS
 1944 VANDYK GROUP OF CO...BUILDING CONTRACTORS
 1970 A FREER...RESIDENTIAL
 1970 A PANGAN...RESIDENTIAL
 1970 AGNEES KANGALA...RESIDENTIAL
 1970 B PAUL...RESIDENTIAL
 1970 B STEVENSON...RESIDENTIAL
 1970 C LU...RESIDENTIAL
 1970 C RUGGLES...RESIDENTIAL
 1970 C THURASINGHAM...RESIDENTIAL
 1970 D ALI...RESIDENTIAL
 1970 D CAMPBELL...RESIDENTIAL
 1970 D MCKENZIE...RESIDENTIAL
 1970 DAVID ADY...RESIDENTIAL
 1970 E KHAN...RESIDENTIAL
 1970 E MCGREGOR...RESIDENTIAL
 1970 EMMANUEL MERCY...RESIDENTIAL
 1970 F MUNSHEY...RESIDENTIAL
 1970 F QURESHI...RESIDENTIAL
 1970 G CHIN...RESIDENTIAL
 1970 G CRIBBS...RESIDENTIAL
 1970 H SIDHPURI...RESIDENTIAL
 1970 H SYED...RESIDENTIAL
 1970 HATIMALHAMDAN...NONCLASSIFIED ESTABLISHMENTS
 1970 I HAQUE...RESIDENTIAL
 1970 I IZANSON...RESIDENTIAL
 1970 I WARSALI...RESIDENTIAL
 1970 J DIAS...RESIDENTIAL
 1970 J MARTOWIROGO...RESIDENTIAL
 1970 J NELSEN...RESIDENTIAL
 1970 J SATUR...RESIDENTIAL
 1970 J TAN...RESIDENTIAL
 1970 JESSICA VALENTINI...RESIDENTIAL
 1970 K MAHMOOD...RESIDENTIAL
 1970 K WELCH...RESIDENTIAL
 1970 M ABDUL...RESIDENTIAL
 1970 M AJMAL...RESIDENTIAL
 1970 M HAMIGI...RESIDENTIAL
 1970 M HOULE...RESIDENTIAL
 1970 M LUNAWADI...RESIDENTIAL
 1970 M NAEED...RESIDENTIAL

Part 2 of 2

1970 M RAZA...RESIDENTIAL
 1970 N CHAUDHRY...RESIDENTIAL
 1970 N TOKO...RESIDENTIAL
 1970 P KINSELLA...RESIDENTIAL
 1970 PERVEZ AKHPAR...RESIDENTIAL
 1970 R ARAUJO...RESIDENTIAL
 1970 R JOSE...RESIDENTIAL
 1970 RON TITKA...RESIDENTIAL
 1970 S AKHTAR...RESIDENTIAL
 1970 S BELE...RESIDENTIAL
 1970 S KHAN...RESIDENTIAL
 1970 S MUSTAFA...RESIDENTIAL
 1970 S NAQVI...RESIDENTIAL
 1970 W TAYLOR...RESIDENTIAL
 1970 WASEEM YOUSAF...RESIDENTIAL
 1980 A BROWN...RESIDENTIAL
 1980 A PETERS...RESIDENTIAL
 1980 AMER KHAN...RESIDENTIAL
 1980 B HAFEEZE...RESIDENTIAL
 1980 BRYCE KENNEDY...RESIDENTIAL
 1980 C TANNER...RESIDENTIAL
 1980 D OLTE...RESIDENTIAL
 1980 D THIBAUT...RESIDENTIAL
 1980 E HUMPHREYS...RESIDENTIAL
 1980 E INDER...RESIDENTIAL
 1980 F AHMED...RESIDENTIAL
 1980 FUNDEX INVESTMENTS INC...MUTUAL FUNDS
 1980 FUNDEX INVESTMENTS INC...INVESTMENTS
 1980 H ALI...RESIDENTIAL
 1980 H BERNARDO...RESIDENTIAL
 1980 HAJRAH BAIG...RESIDENTIAL
 1980 HASNAA...BEAUTY SALONS-EQUIPMENT & SUPPLIES-MFRS
 1980 I HUDGSON...RESIDENTIAL
 1980 IQBAL MUHAMMAD...RESIDENTIAL
 1980 J KALRAVI...RESIDENTIAL
 1980 J MANGUPIT...RESIDENTIAL
 1980 L KUMARAGE...RESIDENTIAL
 1980 L PARSONS...RESIDENTIAL
 1980 LEE R BROWN...RESIDENTIAL
 1980 M NAFIS...RESIDENTIAL
 1980 M RIDER...RESIDENTIAL
 1980 M SALMAN...RESIDENTIAL
 1980 N THAVASEELAN...RESIDENTIAL
 1980 P KING...RESIDENTIAL
 1980 R ALI...RESIDENTIAL
 1980 R IFTIKHAR...RESIDENTIAL
 1980 R LINDSAY...RESIDENTIAL
 1980 RANA HAMID...RESIDENTIAL
 1980 S AHMAD...RESIDENTIAL
 1980 S BAGLA...RESIDENTIAL
 1980 S BENTHAN...RESIDENTIAL
 1980 S JAMALY...RESIDENTIAL
 1980 S SAID-AHMED...RESIDENTIAL
 1980 S SALMAN...RESIDENTIAL
 1980 S SIVARAJAH...RESIDENTIAL
 1980 SAIMA AHMED...RESIDENTIAL
 1980 SHERIDAN MANOR...REAL ESTATE MANAGEMENT
 1980 SHERIDAN MANOR...APARTMENTS
 1980 T AHMED...RESIDENTIAL
 1980 T LEDREW...RESIDENTIAL
 1980 V THOMAS...RESIDENTIAL
 1980 YAGOUR ARBAB...RESIDENTIAL
 1980 Z ALI...RESIDENTIAL
 19801 F PILKU...RESIDENTIAL

1881 L FLOWER...RESIDENTIAL
1881 ROCK IT UP...MUSIC INSTRUCTION-INSTRUMENTAL
1884 J MARCHELLO...RESIDENTIAL
1885 A TANDON...RESIDENTIAL
1888 Z MOHAMMAD...RESIDENTIAL
1896 R MANKTELOW...RESIDENTIAL
1900 HAICHUN DU...RESIDENTIAL
1904 B BHATTACHARYYA...RESIDENTIAL
1907 G MELCHIORRE...RESIDENTIAL
1908 M ROWE...RESIDENTIAL
1911 K NG...RESIDENTIAL
1912 A BULI...RESIDENTIAL
1915 D RUSO...RESIDENTIAL
1916 A KARIA...RESIDENTIAL
1919 S MAURIZIO...RESIDENTIAL

1900 A GULLED...RESIDENTIAL
1900 A YOUSUFY...RESIDENTIAL
1900 ABDUL Q QADERI...RESIDENTIAL
1900 ADAN ISSAK...RESIDENTIAL
1900 B HANNAWAY...RESIDENTIAL
1900 C BENT...RESIDENTIAL
1900 D CAMPBELL...RESIDENTIAL
1900 DEBBI WAKER...RESIDENTIAL
1900 ERIN COURT CO-OP HOMES...HOUSING ASSISTANCE
1900 G RODDEN...RESIDENTIAL
1900 GERMAN SHIBLE...RESIDENTIAL
1900 HUSSAIN GALAAL...RESIDENTIAL
1900 I KING...RESIDENTIAL
1900 J ADEKILE...RESIDENTIAL
1900 J FALCONER...RESIDENTIAL
1900 JOHNSON ADEKILE...RESIDENTIAL
1900 KHALID SHAUKAT...RESIDENTIAL
1900 L ALLEN...RESIDENTIAL
1900 LOREN DELANEY...RESIDENTIAL
1900 M MARQUEZ...RESIDENTIAL
1900 M MCZENZIE...RESIDENTIAL
1900 M PABALATE...RESIDENTIAL
1900 N AHMAD...RESIDENTIAL
1900 N KOMA...RESIDENTIAL
1900 NURTA JAMA...RESIDENTIAL
1900 POITR BIALOSZEWSKI...RESIDENTIAL
1900 R R MOHAMMAD...RESIDENTIAL
1900 S AFRICAINE...RESIDENTIAL
1900 S MORGAN...RESIDENTIAL
1900 T WISDOM...RESIDENTIAL
1900 V CARTER...RESIDENTIAL
1900 V REXHA...RESIDENTIAL
1900 Y HIBBERT...RESIDENTIAL
1900 Z DZIEDZIC...RESIDENTIAL
1900 Z THOMPSON...RESIDENTIAL

226 total records. Part 1 of 4

220 MOHAMAD SHIR...RESIDENTIAL
 2050 AIJAZ SYED...RESIDENTIAL
 2095 A MOHAMED...RESIDENTIAL
 2095 A NAQW...RESIDENTIAL
 2095 A REYES...RESIDENTIAL
 2095 A SIDDIQI...RESIDENTIAL
 2095 A SYED...RESIDENTIAL
 2095 B CEHIC...RESIDENTIAL
 2095 D BROWN...RESIDENTIAL
 2095 E NACION...RESIDENTIAL
 2095 ERNESTO DEMESA...RESIDENTIAL
 2095 FAKHAR SYED...RESIDENTIAL
 2095 FASTWAY EXPRESS...TRUCKING
 2095 G GOSIK...RESIDENTIAL
 2095 HWAN KIM...RESIDENTIAL
 2095 I SIMONATO...RESIDENTIAL
 2095 J KALINOWSKI...RESIDENTIAL
 2095 J MCDUGALL...RESIDENTIAL
 2095 J NATHAN...RESIDENTIAL
 2095 J ROSA...RESIDENTIAL
 2095 L CREWSON...RESIDENTIAL
 2095 LAWRENCE BUCHAN...RESIDENTIAL
 2095 LYDIA TYNEK...RESIDENTIAL
 2095 M BHATTI...RESIDENTIAL
 2095 M BROWN...RESIDENTIAL
 2095 M JACOB...RESIDENTIAL
 2095 M KHAN...RESIDENTIAL
 2095 M MILESKI...RESIDENTIAL
 2095 M SHARIF...RESIDENTIAL
 2095 MARIA VILLARUEL...RESIDENTIAL
 2095 MOEN KHAN...RESIDENTIAL
 2095 N AHMED...RESIDENTIAL
 2095 N ALEXANDER...RESIDENTIAL
 2095 O LOMELINO...RESIDENTIAL
 2095 P GONZALES...RESIDENTIAL
 2095 P RYAN...RESIDENTIAL
 2095 PETER VANHAEFTEN...RESIDENTIAL
 2095 R TOQUE...RESIDENTIAL
 2095 S AHMAD...RESIDENTIAL
 2095 S AHMED...RESIDENTIAL
 2095 S DALY...RESIDENTIAL
 2095 S DINSMORE...RESIDENTIAL
 2095 S HEAYSMAN...RESIDENTIAL
 2095 S LIM...RESIDENTIAL
 2095 S MARINA...RESIDENTIAL
 2095 S NAJMUS...RESIDENTIAL
 2095 S RAMBALLY...RESIDENTIAL
 2095 SYED YOUSUF...RESIDENTIAL
 2095 T BARR...RESIDENTIAL
 2095 T LY...RESIDENTIAL
 2095 TERRY BROWN...RESIDENTIAL
 2095 V TIRUCHRAPALLI...RESIDENTIAL
 2095 W CHABOT...RESIDENTIAL
 2095 Z SUSABOWSKA...RESIDENTIAL
 2111 2111 ROCHE CRT APARTMENTS...APARTMENTS
 2111 A A SARHAN...RESIDENTIAL
 2111 A AHMED...RESIDENTIAL
 2111 A BROWN...RESIDENTIAL
 2111 A CROFT...RESIDENTIAL
 2111 A HADI...RESIDENTIAL
 2111 A ZELAYA...RESIDENTIAL
 2111 AHMAD SHABBIR...RESIDENTIAL
 2111 ALFRED SIRAJ...RESIDENTIAL
 2111 AMINA MOHMED...RESIDENTIAL
 2111 AYAZ SIDDIQI...RESIDENTIAL
 2111 B JESQUITH...RESIDENTIAL
 2111 B SIDHU...RESIDENTIAL
 2111 CUONG LU...RESIDENTIAL
 2111 E ELLOITT...RESIDENTIAL

Part 2 of 4

2111 ERIC AKA...RESIDENTIAL
 2111 F ANONKRE...RESIDENTIAL
 2111 F FRILLES...RESIDENTIAL
 2111 F QAMAR...RESIDENTIAL
 2111 G BROWNIDGE...RESIDENTIAL
 2111 H HANIF...RESIDENTIAL
 2111 HAWO ABILLE...RESIDENTIAL
 2111 HAWO OSMAN...RESIDENTIAL
 2111 J PRESTON...RESIDENTIAL
 2111 K DAGOUROU...RESIDENTIAL
 2111 K QASIM...RESIDENTIAL
 2111 L LAYNE...RESIDENTIAL
 2111 LAETITIA MANZANZA...RESIDENTIAL
 2111 M ALI...RESIDENTIAL
 2111 M ASLAM...RESIDENTIAL
 2111 M CALVEN...RESIDENTIAL
 2111 M HAMIDI...RESIDENTIAL
 2111 M HOPE...RESIDENTIAL
 2111 M KHAN...RESIDENTIAL
 2111 M LOJKO...RESIDENTIAL
 2111 MAFTOON SIDDIQUE...RESIDENTIAL
 2111 MAKRAM SAHR...RESIDENTIAL
 2111 MICHALLE MARTIN...RESIDENTIAL
 2111 N AHMED...RESIDENTIAL
 2111 N KHOKHAR...RESIDENTIAL
 2111 N SANDS...RESIDENTIAL
 2111 R SAGDIC...RESIDENTIAL
 2111 RUPERT A DENNIS...RESIDENTIAL
 2111 S AKIF...RESIDENTIAL
 2111 S HANG...RESIDENTIAL
 2111 S HASSAN...RESIDENTIAL
 2111 S SAEED...RESIDENTIAL
 2111 S TUSSA...RESIDENTIAL
 2111 SAFIYA MOHAMED...RESIDENTIAL
 2111 T SAGBIC...RESIDENTIAL
 2121 A HULEWICZ...RESIDENTIAL
 2121 A KHAN...RESIDENTIAL
 2121 A PILLEGGI...RESIDENTIAL
 2121 A S KHAN...RESIDENTIAL
 2121 A WAHEED...RESIDENTIAL
 2121 B HODGINS...RESIDENTIAL
 2121 B SHELDON...RESIDENTIAL
 2121 B SINGH...RESIDENTIAL
 2121 D BUKOVCAN...RESIDENTIAL
 2121 D GARCIA...RESIDENTIAL
 2121 E MCEWAN...RESIDENTIAL
 2121 F ALABBADI...RESIDENTIAL
 2121 HUBER VON...RESIDENTIAL
 2121 I LAISTER...RESIDENTIAL
 2121 J JASKIEWICZ...RESIDENTIAL
 2121 JANOS KAPOSI...RESIDENTIAL
 2121 JOSEPH B JACOB...RESIDENTIAL
 2121 JUN WANG...RESIDENTIAL
 2121 K HALASOVA...RESIDENTIAL
 2121 K KAWASE...RESIDENTIAL
 2121 K NIMAKO...RESIDENTIAL
 2121 KALAVATI PATEL...RESIDENTIAL
 2121 L MOHEUDDIN...RESIDENTIAL
 2121 M ABBULLE...RESIDENTIAL
 2121 M CUMMINGS...RESIDENTIAL
 2121 M KHAN...RESIDENTIAL
 2121 M M SHAKEEL...RESIDENTIAL
 2121 M TABAK...RESIDENTIAL
 2121 MOHAMMED NAJEEB...RESIDENTIAL
 2121 MOHEMMAD A SAYED...RESIDENTIAL
 2121 OMAR SUFI OMAR...RESIDENTIAL
 2121 S HASAN...RESIDENTIAL
 2121 S MISRA...RESIDENTIAL
 2121 S SAEED...RESIDENTIAL

Part 3 of 4

2121 SYED NAQVI...RESIDENTIAL
2121 V AJALA...RESIDENTIAL
2121 W DOWNS...RESIDENTIAL
2121 ZENaida SAY...RESIDENTIAL
2121 ZOHRA JABEEN...RESIDENTIAL
2150 A HERMIZ...RESIDENTIAL
2150 A SHEIKH...RESIDENTIAL
2150 ALASIS MOHAMED...RESIDENTIAL
2150 ALI F CHOUDHRY...RESIDENTIAL
2150 C MENDOZA...RESIDENTIAL
2150 C TERRY...RESIDENTIAL
2150 CEDRIC JOHNSON...RESIDENTIAL
2150 CELTA CONSTRUCTION...CONSTRUCTION COMPANIES
2150 CELTA CONSTRUCTION...BUILDING CONTRACTORS
2150 D AHMED...RESIDENTIAL
2150 EVA MURPHY...RESIDENTIAL
2150 F MOHAMED...RESIDENTIAL
2150 FARZANA SHOAIB...RESIDENTIAL
2150 G PARCON...RESIDENTIAL
2150 H FOREST...RESIDENTIAL
2150 I AHMED...RESIDENTIAL
2150 J REDDIG...RESIDENTIAL
2150 K KENDELL...RESIDENTIAL
2150 KASHIF SHAIKH...RESIDENTIAL
2150 M AHMADZAY...RESIDENTIAL
2150 M CHANDLER...RESIDENTIAL
2150 M DELEMERE...RESIDENTIAL
2150 M WOOD...RESIDENTIAL
2150 M WOODLEY...RESIDENTIAL
2150 N WRIGHT...RESIDENTIAL
2150 P VAUGHAN...RESIDENTIAL
2150 S ALI...RESIDENTIAL
2150 S COAKWELL...RESIDENTIAL
2150 S GUL...RESIDENTIAL
2150 S QAZI...RESIDENTIAL
2150 TRAVIS BAIN...RESIDENTIAL
2150 V PATULOT...RESIDENTIAL
2150 W BARRY...RESIDENTIAL
2200 A ESHO...RESIDENTIAL
2200 A JILANI...RESIDENTIAL
2200 A KHANNA...RESIDENTIAL
2200 A RASULI...RESIDENTIAL
2200 B ALI...RESIDENTIAL
2200 B LANGFORD...RESIDENTIAL
2200 BERNIS LANDRY...RESIDENTIAL
2200 C KAYE...RESIDENTIAL
2200 D FERGUSON...RESIDENTIAL
2200 E ODELL...RESIDENTIAL
2200 ERMAL AGALLIU...RESIDENTIAL
2200 G ABLASAD...RESIDENTIAL
2200 G BROWN...RESIDENTIAL
2200 G SAPIECHA...RESIDENTIAL
2200 G SLEWO...RESIDENTIAL
2200 HASSAN FAEGH...RESIDENTIAL
2200 J BASRAM...RESIDENTIAL
2200 J BROWN...RESIDENTIAL
2200 J ESPINOZA...RESIDENTIAL
2200 JAGTAR BASRAM...RESIDENTIAL
2200 JUSTIN MULLINS...RESIDENTIAL
2200 K GOSINE...RESIDENTIAL
2200 K SMITH-BAKER...RESIDENTIAL
2200 L BELICANO...RESIDENTIAL
2200 L BERNARD...RESIDENTIAL
2200 L REYES...RESIDENTIAL
2200 M MACDOUGALL...RESIDENTIAL
2200 M S AFZAL...RESIDENTIAL
2200 MARINA S MOHAMMAD...RESIDENTIAL
2200 N PETTIGREW...RESIDENTIAL
2200 R BO...RESIDENTIAL

Part 4 of 4

2200 R JORDAN...RESIDENTIAL
2200 R REDDIG...RESIDENTIAL
2200 R SCHLOTTMANN...RESIDENTIAL
2200 RAVI BHUSAL...RESIDENTIAL
2200 RICHARD BROWN...RESIDENTIAL
2200 RUDINA TAKA...RESIDENTIAL
2200 S ABDUL...RESIDENTIAL
2200 S ASGHARY...RESIDENTIAL
2200 S GRANNUM...RESIDENTIAL
2200 S KHAN...RESIDENTIAL
2200 S PARUS...RESIDENTIAL
2200 S SAEED...RESIDENTIAL
2200 S YIRENKYI...RESIDENTIAL
2200 SALIM HAKIMPOUR...RESIDENTIAL
2200 SANDRA MERCADO...RESIDENTIAL
2200 SAYYED HUSSAIN...RESIDENTIAL
2200 WINSTON FOSTER...RESIDENTIAL
2200 Y CANOON...RESIDENTIAL
2200 Z KAKAR...RESIDENTIAL

85 total records. Part 1 of 2

2215 TIM HORTONS...COFFEE & TEA
 2215 TIM HORTONS...DOUGHNUTS
 2225 ADERE JEWELLERS...JEWELERS-RETAIL
 2225 ADERE JEWELLERS...GOLD SILVER & PLATINUM-BUYERS (WHLS)
 2225 AKO GREEKO...FOODS-CARRY OUT
 2225 AT EAZE...RESIDENTIAL
 2225 ATM...AUTOMATED TELLER MACHINES
 2225 AXIS VISION CARE...OPTICIANS
 2225 B D SOURCING INC...FORMAL WEAR-RETAIL
 2225 BABY'S PALACE...FURNITURE-DEALERS-RETAIL
 2225 BABY'S PALACE...BABY ACCESSORIES
 2225 BELL...CELLULAR TELEPHONES (SERVICES)
 2225 BELL...SATELLITE EQUIP & SYSTEMS-SVC & REPAIR
 2225 BENTALL KENNEDY...REAL ESTATE MANAGEMENT
 2225 BEST VALUE BOUTIQUE...BALLOONS-NOVELTY & TOY
 2225 BLUENOTES...BALLOONS-NOVELTY & TOY
 2225 BLUENOTES...WOMEN'S APPAREL-RETAIL
 2225 C U OPTICAL EYE...RESIDENTIAL
 2225 CELL PHONE ACCESSORIES...CELLULAR TELEPHONES-EQUIPMENT & SUPLS
 2225 CENTRE FOR SKILLS DEVELOPMENT...EMPLOYMENT TRAINING SERVICE
 2225 CENTRE FOR SKILLS DEVMNT...EMPLOYMENT TRAINING SERVICE
 2225 CLEO...BALLOONS-NOVELTY & TOY
 2225 COINSTAR...COIN & BILL COUNTING/SORTING SVC KIOSKS
 2225 DRAPERY WORKSHOP...FABRIC SHOPS
 2225 DRIVE FOR LIFE...E-COMMERCE
 2225 FIDO...ELECTRIC CONTRACTORS
 2225 FIDO...TELEPHONE COMPANIES
 2225 FIDO...CELLULAR TELEPHONES (SERVICES)
 2225 FORTUNE WOK...FOODS-CARRY OUT
 2225 FORTUNE WOK...CATERERS
 2225 HELLO MOBILE...CELLULAR TELEPHONES (SERVICES)
 2225 ITAR SHOE REPAIR...LUGGAGE-REPAIRING
 2225 KFC...FOODS-CARRY OUT
 2225 LAURA SECORD...CANDY & CONFECTIONERY-RETAIL
 2225 LAURA SECORD...CHOCOLATE & COCOA (WHLS)
 2225 LICENCE OFFICE MISSISSAUGA...VEHICLE & DRIVERS LICENSING SERVICES
 2225 LIGHTSPEED PHYSIOTHERAPY...PATIO & DECK BUILDERS
 2225 LIGHTSPEED PHYSIOTHERAPY...EXERCISE & PHYSICAL FITNESS PROGRAMS
 2225 LIGHTSPEED PHYSIOTHERAPY...PHYSICIANS & SURGEONS
 2225 LIGHTSPEED PHYSIOTHERAPY...ALTERNATIVE MEDICINE
 2225 MASTERCOM INC...RENTAL AGENCIES
 2225 MASTERCOM INC...RENTAL SERVICE-STORES & YARDS
 2225 METRO...GROCERS-RETAIL
 2225 METRO PHARMACY...PHARMACIES
 2225 MR SUB...FOODS-CARRY OUT
 2225 NAILS FOR YOU...MANICURING
 2225 NORTHERN REFLECTIONS...E-COMMERCE
 2225 NORTHERN REFLECTIONS...WOMEN'S APPAREL-RETAIL
 2225 NORTHERN REFLECTIONS...BALLOONS-NOVELTY & TOY
 2225 ONTARIO CLEAN WATER AGENCY...NONCLASSIFIED ESTABLISHMENTS
 2225 PERFECT BALANCE-CNC...HEALTH & DIET FOODS-RETAIL
 2225 PICTURE SHOP...ORGANIZATIONS
 2225 PICTURE SHOP...ART GALLERIES & DEALERS
 2225 RSA CANADA...INSURANCE
 2225 S KHAN...RESIDENTIAL
 2225 SALON VIBA...BEAUTY SALONS
 2225 SCOTIABANK...REAL ESTATE LOANS
 2225 SHERIDAN BRANCH LIBRARY...LIBRARIES-PUBLIC
 2225 SHERIDAN CENTRE...SHOPPING CENTERS & MALLS
 2225 SHERIDAN EYE EXAM CLINIC...PHYSICIANS & SURGEONS
 2225 SHERIDAN EYE EXAM CLINIC...DENTISTS
 2225 SHERIDAN HEALTH...DENTISTS
 2225 SHOPPERS DRUG MART...PHARMACIES
 2225 SHOPPERS DRUG MART...GROCERS-RETAIL
 2225 STITCH IT...TAILORS
 2225 SUN SHINE RUG...FEDERAL GOVERNMENT CONTRACTORS
 2225 SUN SHINE RUG...CARPET & RUG-MANUFACTURERS

Part 2 of 2

2225 TAMMY HAIR SPA...BEAUTY SALONS
 2225 TAXWIDE INC...ACCOUNTING & BOOKKEEPING GENERAL SVC
 2225 TRADE SECRETS...BEAUTY SALONS
 2225 TRADE SECRETS...BARBERS EQUIPMENT & SUPPLIES-MFRS
 2225 VERONESE HAIR DESIGN...BEAUTY SALONS
 2225 WALKING ON A CLOUD...SHOES-RETAIL
 2225 WEST GTA ENDOSCOPY...DENTISTS
 2225 WESTERN UNION AGENT LOCATION...BILL PAYING SERVICE
 2225 WESTERN UNION AGENT LOCATION...MONEY ORDER SYSTEMS
 2225 WINE RACK...BARS
 2225 WINE RACK...LIQUORS-RETAIL
 2225 WIRELESS COMMUNICATIONS PLUS...COMMUNICATIONS CONSULTANTS
 2225 WIRELESS PLUS...CELLULAR TELEPHONES-EQUIPMENT & SUPLS
 2255 MC DONALD'S...FOODS-CARRY OUT
 2255 PIZZA PIZZA...FOODS-CARRY OUT
 2255 PIZZA PIZZA...HOTELS & MOTELS
 2285 TACO BELL...FOODS-CARRY OUT
 2285 TACO BELL...MEXICAN & LATIN AMERICAN FOOD PRODUCTS

154 total records. Part 1 of 3

1900 ATM...AUTOMATED TELLER MACHINES
 1900 BEACHIN' TAN INC...TANNING SALONS
 1900 DEMARCHI B DDS...DENTURISTS
 1900 DEMARCHI B DDS...DENTISTS
 1900 DEMARCHI BAN DDS...DENTURISTS
 1900 DEMARCHI BAN DDS...DENTISTS
 1900 EMILIAN JEWELLERY...JEWELERS-RETAIL
 1900 EMILIAN JEWELLERY...DIAMONDS
 1900 EYE CU OPTICAL...OPTICIANS
 1900 MASS NUTRITION...HEALTH & DIET FOODS-RETAIL
 1900 MOON SUSHI...FOODS-CARRY OUT
 1900 PHYSIOMED VAN MILLS...REHABILITATION SERVICES
 1900 PIZZA HUT...HOTELS & MOTELS
 1900 PIZZA HUT...FOODS-CARRY OUT
 1900 SELLOFFVACATIONS.COM...TRAVEL AGENCIES & BUREAUS
 1900 VAN MILLS DENTAL...DENTISTS
 1900 VAN MILLS DENTAL...DENTURISTS
 1900 VAN MILLS IDA PHARMACY...PHARMACIES
 1910 RBC ROYAL BANK...REAL ESTATE LOANS
 1910 SHERWIN-WILLIAMS...SPRAY PAINTING & FINISHING
 1910 SHERWIN-WILLIAMS...PAINT-RETAIL
 1910 U BREAK I FIX...ELECTRONIC EQUIPMENT & SUPPLIES-REPAIR
 1910 U BREAK I FIX...CELLULAR TELEPHONES (SERVICES)
 1925 CAA MISSISSAUGA...TRAVEL AGENCIES & BUREAUS
 1925 CAA STORE-MISSISSAUGA...TRAVEL AGENCIES & BUREAUS
 1925 CAA STORE-MISSISSAUGA...E-COMMERCE
 1925 CASH SHOP FINANCIAL SVC...FINANCING
 1925 CASH SHOP FINANCIAL SVC...FINANCIAL ADVISORY SERVICES
 1925 DULUX PAINTS...PAINT-RETAIL
 1925 ONT...LOANS
 1925 WESTERN UNION AGENT LOCATION...MONEY ORDER SYSTEMS
 1925 WESTERN UNION AGENT LOCATION...BILL PAYING SERVICE
 1930 EGGSMART...FOODS-CARRY OUT
 1930 SAYED QASIM MD...PHYSICIANS & SURGEONS
 1930 STARBUCKS...COFFEE SHOPS
 1930 STARBUCKS...FOODS-CARRY OUT
 1930 VANMILLS MEDICAL CLINIC...PHYSICIANS & SURGEONS
 1944 VANDYK GROUP OF CO...BUILDING CONTRACTORS
 1970 A ALDE...RESIDENTIAL
 1970 A FREER...RESIDENTIAL
 1970 A PANGAN...RESIDENTIAL
 1970 A SWINCON...RESIDENTIAL
 1970 AGNEES L KANGALA...RESIDENTIAL
 1970 B PAUL...RESIDENTIAL
 1970 B STEVENSON...RESIDENTIAL
 1970 C L LU...RESIDENTIAL
 1970 C RUGGLES...RESIDENTIAL
 1970 C THOMPSON...RESIDENTIAL
 1970 C THURAISINGHAM...RESIDENTIAL
 1970 D ALI...RESIDENTIAL
 1970 D CAMPBELL...RESIDENTIAL
 1970 D MCKENZIE...RESIDENTIAL
 1970 DAVID ADY...RESIDENTIAL
 1970 E MCGREGOR...RESIDENTIAL
 1970 EMMANUEL MERCY...RESIDENTIAL
 1970 F CARDENO...RESIDENTIAL
 1970 F MUNSHEY...RESIDENTIAL
 1970 F QURESHI...RESIDENTIAL
 1970 G CHIN...RESIDENTIAL
 1970 G CRIBBS...RESIDENTIAL
 1970 G KELLY...RESIDENTIAL
 1970 H ELGAWISH...RESIDENTIAL
 1970 H IBRAHIM...RESIDENTIAL
 1970 H SIDHPURI...RESIDENTIAL
 1970 H SYED...RESIDENTIAL
 1970 HATIMALHAMDAN...NONCLASSIFIED ESTABLISHMENTS
 1970 I HAQUE...RESIDENTIAL
 1970 I WARSALI...RESIDENTIAL
 1970 J A SATUR...RESIDENTIAL

Part 2 of 3

1970 J DIAS...RESIDENTIAL
 1970 J MARTOWIROGO...RESIDENTIAL
 1970 J NELSEN...RESIDENTIAL
 1970 J TAN...RESIDENTIAL
 1970 M AJMAL...RESIDENTIAL
 1970 M HAMIGI...RESIDENTIAL
 1970 M HASNAIN RAZA...RESIDENTIAL
 1970 M HOULE...RESIDENTIAL
 1970 M LINDEL...RESIDENTIAL
 1970 M LUNAWADI...RESIDENTIAL
 1970 M NAEED...RESIDENTIAL
 1970 M RAZA...RESIDENTIAL
 1970 N CHAUDHRY...RESIDENTIAL
 1970 N WARDEN...RESIDENTIAL
 1970 O AUKOYI...RESIDENTIAL
 1970 P KINSELLA...RESIDENTIAL
 1970 PERVEZ AKHPAR...RESIDENTIAL
 1970 RON TITKA...RESIDENTIAL
 1970 S AKHTAR...RESIDENTIAL
 1970 S BELE...RESIDENTIAL
 1970 S KHAN...RESIDENTIAL
 1970 S KIRLPATRIC...RESIDENTIAL
 1970 S MUSTAFA...RESIDENTIAL
 1970 S NAQVI...RESIDENTIAL
 1970 W TAYLOR...RESIDENTIAL
 1980 A BROWN...RESIDENTIAL
 1980 A PETERS...RESIDENTIAL
 1980 A POLUS...RESIDENTIAL
 1980 AIJAZ SYED...RESIDENTIAL
 1980 AMER KHAN...RESIDENTIAL
 1980 B HAFEEZE...RESIDENTIAL
 1980 BRYCE KENNEDY...RESIDENTIAL
 1980 C POTHIER...RESIDENTIAL
 1980 C RODRIGUES...RESIDENTIAL
 1980 C SOLOMON...RESIDENTIAL
 1980 D OLTE...RESIDENTIAL
 1980 D THIBAUT...RESIDENTIAL
 1980 E CURRY...RESIDENTIAL
 1980 E HUMPHREYS...RESIDENTIAL
 1980 E INDER...RESIDENTIAL
 1980 F AHMED...RESIDENTIAL
 1980 FUNDEX INVESTMENTS INC...INVESTMENTS
 1980 FUNDEX INVESTMENTS INC...MUTUAL FUNDS
 1980 H BERNARDO...RESIDENTIAL
 1980 I HUDGSON...RESIDENTIAL
 1980 J GRANT...RESIDENTIAL
 1980 J KALRAVI...RESIDENTIAL
 1980 J MANGUPIT...RESIDENTIAL
 1980 JASON DUNCAN...RESIDENTIAL
 1980 L KUMARAGE...RESIDENTIAL
 1980 L MCCARTHY...RESIDENTIAL
 1980 L PARSONS...RESIDENTIAL
 1980 LEE R BROWN...RESIDENTIAL
 1980 M EDIN...RESIDENTIAL
 1980 M NAFIS...RESIDENTIAL
 1980 M RIDER...RESIDENTIAL
 1980 M SALMAN...RESIDENTIAL
 1980 N THAVASEELAN...RESIDENTIAL
 1980 P DELAVIN...RESIDENTIAL
 1980 P KING...RESIDENTIAL
 1980 R ALI...RESIDENTIAL
 1980 R IFTIKHAR...RESIDENTIAL
 1980 R LINDSAY...RESIDENTIAL
 1980 RANA S HAMID...RESIDENTIAL
 1980 S AHMAD...RESIDENTIAL
 1980 S BAGLA...RESIDENTIAL
 1980 S BENTHAN...RESIDENTIAL
 1980 S CHATTERJEE...RESIDENTIAL
 1980 S GREEN...RESIDENTIAL

Part 3 of 3

1980 S JAMALY...RESIDENTIAL
 1980 S JOSEPH...RESIDENTIAL
 1980 S MOHAMMED...RESIDENTIAL
 1980 S SAID-AHMED...RESIDENTIAL
 1980 S SALMAN...RESIDENTIAL
 1980 S SIVARAJAH...RESIDENTIAL
 1980 SAIMA AHMED...RESIDENTIAL
 1980 SHERIDAN MANOR...REAL ESTATE MANAGEMENT
 1980 SHERIDAN MANOR...APARTMENTS
 1980 SUE MCINTYRE...RESIDENTIAL
 1980 T AHMED...RESIDENTIAL
 1980 T LEDREW...RESIDENTIAL
 1980 V THOMAS...RESIDENTIAL
 1980 YAGOUB ARBAB...RESIDENTIAL
 1980 Z ALI...RESIDENTIAL
 19801 F PILKU...RESIDENTIAL

1881 L FLOWER...RESIDENTIAL
 1881 ROCK IT UP...MUSIC INSTRUCTION-INSTRUMENTAL
 1884 J MARCHELLO...RESIDENTIAL
 1885 A TANDON...RESIDENTIAL
 1888 Z MOHAMMAD...RESIDENTIAL
 1892 B MIN...RESIDENTIAL
 1896 R MANKTELOW...RESIDENTIAL
 1900 HAICHUN DU...RESIDENTIAL
 1904 B BHATTACHARYYA...RESIDENTIAL
 1907 G MELCHIORRE...RESIDENTIAL
 1908 M ROWE...RESIDENTIAL
 1911 K C NG...RESIDENTIAL
 1912 A BULI...RESIDENTIAL
 1915 D RUSO...RESIDENTIAL
 1916 A S KARIA...RESIDENTIAL

1900 A BABAK...RESIDENTIAL
 1900 A GULLED...RESIDENTIAL
 1900 A YOUSUFY...RESIDENTIAL
 1900 ABDUL Q QADERI...RESIDENTIAL
 1900 B PEDDIE...RESIDENTIAL
 1900 B SHIBLE...RESIDENTIAL
 1900 C BENT...RESIDENTIAL
 1900 C GORBURN...RESIDENTIAL
 1900 C KELLAR...RESIDENTIAL
 1900 C KING-ELLIS...RESIDENTIAL
 1900 C MARSHALL...RESIDENTIAL
 1900 D CAMPBELL...RESIDENTIAL
 1900 DEBBI WAKER...RESIDENTIAL
 1900 ERIN COURT CO-OP HOMES...FEDERAL GOVERNMENT CONTRACTORS
 1900 F MIAZAD...RESIDENTIAL
 1900 G RODDEN...RESIDENTIAL
 1900 H SAWABI...RESIDENTIAL
 1900 HUSSAIN GALAAL...RESIDENTIAL
 1900 I KING...RESIDENTIAL
 1900 J ADEKILE...RESIDENTIAL
 1900 J FALCONER...RESIDENTIAL
 1900 JOHNSON ADEKILE...RESIDENTIAL
 1900 K ABDILLAH...RESIDENTIAL
 1900 K DURITY...RESIDENTIAL
 1900 KHALID SHAUKAT...RESIDENTIAL
 1900 L ALLEN...RESIDENTIAL
 1900 L ANTOINE...RESIDENTIAL
 1900 LOREN DELANEY...RESIDENTIAL
 1900 M MARQUEZ...RESIDENTIAL
 1900 M MCZENIE...RESIDENTIAL
 1900 M PABALATE...RESIDENTIAL
 1900 M WALKER...RESIDENTIAL
 1900 N ABDALI...RESIDENTIAL
 1900 N AHMAD...RESIDENTIAL
 1900 NURTA JAMA...RESIDENTIAL
 1900 POITR BIALOSZEWSKI...RESIDENTIAL
 1900 R A STEC...RESIDENTIAL
 1900 R R MOHAMMAD...RESIDENTIAL
 1900 R WIECZORKOWSKI...RESIDENTIAL
 1900 S AFRICAINE...RESIDENTIAL
 1900 S GIRGIS...RESIDENTIAL
 1900 S LINGERIE...RESIDENTIAL
 1900 S MORGAN...RESIDENTIAL
 1900 T REID...RESIDENTIAL
 1900 T WISDOM...RESIDENTIAL
 1900 V CARTER...RESIDENTIAL
 1900 V REXHA...RESIDENTIAL
 1900 Y HIBBERT...RESIDENTIAL
 1900 Z AHMED...RESIDENTIAL
 1900 Z DZIEDZIC...RESIDENTIAL
 1900 Z THOMPSON...RESIDENTIAL

272 total records. Part 1 of 4

101 M JACOB...RESIDENTIAL
 103 K KENDELL...RESIDENTIAL
 108 CUONG LU...RESIDENTIAL
 110 M KHAN...RESIDENTIAL
 117 A WAHEED...RESIDENTIAL
 117 M ASLAM...RESIDENTIAL
 119 M MILES...RESIDENTIAL
 128 S SAEED...RESIDENTIAL
 138 S AHMED...RESIDENTIAL
 151 S L DALY...RESIDENTIAL
 160 S NAJMUS...RESIDENTIAL
 170 I SIMONATO...RESIDENTIAL
 181 M BROWN...RESIDENTIAL
 203 M WOOD...RESIDENTIAL
 219 M BHATTI...RESIDENTIAL
 224 J H KALINOWSKI...RESIDENTIAL
 244 W A CHABOT...RESIDENTIAL
 260 ALEXANDER BUCHAN...RESIDENTIAL
 276 M A KHAN...RESIDENTIAL
 276 M KHAN...RESIDENTIAL
 276 MOEN KHAN...RESIDENTIAL
 306 M WOODLEY...RESIDENTIAL
 316 R SAGDIC...RESIDENTIAL
 425 L LAYNE...RESIDENTIAL
 504 HUBER A VON...RESIDENTIAL
 505 A KHAN...RESIDENTIAL
 506 S PEATE...RESIDENTIAL
 508 JUN WANG...RESIDENTIAL
 508 N KHOKHAR...RESIDENTIAL
 517 MAFTOON SIDDIQUE...RESIDENTIAL
 520 M ALI...RESIDENTIAL
 704 B SHELDON...RESIDENTIAL
 707 A Q SHEIKH...RESIDENTIAL
 708 KALAVATI PATEL...RESIDENTIAL
 716 M KHAN...RESIDENTIAL
 902 J BROWN...RESIDENTIAL
 912 SAYYED HUSSAIN...RESIDENTIAL
 1006 S SAEED...RESIDENTIAL
 1107 D FERGUSON...RESIDENTIAL
 1204 SALIM HAKIMPOUR...RESIDENTIAL
 1206 H FOREST...RESIDENTIAL
 1210 HASSAN ALI FAEGH...RESIDENTIAL
 2050 AIJAZ SYED...RESIDENTIAL
 2095 A MOHAMED...RESIDENTIAL
 2095 A NAQWI...RESIDENTIAL
 2095 A REYES...RESIDENTIAL
 2095 A SIDDIQI...RESIDENTIAL
 2095 A SYED...RESIDENTIAL
 2095 B CEHIC...RESIDENTIAL
 2095 D BROWN...RESIDENTIAL
 2095 E NACION...RESIDENTIAL
 2095 ERNESTO DEMESA...RESIDENTIAL
 2095 F COMCEPCION...RESIDENTIAL
 2095 FAKHAR SYED...RESIDENTIAL
 2095 FASTWAY EXPRESS...WRECKER SERVICE
 2095 G GOSIK...RESIDENTIAL
 2095 HWAN KIM...RESIDENTIAL
 2095 J MCDUGALL...RESIDENTIAL
 2095 J NATHAN...RESIDENTIAL
 2095 J ROSA...RESIDENTIAL
 2095 L CREWSON...RESIDENTIAL
 2095 LYDIA TYNEK...RESIDENTIAL
 2095 M KHAN...RESIDENTIAL
 2095 M MUKHDUM...RESIDENTIAL
 2095 M SHARIF...RESIDENTIAL
 2095 MARIA N VILLARUEL...RESIDENTIAL
 2095 N AHMED...RESIDENTIAL
 2095 N ALEXANDER...RESIDENTIAL
 2095 O LOMELINO...RESIDENTIAL

Part 2 of 4

2095 P GONZALES...RESIDENTIAL
 2095 P RYAN...RESIDENTIAL
 2095 PETER VANHAEFTEN...RESIDENTIAL
 2095 PIERRE G ST...RESIDENTIAL
 2095 R ALI...RESIDENTIAL
 2095 S AHMAD...RESIDENTIAL
 2095 S AHMED...RESIDENTIAL
 2095 S DINSMORE...RESIDENTIAL
 2095 S HEAYSMAN...RESIDENTIAL
 2095 S MARINA...RESIDENTIAL
 2095 S RAMBALLY...RESIDENTIAL
 2095 S V LIM...RESIDENTIAL
 2095 SYED YOUSUF...RESIDENTIAL
 2095 T LY...RESIDENTIAL
 2095 T NGUYEN...RESIDENTIAL
 2095 TERRY BROWN...RESIDENTIAL
 2095 V TIRUCHRAPALLI...RESIDENTIAL
 2095 Y LE...RESIDENTIAL
 2095 Z SUSABOWSKA...RESIDENTIAL
 2111 2111 ROCHE CRT APARTMENTS...APARTMENTS
 2111 A AHMED...RESIDENTIAL
 2111 A ANWAR...RESIDENTIAL
 2111 A CROFT...RESIDENTIAL
 2111 A EDMOHAD...RESIDENTIAL
 2111 A HADI...RESIDENTIAL
 2111 A OSMAN...RESIDENTIAL
 2111 A ZELAYA...RESIDENTIAL
 2111 AHMAD SHABBIR...RESIDENTIAL
 2111 AHMAD SULEIMAN...RESIDENTIAL
 2111 AMINA MOHMED...RESIDENTIAL
 2111 AYAZ SIDDIQUI...RESIDENTIAL
 2111 B JESQUITH...RESIDENTIAL
 2111 B SIDHU...RESIDENTIAL
 2111 BISHARO A SARHAN...RESIDENTIAL
 2111 BISHARO HASSAN...RESIDENTIAL
 2111 D MOHAMOUD...RESIDENTIAL
 2111 E ELLOITT...RESIDENTIAL
 2111 F ANONKRE...RESIDENTIAL
 2111 F FRILLES...RESIDENTIAL
 2111 F MALIK...RESIDENTIAL
 2111 F QAMAR...RESIDENTIAL
 2111 G BROWNRIDGE...RESIDENTIAL
 2111 H HANIF...RESIDENTIAL
 2111 HASSAN Y ALI...RESIDENTIAL
 2111 HAWO ABILLE...RESIDENTIAL
 2111 HAWO OSMAN...RESIDENTIAL
 2111 J GIMPES...RESIDENTIAL
 2111 J PRESTON...RESIDENTIAL
 2111 J STATES...RESIDENTIAL
 2111 JASON SALMON...RESIDENTIAL
 2111 K DAGOUROU...RESIDENTIAL
 2111 K QASIM...RESIDENTIAL
 2111 LAETITIA MANZANZA...RESIDENTIAL
 2111 M CALVEN...RESIDENTIAL
 2111 M HAMIDI...RESIDENTIAL
 2111 M HOPE...RESIDENTIAL
 2111 MAKRAM SAHR...RESIDENTIAL
 2111 MICHALLE MARTIN...RESIDENTIAL
 2111 N AHMED...RESIDENTIAL
 2111 N BAKER...RESIDENTIAL
 2111 N SANDS...RESIDENTIAL
 2111 RUPERT A DENNIS...RESIDENTIAL
 2111 S AKAMO...RESIDENTIAL
 2111 S AKIF...RESIDENTIAL
 2111 S GABOW...RESIDENTIAL
 2111 S HANG...RESIDENTIAL
 2111 S HASSAN...RESIDENTIAL
 2111 S SALHAN...RESIDENTIAL
 2111 T SAGBIC...RESIDENTIAL

Part 3 of 4

2121 A S KHAN...RESIDENTIAL
 2121 A HULEWICZ...RESIDENTIAL
 2121 A PILLEGGI...RESIDENTIAL
 2121 A SUMRA...RESIDENTIAL
 2121 B M SINGH...RESIDENTIAL
 2121 B AUJNARAIN...RESIDENTIAL
 2121 D GARCIA...RESIDENTIAL
 2121 E MCEWAN...RESIDENTIAL
 2121 I LAISTER...RESIDENTIAL
 2121 I MOUZAYA...RESIDENTIAL
 2121 J JASKIEWICZ...RESIDENTIAL
 2121 JANOS KAPOSI...RESIDENTIAL
 2121 JOSEPH B JACOB...RESIDENTIAL
 2121 K HALASOVA...RESIDENTIAL
 2121 K KAWASE...RESIDENTIAL
 2121 K NIMAKO...RESIDENTIAL
 2121 KIRAN ALI...RESIDENTIAL
 2121 L KALABA...RESIDENTIAL
 2121 L MOHEUDDIN...RESIDENTIAL
 2121 M CUMMINGS...RESIDENTIAL
 2121 M TABAK...RESIDENTIAL
 2121 M WILLIAMS...RESIDENTIAL
 2121 MOHAMMED NAJEEB...RESIDENTIAL
 2121 MOHEMMAD A SAYED...RESIDENTIAL
 2121 N JAUNBOCUS...RESIDENTIAL
 2121 OMAR SUFI OMAR...RESIDENTIAL
 2121 RAMISH VOHRA...RESIDENTIAL
 2121 S M SHAKEEL...RESIDENTIAL
 2121 S HASAN...RESIDENTIAL
 2121 S MISRA...RESIDENTIAL
 2121 S SAEED...RESIDENTIAL
 2121 SYED NAQVI...RESIDENTIAL
 2121 V AJALA...RESIDENTIAL
 2121 W DOWNS...RESIDENTIAL
 2121 Z JABEEN...RESIDENTIAL
 2121 ZENaida U SAY...RESIDENTIAL
 2150 A HERMIZ...RESIDENTIAL
 2150 ALASIS MOHAMED...RESIDENTIAL
 2150 C JOHNSON...RESIDENTIAL
 2150 C MENDOZA...RESIDENTIAL
 2150 C TERRY...RESIDENTIAL
 2150 CELTA CONSTRUCTION...FEDERAL GOVERNMENT CONTRACTORS
 2150 CELTA CONSTRUCTION...BUILDING CONTRACTORS
 2150 D AHMED...RESIDENTIAL
 2150 EVA MURPHY...RESIDENTIAL
 2150 F ALABBADI...RESIDENTIAL
 2150 F MOHAMED...RESIDENTIAL
 2150 FARZANA SHOAB...RESIDENTIAL
 2150 G PARCON...RESIDENTIAL
 2150 I AHMED...RESIDENTIAL
 2150 J REDDIG...RESIDENTIAL
 2150 K BAIG...RESIDENTIAL
 2150 KASHIF SHAIKH...RESIDENTIAL
 2150 M AHMADZAY...RESIDENTIAL
 2150 M AHMED...RESIDENTIAL
 2150 M AHMEDZAY...RESIDENTIAL
 2150 M BARRY...RESIDENTIAL
 2150 M CHOWDHURY...RESIDENTIAL
 2150 M DELEMERE...RESIDENTIAL
 2150 M LOJKO...RESIDENTIAL
 2150 N VSSEHAR...RESIDENTIAL
 2150 N WRIGHT...RESIDENTIAL
 2150 O LOJKO...RESIDENTIAL
 2150 P VAUGHAN...RESIDENTIAL
 2150 R AHMAD...RESIDENTIAL
 2150 R MENDONCA...RESIDENTIAL
 2150 RAHMAN J AZIZ...RESIDENTIAL
 2150 S ALI...RESIDENTIAL
 2150 S COAKWELL...RESIDENTIAL

Part 4 of 4

2150 S GUL...RESIDENTIAL
 2150 S HAMMAD...RESIDENTIAL
 2150 S HASANZADAH...RESIDENTIAL
 2150 S QAZI...RESIDENTIAL
 2150 TRAVIS BAIN...RESIDENTIAL
 2150 V PATULOT...RESIDENTIAL
 2150 W BARRY...RESIDENTIAL
 2200 A ESHO...RESIDENTIAL
 2200 A JILANI...RESIDENTIAL
 2200 A KHANNA...RESIDENTIAL
 2200 A RASULI...RESIDENTIAL
 2200 AHMAD W MOHAMAD...RESIDENTIAL
 2200 B ALI...RESIDENTIAL
 2200 B LANGFORD...RESIDENTIAL
 2200 B RASHIDI...RESIDENTIAL
 2200 BERNIS LANDRY...RESIDENTIAL
 2200 C KAYE...RESIDENTIAL
 2200 D RASONABE...RESIDENTIAL
 2200 D YANKE...RESIDENTIAL
 2200 E ODELL...RESIDENTIAL
 2200 ERMAL AGALLIU...RESIDENTIAL
 2200 G ABLASAD...RESIDENTIAL
 2200 G BROWN...RESIDENTIAL
 2200 G SAPIECHA...RESIDENTIAL
 2200 G SLEWO...RESIDENTIAL
 2200 I L BELICANO...RESIDENTIAL
 2200 J BASRAM...RESIDENTIAL
 2200 J BROWN...RESIDENTIAL
 2200 J ESPINOZA...RESIDENTIAL
 2200 JAGTAR BASRAM...RESIDENTIAL
 2200 JUSTIN MULLINS...RESIDENTIAL
 2200 K GOSINE...RESIDENTIAL
 2200 K SMITH-BAKER...RESIDENTIAL
 2200 L BELICANO...RESIDENTIAL
 2200 L BERNARD...RESIDENTIAL
 2200 L REYES...RESIDENTIAL
 2200 LEONORA REYES...RESIDENTIAL
 2200 M KOLTA...RESIDENTIAL
 2200 M MACDOUGALL...RESIDENTIAL
 2200 M S AFZAL...RESIDENTIAL
 2200 MARINA S MOHAMMAD...RESIDENTIAL
 2200 N PETTIGREW...RESIDENTIAL
 2200 R ABLAHAD...RESIDENTIAL
 2200 R BHUSAL...RESIDENTIAL
 2200 R BO...RESIDENTIAL
 2200 R DARAKAT...RESIDENTIAL
 2200 R JORDAN...RESIDENTIAL
 2200 R REDDIG...RESIDENTIAL
 2200 R SCHLOTTMANN...RESIDENTIAL
 2200 R SHAHID...RESIDENTIAL
 2200 R YASMEEN...RESIDENTIAL
 2200 RAVI BHUSAL...RESIDENTIAL
 2200 RICHARD BROWN...RESIDENTIAL
 2200 RUDINA TAKA...RESIDENTIAL
 2200 S ABDUL...RESIDENTIAL
 2200 S ASGHARY...RESIDENTIAL
 2200 S CAMPBELL...RESIDENTIAL
 2200 S GRANNUM...RESIDENTIAL
 2200 S KHAN...RESIDENTIAL
 2200 S PARUS...RESIDENTIAL
 2200 S RASHIDI...RESIDENTIAL
 2200 S YIRENKYI...RESIDENTIAL
 2200 WINSTON FOSTER...RESIDENTIAL
 2200 Y CANOON...RESIDENTIAL
 2200 Z KAKAR...RESIDENTIAL

149 total records. Part 1 of 3

2215 TIM HORTONS...ALL OTHER SPECIALTY FOOD STORES
 2215 TIM HORTONS...SNACK & NONALCOHOLIC BEVERAGE BARS
 2225 1017319 ONT LTD...UNCLASSIFIED
 2225 A SHULMAN ASSOC...OFFICES OF LAWYERS
 2225 A SHULMAN ASSOC...ALL OTHER LEGAL SVCS
 2225 AKO GREEKO...UNCLASSIFIED
 2225 AL-SAFFAR LOTTO CTR...OTHER GAMBLING INDUSTRIES
 2225 ALLTOP SOLUTIONS...ROOFING CONTRS
 2225 APPLEJACK'S GRILLIN CHILLIN...FULLSERVICE RESTAURANTS
 2225 ARIA HOME COLLECTION...UNCLASSIFIED
 2225 ARTIST PLACE HAIR SALON...BEAUTY SALONS
 2225 ASCENTUS INSURANCE LTD...INSURANCE AGENCIES & BROKERAGES
 2225 AT EAZE...FAMILY CLOTHING STORES
 2225 ATTITUDE...WOMEN'S CLOTHING STORES
 2225 BABY'S PALACE...FURNITURE STORES
 2225 BASS ELECTRONICS SURPLUS INC...HOUSEHOLD APPLIANCE STORES
 2225 BELL...WIRELESS TELECOMM CARRIERS (EXCEPT SATELLITE)
 2225 BENTALL MGMT OFC...OFFICES OF REAL ESTATE AGENTS & BROKERS
 2225 BENTALL REAL ESTATE SVC...OFFICES OF REAL ESTATE AGENTS & BROKERS
 2225 BENTLEY LEATHERS LUGGAGE...LUGGAGE & LEATHER GOODS STORES
 2225 BG SEAS TRAVEL...TRAVEL AGENCIES
 2225 BG SEAS TRAVEL...ALL OTHER TRAVEL ARRANGEMENT SVCS
 2225 BLACK'S PHOTOGRAPHY...PHOTO FINISHING LABORATORIES, EXCEPT ONEHOUR
 2225 BLACK'S PHOTOGRAPHY...CAMERA & PHOTOGRAPHIC SUPPLIES STORE
 2225 BLUENOTES...FAMILY CLOTHING STORES
 2225 BLUENOTES...WOMEN'S CLOTHING STORES
 2225 BLUENOTES...MEN'S CLOTHING STORES
 2225 BOOTLEGGER...MEN'S CLOTHING STORES
 2225 CALENDAR CLUB OF CANADA...UNCLASSIFIED
 2225 CELL PHONE ACCESSORIES...RADIO, TV & OTHER ELECTRONICS STORES
 2225 CENTURY CELLULAR...RADIO, TV & OTHER ELECTRONICS STORES
 2225 CIGARS GATEWAY...NEWS DEALERS & NEWSSTANDS
 2225 CLAIRE'S...WOMEN'S CLOTHING STORES
 2225 CLEO...WOMEN'S CLOTHING STORES
 2225 COLES...BOOK STORES
 2225 D S ENTERPRISE...UNCLASSIFIED
 2225 DESIGNERS FURNITURE...ALL OTHER DURABLE GOODS MERCHANT WHOLS
 2225 DESIGNERS FURNITURE...FURNITURE STORES
 2225 DOT SEASONAL COLLECTIONS...FURNITURE STORES
 2225 DR WEIGHT LOSS...DIET & WEIGHT REDUCING CENTERS
 2225 DR WEIGHTLOSS CLINIC...DIET & WEIGHT REDUCING CENTERS
 2225 DRAPERY WORKSHOP...SEWING, NEEDLEWORK, & PIECE GOODS STORES
 2225 DRIVE FOR LIFE...AUTOMOBILE DRIVING SCHOOLS
 2225 EB GAMES...HOBBY, TOY, & GAME STORES
 2225 EB GAMES...RADIO, TV & OTHER ELECTRONICS STORES
 2225 ECLECTIBLE ART INC...UNCLASSIFIED
 2225 EMILIAN JEWELLERY...JEWELRY STORES
 2225 ENTERPRISE RENT-A-CAR...PASSENGER CARS RENTAL
 2225 EVERYTHING FOR A DOLLAR STORE...DEPARTMENT STORES, EXCEPT DISCOUNT
 2225 EYE CARE PALACE...OPTICAL GOODS STORES
 2225 EYE CU...OPTICAL GOODS STORES
 2225 FABRICLAND DISTRIBUTORS...SEWING, NEEDLEWORK, & PIECE GOODS STORES
 2225 FIDO EXCLUSIVE DEALER...ALL OTHER TELECOMMUNICATIONS
 2225 FLORIST...ALL OTHER PERSONAL SVCS
 2225 FLORIST...FLORISTS
 2225 FMHN ELECTRONICS...HOUSEHOLD APPLIANCE STORES
 2225 FORTUNE WOK...FULLSERVICE RESTAURANTS
 2225 FUTURUS MANAGEMENT INC...PROCESS & LOGISTICS CONSULTING SVCS
 2225 GATEWAY CIGAR STORE...NEWS DEALERS & NEWSSTANDS
 2225 GREEN THUMB LANDSCAPING...LAWN & GROUNDS MAINTENANCE
 2225 GREEN THUMB LANDSCAPING...LANDSCAPE CONTRACTORS
 2225 GREEN THUMB LANDSCAPING...LANDSCAPING SVCS
 2225 HALLMARK CARDS...GIFT, NOVELTY, & SOUVENIR STORES
 2225 ITAR SHOE REPAIR...FOOTWEAR & LEATHER GOODS REPAIR
 2225 JCC COMMUNICATIONS...OTHER MANAGEMENT CONSULTING SVCS

Part 2 of 3

2225 JULI'S...WOMEN'S CLOTHING STORES
 2225 KEYHOLE...ALL OTHER SUPPORT SVCS
 2225 KFC...FULLSERVICE RESTAURANTS
 2225 KFC...LIMITEDSERVICE RESTAURANTS
 2225 LAURA SECORD...OTHER GROCERY PROD MERCHANT WHOLS
 2225 LAURA SECORD...CONFECTIONERY & NUT STORES
 2225 LENS CRAFTERS...OPTICAL GOODS STORES
 2225 LENS CRAFTERS...OPTICAL GOODS STORES
 2225 LENS CRAFTERS...MEDICAL LABORATORIES
 2225 LIGHTSPEED PHYSIOTHERAPY...OTHER PERSONAL CARE SVCS
 2225 LIGHTSPEED PHYSIOTHERAPY...OFFICES OF SPECIALTY THERAPISTS
 2225 MADEMOISELLE WOMENS FITNS...DIET & WEIGHT REDUCING CENTERS
 2225 MADEMOISELLE WOMENS FITNS...FITNESS & RECREATIONAL SPORTS
 CENTERS
 2225 MAINSTAY HUMAN RESOURCES...PROCESS & LOGISTICS CONSULTING SVCS
 2225 MC DONALD'S...LIMITEDSERVICE RESTAURANTS
 2225 MC DONALD'S...FULLSERVICE RESTAURANTS
 2225 MEADOWVALE FURNITURE...FURNITURE STORES
 2225 MEADOWVILLE FURNITURE...FURNITURE STORES
 2225 METRO...SUPERMARKETS & OTHER GROCERY STORES
 2225 METRO PHARMACY...PHARMACIES & DRUG STORES
 2225 MYSTIQUE JEWELRY...HOBBY, TOY, & GAME STORES
 2225 NAILS FOR YOU...NAIL SALONS
 2225 NATEL COMMUNICATIONS...RADIO, TV & OTHER ELECTRONICS STORES
 2225 ONTARIO DRIVER VEHICLE...ALL OTHER BUSINESS SUPPORT SVCS
 2225 PAYLESS SHOE SOURCE...SHOE STORES
 2225 PEPLOS...WOMEN'S CLOTHING STORES
 2225 PERFECT BALANCE-CNC...FOOD, HEALTH, SUPPLEMENT STORES
 2225 PICTURE SOURCE...STORE RETAILERS NOT SPECIFIED ELSEWHERE
 2225 POLY CULTURAL IMMIGRANT COMM...LANGUAGE SCHOOLS
 2225 POLY CULTURAL IMMIGRANT COMM...CIVIL & SOCIAL ORGANIZATIONS
 2225 POLY CULTURAL IMMIGRANT & COMM...LANGUAGE SCHOOLS
 2225 POLY CULTURAL IMMIGRANT-CMNTY...LANGUAGE SCHOOLS
 2225 POLY CULTURAL IMMIGRANT-CMNTY...OFFICES OF LAWYERS
 2225 PURE LASER HAIR REMOVAL...BEAUTY SALONS
 2225 QUINN STATIONERY...OFFICE SUPPLIES & STATIONERY STORES
 2225 RADIO SHACK...RADIO, TV & OTHER ELECTRONICS STORES
 2225 REITMANS...WOMEN'S CLOTHING STORES
 2225 ROYAL SUN ALLIANCE INS CO...INSURANCE AGENCIES & BROKERAGES
 2225 RUNNING ROOM INC...SPORTING GOODS STORES
 2225 SALON VIBA...BEAUTY SALONS
 2225 SCOTIABANK...COMMERCIAL BANKING
 2225 SHERIDAN BRANCH LIBRARY...LIBRARIES & ARCHIVES
 2225 SHERIDAN CENTRE...LESSORS OF NONRESIDENTIAL BUILDINGS
 2225 SHERIDAN COMPUTERS...COMPUTER & SOFTWARE STORES
 2225 SHERIDAN CUSTOM CLEANERS...DRYCLEANING & LAUNDRY SVCS
 2225 SHERIDAN DENTAL...OFFICES OF DENTISTS
 2225 SHERIDAN EYE EXAM CLINIC...FREESTANDING EMERGENCY MEDICAL
 CENTERS
 2225 SHERIDAN EYE EXAM CLINIC...OFFICES OF PHYSICIANS, EXCEPT MENTAL
 HEALTH
 2225 SHERIDAN FLOWER PLACE...FLORISTS
 2225 SHERIDAN HEALTH...CLINICS
 2225 SHERIDAN TRAVEL...TRAVEL AGENCIES
 2225 SHERWAY DENTAL...OFFICES OF DENTISTS
 2225 SHOPPERS DRUG MART...SUPERMARKETS & OTHER GROCERY STORES
 2225 SHOPPERS DRUG MART...PHARMACIES & DRUG STORES
 2225 SOCIETY...WOMEN'S CLOTHING STORES
 2225 SOURCE...RADIO, TV & OTHER ELECTRONICS STORES
 2225 STAR SHOES...SHOE STORES
 2225 STITCH IT...OTHER CLOTHING STORES
 2225 SUMEET FASHIONS...UNCLASSIFIED
 2225 SUN SHINE RUG...FLOOR COVERING STORES
 2225 SUNSHINE RUGS CO...FLOOR COVERING STORES
 2225 TACO BELL...FULLSERVICE RESTAURANTS
 2225 TACO BELL...LIMITEDSERVICE RESTAURANTS
 2225 TAN JAY...WOMEN'S CLOTHING STORES
 2225 TARGET...DEPARTMENT STORES, EXCEPT DISCOUNT

Part 3 of 3

2225 TARGET...CHILDREN'S & INFANTS' CLOTHING STORES
 2225 TARGET PHARMACY...PHARMACIES & DRUG STORES
 2225 TIM HORTONS...SNACK & NONALCOHOLIC BEVERAGE BARS
 2225 TIM HORTONS...FULLSERVICE RESTAURANTS
 2225 TRADE SECRETS...WHOLESALE TRADE AGENTS & BROKERS
 2225 TRADE SECRETS...BEAUTY SALONS
 2225 VERONESE HAIR DESIGN...BEAUTY SALONS
 2225 WALKING ON A CLOUD...SHOE STORES
 2225 WATCH & CLOCK GALLERY...JEWELRY STORES
 2225 WEST GTA ENDOSCOPY...FREESTANDING EMERGENCY MEDICAL CENTERS
 2225 WESTERN ASSURANCE CO...INSURANCE AGENCIES & BROKERAGES
 2225 WHITE LACE...UNCLASSIFIED
 2225 WINE RACK...BEER, WINE, & LIQUOR STORES
 2225 WIRELESS COMMUNICATIONS PLUS...OTHER MANAGEMENT CONSULTING
 SVCS
 2225 ZAYSHA...WOMEN'S CLOTHING STORES
 2225 ZELLERS...DEPARTMENT STORES, EXCEPT DISCOUNT
 2225 ZELLERS PHARMACY...PHARMACIES & DRUG STORES
 2255 MR SUB...FULLSERVICE RESTAURANTS
 2255 MR SUB...LIMITEDSERVICE RESTAURANTS

104	SHERWIN-WILLIAMS CO...PAINT-RETAIL
1900	BEACHIN' TAN INC...OTHER PERSONAL CARE SVCS
1900	DRYCLEAN 4U...DRYCLEANING & LAUNDRY SVCS
1900	PIZZA HUT...FULL-SERVICE RESTAURANTS
1900	PIZZA HUT...FULLSERVICE RESTAURANTS
1900	SNAP FITNESS ERIN MILLS...EXERCISE & PHYSICAL FITNESS PROGRAMS
1900	SUBWAY...FULLSERVICE RESTAURANTS
1900	SUBWAY...LIMITEDSERVICE RESTAURANTS
1900	VAN MILLS DENTAL...DENTAL LABORATORIES
1900	VAN MILLS IDA PHARMACY...PHARMACIES & DRUG STORES
1910	RBC ROYAL BANK...BANKS
1910	SHERWIN-WILLIAMS...PAINT & WALLPAPER STORES
1925	CAA STORE-MISSISSAUGA...MOTOR VEHICLE TOWING
1925	CAA TRAVEL...TRAVEL AGENCIES
1925	DULUX PAINTS...PAINT & WALLPAPER STORES
1930	EGGSMART...RESTAURANTS
1930	STARBUCKS...SNACK & NONALCOHOLIC BEVERAGE BARS
1930	STARBUCKS...CAFETERIAS
1930	VANMILLS MEDICAL CLINIC...OFFICES OF PHYSICIANS, EXCEPT MENTAL HEALTH
1970	FOWLER PLACE...LESSORS OF RESIDENTIAL BUILDINGS
1970	HATIMALHAMDAN...NONCLASSIFIED ESTABLISHMENTS
1970	REALSTAR MANAGEMENT PRTRNSHP...MISC INTERMEDIATION
1970	REALSTAR MANAGEMENT PRTRNSHP...OFFICES OF REAL ESTATE AGENTS & BROKERS
1970	REALSTAR MANAGEMENT PRTRNSHP...LESSORS OF RESIDENTIAL BUILDINGS
1980	ANTIQUE PLASTER CROWN MOULDING...LUMBER & WOOD MERCHANT WHOLS
1980	BARNEY RIVER INVESTMENTS...MISC INTERMEDIATION
1980	FUNDEX INVESTMENTS INC...MISC INTERMEDIATION
1980	LAKEVIEW MILLS...FINISH CARPENTRY CONTRS
1980	REALSTAR MANAGEMENT PRTRNSHP...LESSORS OF RESIDENTIAL BUILDINGS
1980	SHERIDAN MANOR...LESSORS OF RESIDENTIAL BUILDINGS

NO LISTING FOUND

1900BIG BUSINESS...UNCLASSIFIED

1900ERIN COURT CO-OP HOMES...OTHER COMMUNITY HOUSING SVCS

1900SHIPLAKE MANAGEMENT...UNCLASSIFIED

2095FASTWAY EXPRESS...TRUCKING

2095JLOVE FLOWERS HOME DECOR...FLORISTS

2095PEEL CONDOMINIUM CORP NO 57...LESSORS OF RESIDENTIAL BUILDINGS

21112111 ROCHE COURT APARTMENTS...LESSORS OF RESIDENTIAL BUILDINGS

2111ELITE SINGLES...UNCLASSIFIED

2121OCEAN WAVES INTL...UNCLASSIFIED

2121PO CONDO CORP 43...LESSORS OF RESIDENTIAL BUILDINGS

2121SOUTHDOWN VILLAGE...UNCLASSIFIED

2150SPINTTA COMMUNICATIONS...DATA PROCESSING & RELATED SVCS

135 total records. Part 1 of 3

2215	TIM HORTONS...SNACK & NONALCOHOLIC BEVERAGE BARS
2225	1017319 ONT LTD...UNCLASSIFIED
2225	7 & MORE GALLERIES...ART DEALERS
2225	A SHULMAN & ASSOC...OFFICES OF LAWYERS
2225	ACADEMY FOR MATHEMATICS...EXAM PREPARATION & TUTORING
2225	AIR-DRAULICS SUPPLY LTD...INDUSTRIAL MACHINERY MERCHANT WHOLS
2225	AL-SAFFAR LOTTO CTR...OTHER GAMBLING INDUSTRIES
2225	ALLTOP SOLUTIONS...ROOFING CONTRS
2225	APPLEJACK'S GRILLIN & CHILLIN...FULL-SERVICE RESTAURANTS
2225	ARIA HOME COLLECTION...UNCLASSIFIED
2225	ATP DIAMONDS LTD...JEWELRY STORES
2225	BABY'S PALACE...FURNITURE STORES
2225	BAILY PREMIER MED SPA...OFFICES OF SPECIALTY THERAPISTS
2225	BASS ELECTRONICS SURPLUS INC...HOUSEHOLD APPLIANCE STORES
2225	BEAU VISAGE...BEAUTY SALONS
2225	BELL WORLD STORES...RADIO, TV & OTHER ELECTRONICS STORES
2225	BENTALL MGMT OFC...OFFICES OF REAL ESTATE AGENTS & BROKERS
2225	BENTLEY LEATHER...LUGGAGE & LEATHER GOODS STORES
2225	BITTNER'S MEAT & DELICATESSEN...LIMITED-SERVICE RESTAURANTS
2225	BLACK'S PHOTOGRAPHY...CAMERA & PHOTOGRAPHIC SUPPLIES STORE
2225	BLUE SKY IMPORTS INC...CLOTHING ACCESSORIES STORES
2225	BLUENOTES...WOMEN'S CLOTHING STORES
2225	BOOTLEGGER...MEN'S CLOTHING STORES
2225	BRAMALEA CENTRE LTD...UNCLASSIFIED
2225	CALVADO...CLOTHING ACCESSORIES STORES
2225	CCC...MEN'S CLOTHING STORES
2225	CIGARS GATEWAY...NEWS DEALERS & NEWSSTANDS
2225	CLAIRE'S ACCESSORIES...WOMEN'S CLOTHING STORES
2225	CLEO RICKI'S CLOTHING STORE...WOMEN'S CLOTHING STORES
2225	COLES BOOKS...BOOK STORES
2225	COPPERFIELD'S FAMILY RSTRNT...FULL-SERVICE RESTAURANTS
2225	COTTON GINNY...WOMEN'S CLOTHING STORES
2225	COUTURE D'ELLEGANCE LTD...WOMEN'S CLOTHING STORES
2225	D & S ENTERPRISE...UNCLASSIFIED
2225	DOMINION...SUPERMARKETS & OTHER GROCERY STORES
2225	DOMINION FOOD STORES...FLORISTS
2225	DOT SEASONAL COLLECTIONS...FURNITURE STORES
2225	DR WEIGHT LOSS...DIET & WEIGHT REDUCING CENTERS
2225	DRIVE FOR LIFE...AUTOMOBILE DRIVING SCHOOLS
2225	EAZE...FAMILY CLOTHING STORES
2225	ECLECTIBLE ART INC...UNCLASSIFIED
2225	EMILIAN JEWELLERY...JEWELRY STORES
2225	ENTERPRISE RENT-A-CAR...PASSENGER CARS RENTAL
2225	EVERYTHING FOR A DOLLAR STORE...DEPARTMENT STORES, EXCEPT DISCOUNT
2225	EYE CARE PLACE...OPTICAL GOODS STORES
2225	EYE CU OPTICAL...OPTICAL GOODS STORES
2225	FABRIC HOUSE...SEWING, NEEDLEWORK, & PIECE GOODS STORES
2225	FABRICLAND DISTRIBUTORS...SEWING, NEEDLEWORK, & PIECE GOODS STORES
2225	FLORIST...FLORISTS
2225	FORTUNE WOK...FULL-SERVICE RESTAURANTS
2225	FOUR SEASONS PLUS...GIFT, NOVELTY, & SOUVENIR STORES
2225	FRAMING & ART CTR...ART DEALERS
2225	GONE HOLLYWOOD VIDEOS...VIDEO TAPE & DISC RENTAL
2225	HALLMARK CARDS...GIFT, NOVELTY, & SOUVENIR STORES
2225	HERCULES GREEK CUISINE...FULL-SERVICE RESTAURANTS
2225	ITAR SHOE REPAIR...FOOTWEAR & LEATHER GOODS REPAIR
2225	J'S MEN'S SHOPS LTD...MEN'S CLOTHING STORES
2225	JOHN DAVID HAIR DESIGN...BEAUTY SALONS
2225	KEYHOLE...ALL OTHER SUPPORT SVCS
2225	LAURA SECORD...OTHER GROCERY PROD MERCHANT WHOLS
2225	LENS CRAFTERS...OPTICAL GOODS STORES
2225	LENSCRAFTERS REGION 33...OPTICAL GOODS STORES
2225	LIGHTSPEED PHYSICAL THERAPY...OFFICES OF SPECIALTY THERAPISTS
2225	LOOK OUT FASHIONS...WOMEN'S CLOTHING STORES
2225	MADEMOISELLE WOMENS FITNS...FITNESS & RECREATIONAL SPORTS CENTERS
2225	MAINSTAY HUMAN RESOURCES...PROCESS & LOGISTICS CONSULTING SVCS

Part 2 of 3

2225	MC DONALD'S...FULL-SERVICE RESTAURANTS
2225	MEADOWVALE FURNITURE...FURNITURE STORES
2225	MISSISSAUGA BRANCH LIBRARY...LEGISLATIVE BODIES
2225	MISSISSAUGA LIBRARY...LIBRARIES & ARCHIVES
2225	MR SUB...FULL-SERVICE RESTAURANTS
2225	MUSIC WORLD...PRERECORDED TAPE, CD, & RECORD STORES
2225	NANDO INTERPRISE PLUS LLP...JANITORIAL SVCS
2225	ORNAMENTA...RESIDENTIAL REMODELERS
2225	PAPA LUIGI'S PIZZA...FULL-SERVICE RESTAURANTS
2225	PAPI RICO'S INC...UNCLASSIFIED
2225	PAVELIC, M S DDS...OFFICES OF DENTISTS
2225	PAYLESS SHOE SOURCE...SHOE STORES
2225	PERFECT BALANCE-CNC...FOOD, HEALTH, SUPPLEMENT STORES
2225	PICTURE SOURCE...STORE RETAILERS NOT SPECIFIED ELSEWHERE
2225	PLACE SETTINGS...GIFT, NOVELTY, & SOUVENIR STORES
2225	POLYCULTURAL IMMIGRANT & COMM...CIVIL & SOCIAL ORGANIZATIONS
2225	POLYCULTURAL IMMIGRANT & COMM...LANGUAGE SCHOOLS
2225	POLYCULTURAL IMMIGRATION...CIVIL & SOCIAL ORGANIZATIONS
2225	PRICELESS BABY FURNITURE...CHILDREN'S & INFANTS' CLOTHING STORES
2225	PURE LASER & HAIR REMOVAL...BEAUTY SALONS
2225	PURE MEDICAL SPA...OFFICES OF SPECIALTY THERAPISTS
2225	QUINN STATIONERY...OFFICE SUPPLIES & STATIONERY STORES
2225	RADIO SHACK...RADIO, TV & OTHER ELECTRONICS STORES
2225	RAUOF SAHEL & SUNSHINE RUGS CO...FLOOR COVERING STORES
2225	REITMANS...WOMEN'S CLOTHING STORES
2225	ROYAL & SUN ALLIANCE...INSURANCE AGENCIES & BROKERAGES
2225	RUNNING ROOM CANADA INC...SPORTING GOODS STORES
2225	S & S PERFUMES...COSMETIC & BEAUTY SUPPLY STORES
2225	SALON VIBA...BEAUTY SALONS
2225	SCOTIABANK...COMMERCIAL BANKING
2225	SECOND CUP LTD...ALL OTHER SPECIALTY FOOD STORES
2225	SHEER ESSENCE LINGERIE...OTHER CLOTHING STORES
2225	SHERIDAN BRANCH LIBRARY...LIBRARIES & ARCHIVES
2225	SHERIDAN COMPUTERS...COMPUTER & SOFTWARE STORES
2225	SHERIDAN CTR...LESSORS OF NONRESIDENTIAL BUILDINGS
2225	SHERIDAN CUSTOM CLEANERS...DRYCLEANING & LAUNDRY SVCS
2225	SHERIDAN EYE EXAM CLINIC...OFFICES OF PHYSICIANS, EXCEPT MENTAL HEALTH
2225	SHERIDAN FOOT CARE CTR...OFFICES OF PODIATRISTS
2225	SHERIDAN TRAVEL...TRAVEL AGENCIES
2225	SHOPPERS DRUG MART...PHARMACIES & DRUG STORES
2225	SOCIETY...WOMEN'S CLOTHING STORES
2225	SOURCE BY CIRCUIT CITY...RADIO, TV & OTHER ELECTRONICS STORES
2225	SPORTS CENTRE...OTHER CLOTHING STORES
2225	STAR SHOES...SHOE STORES
2225	STITCH IT...OTHER CLOTHING STORES
2225	STITCH IT CANADA'S TAILOR...OTHER CLOTHING STORES
2225	STYLZ...WOMEN'S CLOTHING STORES
2225	SUMEET FASHIONS...UNCLASSIFIED
2225	SUNGLASS CORNER...OPTICAL GOODS STORES
2225	TAN JAY...WOMEN'S CLOTHING STORES
2225	TIM HORTONS...SNACK & NONALCOHOLIC BEVERAGE BARS
2225	TORONTO'S FINEST COFFEE CO LTD...CAFETERIAS
2225	TOYS & GAMES...HOBBY, TOY, & GAME STORES
2225	TRADE SECRETS...WHOLESALE TRADE AGENTS & BROKERS
2225	TUXEDO ROYALE FORMALS LTD...GENERAL RENTAL CENTERS
2225	TWAIN GOLD & DIAMOND CTR...JEWELRY STORES
2225	UNIVERSAL IMPORTS...FURNITURE STORES
2225	VERONESE HAIR DESIGN...BEAUTY SALONS
2225	VINCENT HAIRSTYLING...BEAUTY SALONS
2225	WALKING ON A CLOUD...SHOE STORES
2225	WATCH & CLOCK GALLERY...JEWELRY STORES
2225	WHITE LACE...UNCLASSIFIED
2225	WINE RACK...BEER, WINE, & LIQUOR STORES
2225	YU, JOSEPH MD...OFFICES OF PHYSICIANS, EXCEPT MENTAL HEALTH
2225	ZAYSHA...WOMEN'S CLOTHING STORES
2225	ZELLERS...DEPARTMENT STORES, EXCEPT DISCOUNT

Part 3 of 3

- 2225ZELLERS PHARMACY...PHARMACIES & DRUG STORES
- 2285BOSTON MARKET CANADA...FULL-SERVICE RESTAURANTS
- 2285M S MARA FASHION...WOMEN'S CLOTHING STORES

- 1970BARNEY RIVER INVESTMENTS...LESSORS OF RESIDENTIAL BUILDINGS
- 1970FOREST ROOFING...ROOFING CONTRS
- 1970FOWLER PLACE...LESSORS OF RESIDENTIAL BUILDINGS
- 1980BARNEY RIVER INVESTMENT LTD...LESSORS OF RESIDENTIAL BUILDINGS
- 1980BARNEY RIVER INVESTMENTS...MISC INTERMEDIATION
- 1980LAKEVIEW MILLS...FINISH CARPENTRY CONTRS

1896 A & S SALES & MARKETING...OTHER SVCS RELATED TO ADVERTISING

1900 ARASH COMPUTER CO...COMPUTER & SOFTWARE STORES
1900 ERIN COURT COOPERATIVE HOMES...OTHER COMMUNITY HOUSING SVCS

2095 PEEL CONDOMINIUM CORP NO 57...LESSORS OF RESIDENTIAL BUILDINGS
 2111 2111 ROCHE COURT APARTMENTS...LESSORS OF RESIDENTIAL BUILDINGS
 2111 ALLIANCE ENTERTAINMENT PROMOS...TELEMARKETING BUREAUS
 2111 MC LOUIS AUTO PARTS...ALL OTHER DURABLE GOODS MERCHANT WHOLS
 2111 NUARC CO OF CANADA LTD...INDUSTRIAL MACHINERY MERCHANT WHOLS
 2121 CANVAS ART GALLERY LTD...ART DEALERS
 2121 OCEAN WAVES INTL...INVESTMENT ADVICE
 2121 OCEAN WAVES INTL...UNCLASSIFIED
 2121 PO CONDO CORP 43...LESSORS OF RESIDENTIAL BUILDINGS
 2121 SOUTHDOWN VILLAGE...UNCLASSIFIED

81 total records. Part 1 of 2

2215 TIM HORTONS
 2225 1017319 ONT LTD
 2225 ACADEMY FOR MATHEMATICS & SCIENCE
 2225 ALSAFFAR LOTTO CENTRE
 2225 APPLEJACKS GRILLIN & CHILLIN
 2225 ARIA HOME COLLECTION
 2225 AT EAZE
 2225 BABYS PALACE THE
 2225 BENTLEY LEATHER
 2225 BLUENOTES
 2225 BOGEMA
 2225 BROOKFIELD PROPERTIES CORPORATION
 2225 CALVADO
 2225 CANADA POST
 2225 CCC
 2225 CIGARS GATEWAY
 2225 CLAIRE'S ACCESSORIES
 2225 CLEO DOCKSIDE
 2225 COTTON GINNY
 2225 DECOR AND MORE
 2225 DRIVE FOR LIFE
 2225 DRIVERS AND VEHICLES
 2225 EAZE AT
 2225 ELECTRONICS BASS
 2225 EMILIAN JEWELLERY
 2225 ENTERPRISE RENTACAR
 2225 EVERYTHING FOR A DOLLAR STORE CANADA
 2225 EYE C U OPTICAL
 2225 EYE CARE BOUTIQUE
 2225 FABRIC HOUSE
 2225 FORTUNE WOK
 2225 HAIR CUTTING CENTRE THE
 2225 KEY HOLE THE
 2225 LA FLORIST
 2225 LENS CRAFTERS REGION
 2225 LIBRARIES
 2225 LICENCES AND PERMITS
 2225 LIGHTSPEED PHYSIOTHERAPY
 2225 MCDONALDS RESTAURANTS
 2225 MISLAV PAVELIC
 2225 PAPA LUGIS PIZZA
 2225 PAYLESS SHOESOURCE
 2225 PERFECT BALANCE
 2225 PICTURE SOURCE
 2225 PLACE SETTINGS
 2225 POLISH IMMIGRANT AND COMMUNITY SERVI
 2225 POLYCULTURAL IMMIGRANT & COMMUNITY S
 2225 POSTES CANADA
 2225 PURE MED SPA
 2225 QUINN STATIONERY
 2225 RAOUF SAHEL & SUNSHINE RUGS COMPANY
 2225 ROYAL & SUNALLIANCE
 2225 ROYAL & SUNALLIANCE CANADA
 2225 RUNNING ROOM CANADA INC
 2225 S AND S PERFUMES
 2225 SALON VIBA
 2225 SCOTIABANK
 2225 SHERIDAN BRANCH LIBRARY
 2225 SHERIDAN CENTRE
 2225 SHERIDAN COMPUTER
 2225 SHERIDAN CUSTOM CLEANERS
 2225 SHERIDAN DENTAL
 2225 SHERIDAN EYE EXAM CLINIC
 2225 SHERIDAN TRAVEL
 2225 SHIRAS JEWELLERS DIXIE LTD
 2225 SOCIETY
 2225 SPORTS CENTRE
 2225 STAR SHOES
 2225 STYLZ

2008 ERIN MILLS PARKWAY

SOURCE: COLE

Part 2 of 2

2225	TAXWIDE INC
2225	TIM HORTONS
2225	TORONTO FINEST COFFEE LTD
2225	TOYS N GAMES ETC
2225	TRACKS NYSM
2225	UNIVERSAL IMPORTS
2225	VERONESE HAIR DESIGN
2225	VINCENT HAIRSTYLING
2225	VISAGE BEAU
2225	WALKING ON CLOUD
2225	ZAYSHA
2255	SCOTIABANK

2008 FOWLER DRIVE

SOURCE: COLE

1970	FOREST ROOFING
1970	FOWLER PLACE
1970	MULTI TENANT RESIDENTIAL
1980	BARNEY RIVER INVESTMENT LTD
1980	MULTI TENANT RESIDENTIAL

ALL RESIDENTIAL

1900

ARASH COMPUTER COMPANY

1900

ERIN COURT COOPERATIVE HOMES INC

1900

MULTI TENANT RESIDENTIAL

1900

SHIPLAKE MANAGEMENT

2111 NUARC COMPANY OF CANADA LTD
ALL RESIDENTIAL

2225 A T P DIAMONDS
2225 ACADEMY FOR MATHEMATICS & SCIENCE
2225 ADEL MECHANICAL WORKS
2225 ADERE
2225 AGNEW SHOES
2225 AIR WEAR
2225 ATP DIAMONDS
2225 BEAU VISAGE
2225 BENTLEY LEATHER INC
2225 BOOTLEGGER
2225 BRAMALEA CENTRE LTD
2225 BRIDAL FACTORY BOUTIQUE
2225 CANADA POST
2225 CANTEL AT & T STORE
2225 CARLSON WAGONLIT SHERIDAN TRAVEL
2225 CARLSON WAGONLIT TRAVEL
2225 CHESLER'S BETTER FOOTWEAR
2225 CLAIRE'S ACCESSORIES
2225 COLES THE BOOK PEOPLE
2225 COMPLETE COMMUNICATIONS SOLUTIONS INC
2225 COPPERFIELD'S FAMILY RESTAURANT
2225 COUTURE DOELEGANCE
2225 DANIELA BELOVIC
2225 DAR-QUAN-CANADA
2225 DOMINION/DOMINION PLUS/DOMINION SAVE-A-CENTRE
2225 ELIA FASHIONS
2225 EMILIAN JEWELLERY
2225 EVERYTHING FOR A DOLLAR STORE (CANADA) INC
2225 EYE CARE PLACE LTD
2225 FABRICLAND DISTRIBUTORS
2225 FORTUNE WOK
2225 FOUR SEASONS PLUS
2225 GAGLIARDI M
2225 INTRA SHERIDAN TRAVEL
2225 J'S MENS SHOPS LTD
2225 JOHN DAVID
2225 LA FLORIST
2225 MAMA'S
2225 MR SUB
2225 MUSIC WORLD
2225 PAPA LUIGI'S PIZZA
2225 PARHAR MOHAN
2225 PERFECT BALANCE-CANADA'S NUTRITION PLACE
2225 POLISH IMMIGRANT AND COMMUNITY SERVICES
2225 POSTES CANADA
2225 PROGRESSIVE CONTRACTING
2225 ROYAL & SUNALLIANCE
2225 RUSSELL MAUREEN
2225 SETTINGS
2225 SHEER ESSENCE LINGERIE
2225 SHERIDAN BRANCH LIBRARY
2225 SHERIDAN FOOT CARE CENTRE
2225 SKETCHLEY CLEANERS
2225 SOFTRON TAX
2225 SUMEET FASHIONS
2225 TAN JAY
2225 TAXWIDE INC
2225 TIM HORTON'S
2225 TOYS & GAMES
2225 VALUE PLUS FURNITURE
2225 VERONESE HAIR DESIGN
2225 VINCENT HAIRSTYLING
2225 YAN CHEUNG DESIGN
2225 YU JOSEPH
2255 BANK OF NOVA SCOTIA
2285 MS MARA FASHION

1970 FOREST ROOFING
1970 FOWLER PLACE
1980 BARNEY RIVER INVESTMENT LTD
ALL RESIDENTIAL

ALL RESIDENTIAL

1900

ERIN COURT COOPERATIVE HOMES INC

1900

MULTI TENANT RESIDENTIAL

1900

SHIPLAKE MANAGEMENT

ALL RESIDENTIAL

1996 ERIN MILLS PARKWAY

SOURCE: MIGHTS

2225	ATP DIAMONDS LTD
2225	BELL FASHIONS
2225	BEST WISHES CARD SHOPPE
2225	CHIQUITA COOLERS
2225	DOMINIQUE DESIGNS
2225	EATON SHERIDAN PLACE
2225	ELIA FASHIONS
2225	EVERYTHING FOR A DOLLAR STORE
2225	EYE CARE PLACE LTD
2225	FORTUNE WOK
2225	GOLDEN TIME
2225	GOURMANDS FINE FOODS
2225	JOHN DAVID
2225	K MART PORTRAIT PLACE
2225	KFC
2225	MAKAN LEATHER GOODS CO
2225	NORTHERN REFLECTIONS
2225	ONE HOUR MOTO PHOTO
2225	PAPA LUIGI'S PIZZA
2225	PARHAR MOHAN
2225	SHERIDAN BRANCH LIBRARY
2225	SHERIDAN FISH & CHIPS
2225	SHERIDAN MINI-MART
2225	SHERIDAN TRAVEL AGENCY
2225	SILK CREATIONS
2225	SKETCHLEY CLEANERS
2225	SOAPBERRY SHOP
2225	TAN JAY
2225	TREATS
2225	VAC N' SEW
2225	VALUE PLUS FURNITURE
2225	WINNERS SPORTS
2225	YU JOSEPH
2255	SUZY SHIER

1996 FOWLER DRIVE

SOURCE: MIGHTS

1970	FOREST ROOFING
1970	FOWLER PLACE
1980	BARNEY RIVER INVESTMENT LTD
	ALL RESIDENTIAL

1904

ACCOUNT ON US
ALL RESIDENTIAL

1900

MULTI TENANT RESIDENTIAL

ALL RESIDENTIAL

2225 ANCHOR SHORING & CAISSONS LTD
 2225 BAUMANN JOHN R
 2225 CAROLES CHEESECAKE COMPANY
 2225 CHIQUITA COOLERS
 2225 DANIELA BELOVIC SKIN TREATMENTS
 2225 DANIELS
 2225 DOMINIQUE DESIGNS
 2225 EATON SHERIDAN PLACE
 2225 EATON SHERIDAN PLACE MANAGEMENT OFFICE
 2225 ELLA FASHIONS
 2225 EMILIAN JEWELLERY
 2225 EYE CARE PLACE
 2225 EYE MASTERS LIMITED RETAIL STORE
 2225 FASHION EMPORIUM
 2225 FORTUNE WOK
 2225 GATEWAY CIGAR STORE
 2225 HAL MAYER INSURANCE AGENCY
 2225 INSIGHT BOOKS
 2225 IT STORE
 2225 JACK FRASER MENSWEAR
 2225 JDS INVESTMENTS
 2225 JDS INVESTMENTS CONSTRUCTION
 2225 JOY OF SOX THE
 2225 JS MENS SHOPS LTD
 2225 K MART PORTRAIT PLACE
 2225 KIDS FEET INC
 2225 KIDS GALLERY
 2225 LA SILK
 2225 LEONSIA GOLD JEWELLERS
 2225 MAKAN LEATHER GOODS COMPANY
 2225 MOM & ME
 2225 NAPAC
 2225 NEW DOMINION STORES INC
 2225 NEWFOUNDLAND MEETING PLANNERS
 2225 NORTHERN REFLECTIONS
 2225 ONE HOUR MOTO PHOTO
 2225 PANDO MANAGEMENTS LTD
 2225 PANHANDLER SHOPPES LTD
 2225 QUINN STATIONERY
 2225 REALTY WORLD MISSISSAUGA
 2225 RHYTHM FASHIONS
 2225 SAINT CINNAMON BAKE SHOPPE
 2225 SCOTS CHICKEN VILLA
 2225 SHAHEENS BED & BATH BOUTIQUE
 2225 SHERIDAN FOOT CARE CENTRE EATON SHERIDAN PLACE
 2225 SHERIDAN MALL FISH & CHIPS
 2225 SHERIDAN MINI MART
 2225 SIGNATURE
 2225 SKETCHLEY CLEANERS
 2225 SOAPBERRY SHOP
 2225 SOFT SPOTS LINGERIE INC
 2225 STATE FARM INSCE COMPANIES AGENTS
 2225 TEA MASTERS
 2225 THRIFTYS
 2225 TINY TOT TOWN
 2225 TREATS
 2225 VERONESE HAIR DESIGN
 2225 VICTINI
 2225 VINCENT HAINSYLVIG
 2225 VISIONS & IMAGES
 2225 YE OLDE CANDLE SHOPPE
 2225 YUN CHEUNG DESIGN
 2255 SUZY SHIER
 2255 YASUMI

2135

CAN BUILD INDUSTRIES
ALL RESIDENTIAL

ALL RESIDENTIAL

NO LISTINGS WITHIN RADIUS

ALL RESIDENTIAL

1985 ERIN MILLS PARKWAY

SOURCE: MIGHTS

2225 ANKLES SHOES LTD
2225 BABOO M T DR
2225 BOOTLEGGER
2225 BURGER SUN FOODS
2225 BUSTER BROWN
2225 CARALAN MANAGEMENT LTD
2225 CHARACTERS
2225 COFFEE JUNCTION SHERIDAN MALL
2225 COMPUTHINK CORP
2225 COPPERFIELD'S FAMILY RESTAURANT
2225 DA'LTAS
2225 DANIELA BELOVIC SKIN TREATMENTS
2225 EMBASSY CLEANERS
2225 FAN-ETTE FASHIONS
2225 FRASER JACK MEN'S & BOYS' WEAR
2225 GOURMANDS FINE FOODS
2225 HAL MAYER INSURANCE AGENCY
2225 HEAD TO TOE
2225 INFO-VIDEO LTD
2225 INSIGHT BOOKS
2225 J C E MANAGEMENT INVESTMENTS LTD
2225 J'S MEN'S SHOPS LTD
2225 LAWRENCE EMPORIUM
2225 LAYUG R B DR PEDODONTIST
2225 LIQUOR CONTROL BOARD OF ONT
2225 M & COMPUTER INC
2225 MAYER HAL INSCE
2225 MILLIGAN W C
2225 NICK'S BAKERY
2225 ODEON THEATRE SHERIDAN MALL
2225 PAEDO MANAGERMENTS LTD
2225 PANHANDLER SHOPPES LTD
2225 QUINN STATIONERY
2225 SHAHEEN'S BED & BATH BOUTIQUE
2225 SHERIDAN HAIRSTYLISTS
2225 SHERIDAN MALL FISH & CHIPS
2225 SHERIDAN MALL SHOPPING CENTRE-MANAGEMENT OFFICE
2225 SHERIDAN OPTICAL
2225 SHOPPERS DRUG MART
2225 SHULMAN ALLAN
2225 SMITTY'S PANCAKE HOUSE
2225 SZABO GIG
2225 TOWN & COUNTRY SHOPS
2225 TRUTONE ELECTRONICS
2225 WHITE ELNA SEWING CENTRE
285850 ONTARIO LTD (2225)

1985 FOWLER DRIVE

SOURCE: MIGHTS

1970 BARNEY RIVER INVESTMENTS LTD
ALL RESIDENTIAL

STREET NOT LISTED

NO LISTINGS WITHIN RADIUS

**
SUBURBAN LATHING & ACOUSTICS LTD
ALL RESIDENTIAL

2225 285850 ONTARIO LTD
2225 BABOO M T DR
2225 BITTNER'S MEAT & DELICATESSEN
2225 CARALAN MANAGEMENT LTD
2225 CENTURY STAMP CO
2225 DALATS
2225 DINELL FISH & CHIPS
2225 EMBASSY CLEANERS
2225 FLOWER CART THE
2225 FRASER JACK MEN'S & BOYS' WEAR
2225 HOUSE OF HAIR DESIGN SHERIDAN MALL
2225 INSIGHT BOOKS
2225 J C E MANAGEMENT INVESTMENTS LTD
2225 LAWRENCE EMPORIUM
2225 LAYUG R B DR
2225 LIGHTSOUND SENSORIUM LTD
2225 METTLER T H DENTL
2225 MILLIGAN W C
2225 ODEON THEATRE SHERIDAN MALL
2225 PAEDO MANAGEMENTS LTD
2225 PANHANDLER SHOPPES LTD
2225 PUPPET SHOES
2225 SAPRA CAMERA STORE LTD
2225 SHERIDAN MALL BANQUET ROOM
2225 SHERIDAN MALL MANAGEMENT
2225 SHERIDAN MALL MEN'S HAIRSTYLING
2225 SHERIDAN OPTICAL
2225 SHERIDAN SHOE REPAIR DEPOT
2225 SINGER SHERIDAN MALL SEWING CENTER
2225 STATE FARM INSCE CO AGENTS HAWMAN DENNIS A
2225 STATE FARM INSCE CO AGENTS MAYER HAL
2225 THE TUB BATHROOM BOUTIQUE
2225 THE WINEMAKER
2225 TOWN & COUNTRY SHOPS

1970 BARNEY RIVER INVESTMENTS LTD
ALL RESIDENTIAL

STREET NOT LISTED

1875

BERRILL & TRUSTRUM

**

2095

SUBURBAN LATHING & ACOUSTICS LTD
TOWNSHEND WM LTD GENERAL CONTRACTING
ALL RESIDENTIAL

1975 ERIN MILLS PARKWAY

SOURCE: MIGHTS

2225 BITTNER'S MEAT & DELICATESSEN
2225 CARALAN MANAGEMENT LTD
2225 CENTURY STAMP CO
2225 COJANA FASHION SHOPS LTD
2225 EMBASSY CLEANERS
2225 FLOWER CART THE
2225 FRASER JACK MEN'S & BOYS' WEAR
2225 FRASER JACK STORES LTD
2225 INSIGHT BOOKS
2225 LA TALENTO STEAK HOUSE TAVERN
2225 LAYUG R B DR
2225 LIGHTSOUND SENSORIUM LTD
2225 LUND'S SPORTS & HOBBY LTD
2225 M & A WINEMAKER LIMITED
2225 MILLIGAN W C
2225 ODEON THEATRE SHERIDAN MALL
2225 PUTAYN TOTS & TEENS
2225 REAGAN N M CHIROPRACTOR
2225 REITMAN'S (ONT) LTD (STORE 242)
2225 SAPRA CAMERA STORE
2225 SHERIDAN MALL FISH & CHIPS
2225 SHERIDAN MALL HOUSE OF HAIR DESIGN
2225 SHERIDAN MALL L C B O
2225 SHERIDAN MALL THEATRE
2225 SHERIDAN TRAVEL AGENCY
2225 STATE FARM INSCE COMPANIES
2225 THE WINEMAKER
2225 TIE CITY
2225 TOWN & COUNTRY SHOPS
2225 UNITED TRUST COMPANY
2225 YU JOSEPH DR

1975 FOWLER DRIVE

SOURCE: MIGHTS

** ROCHE DEVELOPMENTS LTD
ALL RESIDENTIAL

STREET NOT LISTED

1875 BERRILL & TRUSTRUM

**

2111

SUBURBAN LATHING & ACOUSTICS LTD
HYDAKAST DEVELOPMENTS LTD
ALL RESIDENTIAL

STREET NOT LISTED

2150 FUSILLO PAVING CO
ALL RESIDENTIAL

STREET NOT LISTED

1875 BERRILL & TRUSTRUM
1875 ZISBART AUTO TRUCK RUSTPROOFING LTD

STREET NOT LISTED

STREET NOT LISTED

ALL RESIDENTIAL

STREET NOT LISTED

NO LISTINGS WITHIN RADIUS

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix G— Regulatory Requests

Submission summary

Thank you. Your application has been submitted.

Form name:	MECP Freedom of Information
Form number:	012-2146E
Card type:	MasterCard
Transaction type:	Purchase
Payment total:	\$5.00 CAD
Payment status:	Successful
Payment confirmation:	32939299
Date/time:	June 2, 2025 6:34 PM
Submission confirmation number:	48885550
Submitted to:	Information Management and Access Branch

More information

Should you have any questions or comments regarding your application, please call or email the contact listed above. Every effort is made to ensure that the online form is successfully delivered; however, making sure that the document was received remains the responsibility of the user.

[Privacy](#)

[Accessibility](#)

[Contact us](#)

[Terms of use](#)

[© King's Printer for Ontario, 2023](#)

Ministry of the Environment, Conservation and Parks

Freedom of Information Request for Property Information

Instructions

Use this form to:

- submit and pay for a new FOI request for access to records/information about a property
- pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (*) are mandatory.

Are you: *

- ☒ Submitting a new FOI Request for Property Information
- ☐ Paying a deposit or final fee for an existing FOI Request for Property Information

Section 1 – Description of Records Requested

Time Period for Records Requested

From (yyyy/mm/dd) *

To (yyyy/mm/dd) *

1970/01/01

2025/06/02

Type of Record(s) *

- ☒ All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- ☒ Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

<https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en>.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at:
<https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
- RSC records filed after July 2011 are available at:
https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc_search?request_locale=en

☐ Other Specific Document(s)

Type of Approval/Registration *

- ☒ Drinking Water Licenses
- ☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents
- ☒ Pesticide Licenses

Only pesticide licenses post September 2018 are available. Prior to September 2018, only Pesticide license applications and supporting documentation is available

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Permits to Take Water

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

Water Source *

☒ Groundwater ☒ Surface Water

☒ Noise Vibrations Approvals/Registrations

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Air Emissions Approvals/Registrations

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Sewage – Treatment, Stormwater, Storm, Leachate & Lieachate Treatment & Sewage pump stations, Sanitary

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Water - Industrial discharge

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems)

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

Company Name

☒ Waste Generator Registration - number/class

List any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating from your organization/business; records already in your possession, prior year(s) annual reports for approvals)

Please provide any additional relevant information relating to your request. For example, does your request relate to any other ministry business? Please note that this information is being requested only in order to provide contextual information to the Access and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

Section 2 – Requester Information

Last Name *

Jaffer

First Name *

Omar

Middle Initial

Business/Organization Name (if applicable or indicate "N/A") *

EXP Services Inc.

Project/Reference Number (if applicable)

GTR-22022660-B0

Are you submitting this request on behalf of a client? *

☒ Yes ☐ No

Please upload an authorization/consent form from your client in Section 6 (Supporting Documentation)

Name of Client

Last Name *

Cesta

First Name *

Mathew

Business/Organization Name (if applicable or indicate "N/A") *

Starlight Developments

Mailing Address

Unit Number

Street Number *

1595

Street Name *

Clark Boulevard

PO Box

City/Town *

Brampton

Province *

ON

Postal Code *

L6T 4V1

Telephone Number *

647-222-7867

ext.

Email Address *

omar.jaffer@exp.com

Is there an alternate contact (e.g. office admin)? *

☐ Yes ☒ No

Section 3 – Current Property Address Information

Is the property a:

☐ Park ☐ Lake ☐ First Nation Band ☐ Wind Farm ☐ Federal Land ☐ Island ☐ Unsurveyed Land

Are you requesting information about multiple addresses? *

☒ Yes ☐ No

Please only submit a request with multiple addresses if the property is one site. To be considered one site, addresses must be adjacent to each other and owned by the same owner(s).

Do the multiple addresses belong to one site? *

☒ Yes ☐ No

Please submit a separate FOI request for each address.

Site Name

Starlight Developments

Property Address

Address 1

Unit Number

Street Number

1970

Street Name

Fowler Drive

Full Lot Number	Concession	Geographic Township
		Mississauga
City/Town/Village *		
Mississauga		
Closest Intersection		
Erin Mills Parkway and Fowler Drive		
Address 2		
Unit Number	Street Number	Street Name
	1980	Fowler Drive
Full Lot Number	Concession	Geographic Township
		Mississauga
City/Town/Village *		
Mississauga		
Closest Intersection		
Erin Mills Parkway and Fowler Drive		

Section 4 – Previous Property Address Information

Do you want the ministry to search all prior historical addresses for this property/site for the time period of the records requested? *

☐ Yes ☒ No

Section 5 – Owner Information

Please provide all present and previous property owner and/or tenant names for the search years requested.

Current Property Owner/Tenant

Address 1

1970 Fowler Drive
Mississauga
Mississauga

Owner Name	Date of Ownership (yyyy/mm/dd)
Starlight Developments	
Tenant Name	

Address 2

1980 Fowler Drive
Mississauga
Mississauga

Owner Name	Date of Ownership (yyyy/mm/dd)
Starlight Developments	
Tenant Name	

Section 6 – Supporting Documents

Please attach an authorization/consent form.

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

1. File Name

Property Boundary.png

Total File Size

1.49 MB

Payment confirmation number: 32939299

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: Wednesday, June 4, 2025 10:42 AM
To: Omar Jaffer
Subject: RE: Requesting TSSA Records !



CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello,

RECORD FOUND IN CURRENT DATABASE:

- We confirm that there are **fuels records** in our database at the subject address(es).

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Inventory Item
10855820	2165 ERIN MILLS PKWY	MISSISSAUGA	ON	L5K 1T7	EXPIRED	FS LIQUID FUEL TANK
10855829	2165 ERIN MILLS PKWY	MISSISSAUGA	ON	L5K 1T7	EXPIRED	FS LIQUID FUEL TANK
10855838	2165 ERIN MILLS PKWY	MISSISSAUGA	ON	L5K 1T7	EXPIRED	FS LIQUID FUEL TANK
11582267	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS LIQUID FUEL TANK
11582278	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS LIQUID FUEL TANK
11582283	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS LIQUID FUEL TANK
15695564	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS CYLINDER EXCHANGE
30746755	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS GASOLINE STATION - SELF SERVE
30892664	2165 ERIN MILLS PARKWAY	MISSISSAUGA	ON	L5K 1T7	Active	FS LIQUID FUEL TANK
9456990	2165 ERIN MILLS PKWY	MISSISSAUGA	ON	L5K 1T7	EXPIRED	FS GASOLINE STATION - SELF SERVE

This is not a confirmation that there are no records in the archives. For a further search in our archives, please go to the [TSSA Client Portal](#) to complete an Application for Release of Public Information.

Please refer to [How to Submit a Public Information Request \(tssa.org\)](#) for instructions.

The associated fee must be paid via credit card (Visa or MasterCard).

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Kind regards,
Sherees



Public Information Releases Agent

Public Information

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-6222 | Fax: +1 416-734-3568 | E-Mail: publicinformationservices@tssa.org

www.tssa.org



Winner of 2022 5-Star Safety Cultures Award

From: Omar Jaffer <Omar.Jaffer@exp.com>

Sent: Tuesday, June 3, 2025 5:05 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Requesting TSSA Records !

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello TSSA,

Please provide environmental information for the following properties in Mississauga, Ontario.

1. 1970 Fowler Dr, Mississauga, ON L5K 1B5
2. 1980 Fowler Dr, Mississauga, ON L5K 1B6
3. 2111 Roche Ct, Mississauga, ON L5K 1T4
4. 2150 Roche Ct, Mississauga, ON L5K 1T5
5. 2225 Erin Mills Pkwy, Mississauga, ON L5K 1T9
6. 2121 Roche Ct #302, Mississauga, ON L5K 2C7
7. 2165 Erin Mills Pkwy, Mississauga, ON L5K 1T7
8. 1925 Fowler Dr, Mississauga, ON L5K 1T8
9. 2215 Erin Mills Pkwy, Mississauga, ON L5K 1T7
10. 1900 Fowler Dr, Mississauga, ON L5K 0A1

As part of our historical review for a Phase One ESA, we request that the Technical Standards and Safety Authority (TSSA), Safety Fuel Division, review its database to identify to us any records of aboveground/underground storage tanks, spills, incidents, complaints, notices, tanks removals and/or remediation etc. with the TSSA for the above-mentioned properties.

Earliest attention to this matter is much appreciated. For your convenience you may e-mail me or call me with any information you may have for the property.

Thank you,



Omar Jaffer

EXP | Environmental Scientist

t : +1.289.401.4390 | m : +1.647.222.7867 | e : omar.jaffer@exp.com

1595 Clark Boulevard

Brampton, ON L6T 4V1

CANADA

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix H – Aerial Photographs



EXP Services Inc. t: +1.905.573.4000 1266 South Service Road Suite C1-1 Stoney Creek, ON L8E 5R9 Canada www.exp.com  BUILDINGS • EARTH & ENVIRONMENT • ENERGY • INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY • LEGEND: APPROXIMATE SITE BOUNDARY	TITLE AND LOCATION: 1954 AERIAL PHOTOGRAPH PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 1970 & 1980 FOWLER DRIVE MISSISSAUGA, ONTARIO	PROJECT NO.: GTR-22022660-A0	DWN: MS
		SCALE: AS NOTED	CHKD: AG
		DATE: JUNE 2025	FIG. NO.: H1



EXP Services Inc. t: +1.905.573.4000 1266 South Service Road Suite C1-1 Stoney Creek, ON L8E 5R9 Canada www.exp.com  BUILDINGS EARTH & ENVIRONMENT ENERGY INDUSTRIAL INFRASTRUCTURE SUSTAINABILITY		LEGEND: APPROXIMATE SITE BOUNDARY	TITLE AND LOCATION: 1966 AERIAL PHOTOGRAPH PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 1970 & 1980 FOWLER DRIVE MISSISSAUGA, ONTARIO	PROJECT NO.: GTR-22022660-A0 SCALE: AS NOTED DATE: JUNE 2025	DWN: MS CHRD: AG FIG. NO.: H2

\\exp\data\BPM\GTR-22022660-A0\00_Execution\65 Drawings\ENV\GIS\Phase One\Phase One.aprx



EXP Services Inc.

t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •

• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

1975 AERIAL PHOTOGRAPH

PHASE I ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO.:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHKD:	AG
DATE:	JUNE 2025	FIG. NO.:	H3



EXP Services Inc.
t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

 APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

1985 AERIAL PHOTOGRAPH

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO.:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHKD:	AG
DATE:	JUNE 2025	FIG. NO.:	H4



EXP Services Inc.
t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

 APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

1995 AERIAL PHOTOGRAPH

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHKD:	AG
DATE:	JUNE 2025	FIG. NO.:	H5



EXP Services Inc.

t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



BUILDINGS

EARTH & ENVIRONMENT

ENERGY

INDUSTRIAL

INFRASTRUCTURE

SUSTAINABILITY

LEGEND:


APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

2005 AERIAL PHOTOGRAPH

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHRD:	AG
DATE:	JUNE 2025	FIG. NO.:	H6



EXP Services Inc.
t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com


• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

2015 AERIAL PHOTOGRAPH
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHKD:	AG
DATE:	JUNE 2025	FIG. NO.:	H7



EXP Services Inc.

t: +1.905.573.4000
1266 South Service Road Suite C1-1
Stoney Creek, ON L8E 5R9
Canada
www.exp.com



• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
• INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

LEGEND:

APPROXIMATE SITE BOUNDARY

TITLE AND LOCATION:

2025 AERIAL PHOTOGRAPH

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
1970 & 1980 FOWLER DRIVE
MISSISSAUGA, ONTARIO

PROJECT NO:	GTR-22022660-A0	DWN:	MS
SCALE:	AS NOTED	CHRD:	AG
DATE:	JUNE 2025	FIG. NO.:	H8

EXP Services Inc.

*Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025*

Appendix I – Site Photographs



Photo 1: View of the Phase One Property (1970 Fowler Drive) – Building A), facing northeast.



Photo 2: View of the lobby in Building A (1970 Fowler Drive), facing northeast.



Photo 3: View of hallway in Building A (1970 Fowler Drive), facing north.



Photo 4: View of the basement hallway and the leakage in the ceiling from water leak in Building A (1970 Fowler Drive), facing north.



Photo 5: View of the telecommunication room in the basement of Building A (1970 Fowler Drive).



Photo 6: View of the laundry room in basement Building A (1970 Fowler Drive).



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

SCALE:

N/A

DATE:

June 2025

DWN.:

OJ

DWN.:

AG

DWG. No.:

A-1



Photo 7: View of the underground parking garage in Building A (1970 Fowler Drive), facing northeast.



Photo 8: View of the water leakage in the west corner of underground parking garage in Building A (1970 Fowler Drive), facing southwest.



Photo 9: View of fire sprinkler system on the roof of Building A (1970 Fowler Drive), facing southwest.



Photo 10: View of electrical panels inside the sprinkler room in Building A (1970 Fowler Drive), facing north



Photo 11: View of the Sheridan Mall from the roof of Building A (1970 Fowler Drive), facing north.



Photo 12: View of the east adjacent neighbouring residential apartment from the roof of Building A (1970 Fowler Drive), facing east.



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

DWN.:

OJ

SCALE:

N/A

DWN.:

AG

DATE:

June 2025

DWG. No.:

A-2



Photo 13: View of the inside a vacant unit in Building A (1970 Fowler Drive), facing south



Photo 14: View of the inside a vacant unit in Building A (1970 Fowler Drive), facing east



Photo 15: View of the playground northeast of Building A (1970 Fowler Drive), facing northeast




Photo 16: View of the entrance to underground parking of Building A (1970 Fowler Drive), facing north.



Photo 17: View of the mailroom in Building A (1970 Fowler Drive), facing east.



Photo 18: View of the moving door/room of Building A (1970 Fowler Drive), facing north.



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

SCALE:

N/A

DATE:

June 2025

DWN.:

OJ

DWN.:

AG

DWG. No.:

A-3



Photo 19: View of Phase One Property—Building B (1980 Fowler Drive), facing north



Photo 20: View of the lobby and Site Super's office in the lobby of Building B (1980 Fowler Drive), facing west.



Photo 21: View of the laundry room in basement of Building B (1980 Fowler Drive), facing west.



Photo 22: View of the electrical room in the basement of Building B (1980 Fowler Drive), facing east.



Photo 23: View of the tenant's locker/storage area in the basement of Building B (1980 Fowler Drive), facing east.




Photo 24: View of the backup batteries in the basement of Building B (1980 Fowler Drive), facing west.



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

DWN.:

OJ

SCALE:

N/A

DWN.:

AG

DATE:

June 2025

DWG. No.:

A-4



Photo 25: View of the underground parking of Building B (1980 Fowler Drive), facing northwest.



Photo 26: View of the storage sprinkler room in the roof of Building B (1980 Fowler Drive).



Photo 27: View of the southeast neighbouring property from the roof of Building B (1980 Fowler Drive), facing southeast.



Photo 28: View of the main vacant unit of Building B (1980 Fowler Drive), facing east.




Photo 29: View of a vacant unit of Building B (1980 Fowler Drive), facing east.



Photo 30: View of prayer area in Building B (1980 Fowler Drive), facing north.



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

SCALE:

N/A

DATE:

June 2025

DWN.:

OJ

DWN.:

AG

DWG. No.:

A-5



Photo 31: View of children's playground northeast of Building B (1980 Fowler Drive), facing northeast.



Photo 32: View of a former swimming pool east of Building B (1980 Fowler Drive), facing east.



Photo 33: View of basket ball court east of Building B (1980 Fowler Drive), facing east.



Photo 34: View of the underground parking ramp of Building B (1980 Fowler Drive), facing south.



Photo 35: View of north landscaped grassed areas of Building B (1980 Fowler Drive), facing north.



Photo 36: View of a Sheridan Mall west of Building B (1980 Fowler Drive), facing west.



EXP Services Inc.
1595 Clark Boulevard
Brampton, Ontario
L6T 4V1
T: 905-793-9800
F: 905-793-0641

PROJECT TITLE AND LOCATION

PHASE ONE ESA
SITE PHOTOGRAPHS
1970 & 1980 Fowler Drive
MISSISSAUGA, ONTARIO

PROJECT NO.:

GTR-22022660-A0

DWN.:

OJ

SCALE:

N/A

DWN.:

AG

DATE:

June 2025

DWG. No.:

A-6

EXP Services Inc.

Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, Ontario
GTR-22022660-A0
July 4, 2025

Appendix J – Phase One Conceptual Site Model

Phase One ESA Conceptual Site Model (CSM) - 1970 & 1980 Fowler Drive, Mississauga, Ontario

This section presents the Phase One Conceptual Site Model (CSM), as it relates to the Site designated as 1970 & 1980 Fowler Drive, Mississauga, Ontario, providing a narrative and graphical description integrating information related to the areas of potential environmental concern/potential contaminating activities and the presence and distribution of potential contaminants of concern. The Phase One CSM was completed in accordance with Ontario Regulation 153/04, as amended (O. Reg. 153/04), as defined by the Ontario Ministry Environment, Conservation and Parks (MECP). There is no uncertainty or absence of information noted in the Phase One Environmental Site Assessment (ESA).

1.1 Introduction

The Site encompasses approximately 2.69 hectares (6.66 acres) and is developed with two (2) residential apartment buildings, each featuring a penthouse mechanical room and a single-level basement that includes laundry rooms, mechanical rooms, and locker areas for storage purposes. Each building includes a single-level underground parking garage, which extends beyond the footprint of the structures.

- The Site building at 1970 Fowler Drive (Building A) has an estimated footprint of 1,062 m² (11,434 ft²) and was constructed circa 1969.
- The Site building at 1980 Fowler Drive (Building B) has an estimated footprint of 1,034 m² (11,126 ft²) and was constructed circa 1970.

Both Site buildings collectively contain 336 residential suites (a mix of one-, two-, and three-bedroom units), with approximately 168 units per building. Additional features include aboveground visitor parking, basketball court east of parking lot of Building B and landscaped areas surrounding the buildings. A small children’s playground was located northeast of both the Site buildings respectively.

The Site is situated on the east side of Fowler Drive, approximately 130 metres east of Erin Mills Parkway, in the City of Mississauga, Ontario.

Further details of the Site are as follows:

Municipal Address	1970 & 1980 Fowler Drive, Mississauga, Ontario
Current Land Use	Residential use
Proposed Land Use	Residential Use
Legal Description	1970 Fowler Drive - PT BLK A PL 842 DES PTS 3, 4 PL 43R-11814; S/T EASEMENT IN FAVOUR OF CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT 3 PL 43R-11814; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLKA PL 842 DES PTS 3, 4 PL 43R-11814, AS IN PR5100; MISSISSAUGA. 1980 Fowler Drive - PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814; S/T EASEMENT IN FAVOUR OF THE CORPORATION OF THE TOWNSHIP OF TORONTO OVER PT BLK A PL 842 DES PT1 PL 43R-11814, AS IN VS17870; S/T EASEMENT IN FAVOUR OF ROGERS CABLE INC., OVER PT BLK A PL 842 DES PTS 1, 2 PL 43R-11814, AS IN PR5100; MISSISSAUGA.
Property Identification Number (PIN)	1970 Fowler Drive - 1344 11204 (LT) 1980 Fowler Drive – 1344-11205 (LT)
Approximate Universal Transverse Mercator (UTM) coordinates	NAD83 17T 609063.01 m E 4820501.52 m N
Accuracy Estimate of UTM	10-15 m
Measurement Method	Global Positioning System
Site Area	2.69 hectares (6.66 acres)
Property Owners, Owner Contact and Address	IMH 1970 & 1980 Fowler Drive Ltd. 1400 - 3280 Bloor Street West Centre Tower Toronto, Ontario; M8X 2X3 Mr. Mathew Cesta

1.2 Background

According to the records review, the Site was Crown land in 1853. Based on a review of historical aerial photographs, historical maps, and other records, the Site was first used for residential purposes since it’s development in 1969. Prior to this, the Site was vacant land and/or used for agricultural purposes.

It is EXP’s understanding that the that the Site is planned for redevelopment into a high-rise residential building comprising 24 storeys, with up to 3.5 levels of underground parking, along with associated surface parking and an access road. The proposed development is expected to occupy the landscaped area currently situated between the parking lots of 1970 and 1980 Fowler Drive.

1.3 Geological and Hydrogeological Conditions

According to the Geology of Ontario Map, the Site is located within the broad physiographic region known as the beaches and surficial geology is dominated by Paleozoic bedrock deposits. The bedrock in the general area of the Site is part of a group belonging to the Georgian Bay Formation, Blue Mountain Formation, Billings Formation, Collingwood Member, and Eastview Member, primarily consisting of shale, limestone, dolostone and siltstone. Based on a review of “Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006,” the bedrock in the vicinity of the Site is anticipated to be encountered between depths of approximately 16 to 23 metres below ground surface (m bgs). A more detailed description is these layers based on observations from previous investigations is provided in Section 1.4.

A review of the topographic map indicated that the Site is generally flat with an elevation of approximately 124 m above sea level (asl) north of the Site and 131 m above sea level (asl) south of the Site and that the Phase I Study Area gently slopes to the north towards Loyalist creek, located approximately 0.1 km north of the Site draining in Credit River. Based on the information provided on the topographic map, regional groundwater is expected to flow north towards Loyalist creek.

Based on the review of available resources from the Ministry of Natural Resources and Forestry (MNRF) website June 18, 2025, no Areas of Natural Significance were identified at the Site or within 30 m of the Site.

1.4 Previous Investigations

At the time of this Phase One ESA, the following previous environmental reports are available for review.

1. Report entitled *"Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario"*, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd. (RiskCheck).
 - Riskcheck conducted this Phase I ESA in general accordance with CSA Standard Z768-01, 'Phase I Environmental Site Assessment'. It was Riskcheck's understanding that the Phase I ESA was required for due diligence purposes.
 - The Site consisted of two fourteen-storey apartment buildings with a penthouse mechanical room and a single-level basement in each of the building (subject buildings). A single-level underground parking garage was observed to be associated with each of the subject buildings and the underground parking garages were reported to extend beyond the footprint of the subject buildings. The subject buildings were reported with a total of 336 residential suites (including one- two- and three-bedroom suites), approximately 168 residential suites in each. The subject building with the municipal address of 1970 Fowler Drive (hereafter referred to as Building 1970) was estimated to have an approximate total footprint area of 1,062 m² (11,434 ft²) and was constructed in approximately 1969, while the apartment building with the municipal address of 1980 Fowler Drive (hereafter referred to as Building 1980) was estimated to have an approximate total footprint area of 1,034 m² (11,126 ft²) and was constructed in approximately 1970.
 - As part of the previous report's review by RiskCheck, EXP reviewed the following in RiskCheck's (2019 Phase I ESA) Report:
 - "Phase I Environmental Audit of 1970 Fowler Drive, City of Mississauga, Ontario", prepared by Raven Beck Environmental Ltd. (Raven Beck) for Barney River Investments Limited (BRIL), dated January 4, 1996;
 - "Phase I Environmental Site Assessment Update - 1970 Fowler Drive, Mississauga, Ontario", prepared by Intera Engineering Ltd. (Intera) for BRIL, dated April 27, 2006;
 - "Phase I Environmental Site Assessment Update - 1980 Fowler Drive, Mississauga, Ontario", prepared by Intera Engineering Ltd. (Intera) for Barney River Investments Limited (BRIL), dated May 11, 2006;
 - "Phase I Environmental Site Assessment, 1970 and 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Conundrum Residential Property Fund II and Conundrum Capital Corporation, dated March 11, 2011;
 - "Phase I Environmental Site Assessment Update, 1970 and 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Conundrum Capital Corporation, dated June 28, 2012;
 - "Hazardous Building Materials Assessment, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated July 23, 2012;
 - "Designated Substance Survey, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated December 30, 2014;
 - "Limited Designated Substance Survey, Basement Prayer Room (Former Storage Room 101-209), 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated January 28, 2015;
 - "Mould Assessment and Abatement Program, Suite 611, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for Q Residential, dated May 7, 2015;
 - "Phase I Environmental Site Assessment, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated October 14, 2016;
 - "Phase I Environmental Site Assessment, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated October 14, 2016;
 - "2017 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 28, 2017;
 - "Designated Substance Survey, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 28, 2017;
 - "2018 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated April 30, 2018;
 - "2018 Annual Asbestos Containing Material Reassessment, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated April 30, 2018;
 - "Phase I Environmental Site Assessment, Fowler Place and Sheridan Manor, 1970 & 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck for QREIT Sub LP c/o Q Residential dated April 10, 2019;
 - "Asbestos Containing Materials Abatement Program, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019;
 - "Asbestos Containing Materials Abatement Program, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019;
 - "2019 Annual Asbestos Containing Material Reassessment, Fowler Place, 1970 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019; and
 - "2019 Annual Asbestos Containing Material Reassessment, Sheridan Manor, 1980 Fowler Drive, Mississauga, Ontario", prepared by RiskCheck Environmental Ltd. (RiskCheck) for Q Residential, dated June 26, 2019.
 - Visually suspected mould growth was identified in Building 1980 located on the ceiling within the washroom of Suite 1004 and on the pipe insulation located in the basement sprinkler room; and on the ceiling tiles in the hallway on the fifteenth floor of Building 1970. In addition, the previous 2016 RiskCheck Phase I ESA as noted in the Previous Environmental Reports section indicated visually suspected mould growth was noted on a plastered wall within the closet of the master bedroom and on the ceiling (above the bathtub) within the washroom of Suite 711 of Building 1980. Under these conditions, there may be the potential for further mould growth.
 - In addition, Riskcheck also reviewed the following insurance reports:
 - **Inspection Report, 1970 Fowler Drive, 2003**
 - A single-level underground parking garage, approximately 5,000 m² in size, located at the rear of the subject building, was undergoing demolition and replacement during that time.
 - According to the property underwriters' reports: Building 1970 (Building A) was heated using natural gas-fired hot water/steam boilers.
 - **All Risk Report, 1980 Fowler Drive, 2003**
 - In 2002, the single-level underground parking garage was in the process of being replaced.
 - According to various property underwriters' reports, including: 2008 All Risk Report, 2003 Inspection Report, and 1986 COPE Report for Building 1970, and 1986 COPE Report, 2008 All Risk Report, and 2003 All Risk Report for Building 1980: Building 1980 (Building B) was heated by natural gas-fired hot water/steam boilers.
 - The 1986 MultiPak Inspection Report and the 2008 All Risk Report also noted:
An inground swimming pool was located on the northeast exterior side of Building 1980 at that time. However, the exact location of the pool was not specified in the reports. The inground swimming pool was reported to be shared between Building 1970 (Building A) and Building 1980 (Building B).
 - Based on the results of the Phase I ESA completed by RiskCheck in August 2019, including a Site inspection, discussions with on-Site personnel, a review of Site history, and pending information from the MECP, ERIS database, City Directories, Aerials, EXP identified the following potential environmental concerns for the Site and from surrounding properties:
 - RiskCheck recommends that a comprehensive mould assessment to be conducted to confirm the presence of mould and/or the exact quantities prior to completing an abatement. If mould is confirmed to be present, abatement work should be performed primarily in accordance to the Canadian Construction Association's Mould Guidelines for the Canadian Construction Industry (2004) in conjunction with the Environmental Abatement Council of Ontario (EACO) Mould Abatement Guidelines Edition 3 (2015) for compliance with the Ontario Occupational Health and Safety Act (OHSA).
 - A Hazardous Building Materials Survey should be completed prior to any renovations and/or building demolition activities.

2. Report entitled *Environmental Desk Top Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario*, dated November 1, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.
- Riskcheck conducted a peer review of “Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario”, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd.
 - The Site is developed with two, fourteen-storey multi-tenant residential buildings (Site Buildings).
 - Pinchin was advised by the Client that the purpose of the EPR was to assess potential issues of environmental concern in relation to the potential acquisition and financing of the Site.
 - As part of this review, Pinchin also submitted a new FOI to Ministry of the Environment, Conservation and Parks (MECP) and TSSA search of the Site to review any relevant records. However, no responses were received at the time of this investigation.
 - Based on the results of the EPR completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.
3. Report entitled *Environmental Peer Review Summary 1970, & 1980 Fowler Drive, Mississauga, Ontario*, dated November 7, 2019, for Starlight Group Property Holdings Inc., by Pinchin Ltd.
- Riskcheck conducted a peer review of “Phase I Environmental Site Assessment, QREIT SUB LP c/o Q Residential, 1970 & 1980 Fowler Drive, Mississauga, Ontario”, dated August 2, 2019, prepared for QREIT SUB LP c/o Q Residential by RiskCheck Environmental Ltd.
 - The Site is developed with two, fourteen-storey multi-tenant residential buildings (Site Buildings).
 - Pinchin was advised by the Client that the purpose of the EPR was to assess potential issues of environmental concern in relation to the potential acquisition and financing of the Site.
 - As part of this review, Pinchin also submitted a new FOI to Ministry of the Environment, Conservation and Parks (MECP) and TSSA search of the Site to review any relevant records. However, no responses were received at the time of this investigation.
 - Based on the results of the EPR completed by Pinchin, nothing was identified that is likely to result in potential subsurface impacts at the Site. As such, no subsurface investigation work (Phase II ESA) is recommended at this time.

1.5 Underground Utilities

The Site utilities and services were identified at the Site based on information provided in environmental records, relevant utility infrastructure observed during the Site reconnaissance. The Site utilities are summarized in the table below and noted on Figure 3, where available. It is to be noted that the precise underground location of the utilities cannot be determined without professional locate services.

Utility	Source	Location	Site Entry
Natural Gas	Enbridge Gas	Underground	One (1) natural gas pipeline was observed on the north wall of Building B (1980 Fowler Drive). However, the natural gas pipeline was not visible at Building A (1970 Fowler Drive) at the time of Site visit. The natural gas is expected to enter the Site from Fowler Drive.
Sanitary Sewer	City of Mississauga	Underground	Unknown
Storm Sewer	City of Mississauga	Underground	Unknown
Water	City of Mississauga	Underground	Unknown
Electricity	Alectra	Underground	Unknown The electric panels are located in the basement of the Site buildings.
Telecommunications	Unknown	Underground	Unknown

1.6 Potentially Contaminating Activities and Areas of Potential Environmental Concern:

Refer to Table 2 and Figure 2 for the list of potentially contaminating activities (PCAs) that have occurred within the Phase One Study Area, which includes the Site and properties within 250 m radius of the Site boundaries.

Table 2: Potentially Contaminating Activities

PCA Identifier	Address	Location of Activity (in relation to Site) ⁽¹⁾	Potentially Contaminating Activity (PCA) ⁽²⁾	Approximate timeline that PCA occurred	Contributes to APEC (Yes or No)?
Site					
1	1980 Fowler Drive	On-Site	PCA#30-Importation of Fill Materials of Unknown Quality.	Based on the Site visit and the previous 2019 Risk check Phase I ESA report, a former swimming pool was located on the northeast exterior side of Site Building B (1980 Fowler Drive). The swimming pool was reportedly filled in with unknown soil quality and covered with interlocking brick.	Yes, due to the PCA occurring on-Site.
2A	1970 Fowler Drive	On-Site	PCA# “Other”- Application of de-icing agents	Based on the Site visit, the east exterior portion of Building A (1970 Fowler Drive) is designated as the parking lot for the tenants and visitors. Therefore, during winter season, there may be application of de-icing agents or road salts.	Yes, due to the PCA occurring on-Site.
2B	1980 Fowler Drive	On-Site	PCA# “Other”- Application of de-icing agents	Based on the Site visit, the east and north exterior portion of Building B (1980 Fowler Drive) is designated as the parking lot for the tenants and visitors. Therefore, during winter season, there may be application of de-icing agents or road salts.	Yes, due to the PCA occurring on-Site.
Surrounding Properties					

PCA Identifier	Address	Location of Activity (in relation to Site) ⁽¹⁾	Potentially Contaminating Activity (PCA) ⁽²⁾	Approximate timeline that PCA occurred	Contributes to APEC (Yes or No)?
3	Toronto Tp Con 1 SDS Lot 12 pt –	~30 m east	PCA#58-Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Based on the reviewed ERIS report, the green space located about 30 meters east of the Site was previously identified as the Springbank Road Dump, a 2.56-hectare area that operated as a sanitary landfill.	Yes, due to the close proximity to the Site.
4A	2165 Erin Mills Parkway	~85 m southwest	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks	Based on the reviewed ERIS report, the property is operating as a Shell Canada Gas Station - RFO, and is a storage to multiple USTs	Yes, due to the proximity to the Site, the presence of the bulk fuel storage tanks (USTs), current RFO and the inferred up-gradient location relative to the direction of groundwater flow.
4B			PCA# “Other”- spills	Based on the reviewed ERIS report, there were multiple gasoline spills reported at this property.	
4C			PCA# “other”- petroleum based wastes	Based on the reviewed ERIS report, this property was registered for generation of other specified inorganic sludges, light fuels and waste oils/sludges (petroleum based) from 2006 to 2022.	
5A	2225 Erin Mills Pkwy	30 m west	PCA# “other”- chemical wastes	Based on the reviewed ERIS report, the property from various stores inside the Sheridan Mall was registered for the generation of wastes including alkaline wastes, other metals, aliphatic solvents, waste oils and lubricants, paint/pigment/coating residues, pathological wastes, halogenated pesticides and herbicides, petroleum distillates, other specified inorganics, detergents and soaps, waste compressed gases, pharmaceuticals, acid wastes - heavy metals, inorganic laboratory chemicals, and organic laboratory chemicals, aliphatic solvents, photo processing wastes, waste oils and lubricants etc. from 1995 to 2024.	The property is current occupied by retail shopping mall (Sheridan Mall) Based on the inferred trans-gradient position relative to the direction of groundwater flow, and considering the property's current use, the site is considered to pose a low risk of potential environmental concern.
5B			PCA#40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Based on the reviewed ERIS report, some of the retail stores at the property – Sheridan Mall were operating as a limited vendor of pesticides.	
6	2121 Roche Court	100 m southeast	PCA#40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications.	Based on the reviewed ERIS report, the property was registered as an operator of pesticides.	No, based on the separation distance from the Site and the inferred trans-gradient location relative to the direction of groundwater flow.
7A	2185 Erin Mills Pkwy	110 m southwest	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks	Based on the reviewed ERIS report, the property formerly operated as an RFO, was a storage to multiple expired liquid fuel storage tank.	No, based on the separation distance from the Site.
7B			PCA# “Other”- petroleum wastes	Based on the reviewed ERIS report, this property was registered for generation of oil skimmings & sludges and light fuels in 2005.	
7C			PCA# “Other”- spills	Based on the reviewed ERIS report, a minor spill of 30 L of gasoline was reported in 2003 at this property.	
8A	1910 Fowler Drive	135 m south	PCA# “other”- chemical wastes	Based on the reviewed ERIS report, this property was registered for generation of aliphatic solvents, polymeric resin, organic laboratory chemicals, paint/pigment/coating residues, waste compressed gases, Misc. waste organic chemicals, wastes from the use of pigments, coatings and paints, waste compressed gases including cylinders from 2017 to 2024.	No, based on the separation distance from the Site.

PCA Identifier	Address	Location of Activity (in relation to Site) ⁽¹⁾	Potentially Contaminating Activity (PCA) ⁽²⁾	Approximate timeline that PCA occurred	Contributes to APEC (Yes or No)?
8B			PCA#39- Paints Manufacturing, Processing and Bulk Storage	Based on the reviewed city directories, the property was occupied by “ Sherwin-Williams” since 2017.	
9	2215 Erin Mills Parkway & Fowler	135 m southwest	PCA# “Other”- spills	Based on the reviewed ERIS report, a spill of 1200 L water\diesel from UST to ground was reported to MOE in 2010 at this property.	No, based on the separation distance from the Site.
10	Erin Mills Parkway & Fowler Drive	165 m southwest	PCA# “Other”- spills	Based on the reviewed ERIS report, a spill of 100 L of fuel oil was recorded due to fuel tank being stuck by a backhoe at the construction Site in 2010 at this property.	No, based on the separation distance from the Site.
11	2055 Fowler Crescent	215 m southwest	PCA#49- Salvage Yard, including automobile wrecking	Based on the reviewed ERIS report, this property was listed in Automobile Wrecking & Supplies registry and as occupied Artia Scrap Metals, for scrap metals.	No, based on the separation distance from the Site.
12A	2185 Leanne Blvd	225 m southwest	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks	Based on the reviewed ERIS report, this property was listed as an ESSO Gas Service Station – RFO, storage to multiple fuel storage tanks.	No, based on the separation distance from the Site.
12B			PCA# “Other”- spills	Based on the reviewed ERIS report, a spill of 200 L gasoline to the lot was recorded in 1999. at this property.	
13	1925 Fowler Drive	110 m southwest	PCA#39- Paints Manufacturing, Processing and Bulk Storage	Based on the reviewed city directories, the property was occupied by “Dulux” since 2017.	No, based on the separation distance from the Site.

(1) Distances are approximate. Precise distances are not possible due to the age of some listings and the aggregation and/or loss of addresses.

(2) Potentially contaminating activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D (O. Reg. 153/04, as amended) that is occurring or has occurred in a Phase One Study Area.

1.7 Areas of Potential Environmental Concern

Based on the evaluation of the PCAs located within the Phase One Study Area, the following areas of potential environmental concern (APECs) were identified, as presented in Figure 4.

Table 3: Areas of Potential Environmental Concern

Area of Potential Environmental Concern (APEC) ⁽¹⁾	Location of APEC on Site	Potentially Contaminating Activity (PCA)	Location of PCA (on-Site or off-Site)	Contaminants of Potential Concern (COPCs) ²	Media Potentially Impacted (Groundwater, Soil and/or Sediment)
APEC 1: Location of the former swimming pool	Northeast exterior portion of the Site Building B at the Site (1980 Fowler Drive)	PCA#30-Importation of Fill Materials of Unknown Quality. (PCA-1)	On-Site	PHCs, BTEX, PAHs, Metals, As, Sb, Se, Hg, Cr VI, CN-, pH, EC, SAR and B-HWS	Soil
APEC 2A: Application of de-icing agents during winter season	East exterior of Building A (1970 Fowler Drive)	PCA# “Other”- Application of de-icing agents (PCA-2A)	On-Site	EC, SAR	Soil
APEC 2B: Application of de-icing agents during winter season	North, East and West exterior of Building B (1980 Fowler Drive)	PCA# “Other”- Application of de-icing agents (PCA-2B)	On-Site	EC, SAR	Soil
APEC 3: Former presence of Spring bank Road Dump operated as a Sanitary landfill.	Eastern Portion of the Site	PCA#58-Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners (PCA-3)	Off-Site	PHCs, BTEX, VOCs, PAHs, Metals, As, Sb, Se, Hg	Groundwater
APEC 4: Presence of an RFO – Shell Gas service station and storage of USTs	Southern boundary of the Site	PCA#28-Gasoline and Associated Products Storage in Fixed Tanks (PCA-4A, 4B, and 4C)	Off-Site	PHCs, BTEX, VOCs	Groundwater

(1) Potentially contaminating activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D (O. Reg. 153/04, as amended) that is occurring or has occurred in a Phase One Study Area.

Phase One Environmental Site Assessment
1970 & 1980 Fowler Drive, Mississauga, ON
GTR-22022660-A0
July 4, 2025

- (2) PHC – petroleum hydrocarbons; BTEX – benzene, toluene, ethylbenzene, xylenes; VOC – volatile organic compounds, PAHs – polycyclic aromatic hydrocarbons, PCBs – polychlorinated biphenyls, As – arsenic; Sb – antimony; Se – selenium, B-HWS – hot water-soluble boron, Hg – mercury; EC – electrical conductivity; SAR – sodium adsorption ratio; CrVI – hexavalent chromium, CN⁻ - cyanide.

Based on the findings of the Phase One ESA and conclusions, a Phase Two ESA is required to assess the soil and groundwater conditions at the Site.