



GRADING NOTES

- A. ALL SURFACE DRAINAGE WILL BE SELF-CONTAINED, COLLECTED AND DISCHARGED AT A LOCATION TO BE APPROVED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT.
- B. THE PORTIONS OF THE DRIVEWAY WITHIN THE MUNICIPAL BOULEVARD WILL BE PAVED BY THE APPLICANT.
- C. AT THE ENTRANCES TO THE SITE, THE MUNICIPAL CURB AND SIDEWALK WILL BE CONTINUOUS THROUGH THE DRIVEWAY AND A CURB DEPRESSION WILL BE PROVIDED FOR EACH ENTRANCE.
- D. ALL PROPOSED CURBING WITHIN THE MUNICIPAL BOULEVARD AREA FOR THE SITE IS TO SUIT AS FOLLOWS:
 - I) FOR ALL SINGLE FAMILY RESIDENTIAL PROPERTIES INCLUDING ON STREET TOWNHOUSES, ALL CURBING IS TO STOP AT THE PROPERTY LIMIT OR THE BACK OF THE MUNICIPAL SIDEWALK, WHICHEVER IS APPLICABLE; OR
 - II) FOR ALL OTHER PROPOSALS INCLUDING INDUSTRIAL, COMMERCIAL AND MULTI-UNIT

RESIDENTIAL DEVELOPMENTS, ALL ENTRANCES TO THE SITE ARE TO BE IN ACCORDANCE WITH CITY OF MISSISSAUGA STANDARDS 2240.030 OR 2240.031 (AS APPLICABLE) AND 2230.020. DRIVEWAY AND ENTRANCE CURB RADII DIMENSIONS SHALL BE IN ACCORDANCE WITH OPSD 350.010.

- E. ALL EXCESS EXCAVATED MATERIAL WILL BE REMOVED FROM THE SITE.
- F. THE EXISTING DRAINAGE PATTERN WILL BE MAINTAINED EXCEPT WHERE NOTED.
- G. THE APPLICANT WILL BE REQUIRED TO CONTACT ALL UTILITY COMPANIES TO OBTAIN ALL REQUIRED LOCATES PRIOR TO THE INSTALLATION OF HOARDING WITHIN THE MUNICIPAL RIGHT-OF-WAY.
- H. THE APPLICANT WILL BE RESPONSIBLE FOR THE COST OF ANY UTILITY RELOCATIONS NECESSITATED BY THE SITE PLAN.
- I. ALL INTERNAL CURBS ARE TO BE STANDARD 2-STAGE CURB AND GUTTER AS PER O.P.S.D. 600.070.
- J. PRIOR TO COMMENCING CONSTRUCTION, ALL REQUIRED HOARDING IN ACCORDANCE

WITH THE ONTARIO OCCUPATIONAL HEALTH & SAFETY ACT AND REGULATION FOR CONSTRUCTION PROJECTS, MUST BE ERECTED THEN MAINTAINED THROUGHOUT ALL PHASES OF CONSTRUCTION.

K. SHOULD ANY WORKS BE REQUIRED WITHIN THE MUNICIPAL RIGHT-OF-WAY, A ROAD OCCUPANCY PERMIT WILL BE REQUIRED. FOR FURTHER INFORMATION PLEASE CONTACT THE PUCC/PERMIT TECHNOLOGIST, LOCATED AT 3185 MAVIS ROAD.

RECYCLING FACILITY PREPARED THIS PLAIN PROPOSAL TO EXISTING SERVICES. IT IS MY BELIEF AS SHOWN WILL PROTECT THE FACILITY OF THE MUNICIPALITY AND NOT AFFECT TO THE EXISTING PROPERTIES."

"I HAVE REVIEWED THE PLANS FOR THE CONSTRUCTION OF A PROPOSED RECYCLING FACILITY LOCATED AT 580 HAZELHURST ROAD AND HAVE PREPARED THIS PLAN TO INDICATE THE COMPATIBILITY OF THE PROPOSAL TO EXISTING ADJACENT PROPERTIES AND MUNICIPAL SERVICES. IT IS MY BELIEF THAT ADHERENCE TO THE PROPOSED GRADES AS SHOWN WILL PRODUCE ADEQUATE SURFACE DRAINAGE AND PROPER FACILITY OF THE MUNICIPAL SERVICES WITHOUT ANY DETRIMENTAL EFFECT TO THE EXISTING DRAINAGE PATTERNS OR ADJACENT PROPERTIES."

SITE GRADING PLAN		
SIGNED BY: D.A.	DATE: OCT 2025	CHECKED BY: A.W.
DRAWN BY: J.Z.	PROJECT No. 25-1071	DRAWING No. C-101
SCALES: 1: 400		